

NAME : - U.PRANEETH

ROLL NO:- 2520030188

SEC NO: - 02

SKILLS –

1,2,3

1.

```
#include <stdio.h>
#include <unistd.h>
#include <sys/wait.h>

int main(void)
{
    pid_t pid;

    printf("Parent process started\n");

    pid = fork();

    if (pid < 0)
    {
        perror("fork");
        return 1;
    }

    if (pid == 0)
    {
        printf("Child process created\n");
        printf("Child PID: %d\n", getpid());

        execlp("ls", "ls", "-l", (char *)NULL);

        perror("exec");
        return 1;
    }

    wait(NULL);

    printf("Parent process finished\n");

    return 0;
}
```

OUTPUT:-

```
praneeth@PRANEETH:~$ nano fexe
praneeth@PRANEETH:~$ gcc fexe.c -o fexe
praneeth@PRANEETH:~$ ./fexe
Parent process started
Child process created
Child PID: 550
total 224
-rwxr-xr-x 1 praneeth praneeth 16304 Aug  8 03:59 1
-rw-r--r-- 1 praneeth praneeth  495 Aug  8 03:56 1.c
-rwxr-xr-x 1 praneeth praneeth 16168 Aug  8 03:34 2
-rw-r--r-- 1 praneeth praneeth  457 Aug  6 04:06 2.c
-rw-r--r-- 1 praneeth praneeth   82 Jul 30 08:36 P3.c
-rwxr-xr-x 1 praneeth praneeth 16208 Aug 21 15:30 fexe
-rw-r--r-- 1 praneeth praneeth  513 Aug 21 15:28 fexe.c
drwxr-xr-x 2 praneeth praneeth  4096 Jul 30 04:18 os
-rw-r--r-- 1 praneeth praneeth  100 Jul 30 09:04 p3.c
-rwxr-xr-x 1 praneeth praneeth 15992 Jul 30 09:11 p4
-rw-r--r-- 1 praneeth praneeth  100 Jul 30 09:11 p4.c
-rwxr-xr-x 1 praneeth praneeth 15992 Jul 30 09:38 p5
-rw-r--r-- 1 praneeth praneeth   90 Jul 30 09:14 p5.c
-rwxr-xr-x 1 praneeth praneeth 15992 Aug  1 05:47 p6
-rw-r--r-- 1 praneeth praneeth  175 Aug  1 05:45 p6.c
-rwxr-xr-x 1 praneeth praneeth 15992 Jul 30 09:19 p6a
-rw-r--r-- 1 praneeth praneeth   97 Jul 30 09:19 p6a.c
-rwxr-xr-x 1 praneeth praneeth 16032 Aug  1 05:56 p7
-rw-r--r-- 1 praneeth praneeth  174 Aug  1 05:56 p7.c
-rwxr-xr-x 1 praneeth praneeth 16032 Aug  1 09:34 p8
-rw-r--r-- 1 praneeth praneeth  210 Aug  1 09:34 p8.c
-rwxr-xr-x 1 praneeth praneeth 16216 Aug 21 14:42 shell
-rw-r--r-- 1 praneeth praneeth 16216 Aug 21 14:44 shell.c
Parent process finished
praneeth@PRANEETH:~$ |
```

2.

GNU nano 8.7.1

```
#include <stdio.h>
#include <string.h>
```

```
int main(void)
{
    char input[100];

    while (1)
    {
        printf("myShell$ ");
        fflush(stdout);

        if (fgets(input, sizeof(input), stdin) == NULL)
            break;

        input[strcspn(input, "\n")] = '\0';

        if (strcmp(input, "exit") == 0)
        {
            printf("Exiting shell...\n");
            break;
        }

        printf("You entered: %s\n", input);
    }

    return 0;
}|
```

OUTPUT:-

```
praneeth@PRANEETH:~$ nano shll
praneeth@PRANEETH:~$ gcc shll.c -o shll
praneeth@PRANEETH:~$ ./shll
myShell$ hello
You entered: hello
myShell$ exit
Exiting shell...
praneeth@PRANEETH:~$ |
```

3.

```
printf("Type something: ");  
fflush(stdout);  
  
while (1)  
{  
    ch = getchar();  
  
    if (ch == '\n')  
        break;  
  
    printf("\nYou pressed: %c", ch);  
    fflush(stdout);  
}  
  
tcsetattr(STDIN_FILENO, TCSANOW, &oldt);  
  
printf("\nExiting...\n");  
  
return 0;  
}|
```


OUTPUT:-

```
praneeth@PRANEETH:~$ nano keyb
praneeth@PRANEETH:~$ gcc keyb.c -o keyb
praneeth@PRANEETH:~$ ./keyb
Type something:
You pressed: h
Exiting...
```