## Unspecified Veriopt Theory

January 8, 2022

## Contents

1 Snipping 1

## 1 Snipping

```
theory Snipping
imports Main
keywords
    snipbegin :: document-heading and
    snipend :: document-heading
```

Snippets allow specific components of the LaTeX document preparation to be included in other documents.

```
\mathbf{ML} (
(*
I thought the document-command was what generated the LaTeX output,
however, it appears to be hard-coded which makes this a bit of a hack.
fun wrapped-command (command: string) (name: string option) =
 let
   val\ command = \backslash \backslash\ \widehat{\ } command
   val\ argument = case\ name\ of
     NONE => |
     SOME \ v \Rightarrow (\{ \ ^v \ ^\})
   val \ doc = Input.string \ (command \ \widehat{} \ argument)
   (Pure-Syn.document-command \{markdown = false\} (NONE, doc))
 end
val - =
 Outer-Syntax.command (snipbegin, here) start a snippet
    (Parse.document-source >> (fn \ n => wrapped-command isamarkupsnipbegin
(SOME\ (Input.string-of\ n))));
```

```
val - =
Outer-Syntax.command (snipend, here) finish a snippet
     (Parse.document-source >> (fn - => wrapped-command isamarkupsnipend
(NONE)));
```

Snippets should be enclosed within the **snipbegin** and **snipend** commands. For example, the box below is produced by the following:

```
snipbegin "snip-example"
text "Hello world!"
snipend
```

snip-example

Hello world!

 $\quad \text{end} \quad$