

NVivo Next Steps

There are a number of differences between Nvivo Windows and Nvivo Mac that we will encounter in this class. It is important to remember that if you are working in groups with different operating systems that project items created by features not present in Mac are hidden in projects converted to and opened in NVivo Mac.

The following features are not present in NVivo Mac:

- Compound and group queries
- See-also links (if you edit a file with hidden see-also links in NVivo Mac the links are deleted)
- Annotations in audios, videos, pictures and datasets
- Dynamic sets
- Framework matrices
- Sentiment coding
- Relationship coding
- Social network analysis
- Cluster analysis
- Project maps
- Reports

Create a copy of a sample project in Nvivo

Windows – **Launch** Nvivo – **Click** Sample Project Multi-method button (near middle of screen at top) – **Skip** tour if necessary

This project is saved to the same location as the last project you saved.

Note: If you wish to save this to a new location, you will need to save a copy of the project.

File – **Copy Project** (in Navigator) – Choose the save version – click **Browse** button to choose the save location – Enter the file name – **Save** – Click **OK**

Mac – **Launch** Nvivo – **Click** Sample Project (create a copy) – **Enter name** in Save As: dialog box – **choose** a save location if necessary (default is Documents) – **Click** Save - **Skip** tour if necessary

Memos

Memos are places for you take notes, record thoughts and collaborate with others. They can contain images, tables, text and be coded and given attributes for classification.

To create Memos use the Notes area in Navigator.

You can create Folders to keep your memos organised.

- **Navigator Pane – Notes – right mouse click Memos – New Folder**
Add name – Interviews - **Click** OK (Done (in Mac))
- **Click** – Interviews
- **Right click** in list view – **New Memo – Add name** – Barbara Memo – **Click** OK (Done (in Mac))
- Barbara Memo will open in details view with Edit mode activated
- CTRL (CMD) + SHIFT + T will give a time stamp
- Start typing in details pane e.g. This is a memo about Barbara. Strong connection to the area

Linking memos to other project items in NVivo

- Close Barbara Memo
- **Files – Interviews - Barbara** interview – **right mouse click – Memo Link – Link to Existing Memo – choose** Interviews – **Click** Barbara memo in Select Project Item dialog box (Memos dialog box (in Mac)) – **OK/Select** (in Mac)
- Barbara memo will reopen – **Close** Barbara memo
- **Link icon** next to Barbara's name on right indicates a link
- Hover over link icon to see tooltip showing Barbara memo link (Has a linked memo in Mac))
- **Right Click** Barbara – **Memo link – Open linked memo**
- Barbara Memo will reopen
- Close Barbara Memo

Annotating files

Note: Annotating audio, video, pictures and datasets is not available in Mac

Annotating a document allows you to add more data to a document e.g. thoughts on a topic or notes about a comment. Annotations are especially useful when working with others in Nvivo. Annotations can be added to memos as well

Viewing an annotation

Open Barbara File (if necessary)

- **Windows** – Click on Annotations at top of Barbara screen (little speech bubble – Annotations pane will open at bottom of screen)
- **Macs** - Click Annotations at top right of Barbara tab (little speech bubble) Annotations window opens immediately beneath the icon – Can click item number in Annotations pane/window to go to the annotation
- Question 3 Professional perspective on Down East - GIS is highlighted blue (Windows little annotation symbol to the right hand side – Macs hover on highlighted GIS text)

Adding an Annotation

- Question 1 Connection to Down East – Barbara’s answer – **select** the text ‘went to Beaufort Elementary and middle school and high school’
- **Right mouse click** – choose **New Annotation**
- Annotation pane opens at bottom of screen (Macs Annotation bubble opens immediately under the text on the screen)
- **Type** – Only school in the area
- **Click outside** the annotation pane when finished

Note the text bubble icon next to the paragraph that contains the annotation (Mac the text is highlighted blue)

Windows – annotation numbers have updated to be in order based on location in the document

Mac – Annotation numbers do not update. GIS is still annotation 1

Sets

Sets are collections of items within Nvivo. Sets are created manually by selecting the required items. If the original item is removed from the project the item is automatically removed from the set as it no longer exists. However if the item is removed from the set this will not affect the original item in any way

Close all tabs in details view if necessary.

Go to **Files - Interviews**

- **Select** Barbara interview – **right mouse click** – **create as - static set** – Add Name **Coded interviews** – click **OK/Done** (in Mac)

Note: Navigator Pane - Sets – Static Sets now contains a set called Coded Interviews. Select Coded Interviews to see Barbara shortcut link as the only set member

Go to **Files - Interviews**

- **Select** Charles – **Hold down Shift key** – **Select** Dorothy – **right mouse click** – **Create As – Create as Static Set** – Add name **Not coded interviews** – click **OK/Done**
- **Go to** Sets – Static Sets – Not coded interviews
- **Select** Charles set member – **right mouse click** - choose **Delete** – Choose **Delete** on Delete Shortcut dialog box
- Return to **Files – Interviews**. Note Charles remains undeleted. You are only deleting the set member not the item itself

Sets can be used in queries (as Selected Items in Mac) to quickly select items

Queries

Note: For information - Compound and Group Queries are not available in Mac

At its simplest Queries are questions you are asking of your data and coding.

The Explore tab contains many types of queries such as Text Search, Word Frequency and Matrix Coding. The Queries button will show Coding, Crosstab and Coding Comparison queries when clicked.

Query wizard (windows only – does not exist in Mac) can be used for creating different types of queries all of which can be created from the Explore tab buttons

Navigator - Queries

- Query Criteria (for queries you may wish to rerun)
- Query Results (saved query results that will not update)
- Coding Matrices (if you are using Matrix coding queries)

When running queries you can click 'Selected Items' to be more specific about what items you are searching. For example if you have coded by cases you can...

- Click Selected Items - Choose Cases – People to get Interview Participants and Survey Respondents only. Choosing the cases excludes the interviewers so their words are not included in query responses

Text Search Query

Text search queries are used to locate words, phrases, or a series of terms

- **Explore** tab – click **Text Search**
- Search for - '**fish**'
- **Find** option – **With stemmed words** (Mac – Include stemmed words) – fishermen, fishing

Note: Windows only - Other options such as synonyms, specialisations and generalisations will gather more matches with many seeming to have no real connection to the original search term.

Choose Save Criteria in top right corner to save the criteria and be able to run the query again at any point

Click **Run Query** to run the query

- Click **References** in the results to reorder the results by reference value returns
- Click **Reference tab** on right hand side of the screen (Mac – above the query column File Name) to see fish and surrounding words in more context
- **Windows** - Text and Database tabs appear if files from these data types have been returned as a result

Word Tree – visualisation of the query results

- Click zoom at bottom right to zoom in or out (Mac right click to zoom)
- Click any tree branch to view the whole line

Windows - Double click a branch to run a text search query and view the original source

Mac – Right click – Run Text Search Query to view the original source

Query options

Still on Text query results

- Windows – **Reference** tab on right or Text view (Mac – Reference tab above) – – **right mouse click** one result – **Coding Context - Broad** to get the whole context for that individual selection (Entire will give the whole file content)

Windows only – Note: In Text Search Criteria –Spread to drop down box – to change scope of search to None to Broad Context etc in same way as right mouse click

Save results for a query saves the results only at the time. No additional information that is added to the query will be brought into the results

Save criteria allows you to rerun the query so that newly added information is included

Changing the save location of query results to Codes will create a new code with the results in the Coding area of the navigator

Word Frequency Query

Identifies all the words in each file and counts how many times that word was used. Use selected files to be more specific as to which sources are used e.g. use cases to exclude interviewer questions and responses if you have conducted interviews

- **Explore** tab – click **Word Frequency**
- Choose **Selected items** – **expand** Cases – **click** People – **expand** Interview Participants – **select** Barbara – click **OK/Select**
- Display words – **50** most frequent
- Change the **minimum length** depending on the language used - **4**
- Exact match only
- **Run Query**

Right hand side (Mac – above) for tab options

Word Cloud for a visual representation – the larger the word the more times it is used

Right click to export the word cloud

Use Stop Words List to remove particular words

- **Right click** Barbara to add to stop words list
- **Click** Run Query again to rerun the query excluding Barbara

Words on the stop words list are ignored and this affects all queries

Stop words are generated and unique for each project. Adding a stop word in one project does not add it another.

- **File – Project Properties – Stop Words** to explore the stop words list which includes removing words from the list if necessary

Coding Query

Codes show all the content coded to a code. Coding queries allow you to investigate these more deeply

- **Explore** tab – **Queries – Coding**

Note: Coding query criteria is based on logic

- **All** of the following are true – Coded to **All selected codes or cases** (Mac – all of these codes) – **click** ellipses (Mac – small arrow) – **Codes - Infrastructure – OK/Select**
- Run query

Note: including one row only is exactly the same as going to a code and double clicking it to open it

- **Click** the plus sign at the extreme right to add another row
- **Choose** Coded to – **Any case where** – **click** ellipses (Mac – small arrow) – **Expand** Person classification – click **Gender – OK** (Mac – Select Attribute) – **equals value -Female**
- **Run query** - Will return female responses for infrastructure
- **Click** the plus sign at the extreme right to add another row
- **Choose** Coded to – **Any case where** – **click** ellipses (Mac – small arrow) – **Expand** Person classification – click **Recreational fishing** attribute - **OK** (Mac – Select Attribute) – **equals value – Yes**
- **Run query** – Fewer responses as ‘All of the following’ have to be met so coded to infrastructure identifying as female and who said yes to recreational fishing

Matrix Coding Query

A form of cross tabulation using different project elements when looking to identify patterns in your data data. Particularly useful on surveys and for quick glances across your project data.

- **Explore** tab – **Matrix coding query**
- **Choose** Selected Folders/Items in Selected Folders (Mac) – **Files – Interviews – OK/Select** (Mac)
- Rows side - **Plus sign** in bottom left – **Select Items - Codes – select** all below Economy code – **OK/Select** (Mac)
- Columns side – **Plus sign** in bottom left – **Select Items - Codes – select** – all below attitude - **OK/Select** (Mac)
- Columns side - **Select** Positive – use little arrow bottom right to move up - **Reorder** into Positive, Mixed, Negative, Neutral - **Run query**

The default view is showing the number of coding references which could be a single word, paragraph or entire source.

Use cell shading on Matrix ribbon (Mac – right click matrix) to enhance data patterns

Double click 'Fishing industry decline' negative attitude to explore information in more detail

Not just limited to multiple rows and columns. You could do multiple rows and a single column as an example...

Optional Extra example - New matrix coding query

- Rows - Bring in Interviews – Barbara, Charles, Dorothy
- Columns - Bring in Codes - Fishing industry decline
- Run Query
- Blue and white shading for Coding references

Crosstab Query

Similar to matrix coding query but generally returns results faster as it is a simplified version. Works in much the same way as a matrix coding query but has a more limited scope when choosing items.

- **Explore** tab – **Queries** – **Crosstab**

Windows

- Top left **Crosstab codes against** drop down box ensure – **Attributes**
- Selected Items - **Codes** – **Real estate development** – **OK**

Mac

- Bottom right – **Show code against** area ensure – **Attributes** tab is selected
- Scroll to bottom if necessary – Search in – Selected items - **Codes** – **Real estate development** – **Select**

Both

- Codes Area – click the **plus sign** (bottom left corner) – **Codes** – expand **Attitude** – **select** Mixed, Negative, Neutral, Positive – click **OK/Select**
- **Select** Positive – use little arrow bottom right to move up - **Reorder** into Positive, Mixed, Negative, Neutral
- **Classification** – Person
- **Attribute 1** – Community
- **Attribute 2** – Age group
- **Run Query**
- **Windows - Crosstab** ribbon – click **Transpose button** (approx. 2/3 way across)
Mac – **Right click** - **Transpose**

Results showing all cases classified as person with sentiment attitude by community and age group

Second example - **Crosstab query**

- **Codes – Economy – Agriculture, Fishing or Aquaculture, jobs and cost of living, tourism**
- **Classification** – person
- **Attribute 1** – Generations down east
- **Attribute 2** – Gender

Mind Maps

Are a place to record thoughts that are hierarchical or linked. Can be a useful aid in visualising your data. Mind Maps can be turned into Codes or Cases by clicking Create as Codes or Cases button. Mind Maps can also be exported and saved as images to be used in other programs.

Create a Mind Map

- **Explore** tab – **Maps – Mind map**
- Add name **Fishing Industry decline** – **OK/Done**
- Add name to central idea – Fishing Industry Decline – Press Enter/Return
- Ensure central idea is selected - **Mind Map ribbon – Child Idea/Child**
Add name **Cost of doing business** – Press Enter/Return
- With Cost of doing business selected click **Sibling idea/Sibling** – Press Enter/Return
Add name **Foreign competition** – Press Enter/Return – click **Sibling idea/Sibling**
Add name **Regulations** – Press Enter/Return – Click **Sibling idea/Sibling**
Add name **Water quality** – Press Enter/Return
- **Click** Foreign competition idea – Click **Child Idea/Child**
Add name **Larger Trawlers** – Press Enter/Return – Click **Sibling Idea/Sibling**
Add name **Fish Farms** – Press Enter/Return

Windows

- Mind Map tab – Layout options
- Note Create as Codes or Cases button
- Right mouse click – Export Map

Mac

- Format area on right – Layout options
- Note Create as Codes button
- Right mouse click - Share

Extra information

Concept Maps

A way to visual connections between items in your project and your own ideas. Can only join shapes via connectors. Cannot join connectors to each other

- **Explore** tab – **Maps** – **Concept maps**
- Add name – **Fishing industry decline** – **OK/Done**
- Concept map ribbon – Options to add shapes or project items
- Drag items from codes folder
- Connections are not automated – Connections need to be added manually
- Select Connector on Concept map ribbon and draw connections as necessary
- Click add shapes to add shapes as necessary to highlight ideas

Use the pointer tool to select connections

Any selected connection can be changed using the Change connector button on the Concept map ribbon

Any shape can be modified

Windows only options

See Also Links

Note: See also links are not available in Mac

Useful for linking two text segments together e.g a memo to an annotation

Link the annotation to the memo

- Open both Barbara file and Barbara memo if necessary
- In Barbara file - Highlight the entire first answer paragraph
- Copy
- Go to memo
- Highlight text – strong connection to the area
- Right click – choose Paste as see also link
- Text is now highlighted in red

See also link is visible in the See-Also Links pane at the bottom of the page

- To follow the link - Right Click highlighted area – Links – See-Also Link – Open to Item
- To follow the link – Right click the link in the See-Also Links pane and choose Open to Item

Barbara will open with linked area highlighted

- Navigator – Notes – See-Also Links to view all See-Also Links in the project
- Right Click – Open to Item to view

Dynamic Sets

Note: Dynamic Sets are not available in Mac

Similar to static sets but built automatically from attribute values

Create a Dynamic Set where the attribute for Person classification Gender is Female

- Sets folder - Dynamic Sets – New Dynamic Set
- New dynamic set dialogue box opens
- General Tab – Name - Female
- Search Criteria tab – Look for: Codes & Cases in drop down list
- Tick classified items where box (near bottom)
- Choose Select button
- Select Person – Gender
- Choose OK
- Ensure Equals Value option is set to Female
- Click OK

Navigator – Dynamic Sets – Female – Note all the survey and interview respondents who identified as Female

Could use this set if creating a query based on Gender. Would not need to select all the Females individually

Repeat all above steps for Males

Ensure Equals Value option is set to Male

Dynamic sets will update if new data is added to or removed from the project

Project Maps

Note: Project Maps are not available in Mac

A way to visualise connections between items in your project

- Explore – Maps – Project map
- Name: Coding to Barbara
- Add Project items
- List view – Cases – People – Drag Barbara to map
- Add associated items pane
- Items coding
- All items coded to Barbara
- Select codes needed – drag and drop

Rearrange map by clicking and dragging

Project map ribbon – Layout options for changing the layout

Can continue to add items

Reclick to redraw the map to rearrange items

Tick boxes on ribbon

Untick Connector labels

Right click – Export map to save

Project map saved underneath visualisations and map folders in Navigator

Sentiment coding and coding queries

Note: Automated Sentiment coding is not available in Mac. Automated Relationship coding is not available in Mac

Codes – Attitude codes – manual form of sentiment coding

- Barbara – coding stripes – (half way down Barbara – Henry – Q3 Professional perspective on Down East – 2nd sub question - What kind of insight has that given you into the area)

Only useful when cross tabulated, overlapped and queried with another

- Explore – query – coding
- All of the following are true – coded to all selected codes or cases (Macs – all of these codes) – expand Attitude – Select Positive - Select
- Add another row (Macs plus sign on right)
- Coded to all selected codes or cases (Macs – all of these codes) – select Economy - Select
- Run Query
- Text shown is coded to Attitude/Positive sentiment and Economy

Adjust the criteria (**Macs cannot choose ‘not coded to’ as an option**)

- Select all of the following are true – not coded to - any selected code or case – negative, mixed, neutral, positive
- Coded to all selected code or case – economy

Will show any coded economy text not given a sentiment. Perhaps it doesn't need it but still a useful way to review coding progress

Show coding stripes for selected items (negative, mixed, neutral, positive and economy) to be sure