Supplementary results for ECVOL-bench: An Identity-Controlled Evaluation Protocol and Audit Toolkit for Multimodal Earnings-Call Volatility Prediction

Anonymous Author(s)

Contents and provenance

This supplement holds the complete result grids behind the main paper. Every table is generated byte for byte by `ecvol report` from the released CSVs under `data/results/`, each of which carries a run record (resolved config, git commit, seeds and file hash) that `ecvol runs verify` checks. The grids span both corpora (FinCall-Surprise and MAEC), the level and Δv targets, the R^2_{OOS} and MSE metrics, and the temporal and ticker-disjoint splits at all horizons. Result Table 1 carries both horizon definitions and the train-mean constant. Result Tables 2–4 use the trading-day definition and report Diebold–Mariano p-values against persistence, the previous stage and the constant. The main paper's tables copy or summarise cells from these grids.

Grid	Content	Source CSV
Result Table 1	Stage 0/1 baselines, both horizon definitions	`result_table_1.csv`
Result Table 2	Stage 2 text heads (ridge and MLP)	`result_table_2.csv`
Result Table 3	Stage 3 audio heads (FinCall only)	`result_table_3.csv`
Result Table 4	Consolidated grid, canonical model per stage, Holm-corrected	`result_table_4.csv`

The substrate audit (`result_table_5r*.csv`), the reproduction grids (`result_table_6r*.csv`), the post-cutoff tables (`result_table_7*.csv`), the Earnings25 audio tables and the control tables are released as CSVs with the same provenance and are summarised in the main paper and its appendix.

Model	τ=3	τ=7	τ=15	τ=30
Persistence	0.000	0.000	0.000	0.000
Train mean	0.361*	0.141	-0.367*	-1.048*
EWMA	0.465*	0.389*	0.259*	0.019
HAR-RV	0.444*	0.372*	0.138*	-0.285*
GARCH(1,1)	0.472*	0.463*	0.298*	0.023
GBDT (ticker FE)	0.353*	0.244*	-0.097	-0.881*

Table 1: fincall — temporal split — level-v — R^2_OOS vs persistence (test) (n=483).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	0.000	0.000	0.000	0.000
Train mean	0.535*	0.353*	0.072	0.097
EWMA	0.520*	0.379*	0.142*	0.112*
HAR-RV	0.570*	0.491*	0.349*	0.345*
GARCH(1,1)	0.561*	0.484*	0.334*	0.298*
GBDT (ticker FE)	0.501*	0.440*	0.292*	0.242*

Table 2: fincall — ticker_disjoint split — level-v — R^2_OOS vs persistence (test) (n=484).

Result Table 1 — Stage 0/1 baselines

Model	τ=3	τ=7	τ=15	τ=30
Persistence	0.000	0.000	0.000	0.000
Train mean	0.165*	0.158*	0.060	0.088*
EWMA	0.465*	0.389*	0.259*	0.019
HAR-RV	0.444*	0.372*	0.138*	-0.285*
GARCH(1,1)	0.472*	0.463*	0.298*	0.023
GBDT (ticker FE)	0.340*	0.249*	-0.126	-0.948*

Table 3: fincall — temporal split — Δv — R^2_OOS vs persistence (test) (n=483).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	0.000	0.000	0.000	0.000
Train mean	0.200*	0.201*	0.132*	0.035*
EWMA	0.520*	0.379*	0.142*	0.112*
HAR-RV	0.570*	0.491*	0.349*	0.345*
GARCH(1,1)	0.561*	0.484*	0.334*	0.298*
GBDT (ticker FE)	0.494*	0.440*	0.292*	0.237*

Table 4: fincall — ticker_disjoint split — Δv — R^2_OOS vs persistence (test) (n=484).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	0.000	0.000	0.000	0.000
Train mean	0.557*	0.342*	0.024	-0.264*
EWMA	0.562*	0.389*	0.223*	0.087*
HAR-RV	0.603*	0.486*	0.321*	0.221*
GARCH(1,1)	0.596*	0.505*	0.325*	0.049
GBDT (ticker FE)	0.563*	0.429*	0.240*	0.113*

Table 5: maec — temporal split — level-v — R^2_OOS vs persistence (test) (n=529).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	0.000	0.000	0.000	0.000
Train mean	0.511*	0.267*	0.004	-0.277*
EWMA	0.557*	0.388*	0.276*	0.073*
HAR-RV	0.574*	0.447*	0.332*	0.183*
GARCH(1,1)	0.593*	0.481*	0.403*	0.181*
GBDT (ticker FE)	0.483*	0.339*	0.221*	0.091

Table 6: maec — ticker_disjoint split — level-v — R^2_OOS vs persistence (test) (n=532).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	0.000	0.000	0.000	0.000
Train mean	0.254*	0.251*	0.187*	0.090*
EWMA	0.562*	0.389*	0.223*	0.087*
HAR-RV	0.603*	0.486*	0.321*	0.221*
GARCH(1,1)	0.596*	0.505*	0.325*	0.049
GBDT (ticker FE)	0.562*	0.420*	0.254*	0.150*

Table 7: maec — temporal split — Δv — R^2_OOS vs persistence (test) (n=529).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	0.000	0.000	0.000	0.000
Train mean	0.265*	0.254*	0.210*	0.105*
EWMA	0.557*	0.388*	0.276*	0.073*
HAR-RV	0.574*	0.447*	0.332*	0.183*
GARCH(1,1)	0.593*	0.481*	0.403*	0.181*
GBDT (ticker FE)	0.477*	0.361*	0.250*	0.095*

Table 8: maec — ticker_disjoint split — Δv — R^2_OOS vs persistence (test) (n=532).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	1.270	0.448	0.211	0.115
Train mean	0.811*	0.384	0.288*	0.235*
EWMA	0.679*	0.274*	0.156*	0.113
HAR-RV	0.706*	0.281*	0.182*	0.148*
GARCH(1,1)	0.671*	0.240*	0.148*	0.112
GBDT (ticker FE)	0.821*	0.338*	0.231	0.216*

Table 9: fincall — temporal split — level-v — MSE (test) (n=483).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	1.368	0.477	0.248	0.262
Train mean	0.637*	0.309*	0.230	0.236
EWMA	0.657*	0.297*	0.213*	0.232*
HAR-RV	0.589*	0.243*	0.162*	0.171*
GARCH(1,1)	0.602*	0.245*	0.164*	0.184*
GBDT (ticker FE)	0.683*	0.267*	0.176*	0.198*

Table 10: fincall — ticker_disjoint split — level-v — MSE (test) (n=484).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	1.270	0.448	0.211	0.115
Train mean	1.060*	0.377*	0.198	0.105*
EWMA	0.679*	0.274*	0.156*	0.113
HAR-RV	0.706*	0.281*	0.182*	0.148*
GARCH(1,1)	0.671*	0.240*	0.148*	0.112
GBDT (ticker FE)	0.838*	0.336*	0.237	0.224*

Table 11: fincall — temporal split — Δv — MSE (test) (n=483).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	1.368	0.477	0.248	0.262
Train mean	1.095*	0.381*	0.216*	0.253*
EWMA	0.657*	0.297*	0.213*	0.232*
HAR-RV	0.589*	0.243*	0.162*	0.171*
GARCH(1,1)	0.602*	0.245*	0.164*	0.184*
GBDT (ticker FE)	0.692*	0.267*	0.176*	0.200*

Table 12: fincall — ticker_disjoint split — Δv — MSE (test) (n=484).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	1.774	0.712	0.356	0.201
Train mean	0.787*	0.469*	0.347	0.253*
EWMA	0.778*	0.435*	0.276*	0.183*
HAR-RV	0.705*	0.366*	0.242*	0.156*
GARCH(1,1)	0.717*	0.352*	0.240*	0.191
GBDT (ticker FE)	0.775*	0.406*	0.270*	0.178*

Table 13: maec — temporal split — level-v — MSE (test) (n=529).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	1.709	0.632	0.326	0.161
Train mean	0.836*	0.463*	0.324	0.206*
EWMA	0.756*	0.387*	0.236*	0.149*
HAR-RV	0.730*	0.350*	0.218*	0.132*
GARCH(1,1)	0.695*	0.328*	0.194*	0.132*
GBDT (ticker FE)	0.884*	0.417*	0.254*	0.147

Table 14: maec — ticker_disjoint split — level-v — MSE (test) (n=532).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	1.774	0.712	0.356	0.201
Train mean	1.323*	0.533*	0.289*	0.183*
EWMA	0.778*	0.435*	0.276*	0.183*
HAR-RV	0.705*	0.366*	0.242*	0.156*
GARCH(1,1)	0.717*	0.352*	0.240*	0.191
GBDT (ticker FE)	0.778*	0.413*	0.265*	0.171*

Table 15: maec — temporal split — Δv — MSE (test) (n=529).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	1.709	0.632	0.326	0.161
Train mean	1.256*	0.471*	0.257*	0.144*
EWMA	0.756*	0.387*	0.236*	0.149*
HAR-RV	0.730*	0.350*	0.218*	0.132*
GARCH(1,1)	0.695*	0.328*	0.194*	0.132*
GBDT (ticker FE)	0.894*	0.404*	0.244*	0.146*

Table 16: maec — ticker_disjoint split — Δv — MSE (test) (n=532).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	0.000	0.000	0.000	0.000
Train mean	0.376*	0.234*	-0.079	-0.718*
EWMA	0.404*	0.420*	0.328*	0.145*
HAR-RV	0.419*	0.402*	0.275*	-0.053
GARCH(1,1)	0.388*	0.484*	0.399*	0.145*
GBDT (ticker FE)	0.249*	0.278*	0.105	-0.368*

Table 17: fincall — temporal split — level-v — R^2_OOS vs persistence (test) — calendar-day τ (n=483).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	0.000	0.000	0.000	0.000
Train mean	0.503*	0.486*	0.206*	-0.015
EWMA	0.470*	0.476*	0.258*	0.036
HAR-RV	0.534*	0.559*	0.418*	0.289*
GARCH(1,1)	0.520*	0.546*	0.409*	0.262*
GBDT (ticker FE)	0.472*	0.498*	0.340*	0.213*

Table 18: fincall — ticker_disjoint split — level-v — R^2_OOS vs persistence (test) — calendar-day τ (n=484).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	0.000	0.000	0.000	0.000
Train mean	0.062	0.205*	0.104*	0.064*
EWMA	0.404*	0.420*	0.328*	0.145*
HAR-RV	0.419*	0.402*	0.275*	-0.053
GARCH(1,1)	0.388*	0.484*	0.399*	0.145*
GBDT (ticker FE)	0.225*	0.270*	0.101	-0.389*

Table 19: fincall — temporal split — Δv — R^2_OOS vs persistence (test) — calendar-day τ (n=483).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	0.000	0.000	0.000	0.000
Train mean	0.124*	0.235*	0.189*	0.075*
EWMA	0.470*	0.476*	0.258*	0.036
HAR-RV	0.534*	0.559*	0.418*	0.289*
GARCH(1,1)	0.520*	0.546*	0.409*	0.262*
GBDT (ticker FE)	0.464*	0.503*	0.319*	0.212*

Table 20: fincall — ticker_disjoint split — Δv — R^2_OOS vs persistence (test) — calendar-day τ (n=484).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	0.000	0.000	0.000	0.000
Train mean	0.508*	0.412*	0.198*	-0.148
EWMA	0.566*	0.412*	0.311*	0.169*
HAR-RV	0.562*	0.502*	0.400*	0.265*
GARCH(1,1)	0.579*	0.497*	0.428*	0.203*
GBDT (ticker FE)	0.513*	0.450*	0.357*	0.172*

Table 21: maec — temporal split — level-v — R^2_OOS vs persistence (test) — calendar-day τ (n=529).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	0.000	0.000	0.000	0.000
Train mean	0.626*	0.379*	0.139*	-0.153
EWMA	0.653*	0.445*	0.337*	0.172*
HAR-RV	0.661*	0.498*	0.396*	0.233*
GARCH(1,1)	0.663*	0.515*	0.452*	0.284*
GBDT (ticker FE)	0.575*	0.416*	0.292*	0.139*

Table 22: maec — ticker_disjoint split — level-v — R^2_OOS vs persistence (test) — calendar-day τ (n=532).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	0.000	0.000	0.000	0.000
Train mean	0.247*	0.245*	0.224*	0.135*
EWMA	0.566*	0.412*	0.311*	0.169*
HAR-RV	0.562*	0.502*	0.400*	0.265*
GARCH(1,1)	0.579*	0.497*	0.428*	0.203*
GBDT (ticker FE)	0.515*	0.442*	0.370*	0.186*

Table 23: maec — temporal split — Δv — R^2_OOS vs persistence (test) — calendar-day τ (n=529).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	0.000	0.000	0.000	0.000
Train mean	0.297*	0.281*	0.229*	0.154*
EWMA	0.653*	0.445*	0.337*	0.172*
HAR-RV	0.661*	0.498*	0.396*	0.233*
GARCH(1,1)	0.663*	0.515*	0.452*	0.284*
GBDT (ticker FE)	0.576*	0.420*	0.319*	0.144*

Table 24: maec — ticker_disjoint split — Δv — R^2_OOS vs persistence (test) — calendar-day τ (n=532).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	2.071	0.612	0.298	0.152
Train mean	1.293*	0.469*	0.322	0.262*
EWMA	1.234*	0.355*	0.200*	0.130*
HAR-RV	1.204*	0.366*	0.216*	0.161
GARCH(1,1)	1.271*	0.316*	0.179*	0.130*
GBDT (ticker FE)	1.555*	0.442*	0.267	0.209*

Table 25: fincall — temporal split — level-v — MSE (test) — calendar-day τ (n=483).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	2.550	0.738	0.321	0.220
Train mean	1.268*	0.379*	0.255*	0.223
EWMA	1.352*	0.387*	0.238*	0.212
HAR-RV	1.189*	0.325*	0.186*	0.156*
GARCH(1,1)	1.227*	0.334*	0.188*	0.162*
GBDT (ticker FE)	1.347*	0.371*	0.212*	0.173*

Table 26: fincall — ticker_disjoint split — level-v — MSE (test) — calendar-day τ (n=484).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	2.071	0.612	0.298	0.152
Train mean	1.942	0.486*	0.267*	0.143*
EWMA	1.234*	0.355*	0.200*	0.130*
HAR-RV	1.204*	0.366*	0.216*	0.161
GARCH(1,1)	1.271*	0.316*	0.179*	0.130*
GBDT (ticker FE)	1.606*	0.447*	0.268	0.212*

Table 27: fincall — temporal split — Δv — MSE (test) — calendar-day τ (n=483).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	2.550	0.738	0.321	0.220
Train mean	2.233*	0.565*	0.260*	0.203*
EWMA	1.352*	0.387*	0.238*	0.212
HAR-RV	1.189*	0.325*	0.186*	0.156*
GARCH(1,1)	1.227*	0.334*	0.188*	0.162*
GBDT (ticker FE)	1.366*	0.367*	0.218*	0.173*

Table 28: fincall — ticker_disjoint split — Δv — MSE (test) — calendar-day τ (n=484).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	2.553	0.986	0.492	0.263
Train mean	1.256*	0.579*	0.395*	0.302
EWMA	1.109*	0.579*	0.339*	0.219*
HAR-RV	1.119*	0.491*	0.295*	0.194*
GARCH(1,1)	1.075*	0.496*	0.282*	0.210*
GBDT (ticker FE)	1.243*	0.542*	0.317*	0.218*

Table 29: maec — temporal split — level-v — MSE (test) — calendar-day τ (n=529).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	2.494	0.910	0.426	0.229
Train mean	0.933*	0.565*	0.366*	0.264
EWMA	0.867*	0.505*	0.282*	0.189*
HAR-RV	0.845*	0.457*	0.258*	0.175*
GARCH(1,1)	0.840*	0.441*	0.233*	0.164*
GBDT (ticker FE)	1.059*	0.531*	0.302*	0.197*

Table 30: maec — ticker_disjoint split — level-v — MSE (test) — calendar-day τ (n=532).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	2.553	0.986	0.492	0.263
Train mean	1.924*	0.744*	0.382*	0.228*
EWMA	1.109*	0.579*	0.339*	0.219*
HAR-RV	1.119*	0.491*	0.295*	0.194*
GARCH(1,1)	1.075*	0.496*	0.282*	0.210*
GBDT (ticker FE)	1.237*	0.550*	0.310*	0.214*

Table 31: maec — temporal split — Δv — MSE (test) — calendar-day τ (n=529).

Model	τ=3	τ=7	τ=15	τ=30
Persistence	2.494	0.910	0.426	0.229
Train mean	1.753*	0.654*	0.328*	0.193*
EWMA	0.867*	0.505*	0.282*	0.189*
HAR-RV	0.845*	0.457*	0.258*	0.175*
GARCH(1,1)	0.840*	0.441*	0.233*	0.164*
GBDT (ticker FE)	1.056*	0.528*	0.290*	0.196*

Table 32: maec — ticker_disjoint split — Δv — MSE (test) — calendar-day τ (n=532).

Model	τ=3	τ=7	τ=15	τ=30
Ridge (text)	0.430*	0.322*	-0.007	-0.539*
MLP (text)	0.153*	-0.235*	-1.156*	-2.782*
Ridge (past-vol)	0.407*	0.314*	0.079*	-0.382*
MLP (past-vol)	0.439*	0.352*	0.116*	-0.459*
Ridge (text+vol)	0.435*	0.339*	0.034*	-0.454*
MLP (text+vol)	0.219*	-0.115*	-0.918*	-2.504*

Table 33: fincall — temporal split — level-v — R^2_OOS vs persistence (test) (n=483).

Model	τ=3	τ=7	τ=15	τ=30
Ridge (text)	0.549*	0.449	0.254	0.199
MLP (text)	0.177*	-0.484*	-1.491*	-1.354*
Ridge (past-vol)	0.543	0.467	0.341	0.284
MLP (past-vol)	0.571*	0.512*	0.365*	0.327
Ridge (text+vol)	0.552*	0.464	0.293	0.278
MLP (text+vol)	0.209*	-0.348*	-1.277*	-1.166*

Table 34: fincall — ticker_disjoint split — level-v — R^2_OOS vs persistence (test) (n=484).

Result Table 2 — Stage 2 text heads

Model	τ=3	τ=7	τ=15	τ=30
Ridge (text)	0.182*	0.202	0.044*	-0.133*
MLP (text)	0.013*	0.069*	-0.253	-1.202
Ridge (past-vol)	0.412*	0.314*	0.094*	0.113*
MLP (past-vol)	0.441*	0.330*	0.086*	-0.401*
Ridge (text+vol)	0.333	0.285	0.080*	-0.077*
MLP (text+vol)	0.275	0.222	-0.108	-0.855

Table 35: fincall — temporal split — Δv — R^2_OOS vs persistence (test) (n=483).

Model	τ=3	τ=7	τ=15	τ=30
Ridge (text)	0.195*	0.217*	0.195*	0.169
MLP (text)	0.046*	-0.024*	-0.108*	-0.061*
Ridge (past-vol)	0.552*	0.469	0.345	0.318*
MLP (past-vol)	0.577*	0.508*	0.381*	0.356*
Ridge (text+vol)	0.399*	0.375	0.256	0.301
MLP (text+vol)	0.423*	0.352*	0.165*	0.224

Table 36: fincall — ticker_disjoint split — Δv — R^2_OOS vs persistence (test) (n=484).

Model	τ=3	τ=7	τ=15	τ=30
Ridge (text)	0.515	0.304*	0.002*	-0.303*
MLP (text)	-0.174*	-1.142*	-2.602*	-5.867*
Ridge (past-vol)	0.575	0.441	0.322*	0.242*
MLP (past-vol)	0.605*	0.470	0.324*	0.240*
Ridge (text+vol)	0.516	0.348*	0.165	0.010*
MLP (text+vol)	-0.116*	-1.036*	-1.853*	-4.494*

Table 37: maec — temporal split — level-v — R^2_OOS vs persistence (test) (n=529).

Model	τ=3	τ=7	τ=15	τ=30
Ridge (text)	0.556*	0.355	0.116	-0.115*
MLP (text)	0.233*	-0.523*	-1.583*	-3.321*
Ridge (past-vol)	0.530	0.364	0.230	0.159
MLP (past-vol)	0.537	0.389	0.239	0.184
Ridge (text+vol)	0.563*	0.390	0.274	0.133
MLP (text+vol)	0.103*	-0.670*	-1.556*	-3.281*

Table 38: maec — ticker_disjoint split — level-v — R^2_OOS vs persistence (test) (n=532).

Model	τ=3	τ=7	τ=15	τ=30
Ridge (text)	0.247*	0.148*	0.191	0.098
MLP (text)	0.110*	0.003*	-0.287*	-0.288*
Ridge (past-vol)	0.581	0.444	0.323*	0.242*
MLP (past-vol)	0.615*	0.494*	0.349*	0.258*
Ridge (text+vol)	0.438*	-0.015*	0.233	0.152
MLP (text+vol)	0.407*	0.291*	0.109*	-0.174*

Table 39: maec — temporal split — Δv — R^2_OOS vs persistence (test) (n=529).

Model	τ=3	τ=7	τ=15	τ=30
Ridge (text)	0.276*	0.267*	0.221	0.113
MLP (text)	0.245*	0.177*	0.070*	-0.112*
Ridge (past-vol)	0.530	0.364	0.230	0.159
MLP (past-vol)	0.559*	0.436*	0.318*	0.182
Ridge (text+vol)	0.453	0.340	0.235	0.093
MLP (text+vol)	0.457	0.322	0.168	-0.070*

Table 40: maec — ticker_disjoint split — Δv — R^2_OOS vs persistence (test) (n=532).

Model	τ=3	τ=7	τ=15	τ=30
Ridge (text)	0.724*	0.304*	0.212	0.177*
MLP (text)	1.075*	0.553*	0.455*	0.434*
Ridge (past-vol)	0.752*	0.307*	0.194*	0.159*
MLP (past-vol)	0.713*	0.290*	0.186*	0.168*
Ridge (text+vol)	0.718*	0.296*	0.204*	0.167*
MLP (text+vol)	0.992*	0.499*	0.404*	0.402*

Table 41: fincall — temporal split — level-v — MSE (test) (n=483).

Model	τ=3	τ=7	τ=15	τ=30
Ridge (text)	0.617*	0.263	0.185	0.210
MLP (text)	1.125*	0.708*	0.619*	0.616*
Ridge (past-vol)	0.626	0.254	0.163	0.187
MLP (past-vol)	0.587*	0.233*	0.158*	0.176
Ridge (text+vol)	0.613*	0.256	0.176	0.189
MLP (text+vol)	1.082*	0.643*	0.565*	0.567*

Table 42: fincall — ticker_disjoint split — level-v — MSE (test) (n=484).

Model	τ=3	τ=7	τ=15	τ=30
Ridge (text)	1.039*	0.357	0.202*	0.130*
MLP (text)	1.253*	0.417*	0.264	0.253
Ridge (past-vol)	0.746*	0.307*	0.191*	0.102*
MLP (past-vol)	0.710*	0.300*	0.193*	0.161*
Ridge (text+vol)	0.847	0.320	0.194*	0.124*
MLP (text+vol)	0.921	0.348	0.234	0.213

Table 43: fincall — temporal split — Δv — MSE (test) (n=483).

Model	τ=3	τ=7	τ=15	τ=30
Ridge (text)	1.101*	0.374*	0.200*	0.217
MLP (text)	1.306*	0.489*	0.275*	0.278*
Ridge (past-vol)	0.613*	0.254	0.163	0.178*
MLP (past-vol)	0.578*	0.235*	0.154*	0.168*
Ridge (text+vol)	0.822*	0.298	0.185	0.183
MLP (text+vol)	0.790*	0.309*	0.207*	0.203

Table 44: fincall — ticker_disjoint split — Δv — MSE (test) (n=484).

Model	τ=3	τ=7	τ=15	τ=30
Ridge (text)	0.861	0.495*	0.355*	0.261*
MLP (text)	2.082*	1.525*	1.281*	1.377*
Ridge (past-vol)	0.755	0.398	0.241*	0.152*
MLP (past-vol)	0.701*	0.377	0.240*	0.152*
Ridge (text+vol)	0.859	0.464*	0.297	0.198*
MLP (text+vol)	1.981*	1.450*	1.015*	1.102*

Table 45: maec — temporal split — level-v — MSE (test) (n=529).

Model	τ=3	τ=7	τ=15	τ=30
Ridge (text)	0.758*	0.408	0.288	0.180*
MLP (text)	1.310*	0.962*	0.841*	0.697*
Ridge (past-vol)	0.802	0.402	0.251	0.136
MLP (past-vol)	0.791	0.386	0.248	0.132
Ridge (text+vol)	0.746*	0.385	0.236	0.140
MLP (text+vol)	1.532*	1.055*	0.833*	0.690*

Table 46: maec — ticker_disjoint split — level-v — MSE (test) (n=532).

Model	τ=3	τ=7	τ=15	τ=30
Ridge (text)	1.336*	0.607*	0.288	0.181
MLP (text)	1.578*	0.710*	0.458*	0.258*
Ridge (past-vol)	0.744	0.396	0.241*	0.152*
MLP (past-vol)	0.684*	0.360*	0.231*	0.149*
Ridge (text+vol)	0.997*	0.723*	0.273	0.170
MLP (text+vol)	1.052*	0.505*	0.317*	0.235*

Table 47: maec — temporal split — Δv — MSE (test) (n=529).

Model	τ=3	τ=7	τ=15	τ=30
Ridge (text)	1.237*	0.463*	0.254	0.143
MLP (text)	1.291*	0.520*	0.303*	0.179*
Ridge (past-vol)	0.802	0.402	0.251	0.136
MLP (past-vol)	0.753*	0.357*	0.222*	0.132
Ridge (text+vol)	0.934	0.417	0.249	0.146
MLP (text+vol)	0.929	0.428	0.271	0.172*

Table 48: maec — ticker_disjoint split — Δv — MSE (test) (n=532).

Model	τ=3	τ=7	τ=15	τ=30
ridge eGeMAPS	0.361	0.144*	-0.370*	-1.159*
mlp eGeMAPS	-10.085	-20.164	-38.738	-61.570
ridge eGeMAPS +vol	0.374	0.260	-0.067	-0.677
mlp eGeMAPS +vol	-7.831	-17.515	-37.949	-50.038
ridge WavLM	0.357	0.084*	-0.507*	-1.106*
mlp WavLM	-0.072*	-0.808*	-2.505*	-5.253*
ridge WavLM +vol	0.378	0.245	-0.094	-0.665*
mlp WavLM +vol	0.016*	-0.582*	-1.882*	-4.053*
ridge emotion2vec+	0.354	0.152*	-0.320*	-0.967
mlp emotion2vec+	-0.270*	-1.582*	-3.692*	-6.470*
ridge emotion2vec+ +vol	0.396	0.305*	0.070*	-0.398*
mlp emotion2vec+ +vol	-0.313*	-1.580*	-3.559*	-6.632*
ridge WavLM+eGeMAPS	0.354	0.139*	-0.411*	-1.114*
mlp WavLM+eGeMAPS	-1.847	-5.053	-9.675	-14.344
ridge WavLM+eGeMAPS +vol	0.367	0.259	-0.119	-0.763
mlp WavLM+eGeMAPS +vol	-2.005	-5.365	-10.910	-16.691
ridge WavLM+text +vol	0.427*	0.332*	-0.007	-0.527*
mlp WavLM+text +vol	0.213*	-0.050*	-0.823*	-2.165*

Table 49: fincall — temporal split — level-v — R^2_OOS vs persistence (test) (n=483).

Result Table 3 — Stage 3 audio heads

FinCall-Surprise only (MAEC ships no raw audio).

Model	τ=3	τ=7	τ=15	τ=30
ridge eGeMAPS	0.535	0.320*	0.073*	0.060*
mlp eGeMAPS	-7.712	-26.589	-52.220	-53.918
ridge eGeMAPS +vol	0.544	0.426	0.310	0.266
mlp eGeMAPS +vol	-7.149	-21.128	-47.690	-46.809
ridge WavLM	0.514	0.320*	-0.022*	-0.015*
mlp WavLM	-0.020*	-0.939*	-2.346*	-2.290*
ridge WavLM +vol	0.521	0.401	0.243	0.247
mlp WavLM +vol	-0.074*	-1.072*	-2.573*	-2.372*
ridge emotion2vec+	0.533	0.357*	0.085*	0.116*
mlp emotion2vec+	-1.783	-4.890	-10.950	-9.695
ridge emotion2vec+ +vol	0.540	0.463	0.335	0.283
mlp emotion2vec+ +vol	-1.860	-5.254	-11.588	-11.116
ridge WavLM+eGeMAPS	0.516	0.305*	-0.071*	-0.032*
mlp WavLM+eGeMAPS	-1.442	-4.849	-10.335	-9.318
ridge WavLM+eGeMAPS +vol	0.522	0.389	0.230	0.239
mlp WavLM+eGeMAPS +vol	-1.676	-5.476	-11.476	-10.368
ridge WavLM+text +vol	0.539	0.448	0.276	0.272
mlp WavLM+text +vol	0.228*	-0.288*	-1.033*	-0.860*

Table 50: fincall — ticker_disjoint split — level-v — R^2_OOS vs persistence (test) (n=484).

Model	τ=3	τ=7	τ=15	τ=30
ridge eGeMAPS	0.163*	0.156*	0.059*	0.079*
mlp eGeMAPS	-0.096*	-0.004*	-0.228	-0.564
ridge eGeMAPS +vol	0.373	0.268	0.074*	0.108*
mlp eGeMAPS +vol	0.319	-0.212	-0.901	-3.657
ridge WavLM	0.156*	0.148*	-0.027	-0.008*
mlp WavLM	0.045*	-0.108*	-0.433*	-1.160
ridge WavLM +vol	0.357	0.262	-0.044	0.052*
mlp WavLM +vol	0.295	0.087*	-0.387*	-1.274*
ridge emotion2vec+	0.155*	0.129*	0.022*	0.027*
mlp emotion2vec+	0.006*	-0.029*	-0.337*	-1.001
ridge emotion2vec+ +vol	0.403*	0.307	0.095*	0.064*
mlp emotion2vec+ +vol	0.186*	0.107*	-0.218	-0.992
ridge WavLM+eGeMAPS	0.155*	0.145*	0.015*	-0.008*
mlp WavLM+eGeMAPS	-0.010*	-0.180*	-0.550*	-1.121
ridge WavLM+eGeMAPS +vol	0.353	0.268	0.033*	0.050*
mlp WavLM+eGeMAPS +vol	0.140	-0.014*	-0.581*	-1.493*
ridge WavLM+text +vol	0.311	0.237	0.050*	-0.102*
mlp WavLM+text +vol	0.323	0.269	-0.103	-0.983

Table 51: fincall — temporal split — Δv — R^2_OOS vs persistence (test) (n=483).

Model	τ=3	τ=7	τ=15	τ=30
ridge eGeMAPS	0.203*	0.119*	0.137*	0.044*
mlp eGeMAPS	0.093*	-0.037*	0.038*	-0.044*
ridge eGeMAPS +vol	0.524	0.431	0.291	0.286
mlp eGeMAPS +vol	0.328	0.169*	0.179*	0.189
ridge WavLM	0.178*	0.192*	0.131*	0.026*
mlp WavLM	0.026*	0.011*	-0.140*	-0.198*
ridge WavLM +vol	0.456	0.390	0.267	0.222
mlp WavLM +vol	0.424*	0.346*	0.139*	0.060*
ridge emotion2vec+	0.181*	0.185*	0.122*	0.047*
mlp emotion2vec+	0.077*	0.032*	-0.188*	-0.210*
ridge emotion2vec+ +vol	0.541*	0.464	0.340	0.317
mlp emotion2vec+ +vol	0.431*	0.323*	0.123*	0.029*
ridge WavLM+eGeMAPS	0.181*	0.194*	0.136*	0.110*
mlp WavLM+eGeMAPS	0.033*	-0.007*	-0.131*	-0.194*
ridge WavLM+eGeMAPS +vol	0.442	0.364*	0.241	0.217
mlp WavLM+eGeMAPS +vol	0.327*	0.154*	-0.152*	-0.196*
ridge WavLM+text +vol	0.369*	0.348*	0.238	0.301
mlp WavLM+text +vol	0.404*	0.315*	0.128*	0.193

Table 52: fincall — ticker_disjoint split — Δv — R^2_OOS vs persistence (test) (n=484).

Model	τ=3	τ=7	τ=15	τ=30
ridge eGeMAPS	0.811	0.383*	0.289*	0.248*
mlp eGeMAPS	14.075	9.472	8.379	7.186
ridge eGeMAPS +vol	0.795	0.331	0.225	0.193
mlp eGeMAPS +vol	11.213	8.287	8.213	5.862
ridge WavLM	0.816	0.410*	0.318*	0.242*
mlp WavLM	1.361*	0.809*	0.739*	0.718*
ridge WavLM +vol	0.789	0.338	0.231	0.191*
mlp WavLM +vol	1.250*	0.708*	0.608*	0.580*
ridge emotion2vec+	0.821	0.380*	0.278*	0.226
mlp emotion2vec+	1.612*	1.156*	0.989*	0.858*
ridge emotion2vec+ +vol	0.766	0.311*	0.196*	0.161*
mlp emotion2vec+ +vol	1.667*	1.154*	0.961*	0.877*
ridge WavLM+eGeMAPS	0.820	0.386*	0.298*	0.243*
mlp WavLM+eGeMAPS	3.615	2.709	2.251	1.762
ridge WavLM+eGeMAPS +vol	0.804	0.332	0.236	0.203
mlp WavLM+eGeMAPS +vol	3.815	2.849	2.511	2.032
ridge WavLM+text +vol	0.727*	0.299*	0.212	0.175*
mlp WavLM+text +vol	1.000*	0.470*	0.384*	0.364*

Table 53: fincall — temporal split — level-v — MSE (test) (n=483).

Model	τ=3	τ=7	τ=15	τ=30
ridge eGeMAPS	0.636	0.325*	0.230*	0.246*
mlp eGeMAPS	11.919	13.169	13.212	14.372
ridge eGeMAPS +vol	0.624	0.274	0.171	0.192
mlp eGeMAPS +vol	11.149	10.562	12.088	12.512
ridge WavLM	0.664	0.325*	0.254*	0.266*
mlp WavLM	1.396*	0.926*	0.831*	0.861*
ridge WavLM +vol	0.655	0.286	0.188	0.197
mlp WavLM +vol	1.470*	0.989*	0.887*	0.882*
ridge emotion2vec+	0.639	0.307*	0.227*	0.231*
mlp emotion2vec+	3.808	2.812	2.967	2.799
ridge emotion2vec+ +vol	0.630	0.256	0.165	0.188
mlp emotion2vec+ +vol	3.912	2.985	3.125	3.171
ridge WavLM+eGeMAPS	0.663	0.332*	0.266*	0.270*
mlp WavLM+eGeMAPS	3.340	2.792	2.814	2.700
ridge WavLM+eGeMAPS +vol	0.653	0.291	0.191	0.199
mlp WavLM+eGeMAPS +vol	3.661	3.091	3.097	2.975
ridge WavLM+text +vol	0.631	0.263	0.180	0.191
mlp WavLM+text +vol	1.056*	0.615*	0.505*	0.487*

Table 54: fincall — ticker_disjoint split — level-v — MSE (test) (n=484).

Model	τ=3	τ=7	τ=15	τ=30
ridge eGeMAPS	1.062*	0.378*	0.198*	0.106*
mlp eGeMAPS	1.391*	0.449*	0.259	0.180
ridge eGeMAPS +vol	0.797	0.328	0.195*	0.102*
mlp eGeMAPS +vol	0.865	0.543	0.401	0.535
ridge WavLM	1.072*	0.381*	0.217	0.116*
mlp WavLM	1.212*	0.496*	0.302*	0.248
ridge WavLM +vol	0.817	0.330	0.220	0.109*
mlp WavLM +vol	0.895	0.409*	0.292*	0.261*
ridge emotion2vec+	1.074*	0.390*	0.206*	0.112*
mlp emotion2vec+	1.263*	0.461*	0.282*	0.230
ridge emotion2vec+ +vol	0.757*	0.310	0.191*	0.108*
mlp emotion2vec+ +vol	1.033*	0.400*	0.257	0.229
ridge WavLM+eGeMAPS	1.073*	0.383*	0.208*	0.116*
mlp WavLM+eGeMAPS	1.283*	0.528*	0.327*	0.244
ridge WavLM+eGeMAPS +vol	0.822	0.327	0.204*	0.109*
mlp WavLM+eGeMAPS +vol	1.091	0.454*	0.333*	0.286*
ridge WavLM+text +vol	0.875	0.342	0.200*	0.127*
mlp WavLM+text +vol	0.860	0.327	0.233	0.228

Table 55: fincall — temporal split — Δv — MSE (test) (n=483).

Model	τ=3	τ=7	τ=15	τ=30
ridge eGeMAPS	1.091*	0.420*	0.214*	0.250*
mlp eGeMAPS	1.241*	0.495*	0.239*	0.273*
ridge eGeMAPS +vol	0.652	0.272	0.176	0.187
mlp eGeMAPS +vol	0.920	0.397*	0.204*	0.212
ridge WavLM	1.125*	0.386*	0.216*	0.255*
mlp WavLM	1.333*	0.472*	0.283*	0.313*
ridge WavLM +vol	0.745	0.291	0.182	0.204
mlp WavLM +vol	0.788*	0.312*	0.214*	0.246*
ridge emotion2vec+	1.121*	0.389*	0.218*	0.249*
mlp emotion2vec+	1.263*	0.462*	0.295*	0.317*
ridge emotion2vec+ +vol	0.628*	0.256	0.164	0.179
mlp emotion2vec+ +vol	0.778*	0.323*	0.218*	0.254*
ridge WavLM+eGeMAPS	1.120*	0.385*	0.214*	0.233*
mlp WavLM+eGeMAPS	1.323*	0.481*	0.281*	0.312*
ridge WavLM+eGeMAPS +vol	0.764	0.304*	0.188	0.205
mlp WavLM+eGeMAPS +vol	0.921*	0.404*	0.286*	0.313*
ridge WavLM+text +vol	0.863*	0.311*	0.189	0.183
mlp WavLM+text +vol	0.815*	0.327*	0.217*	0.211

Table 56: fincall — ticker_disjoint split — Δv — MSE (test) (n=484).

Text content swaps on the ticker-disjoint split

Companion to the content-swap block of the identity-checks table in the main paper: the text ridge on FinCall-Surprise, ticker-disjoint split, test calls (n=484), R^2_{OOS} vs. persistence on Δv. Each test call receives its own transcript (real), the transcript of another call by the same company (same-company swap) or a random other call's transcript (random swap). Source: `result_controls.csv`, conditions `real`, `within_shuffle` and `global_shuffle`.

Text ridge, ticker-disjoint	τ=3	τ=7	τ=15	τ=30
real transcript	0.195	0.217	0.195	0.169
same-company swap	0.176	0.175	0.076	−0.322
random swap	0.161	0.128	0.016	−0.410

Stage	τ=3	τ=7	τ=15	τ=30
Persistence	0.000	0.000	0.000	0.000
Train mean	0.361	0.141	-0.367	-1.048
HAR-RV	0.444	0.372	0.138	-0.285
GBDT (ticker FE)	0.353	0.244	-0.097	-0.881
Text (BGE+vol)	0.435	0.339	0.034	-0.454
Audio (WavLM+eG+vol)	0.367	0.259	-0.119	-0.763
Fusion (stack)	0.442	0.390	0.164	-0.227

Table 57: fincall — temporal split — level-v — R^2_OOS vs persistence (test) (n=483).

Stage	τ=3	τ=7	τ=15	τ=30
Persistence	0.000	0.000	0.000	0.000
Train mean	0.535	0.353	0.072	0.097
HAR-RV	0.570	0.491	0.349	0.345
GBDT (ticker FE)	0.501	0.440	0.292	0.242
Text (BGE+vol)	0.552	0.464	0.293	0.278
Audio (WavLM+eG+vol)	0.522	0.389	0.230	0.239
Fusion (stack)	0.556	0.466	0.319	0.365

Table 58: fincall — ticker_disjoint split — level-v — R^2_OOS vs persistence (test) (n=484).

Result Table 4 — Consolidated grid

One pre-registered canonical model per stage. $*$ marks Holm-corrected significance against Stage 1 within the Δv confirmatory family (two-sided, read the direction from the value).

Stage	τ=3	τ=7	τ=15	τ=30
Persistence	0.000	0.000	0.000	0.000
Train mean	0.165	0.158	0.060	0.088
HAR-RV	0.444	0.372	0.138	-0.285
GBDT (ticker FE)	0.340	0.249	-0.126	-0.948
Text (BGE+vol)	0.333	0.285	0.080*	-0.077*
Audio (WavLM+eG+vol)	0.353	0.268	0.033*	0.050*
Fusion (stack)	0.406*	0.347*	0.066*	0.100*

Table 59: fincall — temporal split — Δv — R^2_OOS vs persistence (test) (n=483).

Stage	τ=3	τ=7	τ=15	τ=30
Persistence	0.000	0.000	0.000	0.000
Train mean	0.200	0.201	0.132	0.035
HAR-RV	0.570	0.491	0.349	0.345
GBDT (ticker FE)	0.494	0.440	0.292	0.237
Text (BGE+vol)	0.399*	0.375	0.256	0.301
Audio (WavLM+eG+vol)	0.442	0.364	0.241	0.217
Fusion (stack)	0.531	0.465	0.340	0.396*

Table 60: fincall — ticker_disjoint split — Δv — R^2_OOS vs persistence (test) (n=484).

Stage	τ=3	τ=7	τ=15	τ=30
Persistence	0.000	0.000	0.000	0.000
Train mean	0.557	0.342	0.024	-0.264
HAR-RV	0.603	0.486	0.321	0.221
GBDT (ticker FE)	0.563	0.429	0.240	0.113
Text (BGE+vol)	0.516	0.348	0.165	0.010
Audio (WavLM+eG+vol)	—	—	—	—
Fusion (stack)	—	—	—	—

Table 61: maec — temporal split — level-v — R^2_OOS vs persistence (test) (n=529).

Stage	τ=3	τ=7	τ=15	τ=30
Persistence	0.000	0.000	0.000	0.000
Train mean	0.511	0.267	0.004	-0.277
HAR-RV	0.574	0.447	0.332	0.183
GBDT (ticker FE)	0.483	0.339	0.221	0.091
Text (BGE+vol)	0.563	0.390	0.274	0.133
Audio (WavLM+eG+vol)	—	—	—	—
Fusion (stack)	—	—	—	—

Table 62: maec — ticker_disjoint split — level-v — R^2_OOS vs persistence (test) (n=532).

Stage	τ=3	τ=7	τ=15	τ=30
Persistence	0.000	0.000	0.000	0.000
Train mean	0.254	0.251	0.187	0.090
HAR-RV	0.603	0.486	0.321	0.221
GBDT (ticker FE)	0.562	0.420	0.254	0.150
Text (BGE+vol)	0.438*	-0.015*	0.233	0.152
Audio (WavLM+eG+vol)	—	—	—	—
Fusion (stack)	—	—	—	—

Table 63: maec — temporal split — Δv — R^2_OOS vs persistence (test) (n=529).

Stage	τ=3	τ=7	τ=15	τ=30
Persistence	0.000	0.000	0.000	0.000
Train mean	0.265	0.254	0.210	0.105
HAR-RV	0.574	0.447	0.332	0.183
GBDT (ticker FE)	0.477	0.361	0.250	0.095
Text (BGE+vol)	0.453	0.340	0.235	0.093
Audio (WavLM+eG+vol)	—	—	—	—
Fusion (stack)	—	—	—	—

Table 64: maec — ticker_disjoint split — Δv — R^2_OOS vs persistence (test) (n=532).

Stage	τ=3	τ=7	τ=15	τ=30
Persistence	1.270	0.448	0.211	0.115
Train mean	0.811	0.384	0.288	0.235
HAR-RV	0.706	0.281	0.182	0.148
GBDT (ticker FE)	0.821	0.338	0.231	0.216
Text (BGE+vol)	0.718	0.296	0.204	0.167
Audio (WavLM+eG+vol)	0.804	0.332	0.236	0.203
Fusion (stack)	0.708	0.273	0.176	0.141

Table 65: fincall — temporal split — level-v — MSE (test) (n=483).

Stage	τ=3	τ=7	τ=15	τ=30
Persistence	1.368	0.477	0.248	0.262
Train mean	0.637	0.309	0.230	0.236
HAR-RV	0.589	0.243	0.162	0.171
GBDT (ticker FE)	0.683	0.267	0.176	0.198
Text (BGE+vol)	0.613	0.256	0.176	0.189
Audio (WavLM+eG+vol)	0.653	0.291	0.191	0.199
Fusion (stack)	0.607	0.255	0.169	0.166

Table 66: fincall — ticker_disjoint split — level-v — MSE (test) (n=484).

Stage	τ=3	τ=7	τ=15	τ=30
Persistence	1.270	0.448	0.211	0.115
Train mean	1.060	0.377	0.198	0.105
HAR-RV	0.706	0.281	0.182	0.148
GBDT (ticker FE)	0.838	0.336	0.237	0.224
Text (BGE+vol)	0.847	0.320	0.194*	0.124*
Audio (WavLM+eG+vol)	0.822	0.327	0.204*	0.109*
Fusion (stack)	0.755*	0.292*	0.197*	0.103*

Table 67: fincall — temporal split — Δv — MSE (test) (n=483).

Stage	τ=3	τ=7	τ=15	τ=30
Persistence	1.368	0.477	0.248	0.262
Train mean	1.095	0.381	0.216	0.253
HAR-RV	0.589	0.243	0.162	0.171
GBDT (ticker FE)	0.692	0.267	0.176	0.200
Text (BGE+vol)	0.822*	0.298	0.185	0.183
Audio (WavLM+eG+vol)	0.764	0.304	0.188	0.205
Fusion (stack)	0.642	0.255	0.164	0.158*

Table 68: fincall — ticker_disjoint split — Δv — MSE (test) (n=484).

Stage	τ=3	τ=7	τ=15	τ=30
Persistence	1.774	0.712	0.356	0.201
Train mean	0.787	0.469	0.347	0.253
HAR-RV	0.705	0.366	0.242	0.156
GBDT (ticker FE)	0.775	0.406	0.270	0.178
Text (BGE+vol)	0.859	0.464	0.297	0.198
Audio (WavLM+eG+vol)	—	—	—	—
Fusion (stack)	—	—	—	—

Table 69: maec — temporal split — level-v — MSE (test) (n=529).

Stage	τ=3	τ=7	τ=15	τ=30
Persistence	1.709	0.632	0.326	0.161
Train mean	0.836	0.463	0.324	0.206
HAR-RV	0.730	0.350	0.218	0.132
GBDT (ticker FE)	0.884	0.417	0.254	0.147
Text (BGE+vol)	0.746	0.385	0.236	0.140
Audio (WavLM+eG+vol)	—	—	—	—
Fusion (stack)	—	—	—	—

Table 70: maec — ticker_disjoint split — level-v — MSE (test) (n=532).

Stage	τ=3	τ=7	τ=15	τ=30
Persistence	1.774	0.712	0.356	0.201
Train mean	1.323	0.533	0.289	0.183
HAR-RV	0.705	0.366	0.242	0.156
GBDT (ticker FE)	0.778	0.413	0.265	0.171
Text (BGE+vol)	0.997*	0.723*	0.273	0.170
Audio (WavLM+eG+vol)	—	—	—	—
Fusion (stack)	—	—	—	—

Table 71: maec — temporal split — Δv — MSE (test) (n=529).

Stage	τ=3	τ=7	τ=15	τ=30
Persistence	1.709	0.632	0.326	0.161
Train mean	1.256	0.471	0.257	0.144
HAR-RV	0.730	0.350	0.218	0.132
GBDT (ticker FE)	0.894	0.404	0.244	0.146
Text (BGE+vol)	0.934	0.417	0.249	0.146
Audio (WavLM+eG+vol)	—	—	—	—
Fusion (stack)	—	—	—	—

Table 72: maec — ticker_disjoint split — Δv — MSE (test) (n=532).