

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	234	PM _{2.5}	2
2	Agra	Satisfactory	76	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Moderate	127	NO ₂	1
4	Aizawl	Satisfactory	68	PM ₁₀	1
5	Ajmer	Satisfactory	69	PM ₁₀	1
6	Alwar	Satisfactory	85	PM ₁₀	1
7	Amaravati	Satisfactory	79	PM ₁₀	1
8	Ambala	Moderate	138	PM _{2.5}	1
9	Amritsar	Poor	204	PM _{2.5}	1
10	Anantapur	Satisfactory	78	03	1
11	Ankleshwar	Moderate	134	PM _{2.5}	1
12	Ariyalur	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Singrauli, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Very Poor	386	PM _{2.5}	1
14	Asansol	Very Poor	341	PM _{2.5}	1
15	Aurangabad (Bihar)	Severe	406	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Satisfactory	100	PM ₁₀	1
17	Baddi	Very Poor	311	PM _{2.5}	1
18	Bagalkot	Good	42	PM ₁₀	1
19	Baghpat	Poor	269	PM _{2.5}	1
20	Bahadurgarh	Satisfactory	97	PM _{2.5}	1
21	Ballabgarh	Poor	245	PM _{2.5}	1
22	Bareilly	Moderate	118	PM _{2.5}	2
23	Baripada	Poor	246	PM _{2.5}	1
24	Bathinda	Satisfactory	67	со	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Singrauli, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Severe	421	PM _{2.5}	1
26	Belgaum	Moderate	117	PM ₁₀	1
27	Bengaluru	Satisfactory	93	PM _{2.5} , PM ₁₀	8
28	Bettiah	Severe	470	PM _{2.5}	1
29	Bhagalpur	Severe	425	PM _{2.5}	2
30	Bhiwadi	Moderate	132	PM ₁₀	1
31	Bhiwani	Moderate	103	СО	1
32	Bhopal	Moderate	184	PM _{2.5}	2
33	Bidar	Satisfactory	83	со	1
34	Bileipada	Very Poor	311	PM _{2.5}	1
35	Bulandshahr	Poor	222	PM _{2.5}	1
36	Byrnihat	Very Poor	387	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: SI

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Singrauli, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chamarajanagar	Good	38	PM ₁₀	1
38	Chandigarh	Very Poor	306	PM _{2.5}	2
39	Chandrapur	Moderate	180	O ₃	2
40	Charkhi Dadri	Moderate	156	PM _{2.5}	1
41	Chennai	Moderate	104	PM _{2.5} , PM ₁₀	8
42	Chhapra	Severe	421	PM _{2.5}	1
43	Chikkaballapur	Moderate	121	PM ₁₀	1
44	Chikkamagaluru	Good	42	PM _{2.5}	1
45	Chittoor	Satisfactory	70	O ₃	1
46	Coimbatore	Satisfactory	78	PM _{2.5}	1
47	Damoh	Satisfactory	54	PM _{2.5}	1
48	Darbhanga	Severe	473	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: S

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Singrauli, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Davanagere	Satisfactory	73	PM ₁₀	1
50	Dehradun	Poor	268	PM _{2.5}	1
51	Delhi	Poor	259	PM _{2.5}	38
52	Dewas	Moderate	158	PM ₁₀	1
53	Dharuhera	Poor	240	PM _{2.5}	1
54	Dindigul	Poor	232	NO ₂	1
55	Durgapur	Moderate	172	PM _{2.5}	1
56	Faridabad	Poor	210	PM _{2.5}	4
57	Fatehabad	Moderate	138	PM _{2.5}	1
58	Firozabad	Satisfactory	75	PM ₁₀	2
59	Gadag	Satisfactory	64	O ₃	1
60	Gandhinagar	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Singrauli, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gangtok	Moderate	105	PM _{2.5}	1
62	Gaya	Very Poor	367	PM _{2.5}	3
63	Ghaziabad	Poor	209	PM _{2.5}	4
64	Gorakhpur	Poor	201	PM _{2.5}	1
65	Greater Noida	Poor	239	PM _{2.5}	2
66	Gummidipoondi	Moderate	146	PM _{2.5}	1
67	Gurugram	Moderate	185	O ₃	4
68	Guwahati	Very Poor	334	PM _{2.5}	3
69	Gwalior	Very Poor	374	PM _{2.5}	3
70	Hajipur	Very Poor	313	PM _{2.5}	1
71	Haldia	Moderate	111	PM ₁₀	1
72	Hapur	Moderate	110	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Sharif, I

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Singrauli, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hassan	Satisfactory	77	PM _{2.5}	1
74	Haveri	Satisfactory	66	PM ₁₀	1
75	Hosur	Moderate	131	PM _{2.5}	1
76	Howrah	Poor	294	PM _{2.5}	3
77	Hubballi	Moderate	103	PM _{2.5}	2
78	Hyderabad	Satisfactory	97	PM _{2.5} , PM ₁₀	13
79	Imphal	Moderate	194	PM _{2.5} , O ₃	2
80	Indore	Moderate	132	PM ₁₀	1
81	Jabalpur	Moderate	174	PM _{2.5}	1
82	Jaipur	Satisfactory	96	PM _{2.5} , PM ₁₀	3
83	Jalandhar	Moderate	196	PM _{2.5}	1
84	Jhansi	Poor	223	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: S

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Singrauli, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jind	Moderate	148	PM _{2.5}	1
86	Jodhpur	Moderate	106	PM ₁₀	1
87	Kaithal	Moderate	135	PM _{2.5}	1
88	Kalaburgi	Moderate	104	PM _{2.5}	1
89	Kalyan	Moderate	139	PM ₁₀	1
90	Kannur	Satisfactory	74	PM _{2.5}	1
91	Kanpur	Moderate	193	PM _{2.5}	4
92	Karnal	Moderate	105	PM _{2.5}	1
93	Katihar	Severe	455	PM _{2.5}	1
94	Katni	Poor	250	PM _{2.5}	1
95	Keonjhar	Poor	220	PM _{2.5}	1
96	Khanna	Moderate	133	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Singrauli, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Khurja	Moderate	156	PM _{2.5}	1
98	Kishanganj	Very Poor	302	PM _{2.5}	1
99	Kochi	Moderate	115	PM _{2.5}	1
100	Kohima	Satisfactory	80	PM ₁₀	1
101	Kolkata	Poor	261	PM _{2.5}	7
102	Kollam	Satisfactory	99	PM ₁₀	1
103	Kota	Poor	274	PM _{2.5}	1
104	Kurukshetra	Moderate	105	PM _{2.5}	1
105	Lucknow	Poor	264	PM _{2.5}	6
106	Ludhiana	Very Poor	314	PM _{2.5}	1
107	Madikeri	Good	41	O ₃	1
108	Maihar	Satisfactory	84	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Singrauli, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandi Gobindgarh	Moderate	195	PM _{2.5}	1
110	Mandideep	Satisfactory	97	PM ₁₀	1
111	Mandikhera	Satisfactory	83	PM ₁₀	1
112	Manesar	Moderate	164	PM _{2.5}	1
113	Mangalore	Satisfactory	67	PM ₁₀	1
114	Manguraha	Moderate	171	PM _{2.5}	1
115	Meerut	Moderate	162	PM ₁₀	3
116	Moradabad	Moderate	114	PM _{2.5}	6
117	Motihari	Very Poor	360	PM ₁₀	1
118	Mumbai	Moderate	147	PM _{2.5} , PM ₁₀	17
119	Muzaffarnagar	Very Poor	333	PM _{2.5}	1
120	Muzaffarpur	Severe	453	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Singrauli, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mysuru	Satisfactory	57	PM ₁₀	1
122	Nagpur	Moderate	115	PM _{2.5}	1
123	Nandesari	Good	41	PM _{2.5}	1
124	Narnaul	Moderate	111	PM ₁₀	1
125	Nashik	Satisfactory	65	PM _{2.5}	1
126	Navi Mumbai	Poor	217	PM _{2.5}	3
127	Nayagarh	Moderate	183	PM _{2.5}	1
128	Noida	Poor	213	PM _{2.5}	4
129	Ooty	Satisfactory	69	PM ₁₀	1
130	Pali	Moderate	103	PM ₁₀	1
131	Palwal	Good	45	PM ₁₀	1
132	Panchkula	Poor	207	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Singrauli, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Panipat	Moderate	139	PM ₁₀	1
134	Patiala	Satisfactory	94	PM ₁₀	1
135	Patna	Severe	414	PM _{2.5}	6
136	Pithampur	Moderate	186	PM _{2.5}	1
137	Prayagraj	Moderate	165	PM _{2.5}	3
138	Puducherry	Good	49	PM ₁₀	1
139	Purnia	Severe	445	PM _{2.5}	1
140	Rairangpur	Poor	219	PM _{2.5}	1
141	Rajamahendravaram	Satisfactory	72	PM ₁₀	1
142	Rajgir	Severe	455	PM _{2.5}	1
143	Ramanagara	Satisfactory	94	PM ₁₀	1
144	Ramanathapuram	Good	45	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Singrauli, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ratlam	Moderate	138	PM _{2.5}	1
146	Rohtak	Satisfactory	97	PM _{2.5}	1
147	Rourkela	Poor	251	PM _{2.5}	1
148	Rupnagar	Moderate	172	PM ₁₀	1
149	Sagar	Moderate	148	PM _{2.5} , CO	2
150	Salem	Satisfactory	70	SO ₂	1
151	Samastipur	Severe	459	PM _{2.5}	1
152	Sasaram	Very Poor	372	PM _{2.5}	1
153	Satna	Satisfactory	80	PM ₁₀	1
154	Shillong	Moderate	129	PM _{2.5}	1
155	Shivamogga	Satisfactory	57	PM ₁₀	1
156	Siliguri	Poor	242	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Singrauli, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sirsa	Moderate	160	PM _{2.5}	1
158	Sivasagar	Good	44	PM ₁₀	1
159	Solapur	Satisfactory	81	PM ₁₀	1
160	Sonipat	Moderate	131	PM ₁₀	1
161	Suakati	Moderate	197	PM _{2.5}	1
162	Surat	Poor	207	PM _{2.5}	1
163	Talcher	Poor	239	PM _{2.5}	1
164	Tensa	Moderate	152	PM _{2.5}	1
165	Thane	Moderate	197	O ₃	1
166	Thiruvananthapuram	Satisfactory	59	PM _{2.5}	1
167	Thrissur	Satisfactory	100	PM ₁₀	1
168	Tirupati	Satisfactory	76	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Singrauli, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Tirupur	Satisfactory	70	PM ₁₀	1
170	Udaipur	Moderate	170	PM _{2.5}	1
171	Vapi	Very Poor	304	PM _{2.5}	1
172	Varanasi	Moderate	106	PM _{2.5}	4
173	Vatva	Moderate	122	PM ₁₀	1
174	Vijayapura	Satisfactory	53	PM ₁₀	1
175	Visakhapatnam	Moderate	112	PM ₁₀	1
176	Yamunanagar	Poor	221	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Singrauli, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.