# Web Behavior

JavaScript Libraries

### JavaScript Libraries

- Advanced JavaScript programming
  - Difficult and time-consuming
  - Difficultly dealing with browser differences
- JavaScript (helper) libraries
  - Sometimes called "frameworks"
  - Files of JavaScript, written so you don't have to
- To Use:
  - 1. Copy the library file(s) to your file system (or use a "CDN")
  - 2. Link to the file from your HTML file(s)
  - 3. Learn how to use the library
  - 4. Write the JavaScript code in your HTML file to use the library

## Advantages and disadvantages of libraries

Advantages	Disadvantages
Speeds up the development process Helpful in collaborative work	Yet another learning curve
Clean and tidy code	You inherit bugs & bad practices
<ul><li>Solutions to common problems</li><li>Browser compatibility solutions</li><li>Typical patterns, ready to use/edit</li></ul>	Unused code leftover
Learn good practices	You don't learn to do it yourself

#### When is it advisable to use a library?

When installing, learning and using a library, at what point do you realize it would have been faster or easier to code it yourself from the ground-up?

### jQuery

- One of the most popular JavaScript libraries on the Internet today
- It's JavaScript!
- Reuses what you know: CSS selectors to access and manipulate the DOM
- Unobtrusive by Design
  - Respects progressive enhancement adds functionality without having to hack-up HTML documents
  - Follows the "Principle of least astonishment"
  - Built to be easy for Web Developers \$ (".someSelector").someAction()
- Some guy from RIT, John Resig

#### CDN - Content Delivery Networks

- You want your web pages to be as fast as possible
- You want the browser to cache as much as possible
- If many different web sites use the same JavaScript framework, it makes sense to host the framework library in a common location for every web page to share
- A CDN is a network of servers containing shared code libraries
- CDNs provide a number of popular JavaScript libraries, including:
  - jQuery
  - Prototype
  - MooTools
  - Dojo
  - Yahoo! YUI

Google: <a href="http://code.google.com/apis/libraries/devguide.html">http://code.google.com/apis/libraries/devguide.html</a>

Microsoft: http://www.asp.net/ajax/cdn

CDN JS: <a href="https://cdnjs.com/">https://cdnjs.com/</a>

#### Where to get jQuery

- Option 1: download and install from www.jquery.com
  - In your HTML... <script src="js/jquery.js"></script>
- Option 2: use a Content Delivery Network (CDN)
  - In your HTML...

```
<script src="http://ajax.googleapis.com/ajax/libs/jquery/1.11.0/jquery.min.js"></script>
```

• Or, for development (less typing)...

```
<script src="http://code.jquery.com/jquery.js"></script>
```

#### Minification

- For faster Websites
  - Faster downloads
  - Fewer HTTP requests (when minifying multiple libraries together)
- Remove unnecessary characters (comments, line breaks, extra spaces)
- See: http://code.jquery.com/jquery/

```
Unminified (normal)
* jQuery JavaScript Library v2.1.3
* http://jquery.com/
 * Includes Sizzle.js
 * http://sizzlejs.com/
 * Copyright 2005, 2014 jQuery Foundation, Inc. and other contributors
* Released under the MIT license
 * http://jquery.org/license
* Date: 2014-12-18T15:11Z
(function( global, factory ) {
       if ( typeof module === "object" && typeof module.exports === "object" ) +
               // For CommonJS and CommonJS-like environments where a proper `window`
               // is present, execute the factory and get jQuery.
               // For environments that do not have a `window` with a `document`
               // (such as Node.js), expose a factory as module.exports.
               // This accentuates the need for the creation of a real `window`.
               // e.g. var jQuery = require("jquery")(window);
               // See ticket #14549 for more info.
               module.exports = global.document ?
                       factory( global, true ) :
                       function( w ) {
                               if (!w.document) {
                                       throw new Error( "jQuery requires a window with a document" );
                               return factory( w );
```

```
*! jQuery v2.1.3 | (c) 2005, 2014 jQuery Foundation, Inc. | jquery.org/license */
!function(a,b){"object"==typeof module&&"object"==typeof module.exports?module.exports=a.document?b(a,!0):fuviinai
{if(!a.document)throw new Error("jQuery requires a window with a document");return b(a)}:b(a)}("undefined"!=typeof window
window:this,function(a,b){var c=[],d=c.slice,e=c.concat,f=c.push,g=c.indexOf,h={},i=h.toString,j=h.hasOwnProperty,k=
([\da-z])/gi,r=function(a,b){return b.toUpperCase()};n.fn=n.prototype=
{jquery:m,constructor:n,selector:"",length:0,toArray:function(){return d.call(this)},get:function(a){return null!=a?0>a?
this[a+this.length]:this[a]:d.call(this)},pushStack:function(a){var b=n.merge(this.constructor(),a);return
b.prevObject=this,b.context=this.context,b},each:function(a,b){return n.each(this,a,b)},map:function(a){return
this.pushStack(n.map(this,function(b,c){return a.call(b,c,b)}))},slice:function(){return
this.pushStack(d.apply(this,arguments))},first:function(){return this.eq(0)},last:function(){return this.eq(-1)},eq:function(a)
var b=this.length,c=+a+(0>a?b:0);return this.pushStack(c>=0&&b>c?[this[c]]:[])},end:function(){return
this.prevObject||this.constructor(null)},push:f,sort:c.sort,splice:c.splice},n.extend=n.fn.extend=function(){var
a,b,c,d,e,f,g=arguments[0]||{},h=1,i=arguments.length,j=!1;for("boolean"==typeof g&&(j=g,g=arguments[h]||
{},h++),"object"==typeof g||n.isFunction(g)||(g={}),h===i&&(g=this,h--);i>h;h++)if(null!=(a=arguments[h]))for(b in
a)c=g[b],d=a[b],g!==d&&(j&&d&&(n.isPlainObject(d)||(e=n.isArray(d)))?(e?(e=!1,f=c&&n.isArray(c)?c:[]):f=c&&n.isPlainObject(c)?
c:{},g[b]=n.extend(j,f,d)):void 0!==d&&(g[b]=d));return g},n.extend({expando:"jQuery"+
(m+Math.random()).replace(/\D/g,""),isReady:!0,error:function(a){throw new Error(a)},noop:function(){},isFunction:function(a)
{return"function"===n.type(a)},isArray:Array.isArray,isWindow:function(a){return null!=a&&a===a.window},isNumeric:function(a)
{return!n.isArray(a)&&a-parseFloat(a)+1>=0},isPlainObject:function(a)
return"object"!==n.type(a)||a.nodeType||n.isWindow(a)?!1:a.constructor&&!j.call(a.constructor.prototype,"isPrototype0f")?!1:!0
},isEmptyObject:function(a){var b;for(b in a)return!1;return!0},type:function(a){return null==a?a+"":"object"==typeof
a||"function"==typeof a?h[i.call(a)]||"object":typeof a},globalEval:function(a){var b,c=eval;a=n.trim(a),a&&(1===a.indexOf("use
strict")?(b=l.createElement("script"),b.text=a,l.head.appendChild(b).parentNode.removeChild(b)):c(a))},camelCase:function(a)
{return a.replace(p,"ms-").replace(q,r)},nodeName:function(a,b){return
a.nodeName&&a.nodeName.toLowerCase()===b.toLowerCase()},each:function(a,b,c){var d,e=0,f=a.length,g=s(a);if(c){if(g)
```