HTML FORMS

TWO PARTS OF FORMS



HTML form:

The user interface (client-side)



Server-side processing:

send e-mail
write data to a text file
update a database
performs some other type of processing on the
server

COMMON HTML FORM ELEMENTS

<form>

- Contains the form elements on a web page
- Container tag

<input>

- Configures a variety of form elements including text boxes, radio buttons, check boxes, and buttons
- Stand alone tag

<textarea>

- Configures a scrolling text box
- Container tag

HTML FORM ELEMENT





method

get – default value, form data passed in URL post - more secure, form data passed in HTTP **Entity Body**

action

Specifies the server-side program or script that will process your form data

```
<form method="post" action="form-processor.php">
    <!-- all form elements and other HTML in here -->
    <input type="submit">
</form>
```

SIMPLE FORM HTML

<h1>Join Our Newsletter</h1>

</form>

```
<form method="post" action="form-processor.php">
    E-mail: <input type="text"><br>
    <input type="submit" value="Sign Me Up!">
```

Form Example - Mozilla Firefox

File Edit View History Bookmarks Tools Help
Form Example

Join Our Newsletter

E-mail:

Sign Me Up

INPUT TEXT BOX

<input>

Accepts text information

Attributes:

- type="text" (the default)
- name="" (so the script on the server can "grab" the form data)
- id="" (to uniquely identify the element to do client-side stuff)

INPUT PASSWORD BOX

<input>

Accepts text information that needs to be hidden as it is entered

Attributes:

- type="password"
- name=""
- id=""



INPUT CHECKBOX

<input>

- Allows the user to select one or more of a group of predetermined items
- Attributes:
 - type="checkbox"
 - name=""
 - id=""
 - checked
 - value=""

Sample Check Box

Choose the browsers you use:

- Internet Explorer
- Firefox
- Opera

INPUT RADIO BUTTON

<input>

- Allows the user to select exactly one from a group of predetermined items
- Each radio button in a group is given the same name and a unique value
- Attributes:
 - type="radio"
 - name=""
 - id=""
 - checked
 - value=""

Sample Radio Buttons

Select your favorite browser:

- Internet Explorer
- Firefox
- Opera



Only one button can be pressed at any time

INPUT SUBMIT BUTTON

<input>

- Submits the form information
- When clicked:
 - Triggers the action method on the <form> tag
 - Sends the form data (the name=value pair for each form element) to the web server.
- Attributes:
 - type="submit"
 - value=""

Sample Submit Button

Submit Query

TEXTAREA SCROLLING TEXT BOX

<textarea> </textarea>

- Configures a scrolling text box
- Attributes:
 - name=""
 - id=""



<textarea name="comments" id="comments"></textarea>

ACCESSIBILITY & FORMS

LABEL ELEMENT FIELDSET ELEMENT LEGEND ELEMENT

LABEL ELEMENT

```
<label></label>
```

Associates a text label with a form control

```
<label for="email">Email: </label>
<input type="text" name="CustEmail" id="email">
```

FIELDSET AND LEGEND ELEMENTS

- The Fieldset Element
 - Container tag
 - Creates a visual group of form elements on a web page
- The Legend Element
 - Container tag
 - Creates a text label within the fieldset

Customer Information		
Name:		
Email:		

<fieldset>

<legend>Customer Information</legend>

```
<label>Name: </label>
  <input type="text" name="name" id="name">
  <label>Email: </label>
  <input type="text" name="email" id="email">
```

</fieldset>

NEW HTML5 FORM ELEMENTS AND ATTRIBUTES

HTML5: EMAIL TEXT BOX

<input>


- Accepts text information in e-mail address format
- Common Attributes:
 - type="email"
 - name
 - id
 - size
 - maxlength
 - value
 - placeholder
 - required



HTML5: URL TEXT BOX


<input>

- Accepts text information in URL format
- Common Attributes:
 - type="url"
 - name
 - id
 - size
 - maxlength
 - value
 - placeholder
 - required



HTML5: CALENDAR CONTROL

```
<label for="myDate">Choose a Date</label>
<input type="date" name="myDate" id="myDate">
```



HTML5: TELEPHONE NUMBER TEXT BOX


<input>

- Accepts text information in telephone number format
- Common Attributes:
 - type="tel"
 - name
 - id
 - size
 - maxlength
 - value
 - placeholder
 - required



HTML5: DATALIST CONTROL


- <label for="color">Favorite Color:</label>
 <input type="text" name="color" id="color" list="colors" >
-
 <option value="red">
 <option value="green">
 <option value="blue">
 <option value="yellow">
 <option value="pink">
 <option value="black">
- </datalist>



HTML5: SLIDER CONTROL

- <label for="myChoice">
- Choose a number between I and I00:</label>

- Low <input type="range" name="myChoice" id="myChoice" min="I" max="100"> High



HTML5: SPINNER CONTROL

<label for="myChoice">Choose a number between I and I0:</label>
 <input type="number" name="myChoice" id="myChoice" min="I" max="I0">

