



Standard Operating Procedure

Replanning and Cancelling Technical Query



24 February 2026

Contents

- Purpose 2
- Steps to raise Technical Query 2
 - Login to Portal 2
 - Search and Open MPRN..... 4
 - Raise Technical Query..... 5
- Viewing the raised Technical Query..... 8
 - Searching the SR from the main search functionality present in the home screen 8
 - Searching the SR from the View Request functionality present in the home screen 9
- Replanning the raised Technical Query 10
- Cancelling the raised Technical Query 14

Purpose

To define the standard procedure for replanning and cancelling a Technical Query (TQ) .

Steps to raise Technical Query

Login to Portal


Open any web browser (chrome/edge) in the system and enter the URL below in the URL bar.

The URL to login to the customer portal is:


<https://ngmcustomerportal.nationalgas.com/customerportal/login?ec> and press enter.



Enter the username and password, click on login.





Enter the verification code which is sent to the associate mail id and click on verify code.



After logging in, the home screen of the customer portal is displayed


The Home Screen will display the MPRN Search panel in the Centre of the screen.





Search and Open MPRN

Enter the MPRN and click on search icon



MPRN overview page with MPRN details is displayed.

Customer Metering Portal

Validate the Supplier short code, MPRN category (e.g., Residential or Commercial), address and site details, Meter and converter (if present) details.

MPRN: 12xxxxxxx- XXX

Commercial

Work Request

Off Gas

Cost Query

Technical Query

De-appoint

Overview

Request log

Work order log

AMR

Address details

Building number

20

Building name

Street

STANHOPE STREET

Dependent locality

Postal town

NEWCASTLE UPON TYNE

Postal code

NE4 XXX

Site Details

Pressure Tier

Low Pressure

Conversion Factor

1.82364

Appointment Date

14-01-2022

Micro Business ?

No

Meter details

Manufacturer

GEORGE WILSON

Model

U40

Manufacturer Serial no.

XXXXXXXXXX

Meter Type

Diaphragm - Synthetic

No. of Dials

8

Payment Mechanism

Credit

More details >

Click on Technical Query button to raise the Technical query.

MPRN: 12xxxxxxx - XXX

Commercial

Work Request

Off Gas

Cost Query

Technical Query

De-appoint

Overview

Request log

Work order log

AMR

Address details

Building number

20

Building name

Street

STANHOPE STREET

Dependent locality

Postal town

NEWCASTLE UPON TYNE

Postal code

NE4 XXX

Site Details

Pressure Tier

Low Pressure

Conversion Factor

1.82364

Appointment Date

14-01-2022

Micro Business ?

No

Meter details

Manufacturer

GEORGE WILSON

Model

U40

Manufacturer Serial no.

XXXXXXXXXX

Meter Type

Diaphragm - Synthetic

No. of Dials

8

Payment Mechanism

Credit

More details >

Raise Technical Query

Create request page is displayed with MPRN , supplier short code , address details and asset details.

Under select request type **Technical Query** is pre-selected automatically

Create RequestMPRN: 12xxxxxxx-xxxCommercial

Address Details

Building Number

28

Building Name

Street

STANHOPE STREET

Dependent Locality

Postal Town

NEWCASTLE UPON TYNE

Post Code

NEXXX

Asset Details

Manufacturer

GEORGE WILSON

Model

U85

Manufacturer Serial no.

XXXXXXXXXXy

Meter Type

Diaphragm - Synthetic

No. of Dials

5

More details >

Select Request Type

☐ Work request

Customer initiated request for works on the meter installation.

☐ Urgent Work request (Off gas)

To support customers who are currently 'off supply' due to a gas meter fault/Residential PPVCR meter fault or Commercial TFM).

☐ AMR request

Request for services related to Automated Meter Readings.

☐ Appear/De-Appear

Request Appear/Deappear supply on an MPRN.

☐ Data Queries (DQ)

To query the data from leads for a given MPRN.

☒ Technical Queries (TQ)

To query a suspected fault on an NQM Asset.

Selected

Under Select Asset Type , select Meter option if user wants to raise enquiry for Meter asset.

Select any of the required meter issue type.

Select Asset Type

☒ Meter

To report an issue/fault on an NQM Meter

Selected

Meter Issue Type

☐ Blank screen on an E6 meter

To report a Blank screen on a NQM E6 (Ultrasonic) Meter type

☐ Corroded/Rusty Meter

To report severe Corrosion/Rust on the NQM Meter

☒ Faulty meter bracket

To report an issue/fault with the bracket securing the NQM Meter

Selected

☐ Meter not registering / Static reads on meter

To report that the NQM Meter may not be registering or static reads observed

☐ Meter under/over pulsing

To report that the NQM Meter may be under or over pulsing

☐ Other

To report an 'Other' issue/fault with the NQM Meter

☐ Water/condensation in the meter screen

To report there is water/condensation in the NQM Meter index

Fill up the enquiry details.

Select the appointment date and time if the engineer is going to visit the site after 5 working days.

Sample Enquiry Instruction

MSN ***** is not fixed to the bracket and needs to be secured. No deliberate damage has been caused. Please rectify

Meter Serial Number *

00525659

Additional Information

Meter is at fault

603 characters remaining

Upload Photos

Drag & drop files here

Select photos from device

image (22).jpg

26.7 KB

Do you want the engineer to visit site on a specific date after 5 working days? *

Yes

No

Select Appointment Date*

25/03/2026

Select Appointment Timeslot *

12:00-20:00

Please advise if site requires Risk Assessments and Method Statements ahead of the site visit *

Yes

No

Fill in the Contact details (on-site) information as Title, Name, Contact Number, Email Address (optional), Meter Access Instruction (optional), Upload Photos(optional).

Check the consent box and click on submit request button.

Contact details

Title *

Miss

Contact number *

62891857637

Name *

Taylor

Email Address (Optional)

taylor56@gmail.com

☒ Please tick here to confirm that consent has been obtained from the named individual for their personal data to be passed to third parties, for the purposes of performing the specified works, by means of a suitable Data Privacy Notice and explicit consent agreement.

Submit Request

Cancel

Request is created successfully and in the pop up Service request number is provided with appointment details and SLA.

Request submitted

Your Technical Query has been successfully submitted on the 27/02/2026

The reference number is 1968509

An engineer will visit on 25/03/2026 during the appointment slot between 12:00 and 20:00

We will look to investigate and provide a response within the agreed 20 day SLA


Ok

Viewing the raised Technical Query

Searching the SR from the main search functionality present in the home screen

Navigate back to the home screen and click on SR number tab on home screen main search label.

Enter the SR number and click on search icon



SR details view is displayed

Validate all the fields and sections of the SR

Req-005644

Provide Supporting Information

Enquiry Details

MPSN	XXXXXXXXXX	Supplier ID	XXX
Service Request Number	1968509	Status	Submitted
Enquiry Type	Technical Query	Enquiry Reason Code	MET
Enquiry Category	FMB	Enquiry Description	MSN 58525659 is not fixed to the bracket and needs to be secured. No deliberate damage has been caused. Please rectify. Addition Info : Meter is at fault
Risk Assessment	Y	Appointment Start Date	2026-03-25
Appointment Slot	12:00-20:00	Status Comments	
Additional Information Request from NGM		Response to Additional Information	
ADR expires on		Resubmit Reason	
Supporting Information		Is the enquiry justified	No
Enquiry resolution		Target Finish Date	2026-03-27

Site Address Details

Building Number		Building Name	
Street	STANHOPE STREET	Dependent Locality	
Postal Town	NEWCASTLE UPON TYNE	Postal Code	NE4 5BS

Searching the SR from the View Request functionality present in the home screen

Navigate back to the home screen and click on View Request- SR number option present under the request option on home screen.

Enter the SR number on the enter SR number field.

Automatically SR details view page is displayed.

national gas metering

Home

Requests

Create Request

View Request

WO Request

Reports

User

Monthly Packs

Enter MPSN number

Enter SR number

Select created from

Select created to

Select Shift codes

Request Number	Service Request	Record Type	MPSN	Job Code	Job Sub-Code	Supplier Code	Status	Created Date
Req-005122	1968136	Urgent Work Request	XXXXXXXXXX	OTVST	FAULT	XXX	Approve the SR	16/02/2026
Req-005121	1968134	Urgent Work Request	XXXXXXXXXX	OTVST	FAULT	XXX	Approve the SR	16/02/2026
Req-005120	875846	AMR	XXXXXXXXXX	STRT		XXX	New	16/02/2026
Req-005119	875846	AMR	XXXXXXXXXX	STRT		XXX	New	16/02/2026
Req-005118	1968132	Urgent Work Request	XXXXXXXXXX	OTVST	FAULT	XXX	Submitted	16/02/2026
Req-005117	1968130	Enquiry	XXXXXXXXXX			XXX	In Progress	16/02/2026
Req-005116	1968130	Urgent Work Request	XXXXXXXXXX	OTVST	FAULT	XXX	Submitted	16/02/2026
Req-005115	1968129	Urgent Work Request	XXXXXXXXXX	OTVST	FAULT	XXX	Submitted	16/02/2026
Req-005114	1968128	Enquiry	XXXXXXXXXX			XXX	REPLAN	16/02/2026
Req-005113	1968127	Customer Work Request	XXXXXXXXXX	Meter Move	Reposition	XXX	CANCELLED	16/02/2026

Req-005644

Provide Supporting Information

Replan

Cancel

Enquiry Details

MPRN	XXXXXXXXXX	Supplier Id	XXX
Service Request Number	1968509	Status	Submitted
Enquiry Type	Technical Query	Enquiry Reason Code	MET
Enquiry Category	FMB	Enquiry Description	MSN 88525659 is not fixed to the bracket and needs to be secured. No deliberate damage has been caused. Please rectify. Addition Info : Meter is at fault
Risk Assessment	Y	Appointment Start Date	2026-03-25
Appointment Slot	12:00-20:00	Status Comments	
Additional Information Request from NGM		Response to Additional Information	
ADI expires on		Resubmit Reason	
Supporting Information		Is the enquiry justify	No
Enquiry resolution		Target Finish Date	2026-03-27

Replanning the raised Technical Query

User can directly Replan the technical query which are raised for Diaphragm Meter.

If the technical query is raised for turbine or rotary meter user can only request for replanning the query, National gas metering will take up action after receiving the request.

Req-005644

Provide Supporting Information

Replan

Cancel

Enquiry Details

MPRN	XXXXXXXXXX	Supplier Id	XXX
Service Request Number	1968509	Status	Submitted
Enquiry Type	Technical Query	Enquiry Reason Code	MET
Enquiry Category	FMB	Enquiry Description	MSN 88525659 is not fixed to the bracket and needs to be secured. No deliberate damage has been caused. Please rectify. Addition Info : Meter is at fault
Risk Assessment	Y	Appointment Start Date	2026-03-25
Appointment Slot	12:00-20:00	Status Comments	
Additional Information Request from NGM		Response to Additional Information	
ADI expires on		Resubmit Reason	
Supporting Information		Is the enquiry justify	No
Enquiry resolution		Target Finish Date	2026-03-27

Click on Replan button to directly replan the request

Req-005678

Provide Supporting Information

Request Replan

Request Cancel

Enquiry Details

MPRN	XXXXXXXXXX	Supplier Id	
Service Request Number	1968529	Status	
Enquiry Type	Technical Query	Enquiry Reason	
Enquiry Category	FMB	Enquiry Description	MSN 942795 is not fixed to the bracket and needs to be secured. No deliberate damage has been caused. Please rectify. Addition info : BNN
Risk Assessment	Y	Appointment Start Date	2026-03-31
Appointment Slot	12:00-20:00	Status Comments	
Additional Information Request from NGM		Response to Additional Information	
ADI expires on		Resubmit Reason	
Supporting Information		Is the enquiry justify	No
Enquiry resolution		Target Finish Date	2026-03-27

Meter Details

Current Meter Model	XXXXXX	Current Meter Serial Number	942795
Meter Type	Rotary Displacement	Payment Mechanism	Credit
Year of Manufacture	1994		

Select the replanned appointment date and time and click on proceed

Please select appointment details

Select Appointment Date*

27/03/2026

Select Appointment slot

12:00 - 16:00(S3)

Proceed

Cancel

Enter the reason for replanning the non standard work request and click on submit.

Please enter a reason to replan

Reason

customer requested to replan

Submit

Cancel

Job replan request is submitted successfully.

Job replanned successfully

Ok

Status of the Service request is also updated to Replan or requested replan and the Replanned Appointment date and time slot is also updated.

Req-005644

Provide Supporting Information

Replan

Cancel

Enquiry Details

MPRN	XXXXXXXXXX	Supplier Id	XXX
Service Request Number	1956509	Status	REPLAN
Enquiry Type	Technical Query	Enquiry Reason Code	MET
Enquiry Category	FME	Enquiry Description	MDN 88525659 is not fixed to the bracket and needs to be secured. No deliberate damage has been caused. Please rectify. Addition Info - Meter is at fault
Risk Assessment	Y	Appointment Start Date	2026-03-27
Appointment Slot	12:00 - 16:00	Status Comments	
Additional Information Request from NQM		Response to Additional Information	
ADI expires on		Resubmit Reason	
Supporting Information		Is the enquiry justify	No
Enquiry resolution		Target Finish Date	2026-03-27

Req-005678

Provide Supporting InformationRequest ReplanRequest Cancel

Enquiry Details

MPRN	XXXXXXXXXX	Supplier id	XXX
Service Request Number	1968529	Status	REQUESTED REPLAN
Enquiry Type	Technical Query	Enquiry Reason Code	MET
Enquiry Category	FMB	Enquiry Description	MSN 942795 is not fixed to the bracket and needs to be secured. No deliberate damage has been caused. Please rectify. Addition Info : BNN
Risk Assessment	Y	Appointment Start Date	2026-04-01
Appointment Slot	08:00 - 12:00	Status Comments	
Additional Information Request from NQM		Response to Additional Information	
ACI expires on		Resubmit Reason	
Supporting Information		Is the enquiry justify	No
Enquiry resolution		Target Finish Date	2026-03-27

Email gets sent to National gas team to notify about the Replan request for technical queries which are raised for turbine /rotary meter

Sandbox: Replan for Technical Query Req-005678

Summarize

TE

noreply@salesforce.com on behalf of test email

To: Subhasree Das; Shreya Shailli; Huzaifa Akhter; Jyothi Sandeep Nithin

Fri 2/27/2026 10:30 PM

CAUTION: This email is from an external domain or organization. Do not click links or open attachments unless you recognize the sender and know the content to be safe.

A request to replan the below Technical Query has been received.

Request Ref: Req-005678

MPRN: XXXXXXXXXXXX

SR Ref: 1968529

Replan text: no access

Email of user requesting replan: subhasree.das9@nationalgas.com

Date: 2026-04-01

Time: 08:00 - 12:00

Cancelling the raised Technical Query

User can directly Cancel the technical query which are raised for Diaphragm Meter.

If the technical query is raised for turbine or rotary meter user can only request for Cancelling the query, National gas metering will take up action after receiving the request.

Req-005644

Provide Supporting InformationReplanCancel

Enquiry Details

MPSN	XXXXXXXXXX	Supplier Id	
Service Request Number	1968509	Status	Open
Enquiry Type	Technical Query	Enquiry Reason Code	MET
Enquiry Category	FMB	Enquiry Description	MSN 58254559 is not fixed to the bracket and needs to be secured. No deliberate damage has been caused. Please rectify. Addition Info : Meter is at fault
Risk Assessment	Y	Appointment Start Date	2026-03-25
Appointment Slot	12:00-20:00	Status Comments	
Additional Information Request from NGM		Response to Additional Information	
ADI expires on		Resubmit Reason	
Supporting Information		Is the enquiry justify	No
Enquiry resolution		Target Finish Date	2026-03-27

Click on Cancel button to directly Cancel the request

Req-005678

Provide Supporting InformationRequest ReplanRequest Cancel

Enquiry Details

MPSN	XXXXXXXXXX	Supplier Id	
Service Request Number	1968525	Status	Open
Enquiry Type	Technical Query	Enquiry Reason Code	MET
Enquiry Category	FMB	Enquiry Description	MSN 942795 is not fixed to the bracket and needs to be secured. No deliberate damage has been caused. Please rectify. Addition Info : BNN
Risk Assessment	Y	Appointment Start Date	2026-03-31
Appointment Slot	12:00-20:00	Status Comments	
Additional Information Request from NGM		Response to Additional Information	
ADI expires on		Resubmit Reason	
Supporting Information		Is the enquiry justify	No
Enquiry resolution		Target Finish Date	2026-03-27

Meter Details

Current Meter Model	XXXXXX	Current Meter Serial Number	942795
Meter Type	Rotary Displacement	Payment Mechanism	Credit
Year of Manufacture	1994		

Click on Request Cancel button to send request for cancelling the request

Click on Yes button

Are you sure you want to cancel the job?

Yes

No

Only for cancelling technical query raised for rotary/turbine meter user have to enter the reason for cancellation.

Please enter a reason to cancel

Cancelling on request of customer

Submit

Cancel

Job is cancelled successfully

Job cancelled successfully

Ok

The status of the enquiry is updated as Cancelled or requested cancel .

Req-005644

Enquiry Details

MPRN	XXXXXXXXXX	Supplier Id	XXX
Service Request Number	1968509	Status	CANCELLED
Enquiry Type	Technical Query	Enquiry Reason Code	MET
Enquiry Category	FME	Enquiry Description	MSN 6652669 is not fixed to the bracket and needs to be secured. No deliberate damage has been caused. Please rectify. Addition Info : Meter is at fault.
Risk Assessment	Y	Appointment Start Date	2026-03-27
Appointment Slot	12:00 - 16:00	Status Comments	
Additional Information Request from NQM		Response to Additional Information	
ADI expires on		Resubmit Reason	
Supporting Information		Is the enquiry justify	No
Enquiry resolution		Target Finish Date	2026-03-27

Req-005678

Provide Supporting Information

Request Replan

Request Cancel

Enquiry Details

MPRN	XXXXXXXXXX	Supplier Id	XXX
Service Request Number	1968529	Status	REQUESTED CANCEL
Enquiry Type	Technical Query	Enquiry Reason Code	MET
Enquiry Category	FME	Enquiry Description	MSN 942795 is not fixed to the bracket and needs to be secured. No deliberate damage has been caused. Please rectify. Addition Info : BNN
Risk Assessment	Y	Appointment Start Date	2026-04-01
Appointment Slot	08:00 - 12:00	Status Comments	
Additional Information Request from NQM		Response to Additional Information	
ADI expires on		Resubmit Reason	
Supporting Information		Is the enquiry justify	No
Enquiry resolution		Target Finish Date	2026-03-27

Email gets sent to National gas team to notify about the Cancel request for technical queries which are raised for turbine /rotary meter.

Sandbox: Cancel for Technical Query Req-005678

Summary

no-reply@salesforce.com on behalf of test_email

To: Subhasree Das, Shreya Shash, Huzair Akhter, Jyothi Sandeep Nithin

Fr: 2/27/2026, 11:03 PM

CAUTION: This email is from an external domain or organization. Do not click links or open attachments unless you recognize the sender and know the content to be safe.

A request to cancel the below Technical Query has been received.

Request Ref: Req-005678

MPRN: XXXXXXXXXXXX

SR Ref: 1968529

Cancel text: Cancelling on request of customer

Email of user requesting cancel: subhasree.das9@nationalgas.com

Date: 2026-04-01

Time: 08:00 - 12:00

