



Standard Operating Procedure

Monitoring Status of Technical Query

Contents

- Purpose 2
- Steps to raise Technical Query 2
 - Login to Portal 2
 - Search and Open MPRN 4
 - Raise Technical Query 5
- Viewing the raised Technical Query 7
 - Searching the SR from the main search functionality present in the home screen 7
 - Searching the SR from the View Request functionality present in the home screen 8
- Monitoring status of the raise job service requests 10

Purpose

To define the standard procedure for monitoring status of a technical query in the Customer Portal.

Steps to raise Technical Query


Login to Portal

Open any web browser (chrome/edge) in the system and enter the URL below in the URL bar.

The URL to login to the customer portal is:
<https://ngmcustomerportal.nationalgas.com/customerportal/login?ec> and press enter.




Enter the username and password, click on login.




Customer Metering Portal

Enter the verification code which is sent to the associate mail id and click on verify code.



After logging in, the home screen of the customer portal is displayed.

The Home Screen will display the MPRN Search panel in the Centre of the screen.



Search and Open MPRN

Enter the MPRN and click on search icon

Good morning, Subhasree Das

Thursday, 19 Feb, 09:46

MPRN

SR number

WO number

XXXXXXXXXX

Select Short codes

Or search by [Post Code](#) or [Serial number](#)

MPRN overview page with MPRN details is displayed.
Validate the Supplier short code, MPRN category (e.g., Residential or Commercial), address and site details, Meter and converter (if present) details.

MPRN: 12XXXXXXXX-XXX

Commercial

Work Request

Off Gas

Data Query

Technical Query

De-appoint

Overview

Request log

Work order log

AMR

Address details

Building number

20

Building name

Street

STANHOPE STREET

Dependent locality

Postal town

NEWCASTLE UPON TYNE

Postal code

NE4 1XX

Site Details

Pressure Tier

Low Pressure

Conversion Factor

1.82264

Appointment Date

14-01-2022

Micro Business ?

No

Meter details

Manufacturer

GEORGE WILSON

Model

1340

Manufacturer Serial no

XXXXXXXXXX

Meter Type

Diaphragm - Synthetic

No. of Dials

8

Payment Mechanism

Credit

More details >

Click on Technical Query button to raise the Technical query.

The screenshot shows the 'Create Request' page in the Customer Metering Portal. At the top, there's a header with 'MPRN: 12xxxxxxx - XXX' and a 'Commercial' button. Below this are tabs for 'Overview', 'Request log', 'Work order log', and 'AMR'. A row of buttons includes 'Work Request', 'Off Gas', 'Data Query', 'Technical Query' (highlighted with a red box and a callout saying 'Click on Technical Query Button'), and 'De-appoint'. The main content area is divided into two columns. The left column has 'Address details' (Building number: 20, Building name, Street: STANHOPE STREET, Dependent locality, Postal town: NEWCASTLE UPON TYNE, Postal code: NE4 XXX) and 'Site Details' (Pressure Tier: Low Pressure, Conversion Factor: 1.82364, Appointment Date: 14-01-2022, Micro Business Y: No). The right column has 'Asset details' (Manufacturer: GEORGE WILSON, Model: U40, Manufacturer Serial no: XXXXXXXX, Meter Type: Diaphragm - Synthetic, No. of Dials: 6, Payment Mechanism: Credit) and a 'More details >' link.

Raise Technical Query

Create request page is displayed with MPRN , supplier short code , address details and asset details.

Under select request type **Technical Query** is pre-selected automatically

The screenshot shows the 'Select Request Type' section of the 'Create Request' page. It features six selectable options, each with a radio button and a description: 'Work request' (Customer initiated request for work on the meter installation), 'Urgent Work request (Off gas)' (To support customers who are currently 'off-supply' due to a gas meter fault/Residential PPVCR meter fault or Commercial TFM), 'AMR request' (Request for services related to Automated Meter Readings), 'Appoint/De-Appoint' (Request Appoint/Deappoint supply on an MPRN), 'Data Queries (DQ)' (To query the data to/from hosts for a given MPRN), and 'Technical Queries (TQ)' (To query a suspected fault on an NGM Asset). The 'Technical Queries (TQ)' option is pre-selected, indicated by a blue dot and a blue bar at the bottom of its box.

Under Select Asset Type , select Meter option if user wants to raise enquiry for Meter asset.

Select any of the required meter issue type.

Select Asset Type

☒ Meter

To report an issue/fault on an NQM Meter

Selected

Meter Issue Type

☐ Blank screen on an E6 meter

To report a Blank screen on a NQM E6 (Ultrasonic) Meter type

☐ Corroded/Rusty Meter

To report severe Corrosion/Rust on the NQM Meter

☒ Faulty meter bracket

To report an issue/fault with the bracket securing the NQM Meter

Selected

☐ Meter not registering / Static reads on meter

To report that the NQM Meter may not be registering or static reads observed

☐ Meter under/over pulsing

To report that the NQM Meter may be under or over pulsing

☐ Other

To report an "Other" issue/fault with the NQM Meter

☐ Water/condensation in the meter screen

To report there is water/condensation in the NQM Meter index

Fill up the enquiry details. Select the appointment date and time if the engineer is going to visit the site after 5 working days.

Sample Enquiry Instruction

MSN ***** is not fixed to the bracket and needs to be secured. No deliberate damage has been caused. Please rectify

Meter Serial Number *

08525659

Meter is at fault

Additional Information

653 characters remaining

Upload Photos

Drag & drop files here

Select photos from device

image (22).jpg

26.7 KB

Do you want the engineer to visit site on a specific date after 5 working days? *

Yes

No

Select Appointment Date *

25/03/2026

Select Appointment Timeslot *

12:00-20:00

Please advise if site requires Risk Assessments and Method Statements ahead of the site visit *

Yes

No

Fill in the Contact details (on-site) information as Title, Name, Contact Number, Email Address (optional), Meter Access Instruction (optional), Upload Photos(optional).

Check the consent box and click on submit request button.

Contact details

Title*

Miss

Contact number*

62891857637

Name*

Taylor

Email Address (Optional)

taylor56@gmail.com

☒ Please tick here to confirm that consent has been obtained from the named individual for their personal data to be passed to third parties, for the purposes of performing the specified works, by means of a suitable Data Privacy Notice and explicit consent agreement.

Submit Request

Cancel

Request is created successfully and in the pop up Service request number is provided with appointment details and SLA.

Request submitted

Your Technical Query has been successfully submitted on the 27/02/2026

The reference number is 1968509

An engineer will visit on 25/03/2026 during the appointment slot between 12:00 and 20:00

We will look to investigate and provide a response within the agreed 20 day SLA

Ok


Viewing the raised Technical Query

Searching the SR from the main search functionality present in the home screen

Navigate back to the home screen and click on SR number tab on home screen main search label.

Customer Metering Portal

Enter the SR number and click on search icon



SR details view is displayed

Validate all the fields and sections of the SR

Req-005644 Provide Supporting Information

Enquiry Details

MPRN	XXXXXXXXXX	Supplier ID	XXX
Service Request Number	1968509	Status	Submitted
Enquiry Type	Technical Query	Enquiry Reason Code	MET
Enquiry Category	FMB	Enquiry Description	MRN 88525659 is not fixed to the bracket and needs to be secured. No deliberate damage has been caused. Please rectify. Addition Info: Meter is at fault
Risk Assessment	Y	Appointment Start Date	2026-03-25
Appointment Slot	12:00-20:00	Status Comments	
Additional Information Request from NGM		Response to Additional Information	
ADI expires on		Resubmit Reason	
Supporting Information		Is the enquiry justify	No
Enquiry resolution		Target Finish Date	2026-03-27

Site Address Details

Building Number		Building Name	
Street	STANHOPE STREET	Dependent Locality	
Postal Town	NEWCASTLE UPON TYNE	Postal Code	NE4 5BS

Searching the SR from the View Request functionality present in the home screen

Navigate back to the home screen and click on View Request- SR number option present under the request option on home screen.

Enter the SR number on the enter SR number field.

Automatically SR details view page is displayed.

national gas metering

Home

Requests

Create Request

View Request

My SR Number

WFO Request

Reports

Chart

Monthly Packs

Enter MFRN number

Enter SR number

Select created from

Select created to

Select Short codes

Request Number	Service Request	Record Type	MFRN	Job Code	Job Sub Code	Supplier Code	Status	Created Date
Req-00122	196106	Urgent Work Request	XXXXXXXXXX	OTVST	FAULT	XXX	Approve the SR	16/02/2026
Req-00121	196104	Urgent Work Request	XXXXXXXXXX	OTVST	FAULT	XXX	Approve the SR	16/02/2026
Req-00120	675945	AMR	XXXXXXXXXX	STRT		XXX	New	16/02/2026
Req-00119	675944	AMR	XXXXXXXXXX	STRT		-XXX	New	16/02/2026
Req-00118	196132	Urgent Work Request	XXXXXXXXXX	OTVST	FAULT	XXX	Submitted	16/02/2026
Req-00117	196131	Enquiry	XXXXXXXXXX			XXX	In Progress	16/02/2026
Req-00116	196130	Urgent Work Request	XXXXXXXXXX	OTVST	FAULT	XXX	Submitted	16/02/2026
Req-00115	196129	Urgent Work Request	XXXXXXXXXX	OTVST	FAULT	XXX	Submitted	16/02/2026
Req-00114	196128	Enquiry	XXXXXXXXXX			-XXX	REPLAN	16/02/2026
Req-00113	196127	Customer Work Request	XXXXXXXXXX	Meter Move	Regulation	XXX	CANCELLED	16/02/2026

Enter SR number

Req-005644

Provide Supporting Information

Enquiry Details

MFRN	XXXXXXXXXX	Supplier ID	XXX
Service Request Number	1962509	Status	Submitted
Enquiry Type	Technical Query	Enquiry Reason Code	MET
Enquiry Category	FMB	Enquiry Description	MFRN 58525659 is not fixed to the bracket and needs to be secured. No deliberate damage has been caused. Please rectify. Addition Info: Meter is at fault
Risk Assessment	Y	Appointment Start Date	2026-03-25
Appointment Slot	12:00-20:00	Status Comments	
Additional Information Request from NGM		Response to Additional Information	
ADL expires on		Resubmit Reason	
Supporting Information		Is the enquiry justify	No
Enquiry resolution		Target Finish Date	2026-03-27

Site Address Details

Building Number		Building Name	
Street	STANHOPE STREET	Dependent Locality	
Postal Town	NEWCASTLE UPON TYNE	Postal Code	NE4 1BS

Monitoring status of the raise job service requests

- Submitted

Once the technical query work request is created from the portal, the status of the SR is displayed as Submitted

Req-005696

Provide Supporting Information

Enquiry Details

MPRN	XXXXXXXXXX	Supplier Id	XXX
Service Request Number	1965544	Status	Submitted
Enquiry Type	Technical Query	Enquiry Reason Code	MET
Enquiry Category	MUCP	Enquiry Description	MSN 5994515 is undercover (delete as required) pulsing. This has been confirmed from the AMR / converter data. Additional info: meter not pulsing
Risk Assessment	Y	Appointment Start Date	2526-03-26
Appointment Slot	08:00-17:00	Status Comments	
Additional Information Request from NCM		Response to Additional Information	
AGI expires on		Resubmit Reason	
Supporting Information		Is the enquiry justified	No
Enquiry resolution		Target Finish Date	2526-03-27

- Acknowledged

When the technical work request is in Acknowledged status in Maximo, the status of the SR is displayed as Acknowledged.
Acknowledged meaning the technical query is in review with National Gas metering and they will be contacting the End Customer to agree a visit

Req-002259

RegainCancel

Enquiry Details

MPRN	1007026605	Supplier Id	GLZ
Service Request Number	1967107	Status	Acknowledged
Enquiry Type	Technical Query	Enquiry Reason Code	MET
Enquiry Category	CIM	Access Instructions	Address info: hgnmmmm
Risk Assessment	Y	Appointment Start Date	2026-01-21
Appointment Slot	12:00-30:00	Status Comments	This will be review this Enquiry and contact the End Customer to agree a visit
Additional Information Request from NCM		Response to Additional Information	
Resubmit Reason		Is the enquiry justified?	☐
Enquiry resolution			

- **Additional Information Requested**

This status is displayed when National Gas Metering is requesting for the user who has raised the technical query to provide with some additional information.

Req-002215

ReplanCancelProvide Additional Information

Enquiry Details

MPRN	XXXXXXXXXX	Supplier Id	XXX
Service Request Number	1967069	Status	Additional Information Requested
Enquiry Type	Technical Query	Enquiry Reason Code	MET
Enquiry Category	MNR	Access Instructions	Addion Info : meter not registering reads
Risk Assessment	Y	Appointment Start Date	2026-01-13
Appointment Slot	Morning	Status Comments	Additional Information Requested
Additional Information Request from NGM	why faulty	Response to Additional Information	
Resubmit Reason		Is the enquiry justified?	☐
Enquiry resolution			

- **Additional Information Provided**

After the user provides the response for the additional information by clicking on the Provide additional information button, the status of the query is updated as Additional Information Provided.

Req-002215

ReplanCancelProvide Additional Information

Enquiry Details

Provide Additional Information

MPRN

Service Request Number

Enquiry Type

Enquiry Category

Risk Assessment

Appointment Slot

Additional Information Request from NGM

Resubmit Reason

Enquiry resolution

Response to additional information requested *

Meter bracket is corroded and rusty

Upload Documents (Optional)

Upload Files

Or drop files

Additional Information Requested

#

MET

Addion Info : meter not registering reads

Date

2026-01-13

Additional Information Requested

nal Information

ad?

☐

Site Address Details

SubmitCancel

Req-002215

ReplyCancel

Enquiry Details

MPRN	XXXXXXXXXX	Supplier Id	XXX
Service Request Number	1967063	Status	Additional Information Provided
Enquiry Type	Technical Query	Enquiry Reason Code	MET
Enquiry Category	MUR	Access Instructions	Addition Info : meter not registering reads
Risk Assessment	Y	Appointment Start Date	2026-01-13

- Reminder for Additional Information

If the user has not provided response to additional information requested, then National gas Metering can raise a reminder to notify the user to provide the response.

Then the status is updated as Reminder for Additional Information.

Req-002230

ReplyCancelProvide Additional Information

Enquiry Details

MPRN	XXXXXXXXXX	Supplier Id	XXX
Service Request Number	1967063	Status	Reminder for Additional Information
Enquiry Type	Technical Query	Enquiry Reason Code	MET
Enquiry Category	MUR	Access Instructions	Addition Info : meter not putting
Risk Assessment	Y	Appointment Start Date	2026-01-27
Appointment Slot	06:00-13:00	Status Comments	Reminder for Additional information
Additional Information Request from NGM		Response to Additional Information	

- Amendment made

When the user has made amendments in the service request of the technical query , National Gas metering adds AMD task in maximo for the service request.

Then the status is updated as Amendment made.

Req-002230

ReplyCancel

Enquiry Details

MPRN	XXXXXXXXXX	Supplier Id	XXX
Service Request Number	1967063	Status	Amendment made
Enquiry Type	Technical Query	Enquiry Reason Code	MET
Enquiry Category	MUR	Access Instructions	Addition Info : meter not putting
Risk Assessment	Y	Appointment Start Date	2026-01-27
Appointment Slot	06:00-13:00	Status Comments	Amendment made
Additional Information Request from NGM		Response to Additional Information	

- **Site Visit Planned**

When SV task is added for the technical query in Maximo implying a site visit is planned for the next four working days (D+4) for an engineer to investigate a meter fault, the status of the technical query is updated as Site Visit Planned

The status comments is updated as Site visit planned for XX/XX (the date is picked up from the task line which was updated in maximo)

The screenshot shows a web form titled 'Enquiry Details' with a teal header. At the top right are 'Reply' and 'Cancel' buttons. The form contains several rows of data:

MPRI	XXXXXXXXXX	Supplier Id	XXX
Service Request Number	1967063	Status	Site Visit Planned
Enquiry Type	Technical Query	Enquiry Reason Code	MET
Enquiry Category	MUOP	Access Instructions	Addition info : meter not pulsing
Risk Assessment	Y	Appointment Start Date	2026-01-27
Appointment Slot	08:00-13:00	Status Comments	Site visit planned for 14/01/2026
Additional Information Request from NGM	Response to Additional Information		
Resubmit Reason	Is the enquiry justified? ☐		
Enquiry resolution			

- **Appointment Booked**

When ATP task is added for the technical query in maximo implying a site visit is planned for the next four working days (D+4) for an engineer to investigate a converter fault ,the status of the technical query is updated as Appointment booked.

The status comments is updated as Site visit planned for XX/XX (the date is picked up from the task line which was updated in maximo)

Replan

Cancel

Enquiry Details

MPRN	XXXXXXXXXX	Supplier Id	XXX
Service Request Number	1967083	Status	Appointment booked
Enquiry Type	Technical Query	Enquiry Reason Code	MET
Enquiry Category	MUCP	Access Instructions	Addition Info : meter not putibg
Risk Assessment	Y	Appointment Start Date	2026-01-27
Appointment Slot	08:00-13:00	Status Comments	Site visit planned for 10/01/2026
Additional Information Request from NGM	Response to Additional Information		
Resubmit Reason	Is the enquiry justified? ☐		
Enquiry resolution			

- Appointment Booked

When EUD(end user delay) task is added for the technical query in maximo implying a delay has been caused by the End Customer (i.e. a specifically arranged planned site visit rather than D+4) ,the status of the technical query is updated as Appointment booked.

The status comments is updated as Site visit planned for XX/XX (the date is picked up from the task line which was updated in maximo)

Replan

Cancel

Enquiry Details

MPRN	XXXXXXXXXX	Supplier Id	XXX
Service Request Number	1967083	Status	Appointment booked
Enquiry Type	Technical Query	Enquiry Reason Code	MET
Enquiry Category	MUCP	Access Instructions	Addition Info : meter not putibg
Risk Assessment	Y	Appointment Start Date	2026-01-27
Appointment Slot	08:00-13:00	Status Comments	Site visit planned for 13/01/2026
Additional Information Request from NGM	Response to Additional Information		
Resubmit Reason	Is the enquiry justified? ☐		
Enquiry resolution			

- Meter Order In Process

When TGEN task is added for the technical query in maximo implying that following an engineer visit an Appendix D has been filled out requesting a replacement meter/convertor & has been sent to the procurement team to

obtain a replacement asset, the status of the technical query is updated as Meter Order In Progress.

The status comments is updated as Meter replacement has been processed .

Replay

Cancel

Enquiry Details

MPRN	XXXXXXXXXX	Supplier Id	XXX
Service Request Number	1967083	Status	Meter Order In Progress
Enquiry Type	Technical Query	Enquiry Reason Code	MET
Enquiry Category	MUOP	Access Instructions	Addition info : meter not pulsing
Risk Assessment	Y	Appointment Start Date	2026-01-27
Appointment Slot	08:00-13:00	Status Comments	Meter replacement has been processed
Additional Information Request from NGM		Response to Additional Information	
Resubmit Reason		Is the enquiry justified?	☐
Enquiry resolution			

- In-Progress with Service Partner**

When OIX task is added for the technical query in maximo implying National gas Metering is waiting on further information/clarification from the Service Partner, the status of the technical query is updated as In-Progress with Service Partner.

The status comments is updated as In-Progress with Service Partner.

Replay

Cancel

Enquiry Details

MPRN	XXXXXXXXXX	Supplier Id	XXX
Service Request Number	1967083	Status	In-Progress with Service Partner
Enquiry Type	Technical Query	Enquiry Reason Code	MET
Enquiry Category	MUOP	Access Instructions	Addition info : meter not pulsing
Risk Assessment	Y	Appointment Start Date	2026-01-27
Appointment Slot	08:00-13:00	Status Comments	In-Progress with Service Partner
Additional Information Request from NGM		Response to Additional Information	
Resubmit Reason		Is the enquiry justified?	☐
Enquiry resolution			

- In-Progress

When the technical query is in inprogress status in maximo implying work is going on at the site, the status if the query is updated as Inprogress.

Req-005548

Provide Supporting Information

Replan

Cancel

Enquiry Details

MPIIN	XXXXXXXXXX	Supplier Id	XXX
Service Request Number	1968431	Status	In Progress
Enquiry Type	Technical Query	Enquiry Reason Code	COR
Enquiry Category	CXPC	Enquiry Description	CSN 35521 is not pulsing correctly as confirmed by the AMR / converter data. Please arrange a site visit and investigate. Addition Info : CSN 35521 is not pulsing correctly as confirmed by the AMR / converter data. Please arrange a site visit and investigate.
Risk Assessment	N	Appointment Start Date	2026-02-26
Appointment Slot		Status Comments	
Additional Information Request from NGM		Response to Additional Information	

- Site Visit to be agreed

When COM task is added for the technical query in maximo implying a combined delay has been caused by the End Customer & the Service Partner, the status if the query is updated as Site Visit to be agreed.

The status comments is updated as Service Partner and End Customer to agree on next steps or agree a site visit.

Req-002230

Replan

Cancel

Enquiry Details

MPIIN	XXXXXXXXXX	Supplier Id	XXX
Service Request Number	1967063	Status	Site Visit to be agreed
Enquiry Type	Technical Query	Enquiry Reason Code	MET
Enquiry Category	MUOP	Access Instructions	Addition Info : meter not pulsing
Risk Assessment	Y	Appointment Start Date	2026-01-27
Appointment Slot	08:00-13:00	Status Comments	Service Partner and End Customer to agree on next steps or agree a site visit
Additional Information Request from NGM		Response to Additional Information	
Resubmit Reason		Is the enquiry justified?	☐
Enquiry resolution			

- Resolved

When the technical query is resolved, the status of the service request is updated as Resolved.

The enquiry resolution is also updated.

Req-002249

Completion Details

Reopen Query

Enquiry Details

MPRN	XXXXXXXXXX	Supplier Id	XXX
Service Request Number	1967098	Status	Resolved
Enquiry Type	Technical Query	Enquiry Reason Code	MET
Enquiry Category	WOMS	Access Instructions	Addition Info - WATER on screen
Risk Assessment	Y	Appointment Start Date	2025-01-14
Appointment Slot	08:00-13:00	Status Comments	Resolved - Resolution letter
Additional Information Request from NGM	Response to Additional Information		
Resubmit Reason	Is the enquiry justified?		
Enquiry resolution	This enquiry has now been resolved within Maximo and has been deemed justified I can confirm this enquiry has been resolved within Maximo and has now been closed We trust that this meets your requirements Should you require further assistance in this matter, please do not hesitate to contact the Queries Team on 0800 0014340, or alternatively email		