


Boosting



This file is meant for personal use by unmesh_redkar@hotmail.com only.

Sharing or publishing the contents in part or full is liable for legal action.

Proprietary content. © Great Learning. All Rights Reserved. Unauthorized use or distribution prohibited.

Boosting Methods

- **AdaBoosting** (Adaptive Boosting)
 - In AdaBoost, the successive learners are created with a focus on the ill fitted data of the previous learner
 - Each successive learner focuses more and more on the harder to fit data i.e. their residuals in the previous tree
- **Gradient Boosting** (GBM)
 - Each learner is fit on a modified version of original data. Original data is replaced with the x values and residuals from previous learner
 - By fitting new models to the residuals, the overall learner gradually improves in areas where residuals are initially high
- **XG Boost (Extreme Gradient Boosting)** (XG M)
 - Upgraded implementation of Gradient Boosting. Developed for high computational speed, scalability, and better performance.
 - Parallel Implementation, Cross-Validation, Cache Optimization, Distributed Computation

This file is meant for personal use by unmesh_redkar@hotmail.com only.

Sharing or publishing the contents in part or full is liable for legal action.

Proprietary content. © Great Learning. All Rights Reserved. Unauthorized use or distribution prohibited.


X1	X2	Y
...	...	+
..	...	+
..	...	-
..
..
..
..
..
..
..
..
..

This file is meant for personal use by unmesh_redkar@hotmail.com only.

Sharing or publishing the contents in part or full is liable for legal action.

Proprietary content. © Great Learning. All Rights Reserved. Unauthorized use or distribution prohibited.

AdaBoost




This file is meant for personal use by unmesh_redkar@hotmail.com only.

Sharing or publishing the contents in part or full is liable for legal action.

Proprietary content. © Great Learning. All Rights Reserved. Unauthorized use or distribution prohibited.

Gradient Boosting

	x		y	y_0	$y - y_0$	h
			50	40	10	8
			92	100	-8	-8
			60	80	-20	-10
			64	50	14	12
		




$$y_0 = h_0(x)$$

$$y = h_0(x) + \alpha_1 h_1(x)$$

$$y = h_0(x) + \alpha_1 h_1(x) + \alpha_2 h_2(x) + \dots$$


Stacking



This file is meant for personal use by unmesh_redkar@hotmail.com only.

Sharing or publishing the contents in part or full is liable for legal action.

Proprietary content. © Great Learning. All Rights Reserved. Unauthorized use or distribution prohibited.



This file is meant for personal use by unmesh_redkar@hotmail.com only.

Sharing or publishing the contents in part or full is liable for legal action.

Proprietary content. © Great Learning. All Rights Reserved. Unauthorized use or distribution prohibited.