



WEEK 1-POWER BI REPORT

- Power BI Desktop was launched as the working environment for processing the Superstore Sales data. The application was used to perform the required data loading, modification, and preparation activities.




Power BI Desktop interface used for initiating the Superstore Sales data preparation

- The Superstore Sales file was loaded into Power BI through the **Text/CSV** connector. The appropriate CSV file was located and selected to bring the raw dataset into the Power BI environment.



Loading the Superstore Sales CSV file into Power BI using the Text/CSV connector

- The required Superstore Sales CSV file was located and selected from the system to import the raw dataset into Power BI for further processing and analysis.



Selection of the Superstore Sales CSV file for importing into Power BI

- The selected CSV file was previewed in Power BI to verify the available records, column names, and overall structure of the dataset before applying any transformations.

samplesuperstore
Preview downloaded on 31 July 2026

Row ID	Order ID	Order Date	Ship Date	Ship Mode	Cus
1	US-2023-103800	01-03-2023	01-07-2023	Standard Class	
2	US-2023-112326	01-04-2023	01-08-2023	Standard Class	
3	US-2023-112326	01-04-2023	01-08-2023	Standard Class	
4	US-2023-112326	01-04-2023	01-08-2023	Standard Class	
5	US-2023-141817	01-05-2023	01-12-2023	Standard Class	
6	US-2023-167199	01-06-2023	01-10-2023	Standard Class	
7	US-2023-167199	01-06-2023	01-10-2023	Standard Class	
8	US-2023-106054	01-06-2023	01-07-2023	First Class	
9	US-2023-167199	01-06-2023	01-10-2023	Standard Class	
10	US-2023-167199	01-06-2023	01-10-2023	Standard Class	
11	US-2023-167199	01-06-2023	01-10-2023	Standard Class	
12	US-2023-130813	01-06-2023	01-08-2023	Second Class	
13	US-2023-167199	01-06-2023	01-10-2023	Standard Class	
14	US-2023-167199	01-06-2023	01-10-2023	Standard Class	
15	US-2023-105417	01-07-2023	01-12-2023	Standard Class	
16	US-2023-105417	01-07-2023	01-12-2023	Standard Class	
17	US-2023-135405	01-09-2023	1/13/2023	Standard Class	
18	US-2023-135405	01-09-2023	1/13/2023	Standard Class	
19	US-2023-149020	01-10-2023	1/15/2023	Standard Class	
20	US-2023-149020	01-10-2023	1/15/2023	Standard Class	
21	US-2023-130092	01-11-2023	1/14/2023	First Class	
22	US-2023-157147	1/13/2023	1/18/2023	Standard Class	

Load Transform Data Cancel

Preview of the Superstore Sales dataset before applying data transformations

- The Transform Data option was used to access the Power Query Editor, where the imported dataset was examined and prepared for further analysis.
- The table structure, field names, data formats, and overall data consistency were reviewed to understand the contents of the dataset. The dataset consists of 10,194 records and 21 columns.
- Power Query's data quality indicators were also reviewed to identify valid entries, blank values, and possible errors. This initial inspection helped ensure that the data was suitable for the upcoming cleaning and transformation steps.

Untitled - Power Query Editor

File Home Transform Add Column View Tools Help

Close & Apply New Source Recent Sources Enter Data Data source settings Manage Parameters Export query results Refresh Preview Properties Advanced Editor Choose Columns Remove Columns Keep Rows Remove Rows Sort Split Column Group By Use First Row as Headers Replace Values Data Type: Whole Number

Queries [1] This preview may be up to 17 days old. Refresh


samplesuperstore

= Table.TransformColumnTypes(#"Promoted Headers",{{"Row ID", Int64.Type}, {"Order ID", type text}, {"Order Date", type text}, {"Ship Date", type text}, {"Ship Mode", type text}, {"Customer ID", type text}})

Row ID	Order ID	Order Date	Ship Date	Ship Mode	Customer ID
1	US-2023-103800	01-03-2023	01-07-2023	Standard Class	DP-13000
2	US-2023-112326	01-04-2023	01-08-2023	Standard Class	PO-19195
3	US-2023-112326	01-04-2023	01-08-2023	Standard Class	PO-19195
4	US-2023-112326	01-04-2023	01-08-2023	Standard Class	PO-19195
5	US-2023-141817	01-05-2023	01-12-2023	Standard Class	MB-18085
6	US-2023-167199	01-06-2023	01-10-2023	Standard Class	ME-17320
7	US-2023-167199	01-06-2023	01-10-2023	Standard Class	ME-17320
8	US-2023-106054	01-06-2023	01-07-2023	First Class	JO-15145
9	US-2023-167199	01-06-2023	01-10-2023	Standard Class	ME-17320
10	US-2023-167199	01-06-2023	01-10-2023	Standard Class	ME-17320
11	US-2023-167199	01-06-2023	01-10-2023	Standard Class	ME-17320
12	US-2023-130813	01-06-2023	01-08-2023	Second Class	LS-17230
13	US-2023-167199	01-06-2023	01-10-2023	Standard Class	ME-17320
14	US-2023-167199	01-06-2023	01-10-2023	Standard Class	ME-17320
15	US-2023-105417	01-07-2023	01-12-2023	Standard Class	VS-21820
16	US-2023-105417	01-07-2023	01-12-2023	Standard Class	VS-21820
17	US-2023-135405	01-09-2023	1/13/2023	Standard Class	MS-17830
18	US-2023-135405	01-09-2023	1/13/2023	Standard Class	MS-17830
19	US-2023-149020	01-10-2023	1/15/2023	Standard Class	AJ-10780
20	US-2023-149020	01-10-2023	1/15/2023	Standard Class	AJ-10780
21	US-2023-130092	01-11-2023	1/14/2023	First Class	SV-20365

Superstore Sales dataset inspected in Power Query Editor for structure and data quality

- The Order Date column was selected, and its data type was changed to Date using the Change Type option in Power Query.



Changing Order Date data type to Date

- The Date data type was selected with the English (United States) locale to correctly interpret the Order Date values.

Table.TransformColumnTypes("#Promoted Headers",{{"Row ID", Int64.Type}, {"Order ID", type text}, {"Order Date", type text}, {"Ship Date", type text}, {"Ship Mode", type text}, {"Customer ID", type text}})

Row ID	Order ID	Order Date	Ship Date	Ship Mode	Customer ID
22	US-2023-157147	1/13/2023	1/18/2023	Standard Class	BD-11605
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					
34					
35					
36					
37					
38					
39					
40					
41	US-2023-146591	1/19/2023	1/20/2023	First Class	TS-21340
42	US-2023-146591	1/19/2023	1/20/2023	First Class	TS-21340
43	US-2023-146591	1/19/2023	1/20/2023	First Class	TS-21340
44	US-2023-147627	1/20/2023	1/26/2023	Standard Class	HI-15040

Change Type with Locale

Change the data type and select the locale of origin.

Data Type: Date

Locale: English (United States)

Sample input values:

- 3/29/2016
- Tuesday, March 29, 2016
- March 29
- March 2016

OK Cancel

Order Date converted to Date using English (United States) locale

- Appropriate data types were assigned to the required columns to prepare the dataset for analysis.


Table.TransformColumnTypes("#Changed Type with Locale",{{"Ship Date", type date}}, "en-US")

Row ID	Order ID	Order Date	Ship Date	Ship Mode	Customer ID
1	US-2023-103800		01-03-2023	01-07-2023	DP-1300
2	US-2023-112326		01-04-2023	01-08-2023	PO-1919
3	US-2023-112326		01-04-2023	01-08-2023	PO-1919
4	US-2023-112326		01-04-2023	01-08-2023	PO-1919
5	US-2023-141817		01-05-2023	01-12-2023	MB-1801
6	US-2023-167199		01-06-2023	01-10-2023	ME-1731
7	US-2023-167199		01-06-2023	01-10-2023	ME-1731
8	US-2023-106054		01-06-2023	01-07-2023	JO-1514
9	US-2023-167199		01-06-2023	01-10-2023	ME-1731
10	US-2023-167199		01-06-2023	01-10-2023	ME-1731
11	US-2023-167199		01-06-2023	01-10-2023	ME-1731
12	US-2023-130813		01-06-2023	01-08-2023	LS-1723
13	US-2023-167199		01-06-2023	01-10-2023	ME-1731
14	US-2023-167199		01-06-2023	01-10-2023	ME-1731
15	US-2023-105417		01-07-2023	01-12-2023	VS-2182
16	US-2023-105417		01-07-2023	01-12-2023	VS-2182
17	US-2023-135405		01-09-2023	13-01-2023	MS-1781
18	US-2023-135405		01-09-2023	13-01-2023	MS-1781
19	US-2023-149020		01-10-2023	15-01-2023	AJ-1078
20	US-2023-149020		01-10-2023	15-01-2023	AJ-1078
21	US-2023-130092		01-11-2023	14-01-2023	SV-2036
22	US-2023-157147		13-01-2023	18-01-2023	BD-1160

Appropriate data types assigned to the dataset

Procedure – Creating Temporal Columns using Add Column

1. Open **Power Query Editor** and select the **Order Date** column.
 2. Go to the **Add Column** tab.
 3. Use the **Date** options to extract the required date parts.
 4. Create **Order Year** from the Order Date column.
 5. Similarly, create **Order Quarter** and **Order Month**.
 6. Extract the **Day** and **Day of Week** from Order Date.
 7. Rename the newly created columns appropriately.
 8. Check the final table to verify that all temporal columns were created correctly
- Temporal attributes such as Order Year, Order Quarter, Order Month, Order Day, and Order Day of Week were created from the Order Date column using the Add Column options in Power Query.





The screenshot shows the Power Query Editor interface. A table with 6 columns is displayed: Order Year, Order Quarter, Order Month, Order Day, and Order Day of Week. The table contains 20 rows of data. A context menu is open over the table, showing options like 'New measure', 'New column', 'Refresh', 'Edit query', etc.

	Order Year	Order Quarter	Order Month	Order Day	Order Day of Week
	2023	Q1	01-06-2023	6	01-06-2023
	2023	Q1	1/20/2023	20	1/20/2023
	2023	Q1	2/20/2023	20	2/20/2023
	2023	Q2	04-06-2023	6	04-06-2023
	2023	Q2	04-06-2023	6	04-06-2023
	2023	Q2	4/15/2023	15	4/15/2023
	2023	Q2	4/18/2023	18	4/18/2023
	2023	Q2	4/18/2023	18	4/18/2023
	2023	Q2	4/18/2023	18	4/18/2023
	2023	Q3	07-09-2023	9	07-09-2023
	2023	Q3	07-09-2023	9	07-09-2023
	2023	Q4	10/28/2023	28	10/28/2023
	2023	Q4	10/28/2023	28	10/28/2023
	2023	Q4	10/28/2023	28	10/28/2023
	2023	Q4	10/31/2023	31	10/31/2023
	2023	Q4	10/31/2023	31	10/31/2023
	2023	Q4	10/31/2023	31	10/31/2023
	2023	Q4	10/31/2023	31	10/31/2023
	2023	Q4	10/31/2023	31	10/31/2023
	2023	Q4	11-01-2023	1	11-01-2023
	2023	Q4	11-01-2023	1	11-01-2023
	2023	Q4	11-03-2023	3	11-03-2023

Temporal columns created from Order Date using Add Column

- The Applied Steps panel was reviewed to verify the sequence of transformations performed during data preparation.



Applied Steps showing the overall data cleaning and transformation process

- The Applied Steps panel provides an overview of the data preparation and transformation process carried out in Power Query. It records the sequence of

operations performed on the Superstore dataset, including importing the data, promoting headers, assigning appropriate data types, transforming date fields, and creating the required temporal attributes. Reviewing the Applied Steps helped verify that the transformations were applied in the correct sequence and that the final dataset was prepared for analysis.

- After completing all the required transformations, the Superstore dataset was reviewed to verify that the newly created temporal columns and updated data types were correctly displayed. The dataset was now clean, structured, and ready to be loaded into the Power BI data model for analysis.

Row ID	Order Date	Ship Date	Ship Mode	Customer ID	Segment	Country/Region	City	State/Province	Postal Code	Region	Product ID
122	2/20/2023	2/24/2023	Standard Class	SR-20740	Home Office	United States	Los Angeles	California	90049	West	OFF-AR-100
331	04-06-2023	04-12-2023	Standard Class	AV-10555	Corporate	United States	Los Angeles	California	90049	West	OFF-AR-100
332	04-06-2023	04-12-2023	Standard Class	AV-10555	Corporate	United States	Los Angeles	California	90049	West	OFF-AR-100
370	4/15/2023	4/15/2023	Same Day	PS-18970	Home Office	United States	Los Angeles	California	90049	West	OFF-FA-100
373	4/18/2023	4/23/2023	Standard Class	JL-15835	Consumer	United States	Los Angeles	California	90049	West	OFF-AR-100
375	4/18/2023	4/23/2023	Standard Class	JL-15835	Consumer	United States	Los Angeles	California	90049	West	OFF-AR-100
377	4/18/2023	4/23/2023	Standard Class	JL-15835	Consumer	United States	Los Angeles	California	90049	West	OFF-FA-100
723	07-09-2023	7/13/2023	Standard Class	GH-14410	Home Office	United States	Los Angeles	California	90049	West	OFF-LA-100
727	07-09-2023	7/13/2023	Standard Class	GH-14410	Home Office	United States	Los Angeles	California	90049	West	OFF-ST-100
1409	10/28/2023	10/31/2023	First Class	TS-21370	Corporate	United States	Los Angeles	California	90049	West	OFF-ST-100
1410	10/28/2023	10/31/2023	First Class	TS-21370	Corporate	United States	Los Angeles	California	90049	West	OFF-SU-100
1411	10/28/2023	10/31/2023	First Class	TS-21370	Corporate	United States	Los Angeles	California	90049	West	OFF-SU-100
1422	10/31/2023	11-04-2023	Standard Class	GG-14650	Corporate	United States	Los Angeles	California	90049	West	OFF-AR-100
1427	10/31/2023	11-04-2023	Standard Class	GG-14650	Corporate	United States	Los Angeles	California	90049	West	OFF-FA-100
1428	10/31/2023	11-04-2023	Standard Class	GG-14650	Corporate	United States	Los Angeles	California	90049	West	OFF-PA-100
1430	10/31/2023	11-04-2023	Standard Class	GG-14650	Corporate	United States	Los Angeles	California	90049	West	OFF-ST-100
1431	10/31/2023	11-04-2023	Standard Class	GG-14650	Corporate	United States	Los Angeles	California	90049	West	OFF-ST-100
1446	11-01-2023	11-08-2023	Standard Class	PL-18925	Home Office	United States	Los Angeles	California	90049	West	OFF-LA-100
1449	11-01-2023	11-08-2023	Standard Class	PL-18925	Home Office	United States	Los Angeles	California	90049	West	OFF-PA-100
1468	11-03-2023	11-03-2023	Same Day	TC-21535	Home Office	United States	Los Angeles	California	90049	West	OFF-AR-100
1816	12-07-2023	12-10-2023	First Class	FP-14320	Consumer	United States	Los Angeles	California	90049	West	OFF-AR-100
1859	12/13/2023	12/15/2023	Second Class	KD-16345	Consumer	United States	Los Angeles	California	90049	West	OFF-PA-100

Final transformed Superstore dataset in Power Query

File

Home

Transform

Add Column

View

Tools

Help

Close & Apply

New Source

Recent Sources

Enter Data

Data source settings

Manage Parameters

Export query results

Refresh Preview

Properties

Advanced Editor

Manage

Choose Columns

Remove Columns

Keep Rows

Remove Rows

Sort

Split Column

Group By

Data

Close & Apply


Apply

Close

samplesuperstore

Close & Apply used to load the transformed dataset into Power BI

- The Model View was inspected to verify the structure of the prepared Superstore dataset within the Power BI data model. The SampleSuperstore table and its fields were successfully loaded into the model.



SampleSuperstore table in Power BI Model View


Saving the Power BI File

Go to:

File → Save As

Choose **Desktop** as the location and save the file as:

Superstore_Week1.pbix



Successfully saved Power BI project file on the Desktop

CONCLUSION:

The Superstore Sales dataset was successfully imported into Power BI and prepared using Power Query Editor. The data types were appropriately assigned, date fields were converted using the required locale, and temporal attributes such as Order Year, Order Quarter, Order Month, Order Day, and Order Day of Week were created from the Order Date field. The Applied Steps were reviewed to verify the transformation process. Finally, the transformed dataset was loaded using Close & Apply and verified through Data View and Model View. The prepared dataset is now ready for further analysis and visualization in Power BI.