

NAME	JASMINE T. ELEDEROS
PROJECT TITLE	JAS-MINE: An Integrated ERP-Based Knowledge Management System for Barangays
SUBJECT: CODE: TIME:	IT15/L Integrative Programming and Technologies 8478 5:30E – 7:30E
TOPIC (Type of Business Process)	#4 Knowledge Management Systems
Products/Services	Barangay / LGU
Deployed Link / Website link	http://jasmine.runasp.net/
Role Based-Access	Super Admin Acct. (not done) Username: superadmin@jas-mine.gov.ph Password: JasMine@1234 Admin Acct. Username: brgyadmin@brgy.gov.ph Password: BrgyAdmin@1234 Client Acct. Username: Password:
3rd Deliverables-Deployed Transactions (CRUD)	
Log in-Page (Screenshot)	


Description

The browser page shows the login page of the JAS-MINE system. At the top, the system logo and title are displayed to show the identity of the system. In the center, there is a login form where users can enter their email and password. The page has a simple and clean design so users can easily understand how to log in. There is also a “Forgot your password?” link for users who cannot remember their password.

Function


This page allows users to log in to the system using their registered account. It checks the email and password before allowing access. Once the login is successful, the user will be directed to the correct dashboard based on their role. This helps keep the system secure and ensures that only authorized users can use the system. The forgot password option helps users recover their account if needed.

Log in-Page - Source Code (Screenshot)



```
1 @model JAS_MINE_JTIS.Models.LoginViewModel
2 @addTagHelper *, Microsoft.AspNetCore.Mvc.TagHelpers
3
4 @{
5     Layout = null;
6     ViewData["Title"] = "Login";
7 }
8
9 <!DOCTYPE html>
10 <html>
11 <head>
12     <meta charset="utf-8" />
13     <meta name="viewport" content="width=device-width, initial-scale=1" />
14     <title>@ViewData["Title"] - JAS-MINE</title>
15
16     <link rel="stylesheet" href="~/lib/bootstrap/dist/css/bootstrap.min.css" />
17     <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.3/font/bootstrap-icons.css" rel="stylesheet">
18     <link rel="stylesheet" href="~/css/site.css" />
19
20     <style>
21     body {
22         background: #f3f5f7;
23     }
24
25     .login-shell {
26         min-height: 100vh;
27         display: flex;
28         flex-direction: column;
29         align-items: center;
30         justify-content: center;
31         gap: 20px;
32         padding: 24px;
33     }
34
35     .branding {
36         text-align: center;
37     }
38
39     .brand-logo {
40         width: 120px;
41         height: auto;
42     }
43
44     </style>
45 </head>
46 <body>
47     <div class="login-shell">
48         <div class="branding">
49             <img alt="JAS-MINE Logo" data-bbox="49 49 120 120" />
50             <h1>JAS-MINE</h1>
51         </div>
52         <div class="brand-logo">
53             <img alt="JAS-MINE Logo" data-bbox="49 49 120 120" />
54         </div>
55     </div>
56 </body>
57 </html>
```

Dashboard (Client/End-User) (Screenshot)



Description


The page shows the Dashboard of the JAS-MINE system. The left side contains the navigation menu for different modules. The main area displays an overview of barangay information such as documents, policies, best practices, lessons learned, and announcements. It also shows the current subscription plan, pending approvals, and quick actions. The layout is simple and gives a clear summary of system data.

Function

This page serves as the main overview screen of the system. It allows users to quickly see important information and current status of records in the barangay system. Users can monitor documents, policies, announcements, and pending approvals from one place. The dashboard helps users manage tasks easily and access different modules quickly.

**Dashboard -
Source Code**

**(Client/End-User)
(Screenshot)**



```
97 <!-- Barangay Stat -->
98 <div class="row g-3 mb-6">
99 <div class="col-6 col-md-4">
100 <div class="stat-card">
101 <div class="stat-label"><i class="bi bi-file-earmark-text me-1"/> Documents</div>
102 <div class="stat-value text-primary">@Model.TotalDocuments</div>
103 </div>
104 </div>
105 <div class="col-6 col-md-4">
106 <div class="stat-card">
107 <div class="stat-label"><i class="bi bi-journal-text me-1"/> Policies</div>
108 <div class="stat-value text-info">@Model.TotalPolicies</div>
109 </div>
110 </div>
111 <div class="col-6 col-md-4">
112 <div class="stat-card">
113 <div class="stat-label"><i class="bi bi-lightbulb me-1"/> Best Practices</div>
114 <div class="stat-value text-success">@Model.TotalBestPractices</div>
115 </div>
116 </div>
117 <div class="col-6 col-md-4">
118 <div class="stat-card">
119 <div class="stat-label"><i class="bi bi-book me-1"/> Lessons Learned</div>
120 <div class="stat-value text-warning">@Model.TotalLessonsLearned</div>
121 </div>
122 </div>
123 <div class="col-6 col-md-4">
124 <div class="stat-card">
125 <div class="stat-label"><i class="bi bi-megaphone me-1"/> Announcements</div>
126 <div class="stat-value text-danger">@Model.TotalAnnouncements</div>
127 </div>
128 </div>
129 </div>
130
131 <!-- Subscription Plan -->
132 <div class="row g-3 mb-6">
133 <div class="col-md-6">
134 <div class="subscription-card">
135 <div class="d-flex justify-content-between align-items-start mb-3">
136 <div>
137 <div class="mb-label">Current Plan</div>
138 <div class="mb-value">@Model.SubscriptionPlan ?? "No Active Plan"</div>
139 </div>
140 <i class="bi bi-credit-card-2-front" style="font-size: 28px; opacity: 0.7;"/>
141 </div>
142 <div class="d-flex gap-6">
143 <div>
144 <div class="mb-label">Status</div>
145 <div class="mb-value">@Model.SubscriptionStatus ?? "N/A"</div>
146 </div>
147 </div>
148 </div>
149 </div>
150 </div>
```


**Update/Edit Page
(Screenshot)**

Image and Description Function (Whole Browser Page)

**Update/Edit Page
- Source Code
(Screenshot)**

Source Code from C#_ASP. NET Core

Archive (Screenshot)



Description

The page shows the Knowledge Repository module of the JAS-MINE system. The sidebar on the left contains navigation links to different modules. The main area shows tabs for Active, Archived, and All documents. There is also a search bar and filter options for category and status. The document table is displayed below, but currently no documents are shown because the archive list is empty.


Function

This page allows users to view and manage documents in the Knowledge Repository. Users can switch between active, archived, or all documents, and use search and filters to find files easily. The archive section helps store old or inactive documents instead of deleting them, so records are still saved and can be viewed when needed.

Archive – Source Code (Screenshot)

```
12 protected override void Up(MigrationBuilder migrationBuilder)
13 {
14     // Drop SharedDocuments table safely (if exists)
15     migrationBuilder.Sql(@"
16         IF OBJECT_ID('dbo.SharedDocuments', 'U') IS NOT NULL
17             DROP TABLE dbo.SharedDocuments;
18     ");
19
20     // Add IsArchived to Policies
21     migrationBuilder.Sql(@"
22         IF NOT EXISTS (SELECT * FROM sys.columns WHERE object_id = OBJECT_ID('dbo.Policies') AND name = 'IsArchived')
23             ALTER TABLE dbo.Policies ADD IsArchived BIT NOT NULL DEFAULT 0;
24     ");
25
26     // Add columns to LessonsLearned
27     migrationBuilder.Sql(@"
28         IF NOT EXISTS (SELECT * FROM sys.columns WHERE object_id = OBJECT_ID('dbo.LessonsLearned') AND name = 'ActionTaken')
29             ALTER TABLE dbo.LessonsLearned ADD ActionTaken NVARCHAR(MAX) NOT NULL DEFAULT '';
30     ");
31
32     migrationBuilder.Sql(@"
33         IF NOT EXISTS (SELECT * FROM sys.columns WHERE object_id = OBJECT_ID('dbo.LessonsLearned') AND name = 'DateRecorded')
34             ALTER TABLE dbo.LessonsLearned ADD DateRecorded DATETIME2 NOT NULL DEFAULT '0001-01-01';
35     ");
36
37     migrationBuilder.Sql(@"
38         IF NOT EXISTS (SELECT * FROM sys.columns WHERE object_id = OBJECT_ID('dbo.LessonsLearned') AND name = 'IsArchived')
39             ALTER TABLE dbo.LessonsLearned ADD IsArchived BIT NOT NULL DEFAULT 0;
40     ");
41
42     migrationBuilder.Sql(@"
43         IF NOT EXISTS (SELECT * FROM sys.columns WHERE object_id = OBJECT_ID('dbo.LessonsLearned') AND name = 'Problem')
44             ALTER TABLE dbo.LessonsLearned ADD Problem NVARCHAR(MAX) NOT NULL DEFAULT '';
45     ");
46
47     migrationBuilder.Sql(@"
48         IF NOT EXISTS (SELECT * FROM sys.columns WHERE object_id = OBJECT_ID('dbo.LessonsLearned') AND name = 'Recommendation')
49             ALTER TABLE dbo.LessonsLearned ADD Recommendation NVARCHAR(MAX) NULL;
50     ");
51
52     migrationBuilder.Sql(@"
53         IF NOT EXISTS (SELECT * FROM sys.columns WHERE object_id = OBJECT_ID('dbo.LessonsLearned') AND name = 'Result')
54             ALTER TABLE dbo.LessonsLearned ADD Result NVARCHAR(MAX) NOT NULL DEFAULT '';
55     ");
56
57     // Add IsArchived to KnowledgeRepository
```


Display Records (Screenshot)




Description

The browser page shows the Knowledge Repository page of the JAS-MINE system. On the left side, there is a menu where users can go to different modules. At the top, the system name and user account are shown. The main area displays a list of documents with information like title, category, uploader, date, and status. There is also a search box, filter options, and an upload button. The page is simple and organized so users can easily see and find documents.

	Function This page allows users to view and manage documents in the system. Users can search and filter documents to find files faster. Authorized users can upload new documents and manage existing ones, while other users can only view documents. This helps keep barangay files organized and easy to access in one place.
--	---


Display Records - Source Code (Screenshot)	
--	--

Database – SQL Server (Local) Screenshot	 Description The page shows the database view in Microsoft SQL Server Management Studio (SSMS). It displays the table data of the JAS-MINE system. The left side shows the list of databases and tables. The middle section shows the table columns and stored records. The bottom part displays the data results after running a query. This page allows users to see how data is stored inside the system database. Function
--	---

This page is used to view and manage the system database. It allows the developer to check saved records, verify if data is correctly stored, and review table columns. It helps in monitoring system data, testing queries, and making sure that the application is properly connected to the database.

Database –
Deployed/Online

Screenshot



The screenshot displays the MonsterASP database management interface. The browser address bar shows the URL: `admin.monsterasp.net/apps/database/mssql/table?guid=c52247af-daf9-4ea1-aa05-0e13da00b4d9`. The interface title is "db41985.databasasp.net [db41985]". A sidebar on the left contains navigation options: Overview, Tables (selected), Users, Process, Tasks, Run T-SQL, Resource, Backups, WebMSSQL, and Upgrade. The main content area shows a table list for the "db41985.databasasp.net [MSSQL]" database. A search bar and a "Delete all content" button are at the top right. The table list has columns for Schema, Table, Rows, Size, Created, and Last modified. The tables listed are:

Schema	Table	Rows	Size	Created	Last modified
dbo	...EFMigrationsHistory	3	0.070312 MB	19.02.2026 17:06	19.02.2026 17:06
dbo	Announcements	0	0 MB	19.02.2026 16:17	19.02.2026 16:17
dbo	AspNetRoleClaims	0	0 MB	19.02.2026 17:06	19.02.2026 17:06
dbo	AspNetRoles	5	0.070312 MB	19.02.2026 17:06	19.02.2026 17:06
dbo	AspNetUserClaims	0	0 MB	19.02.2026 17:06	19.02.2026 17:06
dbo	AspNetUserLogins	0	0 MB	19.02.2026 17:06	19.02.2026 17:06
dbo	AspNetUserRoles	5	0.070312 MB	19.02.2026 17:06	19.02.2026 17:06
dbo	AspNetUsers	5	0.070312 MB	19.02.2026 17:06	19.02.2026 17:06
dbo	AspNetUserTokens	0	0 MB	19.02.2026 17:06	19.02.2026 17:06
dbo	AuditLogs	0	0 MB	19.02.2026 16:17	19.02.2026 16:17
dbo	Barangays	5	0.070312 MB	19.02.2026 16:17	19.02.2026 16:17
dbo	BarangaySubscriptions	0	0 MB	19.02.2026 16:17	19.02.2026 16:17
dbo	BentPractices	0	0 MB	19.02.2026 16:17	19.02.2026 16:17
dbo	KnowledgeDiscussions	0	0 MB	19.02.2026 16:17	19.02.2026 16:17
dbo	KnowledgeRepository	5	0.070312 MB	19.02.2026 16:17	19.02.2026 16:17

Description

The page shows the MonsterASP database management panel. It displays the list of tables used in the JAS-MINE system database. The screen shows table names, number of rows, size, and date created or modified. On the left side, there is a menu for database options such as tables, users, backup, and SQL tools. This page gives a clear view of the database structure online.

Function

This page is used to manage and monitor the system database hosted on MonsterASP. It allows the user to view tables, check stored data, and see if records are successfully saved from the system. It helps developers manage the database online, check system data, and maintain the database properly.

Date Submitted:

Feb 20, 2026

Teacher’s
Feedback

	Student's Signature (after feedbacking) Teacher's Signature

