

Page 1 | y_0_1 | y in [0, 1] | n=80 (small)


DV scaled to [0, 1]. Check y−tick decimals and ylab spacing (ticks like 0.0, 0.2, …).
Same continuous x*z GAM, draw='both', histogram=TRUE. Focus: y−axis tick width and ylab placement.



Focal predictor ('x')
15th percentile (−1.3)
50th percentile (−0.1)
85th percentile (1.0)
y
1.0
0.8
0.6
0.4
0.2
0.0
Number of Observations
3
6
7
4
18
16
12
9
4
1
6
8
10
12
14


Focal predictor ('x')
15th percentile (−1.3)
50th percentile (−0.1)
85th percentile (1.0)
Marginal effect of x
0.5
0.4
0.3
0.2
0.1
0.0
Number of Observations
3
6
7
4
18
16
12
9
4
1
6
8
10
12
14

Page 2 | y_1_10 | y in [1, 10] | n=80 (small)


DV scaled to [1, 10]. Check short integer/decimal ticks and ylab clearance.
Same continuous x*z GAM, draw='both', histogram=TRUE. Focus: y−axis tick width and ylab placement.



Focal predictor ('x')
15th percentile (−1.4)
50th percentile (−0.1)
85th percentile (1.1)
y
10
8
6
4
Number of Observations
1
2
5
11
19
16
9
8
5
4
4
6
8
10
12
14


Focal predictor ('x')
15th percentile (−1.4)
50th percentile (−0.1)
85th percentile (1.1)
Marginal effect of x
2.5
2.0
1.5
1.0
0.5
0.0
Number of Observations
1
2
5
11
19
16
9
8
5
4
4
6
8
10
12
14

Page 3 | y_1_1000 | y in [1, 1000] | n=80 (small)


DV scaled to [1, 1000]. Check medium−width tick labels (e.g. 200, 400) vs ylab.
Same continuous x*z GAM, draw='both', histogram=TRUE. Focus: y−axis tick width and ylab placement.



Focal predictor ('x')
15th percentile (−1.3)
50th percentile (−0.2)
85th percentile (1.1)
y
1200
1000
800
600
400
200
Number of Observations
1
4
7
12
17
14
13
7
3
2
6
8
10
12
14


Focal predictor ('x')
15th percentile (−1.3)
50th percentile (−0.2)
85th percentile (1.1)
Marginal effect of x
600
500
400
300
200
100
0
Number of Observations
1
4
7
12
17
14
13
7
3
2
6
8
10
12
14

Page 4 | y_1_5e7 | y in [1, 50000000] | n=80 (small)


DV scaled to [1, 5e7]. Check wide tick labels (scientific or large integers) vs ylab left padding.
Same continuous x*z GAM, draw='both', histogram=TRUE. Focus: y−axis tick width and ylab placement.



Focal predictor ('x')
15th percentile (−1.4)
50th percentile (−0.3)
85th percentile (1.0)
y
5e+07
4e+07
3e+07
2e+07
1e+07
Number of Observations
3
1
14
11
14
17
11
5
1
3
6
8
10
12
14
16


Focal predictor ('x')
15th percentile (−1.4)
50th percentile (−0.3)
85th percentile (1.0)
Marginal effect of x
15000000
10000000
5000000
0
Number of Observations
3
1
14
11
14
17
11
5
1
3
6
8
10
12
14
16

Page 5 | y_0_1 | y in [0, 1] | n=2000 (big)


DV scaled to [0, 1]. Check y−tick decimals and ylab spacing (ticks like 0.0, 0.2, …).
Same continuous x*z GAM, draw='both', histogram=TRUE. Focus: y−axis tick width and ylab placement.



Focal predictor ('x')
15th percentile (−1.1)
50th percentile (−0.0)
85th percentile (1.1)
y
0.9
0.8
0.7
0.6
0.5
0.4
Number of Observations
537
454
368
256
198
94
57
25
9
2
4
6
8
10
12
14
16


Focal predictor ('x')
15th percentile (−1.1)
50th percentile (−0.0)
85th percentile (1.1)
Marginal effect of x
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Number of Observations
537
454
368
256
198
94
57
25
9
2
4
6
8
10
12
14
16

Page 6 | y_1_10 | y in [1, 10] | n=2000 (big)


DV scaled to [1, 10]. Check short integer/decimal ticks and ylab clearance.
Same continuous x*z GAM, draw='both', histogram=TRUE. Focus: y−axis tick width and ylab placement.



Focal predictor ('x')
15th percentile (−1.0)
50th percentile (−0.0)
85th percentile (1.0)
y
8
7
6
5
4
Number of Observations
3
20
80
292
500
544
376
150
33
2
5
10
15


Focal predictor ('x')
15th percentile (−1.0)
50th percentile (−0.0)
85th percentile (1.0)
Marginal effect of x
2.0
1.5
1.0
0.5
0.0
Number of Observations
3
20
80
292
500
544
376
150
33
2
5
10
15

Page 7 | y_1_1000 | y in [1, 1000] | n=2000 (big)


DV scaled to [1, 1000]. Check medium−width tick labels (e.g. 200, 400) vs ylab.
Same continuous x*z GAM, draw='both', histogram=TRUE. Focus: y−axis tick width and ylab placement.



Focal predictor ('x')
15th percentile (−1.0)
50th percentile (0.0)
85th percentile (1.0)
y
800
700
600
500
400
Number of Observations
1
9
59
180
410
565
478
225
56
17
2
4
6
8
10
12
14
16


Focal predictor ('x')
15th percentile (−1.0)
50th percentile (0.0)
85th percentile (1.0)
Marginal effect of x
250
200
150
100
50
0
Number of Observations
1
9
59
180
410
565
478
225
56
17
2
4
6
8
10
12
14
16

Page 8 | y_1_5e7 | y in [1, 50000000] | n=2000 (big)

DV scaled to [1, 5e7]. Check wide tick labels (scientific or large integers) vs ylab left padding.
Same continuous x*z GAM, draw='both', histogram=TRUE. Focus: y−axis tick width and ylab placement.


Focal predictor ('x')
15th percentile (−1.0)
50th percentile (−0.0)
85th percentile (1.0)
y
4.0e+07
3.5e+07
3.0e+07
2.5e+07
2.0e+07
1.5e+07
Number of Observations
7
36
115
259
449
480
390
186
62
16
4
6
8
10
12
14
16


Focal predictor ('x')
15th percentile (−1.0)
50th percentile (−0.0)
85th percentile (1.0)
Marginal effect of x
12000000
10000000
8000000
6000000
4000000
2000000
0
Number of Observations
7
36
115
259
449
480
390
186
62
16
4
6
8
10
12
14
16