

Tax Invoice

KORONG VALE
VIC 3520

InvoiceDate SYNDAL VIC
21 July 2016 3149

InvoiceNumber

123

RefNumber

896

ABN

34152953412

Description	Quantity	Unit Price	Amount AUD
FGFDG	1	0.00	IIF(ROUND(IIf(Fields!Quantity.Value Is Nothing, CDec(0), CDbI(Fields!Quantity.Value)) * IIf(Fields!Sale.Value Is Nothing, CDbI(0), CDec(Fields!Sale.Value))) = 0 or ROUND(IIf(Fields!Quantity.Value Is Nothing, CDec(0), CDbI(Fields!Quantity.Value)) * IIf(Fields!Sale.Value Is Nothing, CDbI(0), CDec(Fields!Sale.Value))) is nothing, "", ROUND(IIf(Fields!Quantity.Value Is Nothing, CDec(0), CDbI(Fields!Quantity.Value)) * IIf(Fields!Sale.Value Is Nothing, CDbI(0), CDec(Fields!Sale.Value))))

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

```

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

```

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

```

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

```

IIF(ROUND(IIf(Fields!
 Quantity.Value Is
 Nothing, CDec(0),
 CDbI(Fields!
 Quantity.Value)) * IIf
 (Fields!Sale.Value Is
 Nothing, CDbI(0),
 CDec(Fields!
 Sale.Value))) = 0 or
 ROUND(IIf(Fields!
 Quantity.Value Is
 Nothing, CDec(0),
 CDbI(Fields!
 Quantity.Value)) * IIf
 (Fields!Sale.Value Is
 Nothing, CDbI(0),
 CDec(Fields!
 Sale.Value))) is
 nothing,"",ROUND(IIf
 (Fields!
 Quantity.Value Is
 Nothing, CDec(0),
 CDbI(Fields!
 Quantity.Value)) * IIf
 (Fields!Sale.Value Is
 Nothing, CDbI(0),
 CDec(Fields!
 Sale.Value))))

14141

IIF(ROUND(IIf(Fields!
 Quantity.Value Is
 Nothing, CDec(0),
 CDbI(Fields!
 Quantity.Value)) * IIf
 (Fields!Sale.Value Is
 Nothing, CDbI(0),
 CDec(Fields!
 Sale.Value))) = 0 or
 ROUND(IIf(Fields!
 Quantity.Value Is
 Nothing, CDec(0),
 CDbI(Fields!
 Quantity.Value)) * IIf
 (Fields!Sale.Value Is
 Nothing, CDbI(0),
 CDec(Fields!
 Sale.Value))) is
 nothing,"",ROUND(IIf
 (Fields!
 Quantity.Value Is
 Nothing, CDec(0),
 CDbI(Fields!
 Quantity.Value)) * IIf
 (Fields!Sale.Value Is
 Nothing, CDbI(0),
 CDec(Fields!
 Sale.Value))))

14141

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

14141

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value)))

```

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value)))

```

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

```

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

```

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

```

12121

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

```



```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

```

36

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

```

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

```

12

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

```

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

```

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

```

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

```

12

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

```

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

```

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

```

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

```

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

```

```
IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))
```

1

```
IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))
```

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

```

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

```



```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value)))

```

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value)))

```

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value)))

```

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value)))

```

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

```

6767

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

```

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

```

```

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

```

```
IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))
```

1441

```
IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))
```

IIF(ROUND(IIf(Fields!
 Quantity.Value Is
 Nothing, CDec(0),
 CDbI(Fields!
 Quantity.Value)) * IIf
 (Fields!Sale.Value Is
 Nothing, CDbI(0),
 CDec(Fields!
 Sale.Value))) = 0 or
 ROUND(IIf(Fields!
 Quantity.Value Is
 Nothing, CDec(0),
 CDbI(Fields!
 Quantity.Value)) * IIf
 (Fields!Sale.Value Is
 Nothing, CDbI(0),
 CDec(Fields!
 Sale.Value))) is
 nothing,"",ROUND(IIf
 (Fields!
 Quantity.Value Is
 Nothing, CDec(0),
 CDbI(Fields!
 Quantity.Value)) * IIf
 (Fields!Sale.Value Is
 Nothing, CDbI(0),
 CDec(Fields!
 Sale.Value))))

33333333

IIF(ROUND(IIf(Fields!
 Quantity.Value Is
 Nothing, CDec(0),
 CDbI(Fields!
 Quantity.Value)) * IIf
 (Fields!Sale.Value Is
 Nothing, CDbI(0),
 CDec(Fields!
 Sale.Value))) = 0 or
 ROUND(IIf(Fields!
 Quantity.Value Is
 Nothing, CDec(0),
 CDbI(Fields!
 Quantity.Value)) * IIf
 (Fields!Sale.Value Is
 Nothing, CDbI(0),
 CDec(Fields!
 Sale.Value))) is
 nothing,"",ROUND(IIf
 (Fields!
 Quantity.Value Is
 Nothing, CDec(0),
 CDbI(Fields!
 Quantity.Value)) * IIf
 (Fields!Sale.Value Is
 Nothing, CDbI(0),
 CDec(Fields!
 Sale.Value))))

oipppppp

1

0.00

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

12

IIF(ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) = 0 or
ROUND(IIf(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))) is
nothing,"",ROUND(IIf
(Fields!
Quantity.Value Is
Nothing, CDec(0),
CDBl(Fields!
Quantity.Value)) * IIf
(Fields!Sale.Value Is
Nothing, CDBl(0),
CDec(Fields!
Sale.Value))))

Total AUD

0

AMOUNT DUE

Due Date: 26 July 2016

Text
