

Skill 4 & 5

2520030030

U.Rohit Sai

1. Create Database and Collections

The screenshot shows the MongoDB Data Explorer interface. On the left, the 'Data Explorer' sidebar displays the 'bankdb' database and its collections: 'customers' and 'transactions'. The main panel shows the 'bankdb' database with a table listing collections. The table has columns: Collection name, Properties, Storage size, Data size, Documents, Avg. document size, Indexes, and Total index size.

Collection name	Properties	Storage size	Data size	Documents	Avg. document size	Indexes	Total index size
customers	-	36.86 kB	1.11 kB	8	138.00 B	1	36.86 kB
transactions	-	36.86 kB	2.19 kB	15	145.00 B	1	36.86 kB

2. Insert Data into Customers

The screenshot shows the MongoDB Data Explorer interface with the 'customers' collection selected. The 'Documents' tab is active, displaying 8 documents. The table has columns: _id, customer_id, name, city, and account_type.

_id	customer_id	name	city	account_type
ObjectID('6a7e8b95ea4da73...')	101	"Rohit Sai"	"Hyderabad"	"Savings"
ObjectID('6a7e8bdcea4da73...')	102	"Priya Sharma"	"Vijayawada"	"Current"
ObjectID('6a7e8c04ea4da73...')	103	"Arjun Reddy"	"Hyderabad"	"Savings"
ObjectID('6a7e8c11ea4da73...')	104	"Sneha Rao"	"Warangal"	"Savings"
ObjectID('6a7e8c23ea4da73...')	105	"Kiran Kumar"	"Guntur"	"Current"
ObjectID('6a7e8c2eea4da73...')	106	"Anjali Singh"	"Hyderabad"	"Savings"
ObjectID('6a7e8c39ea4da73...')	107	"Rahul Verma"	"Bengaluru"	"Current"

3. Insert Data into Transactions

The screenshot shows the MongoDB Data Explorer interface with the 'transactions' collection selected. The 'Documents' tab is active, displaying 8 documents. The table has columns: _id, transaction_id, customer_id, type, and amount.

_id	transaction_id	customer_id	type	amount
ObjectID('6a7e8e0ea4da73...')	1001	101	"Deposit"	25000
ObjectID('6a7e8e8f8ea4da73...')	1002	101	"Withdrawal"	10000
ObjectID('6a7e8f07ea4da73...')	1003	102	"Deposit"	50000
ObjectID('6a7e8f16ea4da73...')	1004	102	"Withdrawal"	15000
ObjectID('6a7e8f25ea4da73...')	1005	103	"Deposit"	30000
ObjectID('6a7e8f35ea4da73...')	1006	103	"Withdrawal"	5000
ObjectID('6a7e8f43ea4da73...')	1007	104	"Deposit"	100000
ObjectID('6a7e8f55ea4da73...')	1008	104	"Withdrawal"	25000

ORGANIZATION UPPUTURI ROHIT SAL... PROJECT Project 0

Compare tiers

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions**
 - bookflow
 - local
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

ADD DATA BULK EXPORT CODE

25 1 - 15 of 15

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32
9	ObjectId('6a7e8f63ea4da73...')	1009	105	"Deposit"	15000
10	ObjectId('6a7e8f72ea4da73...')	1010	106	"Deposit"	75000
11	ObjectId('6a7e8f7fea4da73...')	1011	106	"Withdrawal"	20000
12	ObjectId('6a7e8f89ea4da73...')	1012	107	"Deposit"	40000
13	ObjectId('6a7e8f86ea4da73...')	1013	107	"Withdrawal"	12000
14	ObjectId('6a7e8fc4ea4da73...')	1014	108	"Deposit"	150000
15	ObjectId('6a7e8fcfea4da73...')	1015	108	"Withdrawal"	30000

4. Find Active Users

ORGANIZATION UPPUTURI ROHIT SAL... PROJECT Project 0

Compare tiers

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - bookflow
 - local
 - sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

{
 "status": "Active"
}

Generate query

ADD DATA BULK EXPORT CODE

25 1 - 7 of 7

	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32
1	ObjectId('6a7e8b95ea4da7...')	101	"Rohit Sai"	"Hyderabad"	"Savings"	85000
2	ObjectId('6a7e8bdcea4da7...')	102	"Priya Sharma"	"Vijayawada"	"Current"	125000
3	ObjectId('6a7e8c04ea4da7...')	103	"Arjun Reddy"	"Hyderabad"	"Savings"	45000
4	ObjectId('6a7e8c11ea4da7...')	104	"Sneha Rao"	"Warangal"	"Savings"	210000
5	ObjectId('6a7e8c2eea4da7...')	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000
6	ObjectId('6a7e8c39ea4da7...')	107	"Rahul Verma"	"Bengaluru"	"Current"	95000
7	ObjectId('6a7e8c45ea4da7...')	108	"Meena Devi"	"Chennai"	"Savings"	320000

5. Find Customers With Balance Greater Than 100000

ORGANIZATION UPPUTURI ROHIT SAL... PROJECT Project 0

Compare tiers

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - bookflow
 - local
 - sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

{
 "balance": {
 "\$gt": 100000
 }
}

Generate query

ADD DATA BULK EXPORT CODE

25 1 - 4 of 4

	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32
1	ObjectId('6a7e8bdcea4da7...')	102	"Priya Sharma"	"Vijayawada"	"Current"	125000
2	ObjectId('6a7e8c11ea4da7...')	104	"Sneha Rao"	"Warangal"	"Savings"	210000
3	ObjectId('6a7e8c2eea4da7...')	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000
4	ObjectId('6a7e8c45ea4da7...')	108	"Meena Devi"	"Chennai"	"Savings"	320000

6. Find Hyderabad Customers

ORGANIZATION UPPUTURI ROHIT SAL... > PROJECT Project 0

Compare tiers

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - bookflow
 - local
 - sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-3 of 3

	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32	
1	ObjectId('6a7e8b95ea4da7...')	101	"Rohit Sai"	"Hyderabad"	"Savings"	85000	
2	ObjectId('6a7e8c04ea4da7...')	103	"Arjun Reddy"	"Hyderabad"	"Savings"	45000	
3	ObjectId('6a7e8c2eea4da7...')	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000	

7. Find Savings Account Customers

ORGANIZATION UPPUTURI ROHIT SAL... > PROJECT Project 0

Compare tiers

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - bookflow
 - local
 - sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-5 of 5

	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32	
1	ObjectId('6a7e8b95ea4da7...')	101	"Rohit Sai"	"Hyderabad"	"Savings"	85000	
2	ObjectId('6a7e8c04ea4da7...')	103	"Arjun Reddy"	"Hyderabad"	"Savings"	45000	
3	ObjectId('6a7e8c11ea4da7...')	104	"Sneha Rao"	"Warangal"	"Savings"	210000	
4	ObjectId('6a7e8c2eea4da7...')	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000	
5	ObjectId('6a7e8c45ea4da7...')	108	"Meena Devi"	"Chennai"	"Savings"	320000	

8. Find ATM Transactions

ORGANIZATION UPPUTURI ROHIT SAL... > PROJECT Project 0

Compare tiers

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - bookflow
 - local
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-7 of 7

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String	
1	ObjectId('6a7e8ef8ea4da7...')	1002	101	"Withdrawal"	10000	"ATM"	
2	ObjectId('6a7e8f16ea4da7...')	1004	102	"Withdrawal"	15000	"ATM"	
3	ObjectId('6a7e8f35ea4da7...')	1006	103	"Withdrawal"	5000	"ATM"	
4	ObjectId('6a7e8f55ea4da7...')	1008	104	"Withdrawal"	25000	"ATM"	
5	ObjectId('6a7e8f7fea4da7...')	1011	106	"Withdrawal"	20000	"ATM"	
6	ObjectId('6a7e8fb6ea4da7...')	1013	107	"Withdrawal"	12000	"ATM"	
7	ObjectId('6a7e8fcfe94da7...')	1015	108	"Withdrawal"	30000	"ATM"	

9. Find Deposits Greater Than 50000

ORGANIZATION: UPPUTURI ROHIT SAL... PROJECT: Project 0

Compare tiers

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankkb
 - customers
 - transactions**
- bookflow
- local
- sample_mfix

book_metadata customers transactions

Cluster0 > bankkb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

```
{
  "type": "Deposit",
  "amount": {
    "$gt": 50000
  }
}
```

ADD DATA BULK EXPORT CODE

25 1-3 of 3

	transactions	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String	
1		ObjectId('6a7e8f43ea4da7...')	1007	104	"Deposit"	100000	"NEFT"	
2		ObjectId('6a7e8f72ea4da7...')	1010	106	"Deposit"	75000	"NEFT"	
3		ObjectId('6a7e8fc4ea4da7...')	1014	108	"Deposit"	150000	"NEFT"	

10. Find Hyderabad Customers With High Balance

ORGANIZATION: UPPUTURI ROHIT SAL... PROJECT: Project 0

Compare tiers

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankkb
 - customers**
 - transactions
- bookflow
- local
- sample_mfix

book_metadata customers transactions

Cluster0 > bankkb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

```
{
  "city": "Hyderabad",
  "balance": {
    "$gt": 100000
  }
}
```

ADD DATA BULK EXPORT CODE

25 1-1 of 1

	customers	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32	
1		ObjectId('6a7e8c2eea4da7...')	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000	

11. Sort Customers by Balance

ORGANIZATION: UPPUTURI ROHIT SAL... PROJECT: Project 0

Compare tiers

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankkb
 - customers**
 - transactions
- bookflow
- local
- sample_mfix

book_metadata customers transactions

Cluster0 > bankkb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage1 \$sort

Output preview after \$sort stage (Sample of 8 documents)

```
{
  "balance": -1
}
```

```
{
  "_id": ObjectId('6a7e8c45ea4da73ae947c58d'),
  "customer_id": 108,
  "name": "Meena Devi",
  "city": "Chennai",
  "account_type": "Savings",
  "balance": 320000,
  "status": "Active"
}
```

```
{
  "_id": ObjectId('6a7e8c11ea4da73ae947c585'),
  "customer_id": 104,
  "name": "Sneha Rao",
  "city": "Warangal",
  "account_type": "Savings",
  "balance": 210000,
  "status": "Active"
}
```