

SQL PRACTICE NOTES - PHYSICIAN & DEPARTMENT TABLES

2520030030

U.Rohit Sai

STEP 1: CREATE PHYSICIAN TABLE

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

- MANAGEMENT
 - Server Status
 - Client Connections
 - Users and Privileges
 - Status and System Variables
 - Data Export
 - Data Import/Restore
- INSTANCE
 - Startup / Shutdown
 - Server Logs
 - Options File
- PERFORMANCE
 - Dashboard
 - Performance Reports
 - Performance Schema Setup

Query 1 SQL File 4* Week-2* SQL File 5* SQL File 7* x

```
1 • USE aggregate_db;
2 • CREATE TABLE physician (
3     employeeid INT PRIMARY KEY,
4     name VARCHAR(100),
5     position VARCHAR(100),
6     ssn VARCHAR(20)
7 );
```

Output

Action Output

#	Time	Action	Message
✓ 1	10:47:36	USE aggregate_db	0 row(s) affected
✓ 2	10:47:40	CREATE TABLE physician (employeeid INT PRIMARY KEY, name VARCHAR(100), position VARCHAR(100), ssn VARCHAR(20))	0 row(s) affected

STEP 2: INSERT DATA INTO PHYSICIAN

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

- MANAGEMENT
 - Server Status
 - Client Connections
 - Users and Privileges
 - Status and System Variables
 - Data Export
 - Data Import/Restore
- INSTANCE
 - Startup / Shutdown
 - Server Logs
 - Options File
- PERFORMANCE
 - Dashboard
 - Performance Reports
 - Performance Schema Setup

Query 1 SQL File 4* Week-2* SQL File 5* SQL File 7* x

```
1 • USE aggregate_db;
2 • CREATE TABLE physician (
3     employeeid INT PRIMARY KEY,
4     name VARCHAR(100),
5     position VARCHAR(100),
6     ssn VARCHAR(20)
7 );
8 • INSERT INTO physician VALUES
9     (1,'Rohit Sai','Staff Internist','2520030030'),
10    (2,'Elliot Reid','Attending Physician','222222222'),
11    (3,'Christopher Turk','Surgical Attending Physician','333333333'),
12    (4,'Percival Cox','Senior Attending Physician','444444444'),
13    (5,'Bob Kelso','Head Chief of Medicine','555555555'),
14    (6,'Todd Quinlan','Surgical Attending Physician','666666666'),
15    (7,'John Wen','Surgical Attending Physician','777777777'),
16    (8,'Keith Dudemeister','MD Resident','888888888'),
17    (9,'Molly Clock','Attending Psychiatrist','999999999');
```

Output

Action Output

#	Time	Action	Message
✓ 1	10:47:36	USE aggregate_db	0 row(s) affected
✓ 2	10:47:40	CREATE TABLE physician (employeeid INT PRIMARY KEY, name VARCHAR(100), position VARCHAR(100), ssn VARCHAR(20))	0 row(s) affected
✓ 3	10:48:52	INSERT INTO physician VALUES (1,'Rohit Sai','Staff Internist','2520030030'), (2,'Elliot Reid','Attending Physician','222222222'), (3,'Christopher Turk','Surgical Attending Physician','333333333'), (4,'Percival Cox','Senior Attending Physician','444444444'), (5,'Bob Kelso','Head Chief of Medicine','555555555'), (6,'Todd Quinlan','Surgical Attending Physician','666666666'), (7,'John Wen','Surgical Attending Physician','777777777'), (8,'Keith Dudemeister','MD Resident','888888888'), (9,'Molly Clock','Attending Psychiatrist','999999999')	9 row(s) affected Records: 9 Duplicates: 0 Warnings: 0

STEP 3: CREATE DEPARTMENT TABLE

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

- MANAGEMENT
 - Server Status
 - Client Connections
 - Users and Privileges
 - Status and System Variables
 - Data Export
 - Data Import/Restore
- INSTANCE
 - Startup / Shutdown
 - Server Logs
 - Options File
- PERFORMANCE
 - Dashboard
 - Performance Reports
 - Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 4* Week-2* SQL File 5* SQL File 7* x

Limit to 1000 rows

```
13 (5,'Bob Kelso','Head Chief of Medicine','555555555'),
14 (6,'Todd Quinlan','Surgical Attending Physician','666666666'),
15 (7,'John Wen','Surgical Attending Physician','777777777'),
16 (8,'Keith Dudemeister','MD Resident','888888888'),
17 (9,'Molly Clock','Attending Psychiatrist','999999999');
18 CREATE TABLE department (
19     departmentid INT PRIMARY KEY,
20     name VARCHAR(100),
21     head INT
22 );
```

Output

#	Time	Action	Message
1	10:47:36	USE aggregate_db	0 row(s) affected
2	10:47:40	CREATE TABLE physician (employeeid INT PRIMARY KEY, name VARCHAR(100), position VARCHAR(100));	0 row(s) affected
3	10:48:52	INSERT INTO physician VALUES (1,'Rohit Sai','Staff Internist','2520030030'), (2,'Elliot Reid','Attending Physician','...');	9 row(s) affected Records: 9 Duplicates: 0 Warnings: 0
4	10:49:57	CREATE TABLE department (departmentid INT PRIMARY KEY, name VARCHAR(100), head INT);	0 row(s) affected

STEP 4: INSERT DATA INTO DEPARTMENT

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 4* Week-2* SQL File 5* SQL File 7* x

Limit to 1000 rows

```

13 (5,'Bob Kelso','Head Chief of Medicine','55555555'),
14 (6,'Todd Quinlan','Surgical Attending Physician','66666666'),
15 (7,'John Wen','Surgical Attending Physician','77777777'),
16 (8,'Keith Dudemeister','MD Resident','88888888'),
17 (9,'Molly Clock','Attending Psychiatrist','99999999');
18 CREATE TABLE department (
19     departmentid INT PRIMARY KEY,
20     name VARCHAR(100),
21     head INT
22 );
23 INSERT INTO department VALUES
24 (1,'General Medicine',4),
25 (2,'Surgery',7),
26 (3,'Psychiatry',9);
27
28
29
30
31
32

```

Output

Action Output

#	Time	Action	Message
1	10:47:36	USE aggregate_db	0 row(s) affected
2	10:47:40	CREATE TABLE physician (employeeid INT PRIMARY KEY, name VARCHAR(100), position VARCHAR(100))	0 row(s) affected
3	10:48:52	INSERT INTO physician VALUES (1,'Roht Sa','Staff Internist','2520030030'), (2,'Elliot Reid','Attending Physician','...')	9 row(s) affected Records: 9 Duplicates: 0 Warnings: 0
4	10:49:57	CREATE TABLE department (departmentid INT PRIMARY KEY, name VARCHAR(100), head INT)	0 row(s) affected
5	10:50:30	INSERT INTO department VALUES (1,'General Medicine',4), (2,'Surgery',7), (3,'Psychiatry',9)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0

1 - INNER JOIN

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 4* Week-2* SQL File 5* SQL File 7* x

Limit to 1000 rows

```

26 (3,'Psychiatry',9);
27 SELECT d.name AS Department,
28     p.name AS Head_Physician
29 FROM department d
30 JOIN physician p
31 ON d.head = p.employeeid;
32

```

Result Grid

Department	Head_Physician
General Medicine	Percival Cox
Surgery	John Wen
Psychiatry	Molly Clock

Result 1 x

Output

Action Output

#	Time	Action	Message
1	10:47:36	USE aggregate_db	0 row(s) affected
2	10:47:40	CREATE TABLE physician (employeeid INT PRIMARY KEY, name VARCHAR(100), position VARCHAR(100))	0 row(s) affected
3	10:48:52	INSERT INTO physician VALUES (1,'Roht Sa','Staff Internist','2520030030'), (2,'Elliot Reid','Attending Physician','...')	9 row(s) affected Records: 9 Duplicates: 0 Warnings: 0
4	10:49:57	CREATE TABLE department (departmentid INT PRIMARY KEY, name VARCHAR(100), head INT)	0 row(s) affected
5	10:50:30	INSERT INTO department VALUES (1,'General Medicine',4), (2,'Surgery',7), (3,'Psychiatry',9)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
6	10:51:53	SELECT d.name AS Department, p.name AS Head_Physician FROM department d JOIN physician p ON d.head = p.employeeid	3 row(s) returned

2 - WHERE CLAUSE

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

- MANAGEMENT
 - Server Status
 - Client Connections
 - Users and Privileges
 - Status and System Variables
 - Data Export
 - Data Import/Restore
- INSTANCE
 - Startup / Shutdown
 - Server Logs
 - Options File
- PERFORMANCE
 - Dashboard
 - Performance Reports
 - Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 4* Week-2* SQL File 5* SQL File 7* x

```
32 SELECT *
33 FROM physician
34 WHERE position='Surgical Attending Physician';
35
36
37
38
```

Result Grid

employeeid	name	position	ssn
3	Christopher Turk	Surgical Attending Physician	333333333
6	Todd Quinlan	Surgical Attending Physician	666666666
7	John Wen	Surgical Attending Physician	777777777
NULL	NULL	NULL	NULL

physician 2 x

Output

Action Output

#	Time	Action	Message
2	10:47:40	CREATE TABLE physician (employeeid INT PRIMARY KEY, name VARCHAR(100), position VARCHAR(100))	0 row(s) affected
3	10:48:52	INSERT INTO physician VALUES (1,'Rohit Sai','Staff Internist','2520030030'), (2,'Elliot Reid','Attending Physicia...	9 row(s) affected Records: 9 Duplicates: 0 Warnings: 0
4	10:49:57	CREATE TABLE department (departmentid INT PRIMARY KEY, name VARCHAR(100), head INT)	0 row(s) affected
5	10:50:30	INSERT INTO department VALUES (1,'General Medicine',4), (2,'Surgery',7), (3,'Psychiatry',9)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
6	10:51:53	SELECT d.name AS Department, p.name AS Head_Physician FROM department d JOIN physician p ON d.head...	3 row(s) returned
7	10:53:57	SELECT * FROM physician WHERE position='Surgical Attending Physician' LIMIT 0, 1000	3 row(s) returned

3 - WHERE + LIKE

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 4* Week-2* SQL File 5* SQL File 7* x

Limit to 1000 rows

```

35 SELECT *
36 FROM physician
37 WHERE name LIKE 'John%';
38
39
40
41

```

Result Grid

employeeid	name	position	ssn
7	John Wen	Surgical Attending Physician	777777777

physician 3 x

Output

Action Output

#	Time	Action	Message
3	10:48:52	INSERT INTO physician VALUES (1,'Rohit Sai','Staff Internist','2520030030'), (2,'Elliot Reid','Attending Physician',...	9 row(s) affected Records: 9 Duplicates: 0 Warnings: 0
4	10:49:57	CREATE TABLE department (departmentid INT PRIMARY KEY, name VARCHAR(100), head INT)	0 row(s) affected
5	10:50:30	INSERT INTO department VALUES (1,'General Medicine',4), (2,'Surgery',7), (3,'Psychiatry',9)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
6	10:51:53	SELECT d.name AS Department, p.name AS Head_Physician FROM department d JOIN physician p ON d.head...	3 row(s) returned
7	10:53:57	SELECT * FROM physician WHERE position='Surgical Attending Physician' LIMIT 0, 1000	3 row(s) returned
8	10:54:59	SELECT * FROM physician WHERE name LIKE 'John%' LIMIT 0, 1000	1 row(s) returned

4 - COUNT()

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 4* Week-2* SQL File 5* SQL File 7* x

Limit to 1000 rows

```

38 SELECT COUNT(*) AS Total_Physicians
39 FROM physician;
40
41

```

Result Grid

Total_Physicians
9

Result 4 x

Output

Action Output

#	Time	Action	Message
1	10:47:36	USE aggregate_db	0 row(s) affected
2	10:47:40	CREATE TABLE physician (employeeid INT PRIMARY KEY, name VARCHAR(100), position VARCHAR(100), ssn VARCHAR(15))	0 row(s) affected
3	10:48:52	INSERT INTO physician VALUES (1,'Rohit Sai','Staff Internist','2520030030'), (2,'Elliot Reid','Attending Physician',...	9 row(s) affected Records: 9 Duplicates: 0 Warnings: 0
4	10:49:57	CREATE TABLE department (departmentid INT PRIMARY KEY, name VARCHAR(100), head INT)	0 row(s) affected
5	10:50:30	INSERT INTO department VALUES (1,'General Medicine',4), (2,'Surgery',7), (3,'Psychiatry',9)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
6	10:51:53	SELECT d.name AS Department, p.name AS Head_Physician FROM department d JOIN physician p ON d.head...	3 row(s) returned
7	10:53:57	SELECT * FROM physician WHERE position='Surgical Attending Physician' LIMIT 0, 1000	3 row(s) returned
8	10:54:59	SELECT * FROM physician WHERE name LIKE 'John%' LIMIT 0, 1000	1 row(s) returned
9	10:56:14	SELECT COUNT(*) AS Total_Physicians FROM physician LIMIT 0, 1000	1 row(s) returned

5 - COUNT DISTINCT

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 4* Week-2* SQL File 5* SQL File 7* x

Limit to 1000 rows

```

40 SELECT COUNT(DISTINCT position)
41 FROM physician;
42
43

```

Result Grid

	COUNT(DISTINCT position)
7	

Result 5 x

Output

Action Output

#	Time	Action	Message
1	10:47:36	USE aggregate_db	0 row(s) affected
2	10:47:40	CREATE TABLE physician (employeeid INT PRIMARY KEY, name VARCHAR(100), position VARCHAR(100))	0 row(s) affected
3	10:48:52	INSERT INTO physician VALUES (1,'Rohit Sai','Staff Internist','2520030030'), (2,'Elliot Reid','Attending Physician','...')	9 row(s) affected Records: 9 Duplicates: 0 Warnings: 0
4	10:49:57	CREATE TABLE department (departmentid INT PRIMARY KEY, name VARCHAR(100), head INT)	0 row(s) affected
5	10:50:30	INSERT INTO department VALUES (1,'General Medicine',4), (2,'Surgery',7), (3,'Psychiatry',9)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
6	10:51:53	SELECT d.name AS Department, p.name AS Head_Physician FROM department d JOIN physician p ON d.head ...	3 row(s) returned
7	10:53:57	SELECT * FROM physician WHERE position='Surgical Attending Physician' LIMIT 0, 1000	3 row(s) returned
8	10:54:59	SELECT * FROM physician WHERE name LIKE 'John%'; LIMIT 0, 1000	1 row(s) returned
9	10:56:14	SELECT COUNT(*) AS Total_Physicians FROM physician LIMIT 0, 1000	1 row(s) returned
10	10:56:53	SELECT COUNT(DISTINCT position) FROM physician LIMIT 0, 1000	1 row(s) returned

6 - GROUP BY

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 4* Week-2* SQL File 5* SQL File 7* x

Limit to 1000 rows

```

41 FROM physician;
42 SELECT position,
43 COUNT(*) AS Total_Employees
44 FROM physician
45 GROUP BY position;
46

```

Result Grid

position	Total_Employees
Staff Internist	1
Attending Physician	1
Surgical Attending Physician	3
Senior Attending Physician	1
Head Chief of Medicine	1
MD Resident	1
Attending Psychiatrist	1

Result 6 x

Output

Action Output

#	Time	Action	Message
1	10:47:36	USE aggregate_db	0 row(s) affected
2	10:47:40	CREATE TABLE physician (employeeid INT PRIMARY KEY, name VARCHAR(100), position VARCHAR(100))	0 row(s) affected
3	10:48:52	INSERT INTO physician VALUES (1,'Rohit Sai','Staff Internist','2520030030'), (2,'Elliot Reid','Attending Physician','...')	9 row(s) affected Records: 9 Duplicates: 0 Warnings: 0
4	10:49:57	CREATE TABLE department (departmentid INT PRIMARY KEY, name VARCHAR(100), head INT)	0 row(s) affected
5	10:50:30	INSERT INTO department VALUES (1,'General Medicine',4), (2,'Surgery',7), (3,'Psychiatry',9)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
6	10:51:53	SELECT d.name AS Department, p.name AS Head_Physician FROM department d JOIN physician p ON d.head ...	3 row(s) returned
7	10:53:57	SELECT * FROM physician WHERE position='Surgical Attending Physician' LIMIT 0, 1000	3 row(s) returned
8	10:54:59	SELECT * FROM physician WHERE name LIKE 'John%'; LIMIT 0, 1000	1 row(s) returned
9	10:56:14	SELECT COUNT(*) AS Total_Physicians FROM physician LIMIT 0, 1000	1 row(s) returned
10	10:56:53	SELECT COUNT(DISTINCT position) FROM physician LIMIT 0, 1000	1 row(s) returned
11	10:57:42	SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position LIMIT 0, 1000	7 row(s) returned

7 - GROUP BY + HAVING

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query 1 SQL File 4* Week-2* SQL File 5* SQL File 7* x

Limit to 1000 rows

```

46 SELECT position,
47     COUNT(*) AS Total_Employees
48 FROM physician
49 GROUP BY position
50 HAVING COUNT(*) > 1;
51

```

Result Grid

position	Total_Employees
Surgical Attending Physician	3

Result 7 x

Output

Action Output

#	Time	Action	Message
2	10:47:40	CREATE TABLE physician (employeeid INT PRIMARY KEY, name VARCHAR(100), position VARCHAR(100), head INT)	0 row(s) affected
3	10:48:52	INSERT INTO physician VALUES (1,'Rohit Sai','Staff Internist','2520030030'), (2,'Elliot Reid','Attending Physician','2222222222'), (3,'John Wen','Surgical Attending Physician','7777777777')	9 row(s) affected Records: 9 Duplicates: 0 Warnings: 0
4	10:49:57	CREATE TABLE department (departmentid INT PRIMARY KEY, name VARCHAR(100), head INT)	0 row(s) affected
5	10:50:30	INSERT INTO department VALUES (1,'General Medicine',4), (2,'Surgery',7), (3,'Psychiatry',9)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
6	10:51:53	SELECT d.name AS Department, p.name AS Head_Physician FROM department d JOIN physician p ON d.head = p.employeeid	3 row(s) returned
7	10:53:57	SELECT * FROM physician WHERE position='Surgical Attending Physician' LIMIT 0, 1000	3 row(s) returned
8	10:54:59	SELECT * FROM physician WHERE name LIKE 'John%'; LIMIT 0, 1000	1 row(s) returned
9	10:56:14	SELECT COUNT(*) AS Total_Physicians FROM physician LIMIT 0, 1000	1 row(s) returned
10	10:56:53	SELECT COUNT(DISTINCT position) FROM physician LIMIT 0, 1000	1 row(s) returned
11	10:57:42	SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position LIMIT 0, 1000	7 row(s) returned
12	10:58:38	SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position HAVING COUNT(*) > 1	1 row(s) returned

8 - ORDER BY

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query 1 SQL File 4* Week-2* SQL File 5* SQL File 7* x

Limit to 1000 rows

```

51 SELECT *
52 FROM physician
53 ORDER BY name ASC;
54
55
56
57

```

Result Grid

employeeid	name	position	ssn
5	Bob Kelso	Head Chief of Medicine	555555555
3	Christopher Turk	Surgical Attending Physician	333333333
2	Elliot Reid	Attending Physician	222222222
7	John Wen	Surgical Attending Physician	777777777
8	Keith Dudemeister	MD Resident	888888888
9	Molly Clock	Attending Psychiatrist	999999999
4	Percival Cox	Senior Attending Physician	444444444
1	Rohit Sai	Staff Internist	2520030030
6	Todd Quinlan	Surgical Attending Physician	666666666
NULL	NULL	NULL	NULL

physician 8 x

Output

Action Output

#	Time	Action	Message
7	10:53:57	SELECT * FROM physician WHERE position='Surgical Attending Physician' LIMIT 0, 1000	3 row(s) returned
8	10:54:59	SELECT * FROM physician WHERE name LIKE 'John%'; LIMIT 0, 1000	1 row(s) returned
9	10:56:14	SELECT COUNT(*) AS Total_Physicians FROM physician LIMIT 0, 1000	1 row(s) returned
10	10:56:53	SELECT COUNT(DISTINCT position) FROM physician LIMIT 0, 1000	1 row(s) returned
11	10:57:42	SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position LIMIT 0, 1000	7 row(s) returned
12	10:58:38	SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position HAVING COUNT(*) > 1	1 row(s) returned
13	10:59:23	SELECT * FROM physician ORDER BY name ASC LIMIT 0, 1000	9 row(s) returned

9 - ORDER BY DESC

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query 1 SQL File 4* Week-2* SQL File 5* SQL File 7* x

Limit to 1000 rows

```

50 HAVING COUNT(*) > 1;
51 SELECT *
52 FROM physician
53 ORDER BY name ASC;
54 SELECT *
55 FROM physician
56 ORDER BY employeeid DESC;

```

Result Grid

employeeid	name	position	ssn
9	Molly Clock	Attending Psychiatrist	999999999
8	Keith Dudemeister	MD Resident	888888888
7	John Wen	Surgical Attending Physician	777777777
6	Todd Quinlan	Surgical Attending Physician	666666666
5	Bob Kelso	Head Chief of Medicine	555555555
4	Percival Cox	Senior Attending Physician	444444444
3	Christopher Turk	Surgical Attending Physician	333333333
2	Elliott Reid	Attending Physician	222222222
1	Rohit Sai	Staff Internist	2520030030
NULL	NULL	NULL	NULL

physician 9 x

Output

Action Output

#	Time	Action	Message
8	10:54:59	SELECT * FROM physician WHERE name LIKE 'John%' LIMIT 0, 1000	1 row(s) returned
9	10:56:14	SELECT COUNT(*) AS Total_Physicians FROM physician LIMIT 0, 1000	1 row(s) returned
10	10:56:53	SELECT COUNT(DISTINCT position) FROM physician LIMIT 0, 1000	1 row(s) returned
11	10:57:42	SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position LIMIT 0, 1000	7 row(s) returned
12	10:58:38	SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position HAVING COUNT(*) > 1	1 row(s) returned
13	10:59:23	SELECT * FROM physician ORDER BY name ASC LIMIT 0, 1000	9 row(s) returned
14	11:00:50	SELECT * FROM physician ORDER BY employeeid DESC LIMIT 0, 1000	9 row(s) returned

10 - WHERE + IN

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query 1 SQL File 4* Week-2* SQL File 5* SQL File 7* x

Limit to 1000 rows

```

57 SELECT *
58 FROM physician
59 WHERE employeeid IN
60 (
61 SELECT head
62 FROM department
63 );

```

Result Grid

employeeid	name	position	ssn
4	Percival Cox	Senior Attending Physician	444444444
7	John Wen	Surgical Attending Physician	777777777
9	Molly Clock	Attending Psychiatrist	999999999
NULL	NULL	NULL	NULL

physician 10 x

Output

Action Output

#	Time	Action	Message
9	10:56:14	SELECT COUNT(*) AS Total_Physicians FROM physician LIMIT 0, 1000	1 row(s) returned
10	10:56:53	SELECT COUNT(DISTINCT position) FROM physician LIMIT 0, 1000	1 row(s) returned
11	10:57:42	SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position LIMIT 0, 1000	7 row(s) returned
12	10:58:38	SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position HAVING COUNT(*) > 1	1 row(s) returned
13	10:59:23	SELECT * FROM physician ORDER BY name ASC LIMIT 0, 1000	9 row(s) returned
14	11:00:50	SELECT * FROM physician ORDER BY employeeid DESC LIMIT 0, 1000	9 row(s) returned
15	11:01:53	SELECT * FROM physician WHERE employeeid IN (SELECT head FROM department) LIMIT 0, 1000	3 row(s) returned

11 - SUBQUERY

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 4* Week-2* SQL File 5* SQL File 7*

Limit to 1000 rows

```

64 SELECT *
65 FROM physician
66 WHERE employeeid NOT IN
67 (
68     SELECT head
69     FROM department
70 );

```

Result Grid

employeeid	name	position	ssn
1	Rohit Sai	Staff Internist	2520030030
2	Elliot Reid	Attending Physician	222222222
3	Christopher Turk	Surgical Attending Physician	333333333
5	Bob Kelso	Head Chief of Medicine	555555555
6	Todd Quinlan	Surgical Attending Physician	666666666
8	Keith Dudemeister	MD Resident	888888888
NULL	NULL	NULL	NULL

physician 11 x

Output

Action Output

#	Time	Action	Message
10	10:56:53	SELECT COUNT(DISTINCT position) FROM physician LIMIT 0, 1000	1 row(s) returned
11	10:57:42	SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position LIMIT 0, 1000	7 row(s) returned
12	10:58:38	SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position HAVING COUNT(*)	1 row(s) returned
13	10:59:23	SELECT * FROM physician ORDER BY name ASC LIMIT 0, 1000	9 row(s) returned
14	11:00:50	SELECT * FROM physician ORDER BY employeeid DESC LIMIT 0, 1000	9 row(s) returned
15	11:01:53	SELECT * FROM physician WHERE employeeid IN (SELECT head FROM department) LIMIT 0, 1000	3 row(s) returned
16	11:04:03	SELECT * FROM physician WHERE employeeid NOT IN (SELECT head FROM department) LIMIT 0, 1000	6 row(s) returned

12 - GROUP BY + ORDER BY

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 4* Week-2* SQL File 5* SQL File 7*

Limit to 1000 rows

```

73 FROM physician
74 GROUP BY position
75 ORDER BY Total_Employees DESC; SELECT position,
76 COUNT(*) AS Total_Employees
77 FROM physician
78 GROUP BY position
79 ORDER BY Total_Employees DESC;

```

Result Grid

position	Total_Employees
Surgical Attending Physician	3
Staff Internist	1
Attending Physician	1
Senior Attending Physician	1
Head Chief of Medicine	1
MD Resident	1
Attending Psychiatrist	1

Result 12 x

Output

Action Output

#	Time	Action	Message
11	10:57:42	SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position LIMIT 0, 1000	7 row(s) returned
12	10:58:38	SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position HAVING COUNT(*)	1 row(s) returned
13	10:59:23	SELECT * FROM physician ORDER BY name ASC LIMIT 0, 1000	9 row(s) returned
14	11:00:50	SELECT * FROM physician ORDER BY employeeid DESC LIMIT 0, 1000	9 row(s) returned
15	11:01:53	SELECT * FROM physician WHERE employeeid IN (SELECT head FROM department) LIMIT 0, 1000	3 row(s) returned
16	11:04:03	SELECT * FROM physician WHERE employeeid NOT IN (SELECT head FROM department) LIMIT 0, 1000	6 row(s) returned
17	11:05:01	SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position ORDER BY Total_Emp...	7 row(s) returned

13 - WHERE + LIKE

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 4* Week-2* SQL File 5* SQL File 7*

```

80 SELECT *
81 FROM physician
82 WHERE position LIKE '%Attending%';
83
84
85
86

```

Result Grid

employeeid	name	position	ssn
2	Elliot Reid	Attending Physician	222222222
3	Christopher Turk	Surgical Attending Physician	333333333
4	Percival Cox	Senior Attending Physician	444444444
6	Todd Quinlan	Surgical Attending Physician	666666666
7	John Wen	Surgical Attending Physician	777777777
9	Molly Clock	Attending Psychiatrist	999999999

physician 13

Output

Action Output

#	Time	Action	Message
12	10:58:38	SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position HAVING COUNT(*) ...	1 row(s) returned
13	10:59:23	SELECT * FROM physician ORDER BY name ASC LIMIT 0, 1000	9 row(s) returned
14	11:00:50	SELECT * FROM physician ORDER BY employeeid DESC LIMIT 0, 1000	9 row(s) returned
15	11:01:53	SELECT * FROM physician WHERE employeeid IN (SELECT head FROM department) LIMIT 0, 1000	3 row(s) returned
16	11:04:03	SELECT * FROM physician WHERE employeeid NOT IN (SELECT head FROM department) LIMIT 0, 1000	6 row(s) returned
17	11:05:01	SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position ORDER BY Total_Emp...	7 row(s) returned
18	11:06:18	SELECT * FROM physician WHERE position LIKE '%Attending%' LIMIT 0, 1000	6 row(s) returned

14 - JOIN + WHERE

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 4* Week-2* SQL File 5* SQL File 7*

```

84 SELECT p.name
85 FROM physician p
86 JOIN department d
87 ON p.employeeid=d.head
88 WHERE d.name='Surgery';
89
90

```

Result Grid

name
John Wen

Result 14

Output

Action Output

#	Time	Action	Message
13	10:59:23	SELECT * FROM physician ORDER BY name ASC LIMIT 0, 1000	9 row(s) returned
14	11:00:50	SELECT * FROM physician ORDER BY employeeid DESC LIMIT 0, 1000	9 row(s) returned
15	11:01:53	SELECT * FROM physician WHERE employeeid IN (SELECT head FROM department) LIMIT 0, 1000	3 row(s) returned
16	11:04:03	SELECT * FROM physician WHERE employeeid NOT IN (SELECT head FROM department) LIMIT 0, 1000	6 row(s) returned
17	11:05:01	SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position ORDER BY Total_Emp...	7 row(s) returned
18	11:06:18	SELECT * FROM physician WHERE position LIKE '%Attending%' LIMIT 0, 1000	6 row(s) returned
19	11:07:10	SELECT p.name FROM physician p JOIN department d ON p.employeeid=d.head WHERE d.name='Surgery' LI...	1 row(s) returned

15 - JOIN + ORDER BY

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 4* Week-2* SQL File 5* SQL File 7* x

Limit to 1000 rows

```

89 SELECT d.name,
90       p.name
91 FROM department d
92 JOIN physician p
93 ON d.head=p.employeeid
94 ORDER BY d.name;
95

```

Result Grid

	name	name
▶	General Medicine	Percival Cox
	Psychiatry	Molly Clock
	Surgery	John Wen

Result 15 x

Output

Action Output

#	Time	Action	Message
✓ 14	11:00:50	SELECT * FROM physician ORDER BY employeeid DESC LIMIT 0, 1000	9 row(s) returned
✓ 15	11:01:53	SELECT * FROM physician WHERE employeeid IN (SELECT head FROM department) LIMIT 0, 1000	3 row(s) returned
✓ 16	11:04:03	SELECT * FROM physician WHERE employeeid NOT IN (SELECT head FROM department) LIMIT 0, 1000	6 row(s) returned
✓ 17	11:05:01	SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position ORDER BY Total_Emp...	7 row(s) returned
✓ 18	11:06:18	SELECT * FROM physician WHERE position LIKE "%Attending%" LIMIT 0, 1000	6 row(s) returned
✓ 19	11:07:10	SELECT p.name FROM physician p JOIN department d ON p.employeeid=d.head WHERE d.name="Surgery" LI...	1 row(s) returned
✓ 20	11:08:14	SELECT d.name, p.name FROM department d JOIN physician p ON d.head=p.employeeid ORDER BY d.n...	3 row(s) returned

16 - WHERE + NOT LIKE

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 4* Week-2* SQL File 5* SQL File 7* x

Limit to 1000 rows

```

95 SELECT *
96 FROM physician
97 WHERE position NOT LIKE '%Surgical%';
98
99
100
101

```

Result Grid

	employeeid	name	position	ssn
▶	1	Rohit Sai	Staff Internist	2520030030
	2	Elliot Reid	Attending Physician	222222222
	4	Percival Cox	Senior Attending Physician	444444444
	5	Bob Kelso	Head Chief of Medicine	555555555
	8	Keith Dudemeister	MD Resident	888888888
	9	Molly Clock	Attending Psychiatrist	999999999
	NULL	NULL	NULL	NULL

physician 16 x

Output

Action Output

#	Time	Action	Message
✓ 15	11:01:53	SELECT * FROM physician WHERE employeeid IN (SELECT head FROM department) LIMIT 0, 1000	3 row(s) returned
✓ 16	11:04:03	SELECT * FROM physician WHERE employeeid NOT IN (SELECT head FROM department) LIMIT 0, 1000	6 row(s) returned
✓ 17	11:05:01	SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position ORDER BY Total_Emp...	7 row(s) returned
✓ 18	11:06:18	SELECT * FROM physician WHERE position LIKE "%Attending%" LIMIT 0, 1000	6 row(s) returned
✓ 19	11:07:10	SELECT p.name FROM physician p JOIN department d ON p.employeeid=d.head WHERE d.name="Surgery" LI...	1 row(s) returned
✓ 20	11:08:14	SELECT d.name, p.name FROM department d JOIN physician p ON d.head=p.employeeid ORDER BY d.n...	3 row(s) returned
✓ 21	11:08:51	SELECT * FROM physician WHERE position NOT LIKE "%Surgical%" LIMIT 0, 1000	6 row(s) returned

17 - COUNT + HAVING

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 4* Week-2* SQL File 5* SQL File 7*

Limit to 1000 rows

```

99 SELECT position,
100 COUNT(*) AS Total
101 FROM physician
102 GROUP BY position
103 HAVING COUNT(*) >= 2;
104
105

```

Result Grid

position	Total
Surgical Attending Physician	3

Result 17

Output

Action Output

#	Time	Action	Message
✓ 16	11:04:03	SELECT * FROM physician WHERE employeeid NOT IN (SELECT head FROM department) LIMIT 0, 1000	6 row(s) returned
✓ 17	11:05:01	SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position ORDER BY Total_Emp...	7 row(s) returned
✓ 18	11:06:18	SELECT * FROM physician WHERE position LIKE "%Attending%"; LIMIT 0, 1000	6 row(s) returned
✓ 19	11:07:10	SELECT p.name FROM physician p JOIN department d ON p.employeeid=d.head WHERE d.name="Surgery" LI...	1 row(s) returned
✓ 20	11:08:14	SELECT d.name, p.name FROM department d JOIN physician p ON d.head=p.employeeid ORDER BY d.n...	3 row(s) returned
✓ 21	11:08:51	SELECT * FROM physician WHERE position NOT LIKE "%Surgical%"; LIMIT 0, 1000	6 row(s) returned
✓ 22	11:09:54	SELECT position, COUNT(*) AS Total FROM physician GROUP BY position HAVING COUNT(*) >= 2 LIMIT 0, ...	1 row(s) returned

18 - EXISTS

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 4* Week-2* SQL File 5* SQL File 7*

Limit to 1000 rows

```

104 SELECT *
105 FROM department d
106 WHERE EXISTS
107 (
108     SELECT 1
109     FROM physician p
110     WHERE p.employeeid=d.head
111 )
112
113

```

Result Grid

departmentid	name	head
1	General Medicine	4
2	Surgery	7
3	Psychiatry	9
NULL	NULL	NULL

Result 18

Output

Action Output

#	Time	Action	Message
✓ 17	11:05:01	SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position ORDER BY Total_Emp...	7 row(s) returned
✓ 18	11:06:18	SELECT * FROM physician WHERE position LIKE "%Attending%"; LIMIT 0, 1000	6 row(s) returned
✓ 19	11:07:10	SELECT p.name FROM physician p JOIN department d ON p.employeeid=d.head WHERE d.name="Surgery" LI...	1 row(s) returned
✓ 20	11:08:14	SELECT d.name, p.name FROM department d JOIN physician p ON d.head=p.employeeid ORDER BY d.n...	3 row(s) returned
✓ 21	11:08:51	SELECT * FROM physician WHERE position NOT LIKE "%Surgical%"; LIMIT 0, 1000	6 row(s) returned
✓ 22	11:09:54	SELECT position, COUNT(*) AS Total FROM physician GROUP BY position HAVING COUNT(*) >= 2 LIMIT 0, ...	1 row(s) returned
✓ 23	11:11:25	SELECT * FROM department d WHERE EXISTS (SELECT 1 FROM physician p WHERE p.employeeid...	3 row(s) returned

19 - MAX()

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 4* Week-2* SQL File 5* SQL File 7* x

Limit to 1000 rows

```

112
113 • SELECT MAX(employeeid)
114 FROM physician;
115
116
117
118
119
120
121

```

Result Grid

MAX(employeeid)
9

Result 19 x

Output

Action Output

#	Time	Action	Message
✓ 18	11:06:18	SELECT * FROM physician WHERE position LIKE '%Attending%' LIMIT 0, 1000	6 row(s) returned
✓ 19	11:07:10	SELECT p.name FROM physician p JOIN department d ON p.employeeid=d.head WHERE d.name='Surgery' LI...	1 row(s) returned
✓ 20	11:08:14	SELECT d.name, p.name FROM department d JOIN physician p ON d.head=p.employeeid ORDER BY d.n...	3 row(s) returned
✓ 21	11:08:51	SELECT * FROM physician WHERE position NOT LIKE '%Surgical%' LIMIT 0, 1000	6 row(s) returned
✓ 22	11:09:54	SELECT position, COUNT(*) AS Total FROM physician GROUP BY position HAVING COUNT(*) >= 2 LIMIT 0, ...	1 row(s) returned
✓ 23	11:11:25	SELECT * FROM department d WHERE EXISTS (SELECT 1 FROM physician p WHERE p.employeeid...	3 row(s) returned
✓ 24	11:12:18	SELECT MAX(employeeid) FROM physician LIMIT 0, 1000	1 row(s) returned

20 - MIN()

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 4* Week-2* SQL File 5* SQL File 7* x

Limit to 1000 rows

```

112
113 • SELECT MAX(employeeid)
114 FROM physician;
115
116 • SELECT MIN(employeeid)
117 FROM physician;
118
119
120
121

```

Result Grid

MIN(employeeid)
1

Result 20 x

Output

Action Output

#	Time	Action	Message
✓ 19	11:07:10	SELECT p.name FROM physician p JOIN department d ON p.employeeid=d.head WHERE d.name='Surgery' LI...	1 row(s) returned
✓ 20	11:08:14	SELECT d.name, p.name FROM department d JOIN physician p ON d.head=p.employeeid ORDER BY d.n...	3 row(s) returned
✓ 21	11:08:51	SELECT * FROM physician WHERE position NOT LIKE '%Surgical%' LIMIT 0, 1000	6 row(s) returned
✓ 22	11:09:54	SELECT position, COUNT(*) AS Total FROM physician GROUP BY position HAVING COUNT(*) >= 2 LIMIT 0, ...	1 row(s) returned
✓ 23	11:11:25	SELECT * FROM department d WHERE EXISTS (SELECT 1 FROM physician p WHERE p.employeeid...	3 row(s) returned
✓ 24	11:12:18	SELECT MAX(employeeid) FROM physician LIMIT 0, 1000	1 row(s) returned
✓ 25	11:13:00	SELECT MIN(employeeid) FROM physician LIMIT 0, 1000	1 row(s) returned