


Step 1 — Create Database



The screenshot displays a SQL IDE interface with two tabs: 'Query 1' and 'SQL File 4*'. The main editor area contains the following SQL code:

```
1 • CREATE DATABASE IF NOT EXISTS bookflow_db;
2 • USE bookflow_db;
```

The output pane at the bottom shows the execution results:

#	Time	Action	Message
✓ 1	12:07:01	CREATE DATABASE IF NOT EXISTS bookflow_db	1 row(s) affected
✓ 2	12:07:08	USE bookflow_db	0 row(s) affected

Step 2 — Create Books Table (DDL + Constraints)

The screenshot shows the MySQL Workbench interface for a local instance of MySQL 8.0. The left sidebar contains the 'Navigator' pane with sections for MANAGEMENT (Server Status, Client Connections, Users and Privileges, Status and System Variables, Data Export, Data Import/Restore), INSTANCE (Startup / Shutdown, Server Logs, Options File), and PERFORMANCE (Dashboard, Performance Reports, Performance Schema Setup). The 'Administration' tab is selected, showing 'Schemas' and 'Information'. The 'Information' pane shows 'No object selected'.

The main editor displays a SQL script in 'Query 1' (SQL File 4*). The script contains the following SQL statements:

```

1 • CREATE DATABASE IF NOT EXISTS bookflow_db;
2 • USE bookflow_db;
3
4 • CREATE TABLE books (
5     book_id INT AUTO_INCREMENT PRIMARY KEY,
6     title VARCHAR(255) NOT NULL,
7     isbn VARCHAR(13) NOT NULL UNIQUE,
8     published_year INT,
9     CONSTRAINT chk_published_year CHECK (published_year < 2027)
10 );
11
12

```

The 'Output' pane at the bottom shows the execution results:

#	Time	Action	Message
1	12:07:01	CREATE DATABASE IF NOT EXISTS bookflow_db	1 row(s) affected
2	12:07:08	USE bookflow_db	0 row(s) affected
3	12:08:33	CREATE TABLE books (book_id INT AUTO_INCREMENT PRIMARY KEY, title VARCHAR(255) NOT NULL, i...	0 row(s) affected

Step 3 — Insert values for Books Table and to see the table after insertion

The screenshot shows the MySQL Workbench interface after inserting data into the 'books' table. The SQL script in 'Query 1' (SQL File 4*) now includes an 'INSERT INTO' statement:

```

1 • CREATE DATABASE IF NOT EXISTS bookflow_db;
2 • USE bookflow_db;
3
4 • CREATE TABLE books (
5     book_id INT AUTO_INCREMENT PRIMARY KEY,
6     title VARCHAR(255) NOT NULL,
7     isbn VARCHAR(13) NOT NULL UNIQUE,
8     published_year INT,
9     CONSTRAINT chk_published_year CHECK (published_year < 2027)
10 );
11 • INSERT INTO books (title, isbn, published_year) VALUES
12 ('The Alchemist', '9780061122415', 1988),
13 ('Clean Code', '9780132350884', 2008),
14 ('Atomic Habits', '9780735211292', 2018);
15
16

```

The 'Output' pane at the bottom shows the execution results:

#	Time	Action	Message
1	12:07:01	CREATE DATABASE IF NOT EXISTS bookflow_db	1 row(s) affected
2	12:07:08	USE bookflow_db	0 row(s) affected
3	12:08:33	CREATE TABLE books (book_id INT AUTO_INCREMENT PRIMARY KEY, title VARCHAR(255) NOT NULL, i...	0 row(s) affected
4	12:09:24	INSERT INTO books (title, isbn, published_year) VALUES ('The Alchemist', '9780061122415', 1988), ('Clean Cod...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0

SQL Editor showing the following queries:

```

9  CONSTRAINT chk_published_year CHECK (published_year < 2027)
10 );
11 • INSERT INTO books (title, isbn, published_year) VALUES
12 ('The Alchemist', '9780061122415', 1988),
13 ('Clean Code', '9780132350884', 2008),
14 ('Atomic Habits', '9780735211292', 2018);
15 • SELECT * FROM books;

```

Result Grid:

book_id	title	isbn	published_year
1	The Alchemist	9780061122415	1988
2	Clean Code	9780132350884	2008
3	Atomic Habits	9780735211292	2018
* NULL	NULL	NULL	NULL

books 3 x [Apply] [Reve]

Output:

#	Time	Action	Message
✓ 4	12:09:24	INSERT INTO books (title, isbn, published_year) VALUES ('The Alchemist', '9780061122415', 1988), ('Clean C...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
✓ 5	12:10:08	SELECT * FROM books LIMIT 0, 1000	3 row(s) returned
✓ 6	12:10:48	CREATE TABLE members (member_id INT AUTO_INCREMENT PRIMARY KEY, full_name VARCHAR(100)...	0 row(s) affected
✓ 7	12:13:42	INSERT INTO members (full_name, email) VALUES ('Rohit Sai', 'lupputurirohitsai@kth.edu.in'), ('Priya Shama', '...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
✓ 8	12:14:21	SELECT * FROM members LIMIT 0, 1000	3 row(s) returned
✓ 9	12:22:15	SELECT * FROM books LIMIT 0, 1000	3 row(s) returned

Step 4 — Create table for members

The screenshot shows the MySQL Workbench interface for a local instance of MySQL 8.0. The left sidebar contains navigation panels for Management, Instance, and Performance. The central area displays a SQL query editor with the following code:

```
1 CREATE TABLE members (  
2     member_id INT AUTO_INCREMENT PRIMARY KEY,  
3     full_name VARCHAR(100) NOT NULL,  
4     email VARCHAR(150) NOT NULL UNIQUE  
5 );  
6  
7
```

The bottom panel shows the Output window with the following log:

#	Time	Action	Message
1	12:07:01	CREATE DATABASE IF NOT EXISTS bookflow_db	1 row(s) affected
2	12:07:08	USE bookflow_db	0 row(s) affected
3	12:08:33	CREATE TABLE books (book_id INT AUTO_INCREMENT PRIMARY KEY, title VARCHAR(255) NOT NULL, ...	0 row(s) affected
4	12:09:24	INSERT INTO books (title, isbn, published_year) VALUES ('The Alchemist', '9780061122415', 1988), (Clean Cod...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
5	12:10:08	SELECT * FROM books LIMIT 0, 1000	3 row(s) returned
6	12:10:48	CREATE TABLE members (member_id INT AUTO_INCREMENT PRIMARY KEY, full_name VARCHAR(100) ...	0 row(s) affected

Step 5 — Inserting the values into members table and to see the table after insertion

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

INSTANCE

Startup / Shutdown

Server Logs

Options File

PERFORMANCE

Dashboard

Performance Reports

Performance Schema Setup

Query 1

SQL File 4*

SQL File 4*

Limit to 1000 rows

21

22

23

24

25

26

27

Result Grid

Filter Rows:

Edit

Export/Import

Wrap Cell Content

	member_id	full_name	email
1	1	Rohit Sai	upputurirohitsai@kjh.edu.in
2	2	Priya Sharma	priya.sharma@example.com
3	3	Ravi Verma	ravi.verma@example.com
4	4		
5	5		
6	6		
7	7		
8	8		
9	9		
10	10		
11	11		
12	12		
13	13		
14	14		
15	15		
16	16		
17	17		
18	18		
19	19		
20	20		
21	21		
22	22		
23	23		
24	24		
25	25		
26	26		
27	27		
28	28		
29	29		
30	30		
31	31		
32	32		
33	33		
34	34		
35	35		
36	36		
37	37		
38	38		
39	39		
40	40		
41	41		
42	42		
43	43		
44	44		
45	45		
46	46		
47	47		
48	48		
49	49		
50	50		
51	51		
52	52		
53	53		
54	54		
55	55		
56	56		
57	57		
58	58		
59	59		
60	60		
61	61		
62	62		
63	63		
64	64		
65	65		
66	66		
67	67		
68	68		
69	69		
70	70		
71	71		
72	72		
73	73		
74	74		
75	75		
76	76		
77	77		
78	78		
79	79		
80	80		
81	81		
82	82		
83	83		
84	84		
85	85		
86	86		
87	87		
88	88		
89	89		
90	90		
91	91		
92	92		
93	93		
94	94		
95	95		
96	96		
97	97		
98	98		
99	99		
100	100		

Administration

Schemas

members 2

Output

Action Output

#	Time	Action	Message
3	12:08:33	CREATE TABLE books (book_id INT AUTO_INCREMENT PRIMARY KEY, title VARCHAR(255) NOT NULL...	0 row(s) affected
4	12:09:24	INSERT INTO books (title, isbn, published_year) VALUES ('The Alchemist', '9780061122415', 1988), (Clean C...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
5	12:10:08	SELECT * FROM books LIMIT 0, 1000	3 row(s) returned
6	12:10:48	CREATE TABLE members (member_id INT AUTO_INCREMENT PRIMARY KEY, full_name VARCHAR(100)...	0 row(s) affected
7	12:13:42	INSERT INTO members (full_name, email) VALUES ('Rohit Sai', 'upputurirohitsai@kjh.edu.in'), ('Priya Shama', '...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
8	12:14:21	SELECT * FROM members LIMIT 0, 1000	3 row(s) returned

Object Info

Session