


```
Package Manager Console
Package source: All Default project: MVC_Example

at System.Data.ProviderBase.DbConnectionFactory.CreatePooledConnection(DbConnectionPool pool, DbConnection owningObject, DbConnectionOptions options, DbConnectionPoolKey poolKey, DbConnectionOptions userOptions)
at System.Data.ProviderBase.DbConnectionPool.CreateObject(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)
at System.Data.ProviderBase.DbConnectionPool.UserCreateRequest(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)
at System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection owningObject, UInt32 waitForMultipleObjectsTimeout, Boolean allowCreate, Boolean onlyOneCheckConnection, DbConnectionOptions userOptions, DbConnectionInternal& connection)
at System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection owningObject, TaskCompletionSource`1 retry, DbConnectionOptions userOptions, DbConnectionInternal& connection)
at System.Data.ProviderBase.DbConnectionFactory.TryGetConnection(DbConnection owningConnection, TaskCompletionSource`1 retry, DbConnectionOptions userOptions, DbConnectionInternal oldConnection, DbConnectionInternal& connection)
at System.Data.ProviderBase.DbConnectionInternal.TryOpenConnectionInternal(DbConnection outerConnection, DbConnectionFactory connectionFactory, TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
at System.Data.SqlClient.SqlConnection.TryOpenInner(TaskCompletionSource`1 retry)
at System.Data.SqlClient.SqlConnection.TryOpen(TaskCompletionSource`1 retry)
at System.Data.SqlClient.SqlConnection.Open()
at System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispatch[TTarget,TInterceptionContext](TTarget target, Action`2 operation, TInterceptionContext interceptionContext, Action`3 executing, Action`3 executed)
at System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.Open(DbConnection connection, DbInterceptionContext interceptionContext)
at System.Data.Entity.SqlServer.SqlProviderServices.<>c__DisplayClass60.0.<UsingConnection>b__0()
at System.Data.Entity.SqlServer.DefaultSqlExecutionStrategy.<>c__DisplayClass2.0.<Execute>b__0()
at System.Data.Entity.SqlServer.DefaultSqlExecutionStrategy.Execute[TResult](Func`1 operation)
at System.Data.Entity.SqlServer.SqlProviderServices.UsingMasterConnection(DbConnection sqlConnection, Action`1 act)
at System.Data.Entity.SqlServer.SqlProviderServices.CreateDatabaseFromScript(Nullable`1 commandTimeout, DbConnection sqlConnection, String createDatabaseScript)
at System.Data.Entity.SqlServer.SqlProviderServices.CreateDatabase(DbConnection connection, Nullable`1 commandTimeout, StoreItemCollection storeItemCollection)
at System.Data.Entity.Migrations.Utilities.DatabaseCreator.Create(DbConnection connection)
at System.Data.Entity.Migrations.DbMigrator.EnsureDatabaseExists(Action mustSucceedToKeepDatabase)
at System.Data.Entity.Migrations.DbMigrator.Update(String targetMigration)
at System.Data.Entity.Infrastructure.Design.Executor.Update.<>c__DisplayClass8.0.<.ctor>b__0()
at System.Data.Entity.Infrastructure.Design.Executor.OperationBase.Execute(Action action)
ClientConnectionId:00000000-0000-0000-0000-000000000000
Error Number:-19635/7746,State:0,Class:20
A network-related or instance-specific error occurred while establishing a connection to SQL Server. The server was not found or was not accessible. Verify that the instance name is correct and that SQL Server is configured to allow remote connections. (provider: SQL Network Interfaces, error: 50 - Local Database Runtime error occurred. Error occurred during LocalDB instance startup: SQL Server process failed to start.)
)
(PW)
```



```
MyDbContext.cs Random.cshtml New.cshtml RandomMovieViewModel.cs CustomersController.cs HomeController.cs MovieController.cs
MVC_Example
1 using System.Data.Entity;
2 using MVC_Example.Models;
3
4 namespace MVC_Example
5 {
6     [reference]
7     public class MyDbContext : DbContext
8     {
9         [reference]
10        public DbSet<Customer> Customers { get; set; }
11
12        [reference]
13        public MyDbContext()
14        {
15        }
16    }
17 }
```

```
Random.cshtml | New.cshtml | RandomMovieViewModel.cs | CustomersController.cs | HomeController.cs | MovieController.cs | Movie.cs | ... | Solution Explorer | Git Changes

1 | @model MVC_Example.ViewModels.RandomMovieViewModel
2 |
3 | @{
4 |     ViewBag.Title = "Random";
5 |     Layout = "~/Views/Shared/_Layout.cshtml";
6 | }
7 |
8 | <h2>@Model.Movie.Name</h2>
9 |
10 | @if (Model.Customers.Count == 0)
11 | {
12 |     <p>Nu a inchiriat nimeni acest film</p>
13 | }
14 | else
15 | {
16 |     <ul>
17 |         @foreach (var customer in Model.Customers)
18 |         {
19 |             <li>@customer.Name</li>
20 |         }
21 |     </ul>
22 | }
```

66 % | No issues found | Ln: 22, Ch: 2 | SPC | CRLF | UTF-8 with BOM

```
New.cshtml | RandomMovieViewModel.cs | CustomersController.cs | HomeController.cs | MovieController.cs | Movie.cs | Customer.cs | ... | Solution Explorer | Git Changes

1 | @model MVC_Example.Models.Customer
2 |
3 | @{
4 |     ViewBag.Title = "New";
5 |     Layout = "~/Views/Shared/_Layout.cshtml";
6 | }
7 |
8 | <h2>New Customer</h2>
9 |
10 | @using (Html.BeginForm("Create", "Customers"))
11 | {
12 |     <div class="form-group">
13 |         @Html.LabelFor(m => m.Name)
14 |         @Html.TextBoxFor(m => m.Name, new { @class = "form-control" })
15 |     </div>
16 |
17 |     <button type="submit" class="btn btn-primary">SAVE</button>
18 | }
```

66 % | No issues found | Ln: 1, Ch: 1 | SPC | CRLF | UTF-8 with BOM

```
RandomMovieViewModel.cs | CustomersController.cs | HomeController.cs | MovieController.cs | Movie.cs | Customer.cs | Configuration.cs | ... | Solution Explorer | Git Changes

1 | using System.Collections.Generic;
2 | using MVC_Example.Models;
3 |
4 | namespace MVC_Example.ViewModels
5 | {
6 |     public class RandomMovieViewModel
7 |     {
8 |         public Movie Movie { get; set; }
9 |         public List<Customer> Customers { get; set; }
10 |     }
11 | }
```

66 % | No issues found | Ln: 1, Ch: 1 | SPC | CRLF | UTF-8 with BOM

```
CustomersController.cs | HomeController.cs | MovieController.cs | Movie.cs | Customer.cs | Configuration.cs
MVC_Example
1 using System.Web.Mvc;
2 using MVC_Example.Models;
3
4 namespace MVC_Example.Controllers
5 {
6     [References]
7     public class CustomersController : Controller
8     {
9         [References]
10         public ActionResult New()
11         {
12             return View();
13         }
14         [HttpPost]
15         public ActionResult Create(Customer newCustomer)
16         {
17             return Content("Clientul " + newCustomer.Name + " a fost trimis cu succes din formular!");
18         }
19     }
20 }
```

66 % | No issues found | Lrn: 1, Ch: 1 | SPC | CRLF | UTF-8 with BOM

```
HomeController.cs | MovieController.cs | Movie.cs | Customer.cs | Configuration.cs
MVC_Example
1 using System;
2 using System.Collections.Generic;
3 using System.Linq;
4 using System.Web;
5 using System.Web.Mvc;
6
7 namespace MVC_Example.Controllers
8 {
9     [References]
10     public class HomeController : Controller
11     {
12         public ActionResult Index()
13         {
14             return View();
15         }
16         [References]
17         public ActionResult About()
18         {
19             ViewBag.Message = "Your application description page.";
20             return View();
21         }
22         [References]
23         public ActionResult Contact()
24         {
25             ViewBag.Message = "Your contact page.";
26             return View();
27         }
28     }
29 }
```

66 % | No issues found | Lrn: 1, Ch: 1 | SPC | CRLF | UTF-8 with BOM

```
MovieController.cs | Movie.cs | Customer.cs | Configuration.cs
MVC_Example
1 using System.Collections.Generic;
2 using System.Web.Mvc;
3 using MVC_Example.Models;
4 using MVC_Example.ViewModels;
5
6 namespace MVC_Example.Controllers
7 {
8     [References]
9     public class MovieController : Controller
10     {
11         [References]
12         public ActionResult Random()
13         {
14             var movie = new Movie() { Name = "Titanic" };
15             var customers = new List<Customer>()
16             {
17                 new Customer { Name = "Customer 1" },
18                 new Customer { Name = "Customer 2" }
19             };
20             var viewModel = new RandomMovieViewModel
21             {
22                 Movie = movie,
23                 Customers = customers
24             };
25             return View(viewModel);
26         }
27     }
28 }
```

66 % | No issues found | Lrn: 1, Ch: 1 | SPC | CRLF | UTF-8 with BOM

Movie.cs Customer.cs Configuration.cs

MVC_Example MVC_Example.Models.Movie Name

```
1 using System;
2 using System.Collections.Generic;
3 using System.Linq;
4 using System.Web;
5
6 namespace MVC_Example.Models
7 {
8     2 references
8     public class Movie
9     {
10         0 references
11         public int Id { get; set; }
12         1 reference
13         public string Name { get; set; }
14     }
15 }
```

66 % No issues found Ln: 13, Ch: 2 SPC CRLF UTF-8 with BOM

Customer.cs Configuration.cs

MVC_Example MVC_Example.Models.Customer Id

```
1 using System.ComponentModel.DataAnnotations;
2
3 namespace MVC_Example.Models
4 {
5     6 references
5     public class Customer
6     {
7         0 references
8         public int Id { get; set; }
9
10         [Required]
11         [StringLength(250)]
12         3 references
13         public string Name { get; set; }
14     }
15 }
```

66 % No issues found Ln: 1, Ch: 1 SPC CRLF UTF-8 with BOM

Ready Add to Source Control Select Repository

Configuration.cs

MVC_Example MVC_Example.Migrations.Configuration Configuration()

```
1 namespace MVC_Example.Migrations
2 {
3     using System;
4     using System.Data.Entity;
5     using System.Data.Entity.Migrations;
6     using System.Linq;
7
8     1 reference
8     internal sealed class Configuration : DbMigrationsConfiguration<Mvc_Example.MyDbContext>
9     {
10         0 references
11         public Configuration()
12         {
13             AutomaticMigrationsEnabled = false;
14         }
15
16         0 references
17         protected override void Seed(Mvc_Example.MyDbContext context)
18         {
19             // This method will be called after migrating to the latest version.
20             // You can use the DbSet<T>.AddOrUpdate() helper extension method
21             // to avoid creating duplicate seed data.
22         }
23     }
24 }
```

66 % No issues found Ln: 1, Ch: 1 SPC CRLF UTF-8 with BOM

Eroarea este tot cea cu baza de date de care v am mai zis ca nu o pot rezolva.

Ursache George-Lucian

Gr 6 Semigrupa 2