- 21 When implementing linear regression of some dependent variable y on the set of independent variables $\mathbf{x} = (x_1, ..., x_n)$, where r is the number of predictors, which of the following statements will be true?
 - a) $\beta_0, \beta_1, ..., \beta$, are the **regression coefficients**.
 - b) Linear regression is about determining the **best predicted weights** by using the **method of ordinary least squares**.
 - **C)** E is the random interval
 - d) Both and b

Ans) Linear regression is about determining the **best predicted weights** by using the **method of ordinary least squares**.

22)

What indicates that you have a **perfect fit** in linear regression?

- a) The value $R^2 < 1$, which corresponds to SSR = 0
- b) The value $R^2 = 0$, which corresponds to SSR = 1
- c) The value $R^2 > 0$, which corresponds to SSR = 1
- d) The value $R^2 = 1$, which corresponds to SSR = 0

Ans) The value $R^2 = 1$, which corresponds to SSR = 0

23)


In simple linear regression, the value of **what** shows the point where the estimated regression line crosses the *y* axis?

- a) Y
- b) B0
- c) B1
- d) F

Ans) B0

24)

Check out these four linear regression plots:



Which one represents an underfitted model?

- a) The bottom-left plot
- b) The top-right plot
- c) The bottom-right plot
- d) The top-left plot

Ans) The top-left plot

- 25) There are five basic steps when you're implementing linear regression:
 - a. Check the results of model fitting to know whether the model is satisfactory.
 - **b.** Provide data to work with, and eventually do appropriate transformations.
 - **c.** Apply the model for predictions.
 - **d.** Import the packages and classes that you need.
 - **e.** Create a regression model and fit it with existing data.

However, those steps are currently listed in the wrong order. What's the correct order?

a)	e, c, a, b, d
	e, d, b, a, c
	d, e, c, b, a
a)	d, b, e, a, c
Ans) d,	b, e, a, c
26) W	hich of the following are optional parameters to LinearRegression in scikit-learn?
	Fit
b) c)	fit_intercept normalize
	copy_X
	n_jobs
f)	reshape
Ans) b.	c, d and e.
, ,	
inputs a) Mult	nile working with scikit-learn, in which type of regression do you need to transform the array of to include nonlinear terms such as x^2 ? iple linear regression
	ple linear regression
c) Poly	nomial regression
Ans) Po	lynomial regression
28) Yo	ou should choose statsmodels over scikit-learn when:
A)You	want graphical representations of your data.
b) You	're working with nonlinear terms.
c) You	need more detailed results.
d) You	need to include optional parameters.
Ans) Yo	ou need more detailed results.

29) _____is a fundamental package for scientific computing with Python. It offers

comprehensive mathematical functions, random number generators, linear algebra routines, Fourier

transforms, and	more. It provides a high-level syntax that makes it accessible and productive.
a) Pandas	
b) Numpy	
c) Statsmodel	
d) Scipy	
Ans) Numpy	
interface for dra	is a Python data visualization library based on Matplotlib. It provides a high-level awing attractive and informative statistical graphics that allow you to explore and data. It integrates closely with pandas data structures. Bokeh Seaborn Matplotlib Dash

Ans) Seaborn

41)

Among the following identify the one in which dimensionality reduction reduces.

- a) Performance
- b) statistics
- c) Entropy
- d) Collinearity
- 42) Which of the following machine learning algorithm is based upon the idea of bagging?
- a) Decision Tree
- b) Random Forest
- c) Classfication
- d) SVM
- 43) Choose a disadvantage of decision trees among the following.
- a) Decision tree robust to outliers
- b) Factor analysis
- c) Decision Tree are prone to overfit
- d) all of the above

44)

What is the term known as on which the machine learning algorithms build a model based on sample data?

- a) Data Training
- b) Sample Data
- c) Training data
- d) None of the above

45)

Which of the following machine learning techniques helps in detecting the outliers in data?

- a) Clustering
- b) Classification
- c) Anamoly detection
- d) All of the above

Identify learning	y the incorrect numerical functions in the various function representation of macl g.
c)	Support Vector Regression Case based Classification
47)	
Analys	is of ML algorithm needs
b) c)	Statistical learning theory Computational learning theory None of the above Both a and b
48)	
a) b) c)	y the difficulties with the k-nearest neighbor algorithm. Curse of dimensionality Calculate the distance of test case for all training cases Both a and b None
	The total types of the layer in radial basis function neural networks is
	 50 Which of the following is not a supervised learning a) PCA b) Naïve bayes c) Linear regression d) KMeans