

Danah - Consolidated Performance Report

Generated 2026-08-10 13:17 - Source: D:\performance_testing_dashboard\runs\pb-com-sa-desktop-20260810-131108

29

PAGES

698

ISSUES FOUND

Summary - all pages

PAGE	PERFORMANCE	ACCESSIBILITY	BEST PRACTICES	SEO	ISSUES	REPORT
/ Desktop	51	84	100	42	29	Open ↗
/about-us/ Desktop	52	82	100	50	27	Open ↗
/careers/ Desktop	28	82	100	50	29	Open ↗
/ceo-message/ Desktop	56	82	100	50	24	Open ↗
/contact-us/ Desktop	52	75	100	50	25	Open ↗
/in-the-presence-agree.php/ Desktop	56	75	100	33	26	Open ↗
/leadership/ Desktop	55	83	100	50	26	Open ↗
/media-center/ Desktop	50	82	100	50	25	Open ↗
/media-center/news/awards-five-renewable-energy-projects-with-a-total-capacity-of-4-500-mw-for-round-six-projects-1/ Desktop	60	82	100	50	22	Open ↗
/media-center/news/opening-of-qualification-for-the-third-round-of-conventional-ipp-projects/ Desktop	58	82	100	50	23	Open ↗
/media-center/news/principal-buyer-launches-qualification-for-12-000-mwh-second-group-of-battery-energy-storage-projects/ Desktop	57	87	100	50	24	Open ↗
/media-center/news/principal-buyer-signs-a-power-purchase-agreement/ Desktop	60	82	100	50	22	Open ↗
/media-center/news/principal-buyer-wins-impact-energy-transition-organization	56	82	100	50	23	Open ↗

PAGE	PERFORMANCE	ACCESSIBILITY	BEST PRACTICES	SEO	ISSUES	REPORT
-of-the-year-2025-award-2/ Desktop						
/media-center/news/qualified-applicants-list-for-the-second-group-of-battery-energy-storage-system-projects/ Desktop	57	82	100	42	25	Open ↗
/media-center/news/qualified-developers-for-round-7-solar-pv-and-wind-ipp-projects-2/ Desktop	60	82	100	42	23	Open ↗
/open-data/ Desktop	59	75	100	50	22	Open ↗
/our-projects/ Desktop	60	82	100	50	23	Open ↗
/principal-buyer-announces-the-rfq-release-for-round-7-solar-and-wind-projects-1/ Desktop	58	82	100	50	22	Open ↗
/principal-buyer-signs-a-power-purchase-agreement/ Desktop	56	75	100	33	29	Open ↗
/privacy-notice/ Desktop	61	82	100	50	24	Open ↗
/privacy-policy/ Desktop	59	82	100	50	-	-
/renewable-projects/ Desktop	60	82	100	50	23	Open ↗
/signing-contractfor-agree.php/ Desktop	55	75	100	33	32	Open ↗
/sppc-signs-power-purchase-agree/ Desktop	56	75	100	33	27	Open ↗

PAGE	PERFORMANCE	ACCESSIBILITY	BEST PRACTICES	SEO	ISSUES	REPORT
/the-principal-buyer-signed-power-purchase-agreements-for-seven-new-renewable-energy-projects/ Desktop	58	82	100	50	22	Open ↗
/thermal-energy-projects/ Desktop	57	82	100	50	23	Open ↗
/vendors/ Desktop	57	82	100	50	23	Open ↗
/what-we-do/ Desktop	57	82	100	50	26	Open ↗
/whistleblowing/ Desktop	55	69	100	33	29	Open ↗

Scores 0-100. ≥90 good - 50-89 needs work - <50 poor.

Detail by page

Performance: 51

Accessibility: 84

Best Practices: 100

SEO: 42

LCP
7.8 sCLS
0.004FCP
4.1 sTBT
160 msMAX FID
140 msTTI
11.6 s**Minimize main-thread work 2.1 s**

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work]

(<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible]

(<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast]

(<https://dequeuniversity.com/rules/axe/4.12/color-contrast>).

Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order]

(<https://dequeuniversity.com/rules/axe/4.12/heading-order>).

Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible]

(<https://dequeuniversity.com/rules/axe/4.12/link-name>).

Links do not have descriptive text 2 links found

Descriptive link text helps search engines understand your content. [Learn how to make links more accessible]

(<https://developer.chrome.com/docs/lighthouse/seo/link-text/>).

Links are not crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](<https://support.google.com/webmasters/answer/9112205>)

Page is blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](<https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/>).

robots.txt is not valid 1 error found

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/).

Page prevented back/forward cache restoration **3 failure reasons**

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](https://developer.chrome.com/docs/lighthouse/performance/bf-cache/)

Use efficient cache lifetimes **Est savings of 2,915 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

LCP request discovery

[Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Modern HTTP **Est savings of 830 ms**

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](https://developer.chrome.com/docs/performance/insights/modern-http).

Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests **Est savings of 950 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Speed Index **4.4 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

First Contentful Paint **2.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

Largest Contentful Paint **2.5 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Avoid enormous network payloads **Total size was 4,264 KiB**

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes](<https://developer.chrome.com/docs/lighthouse/performance/total-byte-weight/>).

Minify CSS **Est savings of 27 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

Minify JavaScript **Est savings of 9 KiB**

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/>).

Reduce unused CSS **Est savings of 136 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

Reduce unused JavaScript **Est savings of 246 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

Improve image delivery **Est savings of 1,637 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Time to Interactive **2.9 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay **110 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Total Blocking Time **80 ms**

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/>).

Performance: 52

Accessibility: 82

Best Practices: 100

SEO: 50

LCP
4.3 s

CLS
0.138

FCP
4.0 s

TBT
110 ms

MAX FID
90 ms

TTI
9.1 s

Minimize main-thread work 3.5 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work]
(<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Avoid large layout shifts 5 layout shifts found

These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing]
(https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](<https://web.dev/articles/optimize-cls>)

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible]
(<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order]
(<https://dequeuniversity.com/rules/axe/4.12/heading-order>).

Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible]
(<https://dequeuniversity.com/rules/axe/4.12/link-name>).

Links are not crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](<https://support.google.com/webmasters/answer/9112205>)

Page is blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](<https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/>).

robots.txt is not valid 1 error found

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/).

Page prevented back/forward cache restoration **3 failure reasons**

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](https://developer.chrome.com/docs/lighthouse/performance/bf-cache/)

Use efficient cache lifetimes **Est savings of 2,149 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](https://developer.chrome.com/docs/performance/insights/cls-culprit), such as elements being added, removed, or their fonts changing as the page loads.

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

Improve image delivery **Est savings of 132 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

Modern HTTP **Est savings of 840 ms**

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](https://developer.chrome.com/docs/performance/insights/modern-http).

Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests **Est savings of 980 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Speed Index **4.8 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

First Contentful Paint **2.1 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

Largest Contentful Paint 2.7 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Minify CSS Est savings of 27 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

Minify JavaScript Est savings of 9 KiB

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript] (https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/).

Reduce unused CSS Est savings of 136 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

Reduce unused JavaScript Est savings of 258 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

Cumulative Layout Shift 0.176

Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more about the Cumulative Layout Shift metric](https://web.dev/articles/cls).

Time to Interactive 2.9 s

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Max Potential First Input Delay 110 ms

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Performance: 28

Accessibility: 82

Best Practices: 100

SEO: 50

LCP
36.0 s

CLS
0.022

FCP
4.2 s

TBT
850 ms

MAX FID
430 ms

TTI
36.2 s

Minimize main-thread work 4.7 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work]
(<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible]
(<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order]
(<https://dequeuniversity.com/rules/axe/4.12/heading-order>).

Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible]
(<https://dequeuniversity.com/rules/axe/4.12/link-name>).

Reduce unused JavaScript Est savings of 258 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript]
(<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

Links are not crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](<https://support.google.com/webmasters/answer/9112205>)

Page is blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](<https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/>).

robots.txt is not valid 1 error found

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](<https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/>).

Page prevented back/forward cache restoration **3 failure reasons**

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache] (<https://developer.chrome.com/docs/lighthouse/performance/bf-cache/>)

Use efficient cache lifetimes **Est savings of 2,088 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache/>).

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows] (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

Improve image delivery **Est savings of 4,967 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

LCP breakdown

Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

[Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Modern HTTP **Est savings of 840 ms**

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](<https://developer.chrome.com/docs/performance/insights/modern-http>).

Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests **Est savings of 960 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Largest Contentful Paint **7.6 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

Speed Index **5.2 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

Time to Interactive 7.6 s

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

First Contentful Paint 2.0 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Avoid enormous network payloads Total size was 7,271 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes](https://developer.chrome.com/docs/lighthouse/performance/total-byte-weight/).

Minify CSS Est savings of 27 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

Minify JavaScript Est savings of 9 KiB

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript] (https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/).

Reduce unused CSS Est savings of 137 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

Total Blocking Time 210 ms

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric] (https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/).

Max Potential First Input Delay 120 ms

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Cumulative Layout Shift 0.064

Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more about the Cumulative Layout Shift metric](https://web.dev/articles/cls).

Performance: 56

Accessibility: 82

Best Practices: 100

SEO: 50

LCP
4.2 s

CLS
0.01

FCP
3.9 s

TBT
150 ms

MAX FID
180 ms

TTI
8.8 s

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible] (<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order] (<https://dequeuniversity.com/rules/axe/4.12/heading-order>).

Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible] (<https://dequeuniversity.com/rules/axe/4.12/link-name>).

Reduce unused CSS **Est savings of 138 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

Links are not crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable] (<https://support.google.com/webmasters/answer/9112205>)

Page is blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives] (<https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/>).

robots.txt is not valid **1 error found**

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt] (<https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/>).

Page prevented back/forward cache restoration **3 failure reasons**

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache] (<https://developer.chrome.com/docs/lighthouse/performance/bf-cache/>)

Use efficient cache lifetimes **Est savings of 1,491 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows] (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

LCP request discovery

[Optimize LCP] (<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Modern HTTP **Est savings of 620 ms**

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP] (<https://developer.chrome.com/docs/performance/insights/modern-http>).

Network dependency tree

[Avoid chaining critical requests] (<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests **Est savings of 930 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Speed Index **4.2 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric] (<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

First Contentful Paint **1.9 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric] (<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

Image elements do not have explicit ``width`` and ``height``

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions] (https://web.dev/articles/optimize-cls#images_without_dimensions)

Minify CSS **Est savings of 27 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

Minify JavaScript **Est savings of 9 KiB**

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/>).

Reduce unused JavaScript **Est savings of 259 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

Improve image delivery **Est savings of 196 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Largest Contentful Paint **2.1 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

Time to Interactive **2.7 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Cumulative Layout Shift **0.039**

Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more about the Cumulative Layout Shift metric](<https://web.dev/articles/cls>).

Performance: 52

Accessibility: 75

Best Practices: 100

SEO: 50

LCP
4.4 s

CLS
0.003

FCP
4.1 s

TBT
200 ms

MAX FID
220 ms

TTI
9.0 s

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible] (<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order] (<https://dequeuniversity.com/rules/axe/4.12/heading-order>).

Form elements do not have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels] (<https://dequeuniversity.com/rules/axe/4.12/label>).

Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible] (<https://dequeuniversity.com/rules/axe/4.12/link-name>).

Reduce unused CSS **Est savings of 137 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

Links are not crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable] (<https://support.google.com/webmasters/answer/9112205>).

Page is blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives] (<https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/>).

robots.txt is not valid **1 error found**

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt] (<https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/>).

Page prevented back/forward cache restoration **3 failure reasons**

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache] (<https://developer.chrome.com/docs/lighthouse/performance/bf-cache/>)

Use efficient cache lifetimes **Est savings of 1,548 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache/>).

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows] (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

LCP request discovery

[Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Modern HTTP **Est savings of 790 ms**

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](<https://developer.chrome.com/docs/performance/insights/modern-http>).

Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests **Est savings of 920 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Speed Index **4.1 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

First Contentful Paint **1.9 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Minify CSS **Est savings of 27 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

Minify JavaScript **Est savings of 9 KiB**

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/>).

Reduce unused JavaScript **Est savings of 257 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

Improve image delivery **Est savings of 677 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Largest Contentful Paint **2.3 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

Time to Interactive **2.7 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay **80 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Performance: 56

Accessibility: 75

Best Practices: 100

SEO: 33

LCP
7.0 s

CLS
0.006

FCP
3.5 s

TBT
30 ms

MAX FID
70 ms

TTI
8.2 s

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible] (<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Document doesn't have a `` element</h3></div><div data-bbox="90 321 905 375" data-label="Text"><p>The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles] (https://dequeuniversity.com/rules/axe/4.12/document-title).</p></div><div data-bbox="90 396 572 414" data-label="Section-Header"><h3>Heading elements are not in a sequentially-descending order</h3></div><div data-bbox="90 418 885 472" data-label="Text"><p>Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order] (https://dequeuniversity.com/rules/axe/4.12/heading-order).</p></div><div data-bbox="90 494 384 510" data-label="Section-Header"><h3>Links do not have a discernible name</h3></div><div data-bbox="90 516 902 569" data-label="Text"><p>Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible] (https://dequeuniversity.com/rules/axe/4.12/link-name).</p></div><div data-bbox="90 590 442 608" data-label="Section-Header"><h3>Document does not have a meta description</h3></div><div data-bbox="90 611 895 647" data-label="Text"><p>Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description] (https://developer.chrome.com/docs/lighthouse/seo/meta-description/).</p></div><div data-bbox="90 669 274 685" data-label="Section-Header"><h3>Links are not crawlable</h3></div><div data-bbox="90 690 875 744" data-label="Text"><p>Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable] (https://support.google.com/webmasters/answer/9112205).</p></div><div data-bbox="90 766 332 784" data-label="Section-Header"><h3>Page is blocked from indexing</h3></div><div data-bbox="90 787 869 822" data-label="Text"><p>Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives] (https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/).</p></div><div data-bbox="90 844 377 861" data-label="Section-Header"><h3>robots.txt is not valid 1 error found</h3></div><div data-bbox="90 865 872 919" data-label="Text"><p>If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt] (https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/).</p></div><div data-bbox="90 939 609 959" data-label="Section-Header"><h3>Page prevented back/forward cache restoration 3 failure reasons</h3></div>

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache] (<https://developer.chrome.com/docs/lighthouse/performance/bf-cache/>)

Use efficient cache lifetimes **Est savings of 1,641 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Improve image delivery **Est savings of 1,593 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

LCP breakdown

Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

[Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Modern HTTP **Est savings of 1,040 ms**

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](<https://developer.chrome.com/docs/performance/insights/modern-http>).

Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests **Est savings of 950 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Speed Index **4.4 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

Largest Contentful Paint **3.4 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

First Contentful Paint **2.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Avoid enormous network payloads **Total size was 3,452 KiB**

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes](https://developer.chrome.com/docs/lighthouse/performance/total-byte-weight/).

Minify CSS **Est savings of 27 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

Minify JavaScript **Est savings of 9 KiB**

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/).

Reduce unused CSS **Est savings of 138 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

Reduce unused JavaScript **Est savings of 258 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

Time to Interactive **3.4 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Performance: 55

Accessibility: 83

Best Practices: 100

SEO: 50

LCP
3.9 s

CLS
0.129

FCP
3.5 s

TBT
30 ms

MAX FID
80 ms

TTI
8.2 s

Avoid large layout shifts 4 layout shifts found

These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing] (https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](<https://web.dev/articles/optimize-cls>)

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible] (<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order] (<https://dequeuniversity.com/rules/axe/4.12/heading-order>).

Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible] (<https://dequeuniversity.com/rules/axe/4.12/link-name>).

Links are not crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](<https://support.google.com/webmasters/answer/9112205>)

Page is blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](<https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/>).

robots.txt is not valid 1 error found

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](<https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/>).

Page prevented back/forward cache restoration 3 failure reasons

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache] (<https://developer.chrome.com/docs/lighthouse/performance/bf-cache/>)

Use efficient cache lifetimes **Est savings of 2,600 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts] (<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows] (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

Improve image delivery **Est savings of 396 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size] (<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Modern HTTP **Est savings of 640 ms**

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP] (<https://developer.chrome.com/docs/performance/insights/modern-http>).

Network dependency tree

[Avoid chaining critical requests] (<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests **Est savings of 970 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Speed Index **4.3 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric] (<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

First Contentful Paint **1.9 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric] (<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions] (https://web.dev/articles/optimize-cls#images_without_dimensions)

Avoid enormous network payloads **Total size was 7,206 KiB**

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes](https://developer.chrome.com/docs/lighthouse/performance/total-byte-weight/).

Minify CSS **Est savings of 27 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

Minify JavaScript **Est savings of 9 KiB**

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript] (https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/).

Reduce unused CSS **Est savings of 138 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

Reduce unused JavaScript **Est savings of 253 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

Largest Contentful Paint **2.3 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

Cumulative Layout Shift **0.129**

Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more about the Cumulative Layout Shift metric](https://web.dev/articles/cls).

Time to Interactive **2.8 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Performance: 50

Accessibility: 82

Best Practices: 100

SEO: 50

LCP
6.5 s

CLS
0.004

FCP
4.1 s

TBT
190 ms

MAX FID
160 ms

TTI
12.6 s

Minimize main-thread work 2.4 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work]
(<https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/>)

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible]
(<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order]
(<https://dequeuniversity.com/rules/axe/4.12/heading-order>).

Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible]
(<https://dequeuniversity.com/rules/axe/4.12/link-name>).

Minify CSS Est savings of 27 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS]
(<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

Reduce unused CSS Est savings of 137 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS]
(<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

Links are not crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](<https://support.google.com/webmasters/answer/9112205>)

Page is blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](<https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/>).

robots.txt is not valid 1 error found

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/).

Page prevented back/forward cache restoration **3 failure reasons**

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](https://developer.chrome.com/docs/lighthouse/performance/bf-cache/)

Use efficient cache lifetimes **Est savings of 1,628 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

Improve image delivery **Est savings of 515 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

Modern HTTP **Est savings of 1,000 ms**

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](https://developer.chrome.com/docs/performance/insights/modern-http).

Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests **Est savings of 900 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Speed Index **4.4 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

Largest Contentful Paint **3.2 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

First Contentful Paint **2.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Avoid enormous network payloads **Total size was 3,314 KiB**

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes](https://developer.chrome.com/docs/lighthouse/performance/total-byte-weight/).

Minify JavaScript **Est savings of 9 KiB**

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/).

Reduce unused JavaScript **Est savings of 259 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

Time to Interactive **3.2 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Max Potential First Input Delay **80 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

/media-center/news/awards-five-renewable-energy-projects-with-a-total-capacity-of-4-500-mw-for-round-six-projects-1/ Desktop

[Open full Lighthouse report ↗](#)**Performance: 60****Accessibility: 82****Best Practices: 100****SEO: 50****LCP**
3.8 s**CLS**
0.008**FCP**
3.5 s**TBT**
10 ms**MAX FID**
60 ms**TTI**
8.1 s

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible]

(<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order]

(<https://dequeuniversity.com/rules/axe/4.12/heading-order>).

Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible]

(<https://dequeuniversity.com/rules/axe/4.12/link-name>).

Reduce unused CSS **Est savings of 138 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS]

(<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

Links are not crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable]

(<https://support.google.com/webmasters/answer/9112205>).

Page is blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them.

[Learn more about crawler directives](<https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/>).

robots.txt is not valid **1 error found**

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](<https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/>).

Page prevented back/forward cache restoration **3 failure reasons**

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache] (<https://developer.chrome.com/docs/lighthouse/performance/bf-cache/>)

Use efficient cache lifetimes **Est savings of 1,565 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache/>).

LCP request discovery

[Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Modern HTTP **Est savings of 820 ms**

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](<https://developer.chrome.com/docs/performance/insights/modern-http>).

Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests **Est savings of 940 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Speed Index **4.2 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

First Contentful Paint **1.9 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Minify CSS **Est savings of 27 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

Minify JavaScript **Est savings of 9 KiB**

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/>).

Reduce unused JavaScript **Est savings of 259 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

Improve image delivery Est savings of 856 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

Largest Contentful Paint 2.3 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

Time to Interactive 2.3 s

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Performance: 58

Accessibility: 82

Best Practices: 100

SEO: 50

LCP
4.3 s

CLS
0.012

FCP
3.5 s

TBT
10 ms

MAX FID
70 ms

TTI
7.8 s

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible] (<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order] (<https://dequeuniversity.com/rules/axe/4.12/heading-order>).

Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible] (<https://dequeuniversity.com/rules/axe/4.12/link-name>).

Links are not crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable] (<https://support.google.com/webmasters/answer/9112205>).

Page is blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives] (<https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/>).

robots.txt is not valid 1 error found

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt] (<https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/>).

Page prevented back/forward cache restoration 3 failure reasons

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache] (<https://developer.chrome.com/docs/lighthouse/performance/bf-cache/>).

Use efficient cache lifetimes Est savings of 1,473 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache/>).

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows] (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

LCP request discovery

[Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Modern HTTP **Est savings of 450 ms**

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](<https://developer.chrome.com/docs/performance/insights/modern-http>).

Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests **Est savings of 990 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Speed Index **4.1 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

First Contentful Paint **2.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Minify CSS **Est savings of 27 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

Minify JavaScript **Est savings of 9 KiB**

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/>).

Reduce unused CSS **Est savings of 138 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

Reduce unused JavaScript **Est savings of 254 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

Improve image delivery **Est savings of 20 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size] (<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Largest Contentful Paint **2.0 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

Time to Interactive **2.0 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric] (<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Performance: 57

Accessibility: 87

Best Practices: 100

SEO: 50

LCP
5.1 s

CLS
0.01

FCP
3.5 s

TBT
30 ms

MAX FID
70 ms

TTI
7.8 s

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible]

(<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order]

(<https://dequeuniversity.com/rules/axe/4.12/heading-order>).

Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible]

(<https://dequeuniversity.com/rules/axe/4.12/link-name>).

Links are not crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](<https://support.google.com/webmasters/answer/9112205>)

Page is blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](<https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/>).

robots.txt is not valid 1 error found

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](<https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/>).

Page prevented back/forward cache restoration 3 failure reasons

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache]

(<https://developer.chrome.com/docs/lighthouse/performance/bf-cache/>)

Use efficient cache lifetimes Est savings of 1,473 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache/>).

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

LCP breakdown

Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

[Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Modern HTTP **Est savings of 830 ms**

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](<https://developer.chrome.com/docs/performance/insights/modern-http>).

Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests **Est savings of 560 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Speed Index **4.4 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

First Contentful Paint **2.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

Largest Contentful Paint **2.6 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Minify CSS **Est savings of 27 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

Minify JavaScript **Est savings of 9 KiB**

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/>).

Reduce unused CSS **Est savings of 138 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

Reduce unused JavaScript **Est savings of 254 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

Improve image delivery **Est savings of 20 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Time to Interactive **2.6 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Performance: 60

Accessibility: 82

Best Practices: 100

SEO: 50

Open full Lighthouse report ↗

LCP
3.8 s

CLS
0.008

FCP
3.5 s

TBT
10 ms

MAX FID
60 ms

TTI
8.1 s

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible] (<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order] (<https://dequeuniversity.com/rules/axe/4.12/heading-order>).

Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible] (<https://dequeuniversity.com/rules/axe/4.12/link-name>).

Links are not crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable] (<https://support.google.com/webmasters/answer/9112205>).

Page is blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives] (<https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/>).

robots.txt is not valid 1 error found

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt] (<https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/>).

Page prevented back/forward cache restoration 3 failure reasons

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache] (<https://developer.chrome.com/docs/lighthouse/performance/bf-cache/>).

Use efficient cache lifetimes Est savings of 1,514 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

LCP request discovery

[Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Modern HTTP **Est savings of 430 ms**

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](https://developer.chrome.com/docs/performance/insights/modern-http).

Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests **Est savings of 970 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Speed Index **4.3 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

First Contentful Paint **1.9 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Minify CSS **Est savings of 27 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

Minify JavaScript **Est savings of 9 KiB**

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript] (https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/).

Reduce unused CSS **Est savings of 138 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

Reduce unused JavaScript **Est savings of 259 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

Improve image delivery Est savings of 431 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

Largest Contentful Paint 1.9 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

Time to Interactive 1.9 s

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Performance: 56

Accessibility: 82

Best Practices: 100

SEO: 50

LCP
5.8 s

CLS
0.01

FCP
3.5 s

TBT
30 ms

MAX FID
90 ms

TTI
8.1 s

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible]

(<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order]

(<https://dequeuniversity.com/rules/axe/4.12/heading-order>).

Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible]

(<https://dequeuniversity.com/rules/axe/4.12/link-name>).

Reduce unused CSS **Est savings of 138 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS]

(<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

Links are not crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable]

(<https://support.google.com/webmasters/answer/9112205>)

Page is blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them.

[Learn more about crawler directives](<https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/>).

robots.txt is not valid **1 error found**

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](<https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/>).

Page prevented back/forward cache restoration **3 failure reasons**

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache] (<https://developer.chrome.com/docs/lighthouse/performance/bf-cache/>)

Use efficient cache lifetimes **Est savings of 1,497 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache/>).

LCP request discovery

[Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Modern HTTP **Est savings of 840 ms**

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](<https://developer.chrome.com/docs/performance/insights/modern-http>).

Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests **Est savings of 970 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Speed Index **4.3 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

First Contentful Paint **2.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

Largest Contentful Paint **2.4 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Minify CSS **Est savings of 27 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

Minify JavaScript **Est savings of 9 KiB**

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/>).

Reduce unused JavaScript **Est savings of 258 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

Improve image delivery **Est savings of 176 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size] (<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Time to Interactive **2.4 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric] (<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Cumulative Layout Shift **0.044**

Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more about the Cumulative Layout Shift metric] (<https://web.dev/articles/cls>).

Performance: 57

Accessibility: 82

Best Practices: 100

SEO: 42

LCP
5.1 s

CLS
0.012

FCP
3.5 s

TBT
30 ms

MAX FID
80 ms

TTI
7.8 s

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible]

(<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order]

(<https://dequeuniversity.com/rules/axe/4.12/heading-order>).

Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible]

(<https://dequeuniversity.com/rules/axe/4.12/link-name>).

Reduce unused CSS Est savings of 138 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS]

(<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

Links do not have descriptive text 1 link found

Descriptive link text helps search engines understand your content. [Learn how to make links more accessible]

(<https://developer.chrome.com/docs/lighthouse/seo/link-text/>).

Links are not crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](<https://support.google.com/webmasters/answer/9112205>)

Page is blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](<https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/>).

robots.txt is not valid 1 error found

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](<https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/>).

Page prevented back/forward cache restoration **3 failure reasons**

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache] (<https://developer.chrome.com/docs/lighthouse/performance/bf-cache/>)

Use efficient cache lifetimes **Est savings of 1,473 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache/>).

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows] (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

LCP request discovery

[Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Modern HTTP **Est savings of 840 ms**

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](<https://developer.chrome.com/docs/performance/insights/modern-http>).

Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests **Est savings of 970 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Speed Index **4.3 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

First Contentful Paint **2.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

Largest Contentful Paint **2.4 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

Image elements do not have explicit ``width`` and ``height``

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Minify CSS Est savings of 27 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

Minify JavaScript Est savings of 9 KiB

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript] (https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/).

Reduce unused JavaScript Est savings of 259 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

Improve image delivery Est savings of 20 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

Time to Interactive 3.1 s

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Max Potential First Input Delay 100 ms

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Performance: 60

Accessibility: 82

Best Practices: 100

SEO: 42

LCP
3.8 s

CLS
0.008

FCP
3.5 s

TBT
20 ms

MAX FID
70 ms

TTI
8.1 s

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible]

(<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order]

(<https://dequeuniversity.com/rules/axe/4.12/heading-order>).

Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible]

(<https://dequeuniversity.com/rules/axe/4.12/link-name>).

Reduce unused CSS Est savings of 138 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS]

(<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

Links do not have descriptive text 1 link found

Descriptive link text helps search engines understand your content. [Learn how to make links more accessible]

(<https://developer.chrome.com/docs/lighthouse/seo/link-text/>).

Links are not crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](<https://support.google.com/webmasters/answer/9112205>)

Page is blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](<https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/>).

robots.txt is not valid 1 error found

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](<https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/>).

Page prevented back/forward cache restoration **3 failure reasons**

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache] (<https://developer.chrome.com/docs/lighthouse/performance/bf-cache/>)

Use efficient cache lifetimes **Est savings of 1,565 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache/>).

LCP request discovery

[Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Modern HTTP **Est savings of 850 ms**

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](<https://developer.chrome.com/docs/performance/insights/modern-http>).

Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests **Est savings of 1,010 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Speed Index **4.3 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

First Contentful Paint **2.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

Largest Contentful Paint **2.5 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Minify CSS **Est savings of 27 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

Minify JavaScript **Est savings of 9 KiB**

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/>).

Reduce unused JavaScript **Est savings of 259 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

Improve image delivery **Est savings of 856 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size] (<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Time to Interactive **2.5 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric] (<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Performance: 59

Accessibility: 75

Best Practices: 100

SEO: 50

LCP
4.1 s

CLS
0.003

FCP
3.5 s

TBT
40 ms

MAX FID
100 ms

TTI
8.1 s

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible] (<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast] (<https://dequeuniversity.com/rules/axe/4.12/color-contrast>).

Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order] (<https://dequeuniversity.com/rules/axe/4.12/heading-order>).

Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible] (<https://dequeuniversity.com/rules/axe/4.12/link-name>).

Links are not crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable] (<https://support.google.com/webmasters/answer/9112205>).

Page is blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives] (<https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/>).

robots.txt is not valid 1 error found

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt] (<https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/>).

Page prevented back/forward cache restoration 3 failure reasons

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache] (<https://developer.chrome.com/docs/lighthouse/performance/bf-cache/>).

Use efficient cache lifetimes Est savings of 1,533 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Modern HTTP **Est savings of 460 ms**

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP] (<https://developer.chrome.com/docs/performance/insights/modern-http>).

Network dependency tree

[Avoid chaining critical requests] (<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests **Est savings of 990 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Speed Index **4.2 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric] (<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

First Contentful Paint **2.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric] (<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions] (https://web.dev/articles/optimize-cls#images_without_dimensions)

Minify CSS **Est savings of 27 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

Minify JavaScript **Est savings of 9 KiB**

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/>).

Reduce unused CSS **Est savings of 138 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

Reduce unused JavaScript **Est savings of 258 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

Improve image delivery **Est savings of 20 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

Largest Contentful Paint **2.0 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

Time to Interactive **2.0 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Performance: 60

Accessibility: 82

Best Practices: 100

SEO: 50

LCP
3.8 s

CLS
0.004

FCP
3.5 s

TBT
20 ms

MAX FID
70 ms

TTI
8.3 s

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible] (<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order] (<https://dequeuniversity.com/rules/axe/4.12/heading-order>).

Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible] (<https://dequeuniversity.com/rules/axe/4.12/link-name>).

Links are not crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable] (<https://support.google.com/webmasters/answer/9112205>).

Page is blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives] (<https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/>).

robots.txt is not valid 1 error found

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt] (<https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/>).

Page prevented back/forward cache restoration 3 failure reasons

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache] (<https://developer.chrome.com/docs/lighthouse/performance/bf-cache/>).

Use efficient cache lifetimes Est savings of 1,850 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

Modern HTTP **Est savings of 420 ms**

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](https://developer.chrome.com/docs/performance/insights/modern-http).

Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests **Est savings of 980 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Speed Index **4.4 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

First Contentful Paint **1.9 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Avoid enormous network payloads **Total size was 4,926 KiB**

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes](https://developer.chrome.com/docs/lighthouse/performance/total-byte-weight/).

Minify CSS **Est savings of 27 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

Minify JavaScript **Est savings of 9 KiB**

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/).

Reduce unused CSS **Est savings of 136 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

Reduce unused JavaScript **Est savings of 246 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

Improve image delivery **Est savings of 2,158 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

Largest Contentful Paint **1.9 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

Time to Interactive **1.9 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Performance: 58

Accessibility: 82

Best Practices: 100

SEO: 50

Open full Lighthouse report ↗

LCP
4.6 s

CLS
0.008

FCP
3.5 s

TBT
40 ms

MAX FID
100 ms

TTI
8.1 s

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible] (<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order] (<https://dequeuniversity.com/rules/axe/4.12/heading-order>).

Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible] (<https://dequeuniversity.com/rules/axe/4.12/link-name>).

Links are not crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable] (<https://support.google.com/webmasters/answer/9112205>).

Page is blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives] (<https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/>).

robots.txt is not valid 1 error found

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt] (<https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/>).

Page prevented back/forward cache restoration 3 failure reasons

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache] (<https://developer.chrome.com/docs/lighthouse/performance/bf-cache/>).

Use efficient cache lifetimes Est savings of 1,565 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

LCP request discovery

[Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Modern HTTP **Est savings of 640 ms**

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](https://developer.chrome.com/docs/performance/insights/modern-http).

Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests **Est savings of 1,000 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Speed Index **4.5 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

First Contentful Paint **2.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Minify CSS **Est savings of 27 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

Minify JavaScript **Est savings of 9 KiB**

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript] (https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/).

Reduce unused CSS **Est savings of 138 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

Reduce unused JavaScript **Est savings of 259 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

Improve image delivery Est savings of 856 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

Largest Contentful Paint 2.2 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

Time to Interactive 2.2 s

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Performance: 56

Accessibility: 75

Best Practices: 100

SEO: 33

LCP
6.9 s

CLS
0.006

FCP
3.5 s

TBT
30 ms

MAX FID
80 ms

TTI
8.1 s

Avoid large layout shifts 4 layout shifts found

These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing] (https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](<https://web.dev/articles/optimize-cls>)

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible] (<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Document doesn't have a `` element</h2></div><div data-bbox="90 437 905 491" data-label="Text"><p>The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles] (https://dequeuniversity.com/rules/axe/4.12/document-title).</p></div><div data-bbox="90 513 572 530" data-label="Section-Header"><h2>Heading elements are not in a sequentially-descending order</h2></div><div data-bbox="90 534 885 588" data-label="Text"><p>Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order] (https://dequeuniversity.com/rules/axe/4.12/heading-order).</p></div><div data-bbox="90 609 384 626" data-label="Section-Header"><h2>Links do not have a discernible name</h2></div><div data-bbox="90 631 902 685" data-label="Text"><p>Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible] (https://dequeuniversity.com/rules/axe/4.12/link-name).</p></div><div data-bbox="90 706 442 724" data-label="Section-Header"><h2>Document does not have a meta description</h2></div><div data-bbox="90 727 895 763" data-label="Text"><p>Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description](https://developer.chrome.com/docs/lighthouse/seo/meta-description/).</p></div><div data-bbox="90 784 274 801" data-label="Section-Header"><h2>Links are not crawlable</h2></div><div data-bbox="90 806 875 859" data-label="Text"><p>Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](https://support.google.com/webmasters/answer/9112205)</p></div><div data-bbox="90 881 332 899" data-label="Section-Header"><h2>Page is blocked from indexing</h2></div><div data-bbox="90 902 868 938" data-label="Text"><p>Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/).</p></div>

robots.txt is not valid 1 error found

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/).

Page prevented back/forward cache restoration 3 failure reasons

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](https://developer.chrome.com/docs/lighthouse/performance/bf-cache/)

Use efficient cache lifetimes Est savings of 1,579 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](https://developer.chrome.com/docs/performance/insights/cls-culprit), such as elements being added, removed, or their fonts changing as the page loads.

Improve image delivery Est savings of 965 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

LCP breakdown

Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

[Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Modern HTTP Est savings of 1,030 ms

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](https://developer.chrome.com/docs/performance/insights/modern-http).

Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests Est savings of 970 ms

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Speed Index 4.5 s

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

Largest Contentful Paint 3.4 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

First Contentful Paint 1.9 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Avoid enormous network payloads Total size was 2,823 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes](https://developer.chrome.com/docs/lighthouse/performance/total-byte-weight/).

Minify CSS Est savings of 27 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

Minify JavaScript Est savings of 9 KiB

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript] (https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/).

Reduce unused CSS Est savings of 138 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

Reduce unused JavaScript Est savings of 260 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

Cumulative Layout Shift 0.177

Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more about the Cumulative Layout Shift metric](https://web.dev/articles/cls).

Time to Interactive 3.4 s

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Performance: 61

Accessibility: 82

Best Practices: 100

SEO: 50

LCP
3.7 s

CLS
0.003

FCP
3.5 s

TBT
20 ms

MAX FID
70 ms

TTI
8.3 s

Avoid multiple page redirects **Est savings of 710 ms**

Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects] (<https://developer.chrome.com/docs/lighthouse/performance/redirects/>).

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible] (<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order] (<https://dequeuniversity.com/rules/axe/4.12/heading-order>).

Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible] (<https://dequeuniversity.com/rules/axe/4.12/link-name>).

Minify CSS **Est savings of 27 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

Reduce unused CSS **Est savings of 139 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

Links are not crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable] (<https://support.google.com/webmasters/answer/9112205>)

Page is blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives] (<https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/>).

robots.txt is not valid **1 error found**

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/).

Page prevented back/forward cache restoration **3 failure reasons**

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](https://developer.chrome.com/docs/lighthouse/performance/bf-cache/)

Use efficient cache lifetimes **Est savings of 1,605 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

Document request latency **Est savings of 860 ms**

Your first network request is the most important. [Reduce its latency](https://developer.chrome.com/docs/performance/insights/document-latency) by avoiding redirects, ensuring a fast server response, and enabling text compression.

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

Improve image delivery **Est savings of 622 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests **Est savings of 740 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Speed Index **4.4 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

First Contentful Paint **2.2 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

Largest Contentful Paint **2.4 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Minify JavaScript **Est savings of 9 KiB**

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/).

Reduce unused JavaScript **Est savings of 259 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

Modern HTTP

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](https://developer.chrome.com/docs/performance/insights/modern-http).

Time to Interactive **2.5 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

/privacy-policy/ Desktop

Performance: 59

Accessibility: 82

Best Practices: 100

SEO: 50

LCP
4.2 s

CLS
0.006

FCP
3.9 s

TBT
30 ms

MAX FID
80 ms

TTI
8.6 s

Full audit not run for this page. Increase "Max pages" to include it in the deep audit.

Performance: 60

Accessibility: 82

Best Practices: 100

SEO: 50

LCP
3.8 s

CLS
0.005

FCP
3.5 s

TBT
20 ms

MAX FID
70 ms

TTI
8.3 s

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible] (<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order] (<https://dequeuniversity.com/rules/axe/4.12/heading-order>).

Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible] (<https://dequeuniversity.com/rules/axe/4.12/link-name>).

Links are not crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable] (<https://support.google.com/webmasters/answer/9112205>)

Page is blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives] (<https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/>).

robots.txt is not valid 1 error found

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt] (<https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/>).

Page prevented back/forward cache restoration 3 failure reasons

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache] (<https://developer.chrome.com/docs/lighthouse/performance/bf-cache/>)

Use efficient cache lifetimes Est savings of 1,791 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

Modern HTTP **Est savings of 410 ms**

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](https://developer.chrome.com/docs/performance/insights/modern-http).

Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests **Est savings of 920 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Speed Index **4.2 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

First Contentful Paint **1.9 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Avoid enormous network payloads **Total size was 4,188 KiB**

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes](https://developer.chrome.com/docs/lighthouse/performance/total-byte-weight/).

Minify CSS **Est savings of 27 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

Minify JavaScript **Est savings of 9 KiB**

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/).

Reduce unused CSS **Est savings of 136 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

Reduce unused JavaScript **Est savings of 259 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

Improve image delivery **Est savings of 2,006 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

Largest Contentful Paint **1.9 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

Time to Interactive **2.5 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Performance: 55

Accessibility: 75

Best Practices: 100

SEO: 33

LCP

13.8 s

CLS

0.006

FCP

3.5 s

TBT

10 ms

MAX FID

60 ms

TTI

13.8 s

Avoid large layout shifts 4 layout shifts found

These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing] (https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](<https://web.dev/articles/optimize-cls>)

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible] (<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Document doesn't have a `` element</h2></div><div data-bbox="90 437 905 491" data-label="Text"><p>The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles] (https://dequeuniversity.com/rules/axe/4.12/document-title).</p></div><div data-bbox="90 513 572 530" data-label="Section-Header"><h2>Heading elements are not in a sequentially-descending order</h2></div><div data-bbox="90 534 885 588" data-label="Text"><p>Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order] (https://dequeuniversity.com/rules/axe/4.12/heading-order).</p></div><div data-bbox="90 609 384 626" data-label="Section-Header"><h2>Links do not have a discernible name</h2></div><div data-bbox="90 631 902 685" data-label="Text"><p>Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible] (https://dequeuniversity.com/rules/axe/4.12/link-name).</p></div><div data-bbox="90 706 441 724" data-label="Section-Header"><h2>Document does not have a meta description</h2></div><div data-bbox="90 727 895 763" data-label="Text"><p>Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description](https://developer.chrome.com/docs/lighthouse/seo/meta-description/).</p></div><div data-bbox="90 784 274 801" data-label="Section-Header"><h2>Links are not crawlable</h2></div><div data-bbox="90 806 875 859" data-label="Text"><p>Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](https://support.google.com/webmasters/answer/9112205)</p></div><div data-bbox="90 881 331 899" data-label="Section-Header"><h2>Page is blocked from indexing</h2></div><div data-bbox="90 902 868 938" data-label="Text"><p>Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/).</p></div>

robots.txt is not valid **1 error found**

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/).

Page prevented back/forward cache restoration **3 failure reasons**

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](https://developer.chrome.com/docs/lighthouse/performance/bf-cache/)

Use efficient cache lifetimes **Est savings of 1,585 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](https://developer.chrome.com/docs/performance/insights/cls-culprit), such as elements being added, removed, or their fonts changing as the page loads.

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

Improve image delivery **Est savings of 1,025 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

LCP breakdown

Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

[Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Modern HTTP **Est savings of 1,050 ms**

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](https://developer.chrome.com/docs/performance/insights/modern-http).

Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests **Est savings of 910 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Speed Index **4.6 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

Largest Contentful Paint **3.4 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

First Contentful Paint **2.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Avoid enormous network payloads **Total size was 2,883 KiB**

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes](<https://developer.chrome.com/docs/lighthouse/performance/total-byte-weight/>).

Minify CSS **Est savings of 27 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

Minify JavaScript **Est savings of 9 KiB**

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/>).

Reduce unused CSS **Est savings of 138 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

Reduce unused JavaScript **Est savings of 259 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

Cumulative Layout Shift **0.19**

Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more about the Cumulative Layout Shift metric](<https://web.dev/articles/cls>).

Time to Interactive 3.4 s

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Max Potential First Input Delay 150 ms

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Total Blocking Time 160 ms

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/).

Performance: 56

Accessibility: 75

Best Practices: 100

SEO: 33

LCP
6.6 sCLS
0.006FCP
3.5 sTBT
30 msMAX FID
90 msTTI
8.1 s

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible] (<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Document doesn't have a `` element</h3></div><div data-bbox="90 321 905 375" data-label="Text"><p>The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles] (https://dequeuniversity.com/rules/axe/4.12/document-title).</p></div><div data-bbox="90 396 574 414" data-label="Section-Header"><h3>Heading elements are not in a sequentially-descending order</h3></div><div data-bbox="90 418 885 472" data-label="Text"><p>Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order] (https://dequeuniversity.com/rules/axe/4.12/heading-order).</p></div><div data-bbox="90 494 384 510" data-label="Section-Header"><h3>Links do not have a discernible name</h3></div><div data-bbox="90 516 902 569" data-label="Text"><p>Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible] (https://dequeuniversity.com/rules/axe/4.12/link-name).</p></div><div data-bbox="90 590 442 608" data-label="Section-Header"><h3>Document does not have a meta description</h3></div><div data-bbox="90 611 895 647" data-label="Text"><p>Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description] (https://developer.chrome.com/docs/lighthouse/seo/meta-description/).</p></div><div data-bbox="90 669 274 685" data-label="Section-Header"><h3>Links are not crawlable</h3></div><div data-bbox="90 690 875 744" data-label="Text"><p>Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable] (https://support.google.com/webmasters/answer/9112205).</p></div><div data-bbox="90 766 332 784" data-label="Section-Header"><h3>Page is blocked from indexing</h3></div><div data-bbox="90 787 869 823" data-label="Text"><p>Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives] (https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/).</p></div><div data-bbox="90 844 377 861" data-label="Section-Header"><h3>robots.txt is not valid 1 error found</h3></div><div data-bbox="90 865 872 919" data-label="Text"><p>If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt] (https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/).</p></div><div data-bbox="90 939 609 959" data-label="Section-Header"><h3>Page prevented back/forward cache restoration 3 failure reasons</h3></div>

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache] (<https://developer.chrome.com/docs/lighthouse/performance/bf-cache/>)

Use efficient cache lifetimes **Est savings of 1,641 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows] (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

Improve image delivery **Est savings of 1,593 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

LCP breakdown

Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP request discovery

[Optimize LCP](<https://developer.chrome.com/docs/performance/insights/lcp-discovery>) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Modern HTTP **Est savings of 1,050 ms**

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](<https://developer.chrome.com/docs/performance/insights/modern-http>).

Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests **Est savings of 960 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

Speed Index **4.4 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

Largest Contentful Paint **3.4 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

First Contentful Paint 2.0 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Avoid enormous network payloads Total size was 3,451 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes](https://developer.chrome.com/docs/lighthouse/performance/total-byte-weight/).

Minify CSS Est savings of 27 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

Minify JavaScript Est savings of 9 KiB

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript] (https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/).

Reduce unused CSS Est savings of 138 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

Reduce unused JavaScript Est savings of 258 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

Time to Interactive 3.4 s

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

/the-principal-buyer-signed-power-purchase-agreements-for-seven-new-renewable-energy-projects/ Desktop

[Open full Lighthouse report ↗](#)**Performance: 58****Accessibility: 82****Best Practices: 100****SEO: 50**

LCP

4.3 s

CLS

0.003

FCP

3.5 s

TBT

20 ms

MAX FID

80 ms

TTI

7.8 s

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible]

(<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order]

(<https://dequeuniversity.com/rules/axe/4.12/heading-order>).

Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible]

(<https://dequeuniversity.com/rules/axe/4.12/link-name>).

Links are not crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](<https://support.google.com/webmasters/answer/9112205>)

Page is blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](<https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/>).

robots.txt is not valid 1 error found

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](<https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/>).

Page prevented back/forward cache restoration 3 failure reasons

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache]

(<https://developer.chrome.com/docs/lighthouse/performance/bf-cache/>)

Use efficient cache lifetimes Est savings of 1,473 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching]

(<https://developer.chrome.com/docs/performance/insights/cache/>).

LCP request discovery

[Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Modern HTTP **Est savings of 630 ms**

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](https://developer.chrome.com/docs/performance/insights/modern-http).

Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests **Est savings of 920 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Speed Index **4.1 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

First Contentful Paint **1.9 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Minify CSS **Est savings of 27 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

Minify JavaScript **Est savings of 9 KiB**

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/).

Reduce unused CSS **Est savings of 138 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

Reduce unused JavaScript **Est savings of 256 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

Improve image delivery Est savings of 20 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size] (<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Largest Contentful Paint 2.3 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

Time to Interactive 2.3 s

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric] (<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Performance: 57

Accessibility: 82

Best Practices: 100

SEO: 50

LCP
5.4 s

CLS
0.005

FCP
3.5 s

TBT
40 ms

MAX FID
100 ms

TTI
8.7 s

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible] (<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order] (<https://dequeuniversity.com/rules/axe/4.12/heading-order>).

Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible] (<https://dequeuniversity.com/rules/axe/4.12/link-name>).

Links are not crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable] (<https://support.google.com/webmasters/answer/9112205>)

Page is blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives] (<https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/>).

robots.txt is not valid 1 error found

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt] (<https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/>).

Page prevented back/forward cache restoration 3 failure reasons

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache] (<https://developer.chrome.com/docs/lighthouse/performance/bf-cache/>)

Use efficient cache lifetimes Est savings of 2,306 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

Modern HTTP **Est savings of 420 ms**

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](https://developer.chrome.com/docs/performance/insights/modern-http).

Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests **Est savings of 990 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Speed Index **4.4 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

First Contentful Paint **2.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Avoid enormous network payloads **Total size was 9,332 KiB**

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes](https://developer.chrome.com/docs/lighthouse/performance/total-byte-weight/).

Minify CSS **Est savings of 27 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

Minify JavaScript **Est savings of 9 KiB**

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/).

Reduce unused CSS **Est savings of 136 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

Reduce unused JavaScript **Est savings of 253 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

Improve image delivery **Est savings of 2,455 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Largest Contentful Paint **2.0 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

Time to Interactive **3.0 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Performance: 57

Accessibility: 82

Best Practices: 100

SEO: 50

LCP
5.2 s

CLS
0.003

FCP
3.5 s

TBT
60 ms

MAX FID
90 ms

TTI
8.1 s

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible] (<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order] (<https://dequeuniversity.com/rules/axe/4.12/heading-order>).

Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible] (<https://dequeuniversity.com/rules/axe/4.12/link-name>).

Minify CSS **Est savings of 27 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

Links are not crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable] (<https://support.google.com/webmasters/answer/9112205>).

Page is blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives] (<https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/>).

robots.txt is not valid **1 error found**

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt] (<https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/>).

Page prevented back/forward cache restoration **3 failure reasons**

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache] (<https://developer.chrome.com/docs/lighthouse/performance/bf-cache/>).

Use efficient cache lifetimes **Est savings of 1,628 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

Improve image delivery Est savings of 1,499 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

LCP breakdown

Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

Modern HTTP Est savings of 660 ms

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](https://developer.chrome.com/docs/performance/insights/modern-http).

Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests Est savings of 1,020 ms

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Speed Index 5.6 s

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

First Contentful Paint 2.0 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

Largest Contentful Paint 2.5 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Avoid enormous network payloads Total size was 3,314 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes](https://developer.chrome.com/docs/lighthouse/performance/total-byte-weight/).

Minify JavaScript Est savings of 9 KiB

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/>).

Reduce unused CSS **Est savings of 138 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

Reduce unused JavaScript **Est savings of 258 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

Time to Interactive **2.9 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric] (<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Performance: 57

Accessibility: 82

Best Practices: 100

SEO: 50

LCP
5.1 s

CLS
0.021

FCP
3.7 s

TBT
0 ms

MAX FID
30 ms

TTI
5.1 s

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible] (<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order] (<https://dequeuniversity.com/rules/axe/4.12/heading-order>).

Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible] (<https://dequeuniversity.com/rules/axe/4.12/link-name>).

Links are not crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable] (<https://support.google.com/webmasters/answer/9112205>).

Page is blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives] (<https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/>).

robots.txt is not valid 1 error found

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt] (<https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/>).

Page prevented back/forward cache restoration 3 failure reasons

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache] (<https://developer.chrome.com/docs/lighthouse/performance/bf-cache/>).

Use efficient cache lifetimes Est savings of 1,572 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

Improve image delivery Est savings of 877 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

LCP request discovery

[Optimize LCP](https://developer.chrome.com/docs/performance/insights/lcp-discovery) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Modern HTTP Est savings of 1,030 ms

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](https://developer.chrome.com/docs/performance/insights/modern-http).

Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests Est savings of 880 ms

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Speed Index 4.4 s

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

First Contentful Paint 2.2 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

Largest Contentful Paint 3.2 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Avoid enormous network payloads Total size was 2,779 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes](https://developer.chrome.com/docs/lighthouse/performance/total-byte-weight/).

Minify CSS **Est savings of 27 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

Minify JavaScript **Est savings of 9 KiB**

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/>).

Reduce unused CSS **Est savings of 138 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

Reduce unused JavaScript **Est savings of 255 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

Time to Interactive **3.3 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric] (<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Max Potential First Input Delay **100 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Total Blocking Time **70 ms**

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/>).

Performance: 55

Accessibility: 69

Best Practices: 100

SEO: 33

LCP
4.0 s

CLS
0.129

FCP
3.5 s

TBT
20 ms

MAX FID
70 ms

TTI
8.1 s

Avoid large layout shifts 4 layout shifts found

These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing] (https://web.dev/articles/cls#what_is_cls). [Learn how to improve CLS](<https://web.dev/articles/optimize-cls>)

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible] (<https://dequeuniversity.com/rules/axe/4.12/button-name>).

Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast] (<https://dequeuniversity.com/rules/axe/4.12/color-contrast>).

Document doesn't have a `` element</h3></div><div data-bbox="90 516 905 569" data-label="Text"><p>The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles] (https://dequeuniversity.com/rules/axe/4.12/document-title).</p></div><div data-bbox="90 590 574 608" data-label="Section-Header"><h3>Heading elements are not in a sequentially-descending order</h3></div><div data-bbox="90 611 885 665" data-label="Text"><p>Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order] (https://dequeuniversity.com/rules/axe/4.12/heading-order).</p></div><div data-bbox="90 687 384 704" data-label="Section-Header"><h3>Links do not have a discernible name</h3></div><div data-bbox="90 709 902 763" data-label="Text"><p>Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible] (https://dequeuniversity.com/rules/axe/4.12/link-name).</p></div><div data-bbox="90 784 430 802" data-label="Section-Header"><h3>Reduce unused CSS Est savings of 135 KiB</h3></div><div data-bbox="90 805 852 859" data-label="Text"><p>Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).</p></div><div data-bbox="90 881 481 899" data-label="Section-Header"><h3>Reduce unused JavaScript Est savings of 257 KiB</h3></div>

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

Document does not have a meta description

Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description] (<https://developer.chrome.com/docs/lighthouse/seo/meta-description/>).

Links are not crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable] (<https://support.google.com/webmasters/answer/9112205>)

Page is blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives] (<https://developer.chrome.com/docs/lighthouse/seo/is-crawlable/>).

robots.txt is not valid 1 error found

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt] (<https://developer.chrome.com/docs/lighthouse/seo/invalid-robots-txt/>).

Page prevented back/forward cache restoration 3 failure reasons

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache] (<https://developer.chrome.com/docs/lighthouse/performance/bf-cache/>)

Use efficient cache lifetimes Est savings of 2,459 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts] (<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

Improve image delivery Est savings of 303 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size] (<https://developer.chrome.com/docs/performance/insights/image-delivery>)

LCP breakdown

Each [subpart has specific improvement strategies] (<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

Modern HTTP Est savings of 990 ms

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP] (<https://developer.chrome.com/docs/performance/insights/modern-http>).

Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

Render-blocking requests **Est savings of 560 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

Speed Index **5.0 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

First Contentful Paint **2.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

Largest Contentful Paint **3.3 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](https://web.dev/articles/optimize-cls#images_without_dimensions)

Avoid enormous network payloads **Total size was 2,696 KiB**

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes](https://developer.chrome.com/docs/lighthouse/performance/total-byte-weight/).

Minify CSS **Est savings of 27 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

Minify JavaScript **Est savings of 9 KiB**

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript] (https://developer.chrome.com/docs/lighthouse/performance/unminified-javascript/).

Time to Interactive **3.3 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Cumulative Layout Shift **0.135**

Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more about the Cumulative Layout Shift metric](https://web.dev/articles/cls).

