

# Danah - Consolidated Performance Report

Generated 2026-08-10 12:17 - Source: D:\performance\_testing\_dashboard\runs\toolsvenue-com-desktop-20260810-121114

67

PAGES

1356

ISSUES FOUND

## Summary - all pages

| PAGE                                                                               | PERFORMANCE | ACCESSIBILITY | BEST PRACTICES | SEO | ISSUES | REPORT                 |
|------------------------------------------------------------------------------------|-------------|---------------|----------------|-----|--------|------------------------|
| / Desktop                                                                          | 17          | 88            | 77             | 100 | 29     | <a href="#">Open ↗</a> |
| /about-us/ Desktop                                                                 | 43          | 85            | 73             | 100 | 22     | <a href="#">Open ↗</a> |
| /age-calculator-more-than-just-numbers-heres-why-we-all-love-counting-age/ Desktop | 48          | 90            | 77             | 100 | 23     | <a href="#">Open ↗</a> |
| /age-calculator/ Desktop                                                           | 44          | 93            | 77             | 100 | 19     | <a href="#">Open ↗</a> |
| /ai-article-rewriter/ Desktop                                                      | 53          | 93            | 77             | 100 | 19     | <a href="#">Open ↗</a> |
| /ai-code-explainer/ Desktop                                                        | 49          | 90            | 77             | 100 | 21     | <a href="#">Open ↗</a> |
| /ai-recipe-generator/ Desktop                                                      | 54          | 98            | 77             | 100 | 16     | <a href="#">Open ↗</a> |
| /ai-story-writer/ Desktop                                                          | 54          | 93            | 77             | 100 | 19     | <a href="#">Open ↗</a> |
| /ai-thumbnail-idea-generator/ Desktop                                              | 56          | 93            | 77             | 100 | 18     | <a href="#">Open ↗</a> |
| /ai-workout-planner/ Desktop                                                       | 48          | 93            | 77             | 100 | 19     | <a href="#">Open ↗</a> |
| /ai-youtube-comment-responder/ Desktop                                             | 52          | 93            | 77             | 100 | 20     | <a href="#">Open ↗</a> |
| /ai-youtube-idea-generator/ Desktop                                                | 56          | 93            | 77             | 100 | 20     | <a href="#">Open ↗</a> |
| /api-fetch-tester/ Desktop                                                         | 56          | 88            | 77             | 100 | 21     | <a href="#">Open ↗</a> |
| /ascii-art-generator/ Desktop                                                      | 57          | 88            | 77             | 100 | 20     | <a href="#">Open ↗</a> |
| /aspect-ratio-calculator/ Desktop                                                  | 57          | 93            | 77             | 100 | 19     | <a href="#">Open ↗</a> |
| /blog-title-generator/ Desktop                                                     | 55          | 93            | 77             | 100 | 20     | <a href="#">Open ↗</a> |

| PAGE                                                    | PERFORMANCE | ACCESSIBILITY | BEST PRACTICES | SEO | ISSUES | REPORT                 |
|---------------------------------------------------------|-------------|---------------|----------------|-----|--------|------------------------|
| <a href="#">/blogs/</a> Desktop                         | 58          | 93            | 77             | 100 | 19     | <a href="#">Open ↗</a> |
| <a href="#">/bmi-calculator/</a> Desktop                | 53          | 91            | 77             | 100 | 20     | <a href="#">Open ↗</a> |
| <a href="#">/categories/</a> Desktop                    | 58          | 93            | 77             | 100 | 19     | <a href="#">Open ↗</a> |
| <a href="#">/categories/ai-tools/</a><br>Desktop        | 56          | 93            | 77             | 100 | 20     | <a href="#">Open ↗</a> |
| <a href="#">/categories/developer-tools/</a><br>Desktop | 57          | 93            | 77             | 100 | 20     | <a href="#">Open ↗</a> |
| <a href="#">/categories/images-tools/</a><br>Desktop    | 58          | 93            | 77             | 100 | 19     | <a href="#">Open ↗</a> |
| <a href="#">/categories/text-tools/</a><br>Desktop      | 59          | 93            | 77             | 100 | 18     | <a href="#">Open ↗</a> |
| <a href="#">/categories/youtube-tools/</a><br>Desktop   | 57          | 93            | 77             | 100 | 20     | <a href="#">Open ↗</a> |
| <a href="#">/chmod-calculator/</a><br>Desktop           | 56          | 88            | 77             | 100 | 21     | <a href="#">Open ↗</a> |
| <a href="#">/color-contrast-checker/</a><br>Desktop     | 46          | 88            | 77             | 100 | 25     | <a href="#">Open ↗</a> |
| <a href="#">/color-palette-generator/</a><br>Desktop    | 57          | 92            | 77             | 100 | 22     | <a href="#">Open ↗</a> |
| <a href="#">/color-picker/</a> Desktop                  | 52          | 93            | 77             | 100 | 22     | <a href="#">Open ↗</a> |
| <a href="#">/compress-pdf/</a> Desktop                  | 52          | 95            | 77             | 100 | 20     | <a href="#">Open ↗</a> |
| <a href="#">/contact-us/</a> Desktop                    | 59          | 89            | 77             | 100 | 20     | <a href="#">Open ↗</a> |
| <a href="#">/countdown-timer/</a><br>Desktop            | 56          | 95            | 77             | 100 | 19     | <a href="#">Open ↗</a> |
| <a href="#">/css-beautifier/</a> Desktop                | 57          | 93            | 77             | 100 | 19     | <a href="#">Open ↗</a> |
| <a href="#">/css-gradient-generator/</a><br>Desktop     | 55          | 88            | 77             | 100 | 21     | <a href="#">Open ↗</a> |

| PAGE                                                                                              | PERFORMANCE | ACCESSIBILITY | BEST PRACTICES | SEO | ISSUES | REPORT                 |
|---------------------------------------------------------------------------------------------------|-------------|---------------|----------------|-----|--------|------------------------|
| <a href="#">/css-minifier/</a> Desktop                                                            | 49          | 95            | 77             | 100 | 20     | <a href="#">Open ↗</a> |
| <a href="#">/currency-converter/</a><br>Desktop                                                   | 57          | 95            | 77             | 100 | 17     | <a href="#">Open ↗</a> |
| <a href="#">/drawing-app/</a> Desktop                                                             | 57          | 89            | 77             | 100 | 19     | <a href="#">Open ↗</a> |
| <a href="#">/favicon-generator/</a><br>Desktop                                                    | 56          | 93            | 77             | 100 | 19     | <a href="#">Open ↗</a> |
| <a href="#">/free-ai-code-explainer-understand-any-code-in-seconds-toolsvenue/</a><br>Desktop     | 55          | 90            | 77             | 100 | 21     | <a href="#">Open ↗</a> |
| <a href="#">/free-online-jpeg-png-webp-image-compressor-toolsvenue/</a> Desktop                   | 56          | 90            | 77             | 100 | 20     | <a href="#">Open ↗</a> |
| <a href="#">/grammar-checker/</a><br>Desktop                                                      | 38          | 95            | 77             | 100 | 21     | <a href="#">Open ↗</a> |
| <a href="#">/how-to-rewrite-articles-like-a-pro-without-losing-meaning-or-quality/</a><br>Desktop | 56          | 90            | 77             | 100 | 20     | <a href="#">Open ↗</a> |
| <a href="#">/html-beautifier-online-format-indent-clean-your-html-code-instantly/</a><br>Desktop  | 55          | 90            | 77             | 100 | 21     | <a href="#">Open ↗</a> |
| <a href="#">/html-beautifier/</a> Desktop                                                         | 55          | 88            | 77             | 100 | 21     | <a href="#">Open ↗</a> |
| <a href="#">/html-entity-converter/</a><br>Desktop                                                | 56          | 93            | 77             | 100 | 20     | <a href="#">Open ↗</a> |
| <a href="#">/html-minifier/</a> Desktop                                                           | 55          | 95            | 77             | 100 | 18     | <a href="#">Open ↗</a> |
| <a href="#">/image-compressor/</a><br>Desktop                                                     | 56          | 93            | 77             | 100 | 18     | <a href="#">Open ↗</a> |
| <a href="#">/image-resizer/</a> Desktop                                                           | 56          | 93            | 77             | 100 | 19     | <a href="#">Open ↗</a> |

| PAGE                                                                                                | PERFORMANCE | ACCESSIBILITY | BEST PRACTICES | SEO | ISSUES | REPORT                 |
|-----------------------------------------------------------------------------------------------------|-------------|---------------|----------------|-----|--------|------------------------|
| <a href="#">/image-to-pdf-converter/</a><br>Desktop                                                 | 55          | 83            | 77             | 100 | 21     | <a href="#">Open ↗</a> |
| <a href="#">/image-watermarker/</a><br>Desktop                                                      | 55          | 83            | 77             | 100 | 22     | <a href="#">Open ↗</a> |
| <a href="#">/javascript-beautifier/</a><br>Desktop                                                  | 57          | 93            | 77             | 100 | 19     | <a href="#">Open ↗</a> |
| <a href="#">/json-formatter/</a> Desktop                                                            | 55          | 93            | 77             | 100 | 18     | <a href="#">Open ↗</a> |
| <a href="#">/meme-generator/</a><br>Desktop                                                         | 63          | 83            | 77             | 100 | 21     | <a href="#">Open ↗</a> |
| <a href="#">/number-to-million-converter/</a> Desktop                                               | 38          | 94            | 77             | 100 | 22     | <a href="#">Open ↗</a> |
| <a href="#">/passport-photo-resizer/</a><br>Desktop                                                 | 50          | 88            | 77             | 100 | 22     | <a href="#">Open ↗</a> |
| <a href="#">/password-generator/</a><br>Desktop                                                     | 39          | 90            | 77             | 100 | 21     | <a href="#">Open ↗</a> |
| <a href="#">/privacy-policy/</a> Desktop                                                            | 61          | 85            | 73             | 100 | 22     | <a href="#">Open ↗</a> |
| <a href="#">/prompt-enhancer/</a><br>Desktop                                                        | 55          | 93            | 77             | 100 | 18     | <a href="#">Open ↗</a> |
| <a href="#">/roi-calculator/</a> Desktop                                                            | 55          | 86            | 77             | 100 | 18     | <a href="#">Open ↗</a> |
| <a href="#">/terms-conditions/</a><br>Desktop                                                       | 41          | 85            | 73             | 100 | 25     | <a href="#">Open ↗</a> |
| <a href="#">/text-to-speech/</a> Desktop                                                            | 52          | 80            | 77             | 100 | 25     | <a href="#">Open ↗</a> |
| <a href="#">/why-every-developer-needs-a-json-formatter-clean-code-faster-debugging/</a><br>Desktop | 56          | 90            | 77             | 100 | 19     | <a href="#">Open ↗</a> |
| <a href="#">/workout-plan-generator/</a><br>Desktop                                                 | 57          | 93            | 77             | 100 | 20     | <a href="#">Open ↗</a> |

| PAGE                                                    | PERFORMANCE | ACCESSIBILITY | BEST PRACTICES | SEO | ISSUES | REPORT                 |
|---------------------------------------------------------|-------------|---------------|----------------|-----|--------|------------------------|
| <a href="#">/youtube-description-optimizer/</a> Desktop | 54          | 93            | 77             | 100 | 21     | <a href="#">Open ↗</a> |
| <a href="#">/youtube-hashtag-generator/</a> Desktop     | 55          | 93            | 77             | 100 | 20     | <a href="#">Open ↗</a> |
| <a href="#">/youtube-script-outliner/</a> Desktop       | 55          | 93            | 77             | 100 | 18     | <a href="#">Open ↗</a> |
| <a href="#">/youtube-thumbnail-ideas/</a> Desktop       | 55          | 90            | 77             | 100 | 21     | <a href="#">Open ↗</a> |
| <a href="#">/youtube-title-generator/</a> Desktop       | 56          | 93            | 77             | 100 | 20     | <a href="#">Open ↗</a> |

Scores 0-100. ≥90 good - 50-89 needs work - <50 poor.

### Detail by page

Performance: 17

Accessibility: 88

Best Practices: 77

SEO: 100

LCP  
4.2 sCLS  
0.602FCP  
3.7 sTBT  
460 msMAX FID  
170 msTTI  
10.9 s**Reduce initial server response time** Root document took 610 ms

Keep the server response time for the main document short because all other requests depend on it. [Learn more about the Time to First Byte metric](https://developer.chrome.com/docs/lighthouse/performance/time-to-first-byte/).

**Uses third-party cookies** 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

**Minimize main-thread work** 2.2 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

**Avoid large layout shifts** 1 layout shift found

These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what\_is\_cls). [Learn how to improve CLS](https://web.dev/articles/optimize-cls)

**Background and foreground colors do not have a sufficient contrast ratio.**

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

**Heading elements are not in a sequentially-descending order**

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

**Document does not have a main landmark.**

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks](https://dequeuniversity.com/rules/axe/4.12/landmark-one-main).

**Links rely on color to be distinguishable.**

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable](https://dequeuniversity.com/rules/axe/4.12/link-in-text-block).

**Skip links are not focusable.**

Including a skip link can help users skip to the main content to save time. [Learn more about skip links] (<https://dequeuniversity.com/rules/axe/4.12/skip-link>).

---

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

---

### Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts] (<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

---

### Document request latency **Est savings of 510 ms**

Your first network request is the most important. [Reduce its latency] (<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

---

### Font display **Est savings of 600 ms**

Consider setting [font-display] (<https://developer.chrome.com/docs/performance/insights/font-display>) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides] (<https://developer.chrome.com/blog/font-fallbacks>).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows] (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

### LCP breakdown

Each [subpart has specific improvement strategies] (<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

---

### Network dependency tree

[Avoid chaining critical requests] (<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,530 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### Cumulative Layout Shift **0.468**

Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more about the Cumulative Layout Shift metric] (<https://web.dev/articles/cls>).

---

### First Contentful Paint **2.1 s**



First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### Speed Index 2.8 s

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### Minify CSS Est savings of 2 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

---

### Reduce unused JavaScript Est savings of 298 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

---

### Use efficient cache lifetimes Est savings of 21 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

---

### Improve image delivery Est savings of 136 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### Largest Contentful Paint 2.1 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

### Max Potential First Input Delay 180 ms

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

---

### Time to Interactive 2.6 s

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### Total Blocking Time 90 ms

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/).



Performance: 43

Accessibility: 85

Best Practices: 73

SEO: 100

LCP  
6.2 s

CLS  
0

FCP  
4.9 s

TBT  
300 ms

MAX FID  
160 ms

TTI  
12.5 s

### Browser errors were logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit] (<https://developer.chrome.com/docs/lighthouse/best-practices/errors-in-console/>)

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions] (<https://privacysandbox.google.com/cookies/prepare/overview>).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast] (<https://dequeuniversity.com/rules/axe/4.12/color-contrast>).

### Document does not have a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks] (<https://dequeuniversity.com/rules/axe/4.12/landmark-one-main>).

### Links rely on color to be distinguishable.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable] (<https://dequeuniversity.com/rules/axe/4.12/link-in-text-block>).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links] (<https://dequeuniversity.com/rules/axe/4.12/skip-link>).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 730 ms

Consider setting [font-display] (<https://developer.chrome.com/docs/performance/insights/font-display>) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides] (<https://developer.chrome.com/blog/font-fallbacks>).

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows]

(<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

## LCP breakdown

Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

---

## Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

## Render-blocking requests **Est savings of 770 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

## Speed Index **2.5 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

## Minify CSS **Est savings of 5 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

---

## Reduce unused CSS **Est savings of 18 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

---

## Reduce unused JavaScript **Est savings of 264 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

---

## Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

## Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

## First Contentful Paint **1.5 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

## Max Potential First Input Delay **190 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

---

### **Largest Contentful Paint** 1.5 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

---

### **Time to Interactive** 2.0 s

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric] (<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Performance: 48

Accessibility: 90

Best Practices: 77

SEO: 100

Open full Lighthouse report ↗

LCP

6.1 s

CLS

0.004

FCP

3.7 s

TBT

230 ms

MAX FID

130 ms

TTI

10.5 s

### Reduce initial server response time Root document took 610 ms

Keep the server response time for the main document short because all other requests depend on it. [Learn more about the Time to First Byte metric](https://developer.chrome.com/docs/lighthouse/performance/time-to-first-byte/).

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Document does not have a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks](https://dequeuniversity.com/rules/axe/4.12/landmark-one-main).

### Links rely on color to be distinguishable.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable](https://dequeuniversity.com/rules/axe/4.12/link-in-text-block).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Document request latency Est savings of 510 ms

Your first network request is the most important. [Reduce its latency](https://developer.chrome.com/docs/performance/insights/document-latency) by avoiding redirects, ensuring a fast server response, and enabling text compression.

### Font display Est savings of 240 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font

metric overrides](https://developer.chrome.com/blog/font-fallbacks).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

---

### LCP breakdown

Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,390 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### Speed Index **2.8 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### First Contentful Paint **1.9 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### Reduce unused CSS **Est savings of 18 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

---

### Reduce unused JavaScript **Est savings of 318 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

---

**Improve image delivery** **Est savings of 312 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

**Largest Contentful Paint** **1.9 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

**Time to Interactive** **2.9 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

**Max Potential First Input Delay** **80 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).



Performance: 44

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
5.1 s

CLS  
0.001

FCP  
3.8 s

TBT  
320 ms

MAX FID  
150 ms

TTI  
9.3 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Document does not have a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks](https://dequeuniversity.com/rules/axe/4.12/landmark-one-main).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused JavaScript Est savings of 320 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 210 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of

unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,030 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### Speed Index **2.3 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

---

### Reduce unused CSS **Est savings of 18 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

### Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

### First Contentful Paint **1.5 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

### Largest Contentful Paint **1.6 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

---

### Max Potential First Input Delay **100 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

---

### Time to Interactive **1.6 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Performance: 53

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
7.5 s

CLS  
0.001

FCP  
3.5 s

TBT  
140 ms

MAX FID  
100 ms

TTI  
8.1 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused JavaScript Est savings of 299 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 210 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Improve image delivery Est savings of 260 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

### LCP breakdown

Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

---

## Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

## Render-blocking requests **Est savings of 1,500 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

## First Contentful Paint **2.6 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

## Speed Index **2.9 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

## Largest Contentful Paint **2.9 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

---

## Minify CSS **Est savings of 5 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

---

## Reduce unused CSS **Est savings of 41 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

---

## Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

## Time to Interactive **3.4 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

## Max Potential First Input Delay **80 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).



Performance: 49

Accessibility: 90

Best Practices: 77

SEO: 100

LCP  
9.1 s

CLS  
0.001

FCP  
3.4 s

TBT  
210 ms

MAX FID  
100 ms

TTI  
9.7 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Links rely on color to be distinguishable.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable](https://dequeuniversity.com/rules/axe/4.12/link-in-text-block).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 250 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

### LCP breakdown

Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,090 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### Speed Index **2.3 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### Reduce unused CSS **Est savings of 18 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

---

### Reduce unused JavaScript **Est savings of 319 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (https://developer.chrome.com/docs/performance/insights/cache).

---

### Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### First Contentful Paint **1.6 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### Largest Contentful Paint **2.1 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

**Time to Interactive 2.3 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

**Max Potential First Input Delay 90 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).



Performance: 54

Accessibility: 98

Best Practices: 77

SEO: 100

LCP  
7.8 s

CLS  
0.002

FCP  
6.3 s

TBT  
110 ms

MAX FID  
100 ms

TTI  
10.5 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 450 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

### Render-blocking requests Est savings of 1,540 ms

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

### First Contentful Paint 2.0 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

### Speed Index 2.6 s

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### **Minify CSS** Est savings of 2 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### **Reduce unused CSS** Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

---

### **Reduce unused JavaScript** Est savings of 319 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

---

### **Use efficient cache lifetimes** Est savings of 21 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (https://developer.chrome.com/docs/performance/insights/cache).

---

### **Improve image delivery** Est savings of 260 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### **Largest Contentful Paint** 2.0 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

### **Time to Interactive** 2.4 s

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Performance: 54

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
6.9 s

CLS  
0.001

FCP  
3.2 s

TBT  
140 ms

MAX FID  
210 ms

TTI  
9.6 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused JavaScript Est savings of 314 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 190 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

### Improve image delivery Est savings of 260 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### LCP breakdown

Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,530 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### First Contentful Paint **2.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### Speed Index **2.6 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### Reduce unused CSS **Est savings of 18 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (https://developer.chrome.com/docs/performance/insights/cache).

---

### Largest Contentful Paint **2.1 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

### Time to Interactive **2.1 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

Performance: 56

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
6.2 s

CLS  
0.001

FCP  
5.2 s

TBT  
70 ms

MAX FID  
80 ms

TTI  
7.9 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 230 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

### Render-blocking requests Est savings of 1,340 ms

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### **First Contentful Paint** 1.8 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

### **Speed Index** 2.5 s

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

### **Minify CSS** Est savings of 2 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

---

### **Reduce unused CSS** Est savings of 16 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

---

### **Reduce unused JavaScript** Est savings of 320 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

---

### **Use efficient cache lifetimes** Est savings of 21 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

### **Improve image delivery** Est savings of 260 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

### **Largest Contentful Paint** 1.8 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

---

### **Time to Interactive** 1.8 s

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

Performance: 48

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
6.8 s

CLS  
0.001

FCP  
3.7 s

TBT  
220 ms

MAX FID  
120 ms

TTI  
9.4 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 250 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

### LCP breakdown

Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of

unnecessary resources to improve page load.

---

### **Render-blocking requests** Est savings of 1,620 ms

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### **First Contentful Paint** 2.1 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

### **Speed Index** 2.7 s

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

### **Minify CSS** Est savings of 2 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

---

### **Reduce unused CSS** Est savings of 12 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

---

### **Reduce unused JavaScript** Est savings of 318 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

---

### **Use efficient cache lifetimes** Est savings of 21 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

### **Improve image delivery** Est savings of 260 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

### **Largest Contentful Paint** 2.1 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

---

### **Time to Interactive** 2.1 s

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).



Performance: 52

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
5.1 s

CLS  
0.023

FCP  
3.6 s

TBT  
180 ms

MAX FID  
110 ms

TTI  
9.5 s

### Uses third-party cookies 2 cookies found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Minimize main-thread work 2.3 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 230 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Improve image delivery Est savings of 260 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 2,510 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### First Contentful Paint **3.6 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### Speed Index **5.3 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### Time to Interactive **9.5 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### Largest Contentful Paint **5.1 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### Reduce unused JavaScript **Est savings of 247 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

---

### Total Blocking Time **180 ms**

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/).

**Max Potential First Input Delay 110 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task.

[Learn more about the Maximum Potential First Input Delay metric]

(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Performance: 56

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
7.1 s

CLS  
0.001

FCP  
5.2 s

TBT  
40 ms

MAX FID  
80 ms

TTI  
9.5 s

### First Contentful Paint 5.2 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

### Uses third-party cookies 2 cookies found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Minimize main-thread work 2.2 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused JavaScript Est savings of 281 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 230 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font

metric overrides](https://developer.chrome.com/blog/font-fallbacks).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

---

### Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 4,070 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### Speed Index **6.3 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### Largest Contentful Paint **7.1 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

### Time to Interactive **9.5 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### Reduce unused CSS **Est savings of 18 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

### Max Potential First Input Delay 80 ms

The maximum potential First Input Delay that your users could experience is the duration of the longest task.

[Learn more about the Maximum Potential First Input Delay metric]

(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Performance: 56

Accessibility: 88

Best Practices: 77

SEO: 100

LCP  
6.9 s

CLS  
0.001

FCP  
3.6 s

TBT  
80 ms

MAX FID  
90 ms

TTI  
7.6 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Select elements do not have associated label elements.

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the `select` element](https://dequeuniversity.com/rules/axe/4.12/select-name).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 301 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Use efficient cache lifetimes Est savings of 21 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

### Font display **Est savings of 100 ms**

Consider setting [font-display](<https://developer.chrome.com/docs/performance/insights/font-display>) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](<https://developer.chrome.com/blog/font-fallbacks>).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows] (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

### Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

### Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 2,440 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### First Contentful Paint **3.6 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

### Largest Contentful Paint **6.9 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

---

### Speed Index **4.5 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

### Time to Interactive **7.6 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).



---

**Max Potential First Input Delay 90 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task.

[Learn more about the Maximum Potential First Input Delay metric]

(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

---

**Total Blocking Time 80 ms**

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric]

(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/>).

Performance: 57

Accessibility: 88

Best Practices: 77

SEO: 100

LCP  
6.7 s

CLS  
0.002

FCP  
3.0 s

TBT  
10 ms

MAX FID  
170 ms

TTI  
8.0 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Form elements do not have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels](https://dequeuniversity.com/rules/axe/4.12/label).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Minify CSS Est savings of 2 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 100 ms

Consider setting `[font-display]`(<https://developer.chrome.com/docs/performance/insights/font-display>) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with `[font metric overrides]`(<https://developer.chrome.com/blog/font-fallbacks>).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about `[forced reflows]`(<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

### Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

### Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,860 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### Largest Contentful Paint **6.7 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

---

### First Contentful Paint **3.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

### Speed Index **4.0 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

### Time to Interactive **8.0 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

### Reduce unused JavaScript **Est savings of 263 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

**Max Potential First Input Delay** 170 ms

The maximum potential First Input Delay that your users could experience is the duration of the longest task.

[Learn more about the Maximum Potential First Input Delay metric]

(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Performance: 57

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
6.7 s

CLS  
0.001

FCP  
3.0 s

TBT  
20 ms

MAX FID  
180 ms

TTI  
7.0 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 100 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

### Improve image delivery Est savings of 260 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,910 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### Largest Contentful Paint **6.7 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

### Speed Index **4.6 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### First Contentful Paint **3.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### Time to Interactive **7.0 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### Reduce unused JavaScript **Est savings of 262 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

---

### Max Potential First Input Delay **180 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).



Performance: 55

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
6.7 s

CLS  
0.001

FCP  
3.0 s

TBT  
130 ms

MAX FID  
180 ms

TTI  
6.7 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 289 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 100 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Forced reflow



A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows] (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

### **Improve image delivery** Est savings of 260 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

### **Network dependency tree**

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### **Render-blocking requests** Est savings of 1,800 ms

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### **Largest Contentful Paint** 6.7 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

---

### **First Contentful Paint** 3.0 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

### **Speed Index** 4.5 s

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

### **Time to Interactive** 6.7 s

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

### **Minify CSS** Est savings of 2 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

---

### **Use efficient cache lifetimes** Est savings of 21 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

### **Max Potential First Input Delay** 180 ms

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

**Total Blocking Time 130 ms**

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric]

(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/>).

Performance: 58

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
5.3 s

CLS  
0.001

FCP  
3.0 s

TBT  
30 ms

MAX FID  
70 ms

TTI  
8.1 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Document does not have a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks](https://dequeuniversity.com/rules/axe/4.12/landmark-one-main).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused JavaScript Est savings of 301 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 100 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

### Improve image delivery Est savings of 619 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,860 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### First Contentful Paint **3.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### Largest Contentful Paint **5.3 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

### Speed Index **3.9 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### Time to Interactive **8.1 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### Reduce unused CSS **Est savings of 18 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

---

### Max Potential First Input Delay **70 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).



Performance: 53

Accessibility: 91

Best Practices: 77

SEO: 100

LCP  
7.3 s

CLS  
0.001

FCP  
3.1 s

TBT  
150 ms

MAX FID  
190 ms

TTI  
10.8 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Document does not have a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks](https://dequeuniversity.com/rules/axe/4.12/landmark-one-main).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 274 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 480 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows]

(<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

### **Improve image delivery** Est savings of 260 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

### **Network dependency tree**

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### **Render-blocking requests** Est savings of 2,070 ms

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### **Largest Contentful Paint** 7.3 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

---

### **Time to Interactive** 10.8 s

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

### **Speed Index** 4.8 s

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

### **First Contentful Paint** 3.1 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

### **Minify CSS** Est savings of 2 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

---

### **Use efficient cache lifetimes** Est savings of 21 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

### **Max Potential First Input Delay** 190 ms

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

---

### **Total Blocking Time** 150 ms

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/>).



Performance: 58

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
5.3 s

CLS  
0.004

FCP  
3.0 s

TBT  
20 ms

MAX FID  
180 ms

TTI  
8.7 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Document does not have a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks](https://dequeuniversity.com/rules/axe/4.12/landmark-one-main).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused JavaScript Est savings of 288 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 760 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of

unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,900 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### First Contentful Paint **3.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

### Largest Contentful Paint **5.3 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

---

### Time to Interactive **8.7 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

### Speed Index **3.9 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

---

### Reduce unused CSS **Est savings of 18 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

### Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

### Max Potential First Input Delay **180 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Performance: 56

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
6.5 s

CLS  
0.016

FCP  
3.0 s

TBT  
120 ms

MAX FID  
190 ms

TTI  
10.5 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Document does not have a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks](https://dequeuniversity.com/rules/axe/4.12/landmark-one-main).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 273 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 480 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows]

(<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

### Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

### Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,930 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### Largest Contentful Paint **6.5 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

---

### Time to Interactive **10.5 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

### First Contentful Paint **3.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

### Speed Index **4.2 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

### Max Potential First Input Delay **190 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

---

### Total Blocking Time **120 ms**

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/>).

Performance: 57

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
6.5 s

CLS  
0.004

FCP  
3.0 s

TBT  
100 ms

MAX FID  
150 ms

TTI  
8.8 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Document does not have a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks](https://dequeuniversity.com/rules/axe/4.12/landmark-one-main).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 670 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

### Improve image delivery Est savings of 260 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,900 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### Largest Contentful Paint **6.5 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

### First Contentful Paint **3.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### Time to Interactive **8.8 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### Speed Index **3.9 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### Reduce unused JavaScript **Est savings of 216 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

---

### Max Potential First Input Delay **150 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

**Total Blocking Time** 100 ms

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric]

(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/>).



Performance: 58

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
5.5 s

CLS  
0.014

FCP  
3.2 s

TBT  
50 ms

MAX FID  
70 ms

TTI  
9.4 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Document does not have a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks](https://dequeuniversity.com/rules/axe/4.12/landmark-one-main).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused JavaScript Est savings of 285 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 430 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of

unnecessary resources to improve page load.

---

### **Render-blocking requests** Est savings of 1,900 ms

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### **First Contentful Paint** 3.2 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

### **Time to Interactive** 9.4 s

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

### **Largest Contentful Paint** 5.5 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

---

### **Speed Index** 3.9 s

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

### **Minify CSS** Est savings of 2 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

---

### **Reduce unused CSS** Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

---

### **Use efficient cache lifetimes** Est savings of 21 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

### **Improve image delivery** Est savings of 260 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

### **Max Potential First Input Delay** 70 ms

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Performance: 59

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
5.4 s

CLS  
0.016

FCP  
3.0 s

TBT  
0 ms

MAX FID  
50 ms

TTI  
5.4 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Document does not have a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks](https://dequeuniversity.com/rules/axe/4.12/landmark-one-main).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 300 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 450 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows]

(<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

### Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,890 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### First Contentful Paint **3.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

### Largest Contentful Paint **5.4 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>).

---

### Speed Index **3.5 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

### Time to Interactive **5.4 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

### Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Performance: 57

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
6.5 s

CLS  
0.016

FCP  
3.6 s

TBT  
80 ms

MAX FID  
80 ms

TTI  
9.6 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Document does not have a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks](https://dequeuniversity.com/rules/axe/4.12/landmark-one-main).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 301 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 340 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows]

(<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

### **Improve image delivery** Est savings of 260 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

### **Network dependency tree**

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### **Render-blocking requests** Est savings of 2,440 ms

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### **First Contentful Paint** 3.6 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

### **Largest Contentful Paint** 6.5 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

---

### **Time to Interactive** 9.6 s

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

### **Speed Index** 4.1 s

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

### **Minify CSS** Est savings of 2 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

---

### **Use efficient cache lifetimes** Est savings of 21 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

### **Total Blocking Time** 80 ms

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/>).

---

### **Max Potential First Input Delay** 80 ms

The maximum potential First Input Delay that your users could experience is the duration of the longest task.

[Learn more about the Maximum Potential First Input Delay metric]

(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Performance: 56

Accessibility: 88

Best Practices: 77

SEO: 100

LCP  
9.4 s

CLS  
0.001

FCP  
3.0 s

TBT  
50 ms

MAX FID  
70 ms

TTI  
9.4 s

### Largest Contentful Paint 9.4 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Form elements do not have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels](https://dequeuniversity.com/rules/axe/4.12/label).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused JavaScript Est savings of 287 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 70 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font



metric overrides](https://developer.chrome.com/blog/font-fallbacks).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

---

### Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### LCP breakdown

Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,910 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### Speed Index **4.6 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### Time to Interactive **9.4 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### First Contentful Paint **3.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### Reduce unused CSS **Est savings of 18 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

**Max Potential First Input Delay 70 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task.

[Learn more about the Maximum Potential First Input Delay metric]

(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Performance: 46

Accessibility: 88

Best Practices: 77

SEO: 100

LCP  
4.1 s

CLS  
0.01

FCP  
3.5 s

TBT  
330 ms

MAX FID  
230 ms

TTI  
8.5 s

### Speed Index 7.9 s

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

### Reduce initial server response time Root document took 640 ms

Keep the server response time for the main document short because all other requests depend on it. [Learn more about the Time to First Byte metric](https://developer.chrome.com/docs/lighthouse/performance/time-to-first-byte/).

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Minimize main-thread work 2.3 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Form elements do not have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels](https://dequeuniversity.com/rules/axe/4.12/label).

### Document does not have a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks](https://dequeuniversity.com/rules/axe/4.12/landmark-one-main).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

---

## Reduce unused JavaScript **Est savings of 290 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

---

## Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

---

## Document request latency **Est savings of 540 ms**

Your first network request is the most important. [Reduce its latency] (<https://developer.chrome.com/docs/performance/insights/document-latency>) by avoiding redirects, ensuring a fast server response, and enabling text compression.

---

## Font display **Est savings of 70 ms**

Consider setting [font-display](<https://developer.chrome.com/docs/performance/insights/font-display>) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](<https://developer.chrome.com/blog/font-fallbacks>).

---

## Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows] (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

## LCP breakdown

Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

---

## Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

## Render-blocking requests **Est savings of 1,920 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

## First Contentful Paint **3.5 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

## Time to Interactive **8.5 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

**Largest Contentful Paint 4.1 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

**Minify CSS Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

**Use efficient cache lifetimes Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

---

**Improve image delivery Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

**Total Blocking Time 330 ms**

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/).

---

**Max Potential First Input Delay 230 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Performance: 57

Accessibility: 92

Best Practices: 77

SEO: 100

LCP  
3.3 s

CLS  
0.093

FCP  
3.0 s

TBT  
160 ms

MAX FID  
170 ms

TTI  
10.6 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Minimize main-thread work 2.1 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Document does not have a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks](https://dequeuniversity.com/rules/axe/4.12/landmark-one-main).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 299 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 360 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font

metric overrides](https://developer.chrome.com/blog/font-fallbacks).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,920 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### Time to Interactive **10.6 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### Speed Index **4.6 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### First Contentful Paint **3.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### Largest Contentful Paint **3.3 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

---

### Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### Max Potential First Input Delay **170 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

---

**Total Blocking Time** 160 ms

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/>).

---

**Cumulative Layout Shift** 0.093

Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more about the Cumulative Layout Shift metric](<https://web.dev/articles/cls>).



Performance: 52

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
8.2 s

CLS  
0.001

FCP  
4.2 s

TBT  
150 ms

MAX FID  
100 ms

TTI  
10.1 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Minimize main-thread work 2.5 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work] (https://developer.chrome.com/docs/lighthouse/performance/mainthread-work-breakdown/)

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast] (https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order] (https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links] (https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Minify CSS Est savings of 5 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 286 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome

DevTools for more details on each issue.

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

---

### Font display **Est savings of 130 ms**

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

---

### Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### LCP breakdown

Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 2,740 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### First Contentful Paint **4.2 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### Largest Contentful Paint **8.2 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

### Speed Index **5.9 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

**Time to Interactive 10.1 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

**Total Blocking Time 150 ms**

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/).

---

**Max Potential First Input Delay 100 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Performance: 52

Accessibility: 95

Best Practices: 77

SEO: 100

LCP

10.6 s

CLS

0.001

FCP

3.0 s

TBT

170 ms

MAX FID

190 ms

TTI

10.7 s

### Largest Contentful Paint 10.6 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Elements with visible text labels do not have matching accessible names.

Visible text labels that do not match the accessible name can result in a confusing experience for screen reader users. [Learn more about accessible names](https://dequeuniversity.com/rules/axe/4.12/label-content-name-mismatch).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused JavaScript Est savings of 444 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Use efficient cache lifetimes Est savings of 21 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

### Font display Est savings of 70 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font

metric overrides](https://developer.chrome.com/blog/font-fallbacks).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

---

### Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,880 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### Speed Index **5.2 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### Time to Interactive **10.7 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### First Contentful Paint **3.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### Reduce unused CSS **Est savings of 18 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

---

### Max Potential First Input Delay **190 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

**Total Blocking Time 170 ms**

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric]

(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/>).

Performance: 59

Accessibility: 89

Best Practices: 77

SEO: 100

LCP  
4.4 s

CLS  
0.005

FCP  
3.7 s

TBT  
50 ms

MAX FID  
70 ms

TTI  
9.6 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Document does not have a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks](https://dequeuniversity.com/rules/axe/4.12/landmark-one-main).

### Links rely on color to be distinguishable.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable](https://dequeuniversity.com/rules/axe/4.12/link-in-text-block).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 294 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 750 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font

metric overrides](https://developer.chrome.com/blog/font-fallbacks).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

---

### Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 2,520 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### First Contentful Paint **3.7 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### Speed Index **4.7 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### Time to Interactive **9.6 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### Largest Contentful Paint **4.4 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

---

### Max Potential First Input Delay **70 ms**



The maximum potential First Input Delay that your users could experience is the duration of the longest task.

[Learn more about the Maximum Potential First Input Delay metric]

(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Performance: 56

Accessibility: 95

Best Practices: 77

SEO: 100

LCP  
9.1 s

CLS  
0.002

FCP  
3.0 s

TBT  
80 ms

MAX FID  
120 ms

TTI  
9.2 s

### Largest Contentful Paint 9.1 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Minify CSS Est savings of 2 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 287 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 70 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font

metric overrides](https://developer.chrome.com/blog/font-fallbacks).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

---

### Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,840 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### First Contentful Paint **3.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### Time to Interactive **9.2 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### Speed Index **4.1 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### Use efficient cache lifetimes **Est savings of 24 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

---

### Max Potential First Input Delay **120 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

---

### Total Blocking Time **80 ms**

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/).

Performance: 57

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
6.7 s

CLS  
0.001

FCP  
3.0 s

TBT  
60 ms

MAX FID  
180 ms

TTI  
8.0 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 70 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

### Improve image delivery Est savings of 260 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,900 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### Largest Contentful Paint **6.7 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

### Speed Index **4.6 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### First Contentful Paint **3.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### Time to Interactive **8.0 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### Reduce unused JavaScript **Est savings of 259 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

---

### Max Potential First Input Delay **180 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).



Performance: 55

Accessibility: 88

Best Practices: 77

SEO: 100

LCP  
9.1 s

CLS  
0.001

FCP  
3.0 s

TBT  
120 ms

MAX FID  
150 ms

TTI  
9.1 s

### Largest Contentful Paint 9.1 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Form elements do not have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels](https://dequeuniversity.com/rules/axe/4.12/label).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 283 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome

DevTools for more details on each issue.

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

### Font display **Est savings of 70 ms**

Consider setting [font-display](<https://developer.chrome.com/docs/performance/insights/font-display>) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](<https://developer.chrome.com/blog/font-fallbacks>).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows] (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

### Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

### Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,830 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### First Contentful Paint **3.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

### Time to Interactive **9.1 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

### Speed Index **4.1 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

---

### Max Potential First Input Delay **150 ms**



The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

---

**Total Blocking Time** 120 ms

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/>).

Performance: 49

Accessibility: 95

Best Practices: 77

SEO: 100

LCP  
6.7 s

CLS  
0.165

FCP  
5.2 s

TBT  
0 ms

MAX FID  
40 ms

TTI  
6.7 s

### First Contentful Paint 5.2 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Avoid large layout shifts 1 layout shift found

These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing] (https://web.dev/articles/cls#what\_is\_cls). [Learn how to improve CLS](https://web.dev/articles/optimize-cls)

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast] (https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links] (https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 288 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts] (<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

---

### Font display **Est savings of 70 ms**

Consider setting [font-display](<https://developer.chrome.com/docs/performance/insights/font-display>) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](<https://developer.chrome.com/blog/font-fallbacks>).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows] (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

### Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

### Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 4,010 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### Largest Contentful Paint **6.7 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

---

### Speed Index **5.2 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

### Time to Interactive **6.7 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

**Cumulative Layout Shift 0.165**

Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more about the Cumulative Layout Shift metric](<https://web.dev/articles/cls>).

Performance: 57

Accessibility: 95

Best Practices: 77

SEO: 100

LCP  
6.6 s

CLS  
0.005

FCP  
3.0 s

TBT  
0 ms

MAX FID  
50 ms

TTI  
8.2 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 303 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 70 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

### Improve image delivery Est savings of 260 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,850 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### Largest Contentful Paint **6.6 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

### First Contentful Paint **3.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### Time to Interactive **8.2 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### Speed Index **4.0 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

Performance: 57

Accessibility: 89

Best Practices: 77

SEO: 100

LCP  
7.1 s

CLS  
0.013

FCP  
3.0 s

TBT  
0 ms

MAX FID  
150 ms

TTI  
7.2 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Form elements do not have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels](https://dequeuniversity.com/rules/axe/4.12/label).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused JavaScript Est savings of 301 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 90 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

### Improve image delivery Est savings of 260 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,890 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### Largest Contentful Paint **7.1 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

### First Contentful Paint **3.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### Speed Index **4.1 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### Time to Interactive **7.2 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### Reduce unused CSS **Est savings of 18 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

---

### Max Potential First Input Delay **150 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).





Performance: 56

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
8.8 s

CLS  
0.001

FCP  
3.2 s

TBT  
30 ms

MAX FID  
70 ms

TTI  
8.8 s

### Largest Contentful Paint 8.8 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 301 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Use efficient cache lifetimes Est savings of 21 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

### Font display **Est savings of 80 ms**

Consider setting [font-display](<https://developer.chrome.com/docs/performance/insights/font-display>) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](<https://developer.chrome.com/blog/font-fallbacks>).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows] (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

### Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,920 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### Speed Index **4.8 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

### First Contentful Paint **3.2 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

### Time to Interactive **8.8 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

---

### Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

### Max Potential First Input Delay **70 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).



Performance: 55

Accessibility: 90

Best Practices: 77

SEO: 100

Open full Lighthouse report ↗

LCP

6.5 s

CLS

0.001

FCP

3.6 s

TBT

100 ms

MAX FID

130 ms

TTI

9.6 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Document does not have a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks](https://dequeuniversity.com/rules/axe/4.12/landmark-one-main).

### Links rely on color to be distinguishable.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable](https://dequeuniversity.com/rules/axe/4.12/link-in-text-block).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 297 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 210 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font

metric overrides](https://developer.chrome.com/blog/font-fallbacks).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

---

### Improve image delivery **Est savings of 523 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 2,440 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### First Contentful Paint **3.6 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### Largest Contentful Paint **6.5 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

### Speed Index **5.2 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### Time to Interactive **9.6 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache/).

---

### Max Potential First Input Delay **130 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

---

**Total Blocking Time** 100 ms

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/>).

Performance: 56

Accessibility: 90

Best Practices: 77

SEO: 100

Open full Lighthouse report ↗

LCP

8.4 s

CLS

0.003

FCP

5.2 s

TBT

40 ms

MAX FID

70 ms

TTI

10.4 s

### First Contentful Paint 5.2 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Document does not have a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks](https://dequeuniversity.com/rules/axe/4.12/landmark-one-main).

### Links rely on color to be distinguishable.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable](https://dequeuniversity.com/rules/axe/4.12/link-in-text-block).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 80 ms



Consider setting `[font-display]`(<https://developer.chrome.com/docs/performance/insights/font-display>) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with `[font metric overrides]`(<https://developer.chrome.com/blog/font-fallbacks>).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about `[forced reflows]` (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

### Improve image delivery **Est savings of 414 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

### Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 3,980 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### Largest Contentful Paint **8.4 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

---

### Speed Index **5.2 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

### Time to Interactive **10.4 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

---

### Reduce unused JavaScript **Est savings of 260 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

**Max Potential First Input Delay 70 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Performance: 38

Accessibility: 95

Best Practices: 77

SEO: 100

LCP  
6.7 s

CLS  
0.393

FCP  
3.0 s

TBT  
0 ms

MAX FID  
170 ms

TTI  
6.7 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Avoid large layout shifts 2 layout shifts found

These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what\_is\_cls). [Learn how to improve CLS](https://web.dev/articles/optimize-cls)

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 303 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Use efficient cache lifetimes Est savings of 21 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

### Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts] (<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

---

### Font display **Est savings of 70 ms**

Consider setting [font-display](<https://developer.chrome.com/docs/performance/insights/font-display>) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](<https://developer.chrome.com/blog/font-fallbacks>).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows] (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

### Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

### Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,880 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### Largest Contentful Paint **6.7 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

---

### First Contentful Paint **3.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

### Speed Index **4.2 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

### Time to Interactive **6.7 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

### Cumulative Layout Shift **0.393**

Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more about the Cumulative Layout Shift metric](https://web.dev/articles/cls).

---

### **Minify CSS** **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### **Max Potential First Input Delay** **170 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

## /how-to-rewrite-articles-like-a-pro-without-losing-meaning-or-quality/ Desktop

Performance: 56

Accessibility: 90

Best Practices: 77

SEO: 100

[Open full Lighthouse report ↗](#)

LCP  
5.6 s

CLS  
0.082

FCP  
3.3 s

TBT  
10 ms

MAX FID  
60 ms

TTI  
7.6 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Document does not have a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks](https://dequeuniversity.com/rules/axe/4.12/landmark-one-main).

### Links rely on color to be distinguishable.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable](https://dequeuniversity.com/rules/axe/4.12/link-in-text-block).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Minify CSS Est savings of 2 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 312 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

---

### Font display **Est savings of 220 ms**

Consider setting `[font-display]`(<https://developer.chrome.com/docs/performance/insights/font-display>) to `swap` or `optional` to ensure text is consistently visible. `swap` can be further optimized to mitigate layout shifts with `[font-metric-overrides]`(<https://developer.chrome.com/blog/font-fallbacks>).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about `[forced-reflows]`(<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

### Improve image delivery **Est savings of 485 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

### Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,850 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### First Contentful Paint **3.3 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

### Speed Index **4.7 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

### Largest Contentful Paint **5.6 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

---

### Time to Interactive **7.6 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

---

**Cumulative Layout Shift 0.082**

Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more about the Cumulative Layout Shift metric](https://web.dev/articles/cls).



## /html-beautifier-online-format-indent-clean-your-html-code-instantly/ Desktop

Performance: 55

Accessibility: 90

Best Practices: 77

SEO: 100

[Open full Lighthouse report ↗](#)

LCP

5.8 s

CLS

0.001

FCP

4.0 s

TBT

110 ms

MAX FID

140 ms

TTI

9.8 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Document does not have a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks](https://dequeuniversity.com/rules/axe/4.12/landmark-one-main).

### Links rely on color to be distinguishable.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable](https://dequeuniversity.com/rules/axe/4.12/link-in-text-block).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 295 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 220 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font

metric overrides](https://developer.chrome.com/blog/font-fallbacks).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

---

### Improve image delivery **Est savings of 252 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,050 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### First Contentful Paint **4.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### Speed Index **5.7 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### Time to Interactive **9.8 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### Largest Contentful Paint **5.8 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

---

### Max Potential First Input Delay **140 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

---

**Total Blocking Time** 110 ms

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/>).

Performance: 55

Accessibility: 88

Best Practices: 77

SEO: 100

LCP  
8.5 s

CLS  
0.001

FCP  
3.3 s

TBT  
90 ms

MAX FID  
80 ms

TTI  
8.5 s

### Largest Contentful Paint 8.5 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Select elements do not have associated label elements.

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the `select` element](https://dequeuniversity.com/rules/axe/4.12/select-name).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 282 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome

DevTools for more details on each issue.

---

### Font display **Est savings of 100 ms**

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

---

### Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 2,090 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### Speed Index **5.7 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### First Contentful Paint **3.3 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### Time to Interactive **8.5 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache/).

---

### Total Blocking Time **90 ms**

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric]  
(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/>).

---

**Max Potential First Input Delay** 80 ms

The maximum potential First Input Delay that your users could experience is the duration of the longest task.  
[Learn more about the Maximum Potential First Input Delay metric]  
(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Performance: 56

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
8.0 s

CLS  
0.001

FCP  
3.0 s

TBT  
70 ms

MAX FID  
80 ms

TTI  
8.1 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 288 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Use efficient cache lifetimes Est savings of 21 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

### Font display Est savings of 80 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font

metric overrides](https://developer.chrome.com/blog/font-fallbacks).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

---

### Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 2,050 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### Largest Contentful Paint **8.0 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

### Speed Index **4.6 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### First Contentful Paint **3.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### Time to Interactive **8.1 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### Max Potential First Input Delay **80 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).



**Total Blocking Time 70 ms**

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric]

(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/>).

Performance: 55

Accessibility: 95

Best Practices: 77

SEO: 100

LCP  
8.0 s

CLS  
0.002

FCP  
5.5 s

TBT  
50 ms

MAX FID  
80 ms

TTI  
8.9 s

### First Contentful Paint 5.5 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused JavaScript Est savings of 288 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 70 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

### Improve image delivery Est savings of 260 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 4,390 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### Largest Contentful Paint **8.0 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

### Speed Index **6.3 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### Time to Interactive **8.9 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### Reduce unused CSS **Est savings of 18 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

---

### Max Potential First Input Delay **80 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Performance: 56

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
7.9 s

CLS  
0.001

FCP  
3.9 s

TBT  
20 ms

MAX FID  
70 ms

TTI  
9.2 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused JavaScript Est savings of 295 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 70 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

### Improve image delivery Est savings of 260 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 900 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### First Contentful Paint **3.9 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### Largest Contentful Paint **7.9 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

### Speed Index **4.7 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### Time to Interactive **9.2 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### Reduce unused CSS **Est savings of 18 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

Performance: 56

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
7.9 s

CLS  
0.001

FCP  
3.8 s

TBT  
20 ms

MAX FID  
70 ms

TTI  
8.0 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused JavaScript Est savings of 288 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 70 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

### Improve image delivery Est savings of 260 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 2,720 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### First Contentful Paint **3.8 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### Largest Contentful Paint **7.9 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

### Speed Index **5.1 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### Time to Interactive **8.0 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### Reduce unused CSS **Est savings of 18 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

---

### Max Potential First Input Delay **70 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).





Performance: 55

Accessibility: 83

Best Practices: 77

SEO: 100

LCP  
8.6 s

CLS  
0.011

FCP  
6.1 s

TBT  
20 ms

MAX FID  
70 ms

TTI  
9.1 s

### First Contentful Paint 6.1 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

### Largest Contentful Paint 8.6 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/).

### Speed Index 6.7 s

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Form elements do not have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels](https://dequeuniversity.com/rules/axe/4.12/label).

### Document does not have a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks](https://dequeuniversity.com/rules/axe/4.12/landmark-one-main).

### Select elements do not have associated label elements.

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the `select` element](https://dequeuniversity.com/rules/axe/4.12/select-name).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

---

### Reduce unused JavaScript **Est savings of 373 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

---

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

---

### Font display **Est savings of 70 ms**

Consider setting [font-display](<https://developer.chrome.com/docs/performance/insights/font-display>) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](<https://developer.chrome.com/blog/font-fallbacks>).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows] (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

### Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

### LCP breakdown

Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

---

### Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 3,050 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### Time to Interactive **9.1 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

---

**Use efficient cache lifetimes** **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Performance: 55

Accessibility: 83

Best Practices: 77

SEO: 100

LCP  
8.6 s

CLS  
0.001

FCP  
6.1 s

TBT  
40 ms

MAX FID  
90 ms

TTI  
8.7 s

### First Contentful Paint 6.1 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

### Largest Contentful Paint 8.6 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/).

### Speed Index 6.7 s

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Form elements do not have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels](https://dequeuniversity.com/rules/axe/4.12/label).

### Document does not have a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks](https://dequeuniversity.com/rules/axe/4.12/landmark-one-main).

### Select elements do not have associated label elements.

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the `select` element](https://dequeuniversity.com/rules/axe/4.12/select-name).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

---

### Reduce unused JavaScript **Est savings of 284 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

---

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

### Font display **Est savings of 80 ms**

Consider setting `[font-display]` (<https://developer.chrome.com/docs/performance/insights/font-display>) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with `[font metric overrides]` (<https://developer.chrome.com/blog/font-fallbacks>).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about `[forced reflows]` (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

### LCP breakdown

Each `[subpart]` has specific improvement strategies (<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

---

### Network dependency tree

`[Avoid chaining critical requests]` (<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 3,030 ms**

Requests are blocking the page's initial render, which may delay LCP. `[Deferring or inlining]` (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### Time to Interactive **8.7 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric] (<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

---

**Improve image delivery** **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

**Max Potential First Input Delay** **90 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Performance: 57

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
5.6 s

CLS  
0.001

FCP  
3.0 s

TBT  
40 ms

MAX FID  
150 ms

TTI  
7.2 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 60 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

### Render-blocking requests Est savings of 1,890 ms

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### **Speed Index** 5.1 s

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

### **Largest Contentful Paint** 5.6 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

---

### **First Contentful Paint** 3.0 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

### **Time to Interactive** 7.2 s

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

### **Minify CSS** Est savings of 2 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

---

### **Reduce unused CSS** Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

---

### **Reduce unused JavaScript** Est savings of 288 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

---

### **Use efficient cache lifetimes** Est savings of 21 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

### **Improve image delivery** Est savings of 260 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

### **Max Potential First Input Delay** 150 ms

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).





Performance: 55

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
8.1 s

CLS  
0.001

FCP  
4.1 s

TBT  
20 ms

MAX FID  
60 ms

TTI  
8.2 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Document does not have a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks](https://dequeuniversity.com/rules/axe/4.12/landmark-one-main).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 295 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 70 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows]

(<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

### **Improve image delivery** Est savings of 260 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

### **Network dependency tree**

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### **Render-blocking requests** Est savings of 1,050 ms

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### **First Contentful Paint** 4.1 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

### **Largest Contentful Paint** 8.1 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

---

### **Speed Index** 5.9 s

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

### **Time to Interactive** 8.2 s

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

### **Minify CSS** Est savings of 2 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

---

### **Use efficient cache lifetimes** Est savings of 21 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

Performance: 63

Accessibility: 83

Best Practices: 77

SEO: 100

LCP  
3.3 s

CLS  
0.005

FCP  
3.0 s

TBT  
10 ms

MAX FID  
190 ms

TTI  
7.0 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Form elements do not have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels](https://dequeuniversity.com/rules/axe/4.12/label).

### Document does not have a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks](https://dequeuniversity.com/rules/axe/4.12/landmark-one-main).

### Select elements do not have associated label elements.

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the `select` element](https://dequeuniversity.com/rules/axe/4.12/select-name).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused JavaScript Est savings of 300 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 70 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

---

## Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows] (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

## Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

## Render-blocking requests **Est savings of 1,830 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

## Speed Index **4.8 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

## First Contentful Paint **3.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

## Time to Interactive **7.0 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

## Largest Contentful Paint **3.3 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>).

---

## Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

---

## Reduce unused CSS **Est savings of 18 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

---

## Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

## Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

**Max Potential First Input Delay** 190 ms

The maximum potential First Input Delay that your users could experience is the duration of the longest task.

[Learn more about the Maximum Potential First Input Delay metric]

(https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Performance: 38

Accessibility: 94

Best Practices: 77

SEO: 100

LCP  
5.0 sCLS  
0.421FCP  
4.1 sTBT  
10 msMAX FID  
90 msTTI  
8.2 s**Uses third-party cookies 1 cookie found**

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

**Avoid large layout shifts 4 layout shifts found**

These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what\_is\_cls). [Learn how to improve CLS](https://web.dev/articles/optimize-cls)

**Background and foreground colors do not have a sufficient contrast ratio.**

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

**Heading elements are not in a sequentially-descending order**

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

**Skip links are not focusable.**

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

**Reduce unused CSS Est savings of 18 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

**Reduce unused JavaScript Est savings of 284 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

**Issues were logged in the `Issues` panel in Chrome Devtools**

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

**Use efficient cache lifetimes Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

### Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts] (<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

---

### Font display **Est savings of 70 ms**

Consider setting [font-display] (<https://developer.chrome.com/docs/performance/insights/font-display>) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides] (<https://developer.chrome.com/blog/font-fallbacks>).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows] (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

### Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size] (<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

### Network dependency tree

[Avoid chaining critical requests] (<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,050 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### First Contentful Paint **4.1 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric] (<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

### Speed Index **5.5 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric] (<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

### Largest Contentful Paint **5.0 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

---

### Time to Interactive **8.2 s**



Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### **Cumulative Layout Shift** 0.421

Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more about the Cumulative Layout Shift metric](https://web.dev/articles/cls).

---

### **Minify CSS** Est savings of 2 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### **Max Potential First Input Delay** 90 ms

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Performance: 50

Accessibility: 88

Best Practices: 77

SEO: 100

LCP  
9.5 s

CLS  
0.001

FCP  
4.1 s

TBT  
200 ms

MAX FID  
170 ms

TTI  
9.9 s

### Largest Contentful Paint 9.5 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Select elements do not have associated label elements.

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the `select` element](https://dequeuniversity.com/rules/axe/4.12/select-name).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 282 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome

DevTools for more details on each issue.

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

---

### Font display **Est savings of 60 ms**

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

---

### Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### LCP breakdown

Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,050 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### First Contentful Paint **4.1 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### Speed Index **5.7 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### Time to Interactive **9.9 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS]  
(<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

---

### **Max Potential First Input Delay** 170 ms

The maximum potential First Input Delay that your users could experience is the duration of the longest task.  
[Learn more about the Maximum Potential First Input Delay metric]  
(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

---

### **Total Blocking Time** 200 ms

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric]  
(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/>).

Performance: 39

Accessibility: 90

Best Practices: 77

SEO: 100

LCP  
6.8 s

CLS  
0.334

FCP  
4.1 s

TBT  
20 ms

MAX FID  
70 ms

TTI  
7.1 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Avoid large layout shifts 2 layout shifts found

These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](https://web.dev/articles/cls#what\_is\_cls). [Learn how to improve CLS](https://web.dev/articles/optimize-cls)

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Form elements do not have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels](https://dequeuniversity.com/rules/axe/4.12/label).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 285 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts] (<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

---

### Font display **Est savings of 70 ms**

Consider setting [font-display](<https://developer.chrome.com/docs/performance/insights/font-display>) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](<https://developer.chrome.com/blog/font-fallbacks>).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows] (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

### Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,050 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### First Contentful Paint **4.1 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

### Largest Contentful Paint **6.8 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>).

---

### Speed Index **5.4 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

### Time to Interactive **7.1 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

### Cumulative Layout Shift **0.334**

Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more about the Cumulative Layout Shift metric](<https://web.dev/articles/cls>).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

---

**Use efficient cache lifetimes** **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

**Improve image delivery** **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

Performance: 61

Accessibility: 85

Best Practices: 73

SEO: 100

LCP  
3.5 s

CLS  
0.012

FCP  
3.3 s

TBT  
70 ms

MAX FID  
90 ms

TTI  
9.1 s

### Browser errors were logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit]  
(<https://developer.chrome.com/docs/lighthouse/best-practices/errors-in-console/>)

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](<https://privacysandbox.google.com/cookies/prepare/overview>).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast]  
(<https://dequeuniversity.com/rules/axe/4.12/color-contrast>).

### Document does not have a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks]  
(<https://dequeuniversity.com/rules/axe/4.12/landmark-one-main>).

### Links rely on color to be distinguishable.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable]  
(<https://dequeuniversity.com/rules/axe/4.12/link-in-text-block>).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links]  
(<https://dequeuniversity.com/rules/axe/4.12/skip-link>).

### Minify CSS Est savings of 2 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS]  
(<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS]  
(<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

### Reduce unused JavaScript Est savings of 313 KiB



Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

---

## Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

---

## Font display **Est savings of 350 ms**

Consider setting `[font-display]`(<https://developer.chrome.com/docs/performance/insights/font-display>) to `swap` or `optional` to ensure text is consistently visible. `swap` can be further optimized to mitigate layout shifts with `[font-metric-overrides]`(<https://developer.chrome.com/blog/font-fallbacks>).

---

## Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about `[forced-reflows]` (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

## Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

## Render-blocking requests **Est savings of 1,920 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

## Speed Index **5.3 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

## First Contentful Paint **3.3 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

## Time to Interactive **9.1 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

## Largest Contentful Paint **3.5 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

---

## Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

**Improve image delivery** **Est savings of 136 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

**Max Potential First Input Delay** **90 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

---

**Total Blocking Time** **70 ms**

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/>).

Performance: 55

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
7.9 s

CLS  
0.001

FCP  
5.5 s

TBT  
20 ms

MAX FID  
70 ms

TTI  
8.0 s

### First Contentful Paint 5.5 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 299 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 70 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font

metric overrides](https://developer.chrome.com/blog/font-fallbacks).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

---

### Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 4,430 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### Largest Contentful Paint **7.9 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

### Speed Index **6.1 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### Time to Interactive **8.0 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

Performance: 55

Accessibility: 86

Best Practices: 77

SEO: 100

LCP

11.5 s

CLS

0.001

FCP

6.1 s

TBT

30 ms

MAX FID

60 ms

TTI

11.6 s

### First Contentful Paint 6.1 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

### Largest Contentful Paint 11.5 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/).

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Form elements do not have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels](https://dequeuniversity.com/rules/axe/4.12/label).

### Links rely on color to be distinguishable.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable](https://dequeuniversity.com/rules/axe/4.12/link-in-text-block).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 295 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript] (<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

---

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

### Font display **Est savings of 80 ms**

Consider setting [font-display](<https://developer.chrome.com/docs/performance/insights/font-display>) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](<https://developer.chrome.com/blog/font-fallbacks>).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows] (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

### Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

### Render-blocking requests

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### Speed Index **6.3 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

### Time to Interactive **11.6 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

Performance: 41

Accessibility: 85

Best Practices: 73

SEO: 100

LCP  
3.3 s

CLS  
0.529

FCP  
3.0 s

TBT  
70 ms

MAX FID  
190 ms

TTI  
4.5 s

### Browser errors were logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit]  
(<https://developer.chrome.com/docs/lighthouse/best-practices/errors-in-console/>)

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](<https://privacysandbox.google.com/cookies/prepare/overview>).

### Avoid large layout shifts 1 layout shift found

These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing]  
([https://web.dev/articles/cls#what\\_is\\_cls](https://web.dev/articles/cls#what_is_cls)). [Learn how to improve CLS](<https://web.dev/articles/optimize-cls>)

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast]  
(<https://dequeuniversity.com/rules/axe/4.12/color-contrast>).

### Document does not have a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks]  
(<https://dequeuniversity.com/rules/axe/4.12/landmark-one-main>).

### Links rely on color to be distinguishable.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable]  
(<https://dequeuniversity.com/rules/axe/4.12/link-in-text-block>).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links]  
(<https://dequeuniversity.com/rules/axe/4.12/skip-link>).

### Minify CSS Est savings of 2 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS]  
(<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS]

(<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

---

### Reduce unused JavaScript **Est savings of 288 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript]

(<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

---

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

---

### Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts]

(<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

---

### Font display **Est savings of 450 ms**

Consider setting [font-display](<https://developer.chrome.com/docs/performance/insights/font-display>) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](<https://developer.chrome.com/blog/font-fallbacks>).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

### Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,860 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### Speed Index **5.3 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

### First Contentful Paint **3.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

### Cumulative Layout Shift **0.529**



Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more about the Cumulative Layout Shift metric](https://web.dev/articles/cls).

---

### **Largest Contentful Paint** 3.3 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

### **Time to Interactive** 4.5 s

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### **Use efficient cache lifetimes** Est savings of 21 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

---

### **Improve image delivery** Est savings of 136 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### **Max Potential First Input Delay** 190 ms

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

---

### **Total Blocking Time** 70 ms

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/).

Performance: 52

Accessibility: 80

Best Practices: 77

SEO: 100

LCP  
6.0 s

CLS  
0.139

FCP  
3.1 s

TBT  
30 ms

MAX FID  
70 ms

TTI  
9.2 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Avoid large layout shifts 1 layout shift found

These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing] (https://web.dev/articles/cls#what\_is\_cls). [Learn how to improve CLS](https://web.dev/articles/optimize-cls)

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast] (https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order] (https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Form elements do not have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels](https://dequeuniversity.com/rules/axe/4.12/label).

### Links rely on color to be distinguishable.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable] (https://dequeuniversity.com/rules/axe/4.12/link-in-text-block).

### Select elements do not have associated label elements.

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the `select` element](https://dequeuniversity.com/rules/axe/4.12/select-name).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links] (https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS]

(<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

---

### Reduce unused JavaScript **Est savings of 287 KiB**

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript]

(<https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/>).

---

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

---

### Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts]

(<https://developer.chrome.com/docs/performance/insights/cls-culprit>), such as elements being added, removed, or their fonts changing as the page loads.

---

### Font display **Est savings of 80 ms**

Consider setting [font-display](<https://developer.chrome.com/docs/performance/insights/font-display>) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](<https://developer.chrome.com/blog/font-fallbacks>).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

### Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 2,060 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining]

(<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### Speed Index **5.0 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

### Largest Contentful Paint **6.0 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the

Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

---

### First Contentful Paint **3.1 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### **Time to Interactive** 9.2 s

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### **Minify CSS** Est savings of 2 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### **Use efficient cache lifetimes** Est savings of 21 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (https://developer.chrome.com/docs/performance/insights/cache).

---

### **Improve image delivery** Est savings of 260 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### **Cumulative Layout Shift** 0.139

Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more about the Cumulative Layout Shift metric](https://web.dev/articles/cls).

---

### **Max Potential First Input Delay** 70 ms

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

## /why-every-developer-needs-a-json-formatter-clean-code-faster-debugging/ Desktop

Performance: 56

Accessibility: 90

Best Practices: 77

SEO: 100

[Open full Lighthouse report ↗](#)

LCP

8.1 s

CLS

0.001

FCP

3.0 s

TBT

50 ms

MAX FID

70 ms

TTI

10.5 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Document does not have a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks](https://dequeuniversity.com/rules/axe/4.12/landmark-one-main).

### Links rely on color to be distinguishable.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable](https://dequeuniversity.com/rules/axe/4.12/link-in-text-block).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 301 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 220 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font

metric overrides](https://developer.chrome.com/blog/font-fallbacks).

---

### **Improve image delivery** Est savings of 529 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### **Network dependency tree**

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### **Render-blocking requests** Est savings of 1,900 ms

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### **Largest Contentful Paint** 8.1 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

### **Speed Index** 5.6 s

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### **Time to Interactive** 10.5 s

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### **First Contentful Paint** 3.0 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### **Minify CSS** Est savings of 2 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### **Use efficient cache lifetimes** Est savings of 21 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (https://developer.chrome.com/docs/performance/insights/cache).

---

### **Max Potential First Input Delay** 70 ms

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).

Performance: 57

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
4.5 s

CLS  
0.077

FCP  
3.0 s

TBT  
30 ms

MAX FID  
180 ms

TTI  
9.0 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Document does not have a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks](https://dequeuniversity.com/rules/axe/4.12/landmark-one-main).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused JavaScript Est savings of 299 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 120 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

### Improve image delivery Est savings of 465 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,860 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### Speed Index **5.2 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### First Contentful Paint **3.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### Time to Interactive **9.0 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### Largest Contentful Paint **4.5 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### Reduce unused CSS **Est savings of 18 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

---

### Max Potential First Input Delay **180 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/).



**Cumulative Layout Shift 0.077**

Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more about the Cumulative Layout Shift metric](<https://web.dev/articles/cls>).

Performance: 54

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
8.1 s

CLS  
0.001

FCP  
3.2 s

TBT  
120 ms

MAX FID  
110 ms

TTI  
8.1 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Minify CSS Est savings of 2 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 283 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Use efficient cache lifetimes Est savings of 23 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

### Font display **Est savings of 80 ms**

Consider setting [font-display](<https://developer.chrome.com/docs/performance/insights/font-display>) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](<https://developer.chrome.com/blog/font-fallbacks>).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows] (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

### Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

### LCP breakdown

Each [subpart has specific improvement strategies](<https://developer.chrome.com/docs/performance/insights/lcp-breakdown>). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

---

### Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 2,110 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### Largest Contentful Paint **8.1 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/>)

---

### Speed Index **5.5 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

### First Contentful Paint **3.2 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

### Time to Interactive **8.1 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

**Total Blocking Time 120 ms**

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric]

(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/>).

---

**Max Potential First Input Delay 110 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task.

[Learn more about the Maximum Potential First Input Delay metric]

(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Performance: 55

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
8.3 s

CLS  
0.001

FCP  
4.1 s

TBT  
50 ms

MAX FID  
80 ms

TTI  
9.5 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 295 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 80 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

---

### **Improve image delivery** Est savings of 260 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### **LCP breakdown**

Each [subpart has specific improvement strategies](https://developer.chrome.com/docs/performance/insights/lcp-breakdown). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

---

### **Network dependency tree**

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### **Render-blocking requests** Est savings of 1,050 ms

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### **First Contentful Paint** 4.1 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### **Largest Contentful Paint** 8.3 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

### **Speed Index** 5.8 s

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### **Time to Interactive** 9.5 s

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### **Minify CSS** Est savings of 2 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### **Use efficient cache lifetimes** Est savings of 23 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

### Max Potential First Input Delay 80 ms

The maximum potential First Input Delay that your users could experience is the duration of the longest task.

[Learn more about the Maximum Potential First Input Delay metric]

(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

Performance: 55

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
9.2 s

CLS  
0.001

FCP  
4.1 s

TBT  
0 ms

MAX FID  
60 ms

TTI  
9.2 s

### Largest Contentful Paint 9.2 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused CSS Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

### Reduce unused JavaScript Est savings of 295 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Use efficient cache lifetimes Est savings of 21 KiB



A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

### Font display **Est savings of 80 ms**

Consider setting [font-display](<https://developer.chrome.com/docs/performance/insights/font-display>) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](<https://developer.chrome.com/blog/font-fallbacks>).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows] (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

### Improve image delivery **Est savings of 260 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

### Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,050 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### First Contentful Paint **4.1 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](<https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/>).

---

### Speed Index **5.4 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](<https://developer.chrome.com/docs/lighthouse/performance/speed-index/>).

---

### Time to Interactive **9.2 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

Performance: 55

Accessibility: 90

Best Practices: 77

SEO: 100

LCP  
8.7 s

CLS  
0.002

FCP  
5.2 s

TBT  
70 ms

MAX FID  
90 ms

TTI  
11.2 s

### First Contentful Paint 5.2 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

### Largest Contentful Paint 8.7 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/).

### Speed Index 6.5 s

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Document does not have a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks](https://dequeuniversity.com/rules/axe/4.12/landmark-one-main).

### Links rely on color to be distinguishable.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable](https://dequeuniversity.com/rules/axe/4.12/link-in-text-block).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused JavaScript Est savings of 302 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

---

## Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

---

### Font display **Est savings of 270 ms**

Consider setting `[font-display]`(<https://developer.chrome.com/docs/performance/insights/font-display>) to `swap` or `optional` to ensure text is consistently visible. `swap` can be further optimized to mitigate layout shifts with `[font-metric-overrides]`(<https://developer.chrome.com/blog/font-fallbacks>).

---

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about `[forced reflows]` (<https://developer.chrome.com/docs/performance/insights/forced-reflow>) and possible mitigations.

---

### Improve image delivery **Est savings of 520 KiB**

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](<https://developer.chrome.com/docs/performance/insights/image-delivery>)

---

### Network dependency tree

[Avoid chaining critical requests](<https://developer.chrome.com/docs/performance/insights/network-dependency-tree>) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 4,090 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining] (<https://developer.chrome.com/docs/performance/insights/render-blocking>) can move these network requests out of the critical path.

---

### Time to Interactive **11.2 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](<https://developer.chrome.com/docs/lighthouse/performance/interactive/>).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unminified-css/>).

---

### Reduce unused CSS **Est savings of 18 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS] (<https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/>).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching] (<https://developer.chrome.com/docs/performance/insights/cache>).

---

### Max Potential First Input Delay **90 ms**

The maximum potential First Input Delay that your users could experience is the duration of the longest task. [Learn more about the Maximum Potential First Input Delay metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).

---

**Total Blocking Time** 70 ms

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric] (<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/>).

Performance: 56

Accessibility: 93

Best Practices: 77

SEO: 100

LCP  
7.1 s

CLS  
0.001

FCP  
3.0 s

TBT  
80 ms

MAX FID  
80 ms

TTI  
8.0 s

### Uses third-party cookies 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](https://privacysandbox.google.com/cookies/prepare/overview).

### Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](https://dequeuniversity.com/rules/axe/4.12/color-contrast).

### Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](https://dequeuniversity.com/rules/axe/4.12/heading-order).

### Skip links are not focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](https://dequeuniversity.com/rules/axe/4.12/skip-link).

### Reduce unused JavaScript Est savings of 300 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](https://developer.chrome.com/docs/lighthouse/performance/unused-javascript/).

### Issues were logged in the `Issues` panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

### Font display Est savings of 80 ms

Consider setting [font-display](https://developer.chrome.com/docs/performance/insights/font-display) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](https://developer.chrome.com/blog/font-fallbacks).

### Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](https://developer.chrome.com/docs/performance/insights/forced-reflow) and possible mitigations.

### Improve image delivery Est savings of 260 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](https://developer.chrome.com/docs/performance/insights/image-delivery)

---

### Network dependency tree

[Avoid chaining critical requests](https://developer.chrome.com/docs/performance/insights/network-dependency-tree) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

---

### Render-blocking requests **Est savings of 1,920 ms**

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](https://developer.chrome.com/docs/performance/insights/render-blocking) can move these network requests out of the critical path.

---

### Largest Contentful Paint **7.1 s**

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-largest-contentful-paint/)

---

### Speed Index **5.1 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric](https://developer.chrome.com/docs/lighthouse/performance/speed-index/).

---

### First Contentful Paint **3.0 s**

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric](https://developer.chrome.com/docs/lighthouse/performance/first-contentful-paint/).

---

### Time to Interactive **8.0 s**

Time to Interactive is the amount of time it takes for the page to become fully interactive. [Learn more about the Time to Interactive metric](https://developer.chrome.com/docs/lighthouse/performance/interactive/).

---

### Minify CSS **Est savings of 2 KiB**

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](https://developer.chrome.com/docs/lighthouse/performance/unminified-css/).

---

### Reduce unused CSS **Est savings of 18 KiB**

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](https://developer.chrome.com/docs/lighthouse/performance/unused-css-rules/).

---

### Use efficient cache lifetimes **Est savings of 21 KiB**

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](https://developer.chrome.com/docs/performance/insights/cache).

---

### Total Blocking Time **80 ms**

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric](https://developer.chrome.com/docs/lighthouse/performance/lighthouse-total-blocking-time/).

### Max Potential First Input Delay 80 ms

The maximum potential First Input Delay that your users could experience is the duration of the longest task.

[Learn more about the Maximum Potential First Input Delay metric]

(<https://developer.chrome.com/docs/lighthouse/performance/lighthouse-max-potential-fid/>).