


- ↳ **ReactJS**
 - ↳ folder structure
 - ↳ **finder** $\Rightarrow$ **display**.
 - ↳ **components**
 - ↳ **state**
 - ↳ **props**

A hand-drawn diagram in green ink. It features a large box on the right labeled 'HAC'. An arrow points from the 'HAC' box to a smaller box labeled 'Cont. Vol.' located below and to the left of the 'HAC' box. To the left of this 'Cont. Vol.' box is another box labeled 'Cont. Vol.'. There is also a box at the top left labeled 'Cont. Vol.'.

Heart Is
Garden. Intend
LCSS
Kiss on 13
Buddhi:



Logo Home menu Card.jsx

JSX form.jsx

App alt. (gulpify)

So components
 ↳
 1 single JS file using webpack
 Bundler.

Components

notes

- ↳ static dynamics
- ↳ 4 degree of freedom mechanism
- ↳ probability

→ Function

(2019)
 ↓
 Reant. 16-8 (Reant. Hooked)
 unaltered) Special position)

API call $\Rightarrow$ stat $\Rightarrow$ display VR
user input $\Rightarrow$ stat $\Rightarrow$ last request.

mutable $\rightarrow$ State
 $\rightarrow$ (JS object)
 $\rightarrow$ all dynamic
 $\rightarrow$ updated data

Whenever, a state is changed
re-rendering (component with re-rendering)
re-call logic again

Why ReactJS

Why RISC → 4 component based system

Le J3X $\xrightarrow{\text{Rebut}}$ JS

↳ Virtual DOM

- ↳ J3X $\xrightarrow{\text{Base}}$ JS
- ↳ Virtual DOM
- ↳ Unidirectional Data flow

↳ Real/ Browser DOM

↳ React DOM

Le V_1 réel POMs

| In JS, we directly update DOM

(properties)

(prop)

१०२

unifactorial
Data use

Basson

instalasi
(P & OP)

Source
via email
attendant.

Destination
(prop)

Reconciliation Process

Ans
- JSX

current state

update stat
Virtual
DOM

Brasserie
ROM

to compare DOM trees
(Differing Algorithm)