Basic Tag

- 1) <!DOCTYPE>:
 - o Defines document type.
 - o It tells to browser which version element are used.
- 2) <html> tag:
 - o Defines HTML document.
- 3) tag:
 - o paragraph tag use for display paragraph in the browser.

Example,

```
<!-- Paragraph tag -->
Lorem ipsum dolor sit amet consectetur, adipisicing elit. Recusandae voluptate enim at praesentium rem
reiciendis, cum excepturi consequatur est expedita illo sed tempore fuga quasi inventore id fugit pariatur
iusto?
```

- 4) tag :
 - o preformatted tag use for display preformatted paragraph in the browser.

Example,

```
<!-- preformatted Tag -->
Lorem ipsum dolor sit amet consectetur adipisicing elit. Necessitatibus assumenda ullam iste quis est
delectus quod ratione dolorem sequi eos laudantium quo, rem debitis culpa, quibusdam eum fuga. Deleniti,
itaque?
```

- 5) <h1> to <h6> tag:
 - \circ These are 6 level heading tag <h1> to <h6>.

Example,

```
<!-- Heading tag -->
<!-- heading tags are h1 to h6-->
<h1>Heading 1</h1>
<h2>Heading 2</h2>
<h3>Heading 3</h3>
<h4>Heading 4</h4>
<h5>Heading 5</h5>
<h6>Heading 6</h6>
```

6)
tag:

- o Used for Break a line.
- o It is singleton tag i.e. not need to closing

Example,

```
<!-- for break a line used br tag --> <br>
```

- 7) <hr> tag:
 - Used to display a separate content.

Example,

```
<!-- for saparate the content used hr tag -->
<hr>
<!-- hr attribute -->
<hr color="brown" size="2px">
```

Color and size is <hr>> tag attribute.

Formatting Tag

1) tag:

For bold content

Example: Hello world

2) <i> tag:

For italic content.

Example: <i> Hello world </i>

3) <u> tag:

For give underline in content

Example : <u> Hello world </u>

4) <strike> tag:

It is display with strikethrough, which is a thin line through the text.

Example, <strike> Hello world </strike>

5) <sup> tag:

It is display superscript element.

Example, x ²

6) <sub> tag:

It is display subscript element.

Example, x ₂

7) <center> tag:

It is display content in center of the browser.

Example, <center> this is center tag. </center>

8) <big> tag:

It is display content in big in size.

Example, <big> this is a big tag. </big>

9) tag:

It is display bold content.

Example, this is strong tag.

10) < small > tag:

It display content in small size.

Example, <small> this is small tag. </small>

11) <tt> tag:

It display teletype content. (not support in HTML5)

Example, <tt> this is teletype content. </tt>

12) tag:

It is display content in italic style.

Example, this is em tag display content in italic style

13) < mark > tag:

To highlight content used <mark> tag.

Example, <mark> this is mark tag </mark>

```
<b>Bold Tag</b> <br>
<strong>Strong Tag</strong> <br>
<i>>Italic Tag</i> <br>
<u>UnderLine Tag</u> <br>
<Big>Big Tag</Big> <br>
<tt>Teletype tag</tt> <br>
<small>Small Tag</small> <br>
Sup<sup>Tag</sup> <br>
Sub<sub>Tag</sub> <br>
<strike>strike tag</strike> <br>
<em>this is em tag</em> <br>
<mark>Mark tag to highlight content</mark>
```

