Tables (14)

Name	Туре	Schema
auth_group		CREATE TABLE "auth_group" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(150) NOT NULL UNIQUE)
id	integer	"id" integer NOT NULL
name	varchar(150)	"name" varchar(150) NOT NULL UNIQUE
auth_group_permissions		CREATE TABLE "auth_group_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
auth_permission		CREATE TABLE "auth_permission" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "content_type_id" integer NOT NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "codename" varchar(100) NOT NULL, "name" varchar(255) NOT NULL)
id	integer	"id" integer NOT NULL
content_type_id	integer	"content_type_id" integer NOT NULL
codename	varchar(100)	"codename" varchar(100) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
auth_user		CREATE TABLE "auth_user" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "password" varchar(128) NOT NULL, "last_login" datetime NULL, "is_superuser" bool NOT NULL, "username" varchar(150) NOT NULL UNIQUE, "first_name" varchar(30) NOT NULL, "email" varchar(254) NOT NULL, "is_staff" bool NOT NULL, "is_active" bool NOT NULL, "date_joined" datetime NOT NULL, "last_name" varchar(150) NOT NULL)
id	integer	"id" integer NOT NULL
password	varchar(128)	"password" varchar(128) NOT NULL
last_login	datetime	"last_login" datetime
is_superuser	bool	"is_superuser" bool NOT NULL
username	varchar(150)	"username" varchar(150) NOT NULL UNIQUE
first_name	varchar(30)	"first_name" varchar(30) NOT NULL
email	varchar(254)	"email" varchar(254) NOT NULL

Name	Туре	Schema
is_staff	bool	"is_staff" bool NOT NULL
is_active	bool	"is_active" bool NOT NULL
date_joined	datetime	"date_joined" datetime NOT NULL
last_name	varchar(150)	"last_name" varchar(150) NOT NULL
auth_user_groups		CREATE TABLE "auth_user_groups" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
auth_user_user_permissions		CREATE TABLE "auth_user_user_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
corsheaders_corsmodel		CREATE TABLE "corsheaders_corsmodel" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "cors" varchar(255) NOT NULL)
id	integer	"id" integer NOT NULL
cors	varchar(255)	"cors" varchar(255) NOT NULL
django_admin_log		CREATE TABLE "django_admin_log" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "action_time" datetime NOT NULL, "object_id" text NULL, "object_repr" varchar(200) NOT NULL, "change_message" text NOT NULL, "content_type_id" integer NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "action_flag" smallint unsigned NOT NULL CHECK ("action_flag" >= 0))
id	integer	"id" integer NOT NULL
action_time	datetime	"action_time" datetime NOT NULL
object_id	text	"object_id" text
object_repr	varchar(200)	"object_repr" varchar(200) NOT NULL
change_message	text	"change_message" text NOT NULL

Name	Туре	Schema
content_type_id	integer	"content_type_id" integer
user_id	integer	"user_id" integer NOT NULL
action_flag	smallint unsigned	"action_flag" smallint unsigned NOT NULL CHECK("action_flag" >= 0)
django_content_type		CREATE TABLE "django_content_type" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app_label" varchar(100) NOT NULL, "model" varchar(100) NOT NULL)
id	integer	"id" integer NOT NULL
app_label	varchar(100)	"app_label" varchar(100) NOT NULL
model	varchar(100)	"model" varchar(100) NOT NULL
django_migrations		CREATE TABLE "django_migrations" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app" varchar(255) NOT NULL, "name" varchar(255) NOT NULL, "applied" datetime NOT NULL)
id	integer	"id" integer NOT NULL
арр	varchar(255)	"app" varchar(255) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
applied	datetime	"applied" datetime NOT NULL
django_session		CREATE TABLE "django_session" ("session_key" varchar(40) NOT NULL PRIMARY KEY, "session_data" text NOT NULL, "expire_date" datetime NOT NULL)
session_key	varchar(40)	"session_key" varchar(40) NOT NULL
session_data	text	"session_data" text NOT NULL
expire_date	datetime	"expire_date" datetime NOT NULL
eSignApp_image		CREATE TABLE "eSignApp_image" ("image_id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL, "image" varchar(10000000000) NOT NULL, "created_on" datetime NOT NULL, "updated_on" datetime NOT NULL, "preffered_name" varchar(10000) NOT NULL)
image_id	integer	"image_id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
image	varchar(10000000000)	"image" varchar(10000000000) NOT NULL
created_on	datetime	"created_on" datetime NOT NULL
updated_on	datetime	"updated_on" datetime NOT NULL
preffered_name	varchar(10000)	"preffered_name" varchar(10000) NOT NULL
eSignApp_user		CREATE TABLE "eSignApp_user" ("user_id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "first_name" varchar(100) NOT NULL, "last_name" varchar(100) NOT NULL, "middle_name" varchar(100) NOT NULL, "mobile_no" integer NOT NULL, "email" varchar(1000) NOT NULL,

Name	Туре	Schema
		"organization" varchar(100) NULL, "street" varchar(1000) NULL, "state" varchar(1000) NULL, "city" varchar(1000) NULL, "country" varchar(1000) NULL, "zipcode" integer NULL, "created_on" datetime NOT NULL, "updated_on" datetime NOT NULL, "password" varchar(1000) NOT NULL, "default_image" integer NOT NULL)
user_id	integer	"user_id" integer NOT NULL
first_name	varchar(100)	"first_name" varchar(100) NOT NULL
last_name	varchar(100)	"last_name" varchar(100) NOT NULL
middle_name	varchar(100)	"middle_name" varchar(100) NOT NULL
mobile_no	integer	"mobile_no" integer NOT NULL
email	varchar(1000)	"email" varchar(1000) NOT NULL
organization	varchar(100)	"organization" varchar(100)
street	varchar(1000)	"street" varchar(1000)
state	varchar(1000)	"state" varchar(1000)
city	varchar(1000)	"city" varchar(1000)
country	varchar(1000)	"country" varchar(1000)
zipcode	integer	"zipcode" integer
created_on	datetime	"created_on" datetime NOT NULL
updated_on	datetime	"updated_on" datetime NOT NULL
password	varchar(1000)	"password" varchar(1000) NOT NULL
default_image	integer	"default_image" integer NOT NULL
sqlite_sequence		CREATE TABLE sqlite_sequence(name, seq)
name		"name"
seq		"seq"

Indices (15)

Name	Туре	Schema
auth_group_permission s_group_id_b120cbf9		CREATE INDEX "auth_group_permissions_group_id_b120cbf9" ON "auth_group_permissions" ("group_id")
group_id		"group_id"
auth_group_permission s_group_id_permission _id_0cd325b0_uniq		CREATE UNIQUE INDEX "auth_group_permissions_group_id_permission_id_0cd325 b0_uniq" ON "auth_group_permissions" ("group_id", "permission_id")
group_id		"group_id"
permission_id		"permission_id"
auth_group_permission s_permission_id_84c5c 92e		CREATE INDEX "auth_group_permissions_permission_id_84c5c92e" ON "auth_group_permissions" ("permission_id")
permission_id		"permission_id"

Name	Туре	Schema
auth_permission_conte		CREATE INDEX
nt_type_id_2f476e4b		"auth_permission_content_type_id_2f476e4b" ON "auth permission" ("content type id")
content_type_id		"content_type_id"
auth_permission_conte		CREATE UNIQUE INDEX
nt_type_id_codename_		"auth_permission_content_type_id_codename_01ab375a_un iq" ON "auth permission" ("content type id",
01ab375a_uniq		"codename")
content_type_id		"content_type_id"
codename		"codename"
auth_user_groups_grou p_id_97559544		CREATE INDEX "auth_user_groups_group_id_97559544" ON "auth_user_groups" ("group_id")
group_id		"group_id"
auth_user_groups_user _id_6a12ed8b		CREATE INDEX "auth_user_groups_user_id_6a12ed8b" ON "auth_user_groups" ("user_id")
user_id		"user_id"
auth_user_groups_user _id_group_id_94350c0 c_uniq		CREATE UNIQUE INDEX "auth_user_groups_user_id_group_id_94350c0c_uniq" ON "auth_user_groups" ("user_id", "group_id")
user_id		"user_id"
group_id		"group_id"
auth_user_user_permis sions_permission_id_1f bb5f2c		CREATE INDEX "auth_user_user_permissions_permission_id_1fbb5f2c" ON "auth_user_user_permissions" ("permission_id")
permission_id		"permission_id"
auth_user_user_permis sions_user_id_a95ead1 b		CREATE INDEX "auth_user_user_permissions_user_id_a95ead1b" ON "auth_user_user_permissions" ("user_id")
user_id		"user_id"
auth_user_user_permis sions_user_id_permissi on_id_14a6b632_uniq		CREATE UNIQUE INDEX "auth_user_user_permissions_user_id_permission_id_14a 6b632_uniq" ON "auth_user_user_permissions" ("user_id", "permission_id")
user_id		"user_id"
permission_id		"permission_id"
django_admin_log_con		CREATE INDEX
tent_type_id_c4bce8eb		"django_admin_log_content_type_id_c4bce8eb" ON "django_admin_log" ("content_type_id")
content_type_id		"content_type_id"
django_admin_log_use r_id_c564eba6		CREATE INDEX "django_admin_log_user_id_c564eba6" ON "django_admin_log" ("user_id")
user_id		"user_id"
		CREATE UNIQUE INDEX

Name	Туре	Schema
django_content_type_a pp_label_model_76bd3 d3b_uniq		"django_content_type_app_label_model_76bd3d3b_uniq" ON "django_content_type" ("app_label", "model")
app_label		"app_label"
model		"model"
django_session_expire _date_a5c62663		CREATE INDEX "django_session_expire_date_a5c62663" ON "django_session" ("expire_date")
expire_date		"expire_date"

Views (0) Name Type Schema

Triggers (0)

Name Type Schema