

Follow the format according to OCA to create the MR in oca-internal repository

1. Technical method to migrate a module to 15.0 / 16.0 / 17.0

- \$REPO: the OCA repository hosting the module.
- \$MODULE: the name of the module you want to migrate.
- \$SHORT_CODE_EMP: Short code of employee.
- \$TRACKING_NO: Tracking ref no/Task number.
- \$MIGRATION_TO: Migrating the module to 15.0/16.0/17.0
- \$MIGRATION_FROM: Migrating the module from 14.0/15.0/16.0

• Format for creating branch in oca-internal

Format: `git checkout -b $MIGRATION_TO-$TRACKING_NO-mig-$MODULE -BAD-$SHORT_CODE_EMP`

Example: `git checkout -b 15.0-T5531-mig-sale_automatic_workflow-BAD-SIP`

• Format for title of MR:

Format: `[WIP] [$MIGRATION_TO] [$TRACKING_NO] [MIG] $MODULE: Migration to $MIGRATION_TO`

Example: `[WIP] [15.0] [T5531] [MIG] sale_automatic_workflow : Migration to 15.0`

• Format patch of your \$MODULE from OCA repository to oca-internal repository

Step 1: To links the local Git repository to a remote repository hosted on GitHub and as Odoo is a public repository, you can utilize HTTPS/SSH protocols to add to it.

➤ `git remote add github https://github.com/OCA/stock-logistics-warehouse.git`

Step 2: To shows the remote repository URLs connected to the local Git repository.

➤ `git remote -v`

Step 3: To retrieves updates from the remote repository named "github" without integrating them into the current branch.

➤ `git fetch github`

Step 4: Format-patch from OCA repo to gitlab repo (our repo).

➤ `git format-patch --keep-subject --stdout origin/$MIGRATION_TO..github/$MIGRATION_FROM -- $MODULE | git am -3 --keep`

Step 5: `git push origin`

Step 6: Run pre-commit

➤ `pre-commit run -a`

- **Note:** After running the pre-commit, there is no need to manually resolve any pre-commit issues. **A setup file will be generated if you are working with version 15.0/16.0**, and any automatically generated pre-commit processes will be included.

Step 7: Add the changes

- `git add -A`

Step 8:

- If working with migration to v15: `git commit -m "[IMP] [$TRACKING_NO] $MODULE: black, isort, prettier" --no-verify`
- If working with migration to v16: `git commit -m "[IMP] [$TRACKING_NO] $MODULE: pre-commit stuff" --no-verify`
- If working with migration to v17: `git commit -m "[IMP] [$TRACKING_NO] $MODULE: pre-commit auto fixes" --no-verify`

In this commit, there will be 'NO' manually changed Pre-commit files. It should only contain the setup file, and any pre-commit processes automatically resolved will be included.

Step 9: `git push origin`

- **Note:** For migration to version 15/16/17, make the necessary changes such as updating the version number, resolving any manual pre-commit issues, and incorporating changes specific to version 15/16/17 and **Don't change PO file** because PO file often managed within version control systems like Git. Ensure that the test coverage is over 80%; if needed, add additional test cases to achieve this threshold.

Step 10: `git add -all`

Step 11: `git commit -m "[MIG] [$TRACKING_NO] $MODULE: Migration to $MIGRATION_TO "`

Step 12: `git push origin`

- **Note:** If there are any dependent modules not merged into OCA but with a corresponding PR already created in OCA, an additional commit is required. This commit should involve adding a test-requirement.txt file, should be in the "oca-internal".
- That test-requirement.txt file contain for **version 14.0 and 15.0:** `odoo-addon-<module_name> @ git+https://github.com/OCA/<repository>.git@refs/pull/<PR_number>/head#subdirectory=setup/<module_name>`
- **Example:** `odoo-addon-product_packaging_level @ git+https://github.com/OCA/product-attribute.git@refs/pull/1215/head#subdirectory=setup/product_packaging_level`
- That test-requirement.txt file contain for **version >= 17.0:** `odoo-addon-<module_name> @ git+https://github.com/OCA/<repository>.git@refs/pull/<PR_number>/head#subdirectory=<module_name>`
- **Example:** `odoo-addon-product_packaging_level @ git+https://github.com/OCA/product-attribute.git@refs/pull/1215/head#subdirectory=product_packaging_level`

- **Reference for format of test-requirement.txt file content:**

<https://github.com/OCA/maintainer-tools/wiki/Use-temporary-reference%28s%29-to-another-pull-request%28s%29>

Step 13: `git add -A`

Step 14: `git commit -am"[DON'T MERGE] [$TRACKING_NO] test-requirements.txt"`

Step 15: `git push origin`

- **Note:**

1) In the future, if the dependent module, such as 'product_packaging_level', which we have included in test-requirement.txt, is merged into OCA, it will be necessary to remove the "[DON'T MERGE] test-requirements.txt" commit.

2) Once the migration process and testing are completed, remove 'WIP' from the title of the merge request. The final title should appear as "\$MIGRATION_TO [\$TRACKING_NO] [MIG] \$MODULE: Migration to \$MIGRATION_TO".

3) In any code, you don't have to add additional comments or documentation comments or Task No. for added functionality or methods and take care of the same point while reviewing code.