



VALUE ADDED COATING SOLUTION PVT LTD

Office: 515, Devika Tower, Chander Nagar, Ghaziabad, 201010

Manufacturing: K-288, Site-V, Kasna, Greater Noida (U.P.)- 201310

+91- 9811846214 | +91- 9811357749 | info@coating-solution.com

www.optifinish.in | www.coating-solution.com



QUOTATION

M/S.VENDING UPDATES INDIA PVT LTD

Rudrapur(Uttarakhand))

Quotation date:


17th-January-2025

Our Contact Reference

Pankaj Sharma

+91 9319086613

pankaj@optifinish.in





VALUE ADDED COATING SOLUTION PVT LTD

Office: 515, Devika Tower, Chander Nagar, Ghaziabad, 201010

Manufacturing: K-288, Site-V, Kasna, Greater Noida (U.P.)- 201310

+91- 9811846214 | +91- 9811357749 | info@coating-solution.com

www.optifinish.in | www.coating-solution.com



The Gema Group

Pioneer in electrostatic powder coating

Gema is a company with a long history. Founded in Switzerland in 1897 by Messrs. Gehrig and Mannhart (hence the origin of the name) Gema started as metal fabricator and later specialized in metal ceilings.

In the 1960' years Gema started to experiment with the idea - at that time revolutionary - of electrostatic powder coating and produced the very first powder gun on the market. Although initially developed for its own use, the technology was so interesting and efficient that it was decided to start selling powder guns: the Gema electrostatic division was born!

Gema became a stand-alone company in 1982 with the spin-off of the electrostatic division.

Since 2012 Gema is part of Graco (www.graco.com), an internationally leading supplier of management solutions for fluids and coatings in both industrial and commercial applications. Part of our division are also SAT (www.sataluminium.com), market leader in vertical finishing systems for aluminum extrusions, and Hildebrand Technology (www.hildebrand-technology.com), our experts in static control solutions.

Always one step ahead

After starting first, Gema has kept its leadership position in powder coating for more than 50 years thanks to a strong focus on R&D and creativity. Over the years Gema launched so many famous innovations and unique designs, like the first gun with integrated high voltage generator, the MFR filter-belt booth, the Magic Cylinder round booth design, the SuperCorona free ions collector, the first OptiSelect manual gun with integrated remote control, the MagicCenter powder kitchen with automated color change, the EquiFlow booth airflow design, the Smart-Inline-Technology of our dense phase pumps, the contour detection laser scanner for automatic application, the new All-In-One gun control units...

Today Gema can count on the largest patents portfolio in the market and offers a broad variety of products and solutions, from manual coatings to the most sophisticated industry 4.0 automations.

A strong worldwide presence

Gema's worldwide headquarters are in St. Gallen, Switzerland; here our team works every day to develop our newest technologies and to make sure that our products are manufactured in perfect quality and punctually delivered everywhere in the world.

Our distribution network includes a combination of Gema business units and independent distributors in more than 60 countries worldwide, offering sales and service support to maintain the Gema equipment in perfect shape for many years after the first installation.

Application experts in every market

Architectural elements, home appliances, automotive components, metallic furniture... everywhere the most famous brands rely on our expertise for their powder coating projects.

Our state-of-the-art coating laboratories are available in Europe, America and Asia for the most complex coating trials. Here our customers can test our advanced technologies and determine the most effective equipment configuration to achieve the best application quality.

www.optifinish.in



VALUE ADDED COATING SOLUTION PVT LTD

Office: 515, Devika Tower, Chander Nagar, Ghaziabad, 201010

Manufacturing: K-288, Site-V, Kasna, Greater Noida (U.P.)- 201310

+91- 9811846214 | +91- 9811357749 | info@coating-solution.com

www.optifinish.in | www.coating-solution.com



Technical Description

Project Specifications

Work piece data:

Type of Object:	Vending Machine
Max Height	1200 [mm]
Max Width	100 [mm]
Max Length	1930 [mm]

Production data:

Speed of Conveyor:	2.70 [m/min]
--------------------	--------------

Application data:

Powder Type:	Organic Powder
--------------	----------------

The design of this solution is based on the experience we have gained from several successful projects with similar technical specifications

Scope of Supply

Automatic Application Equipment

1 OptiFlex AS10 electrical cabinet (Manufactured Locally)

- Freestanding IP54 protected base cabinet, equipped with pneumatic unit, including air filter/regulator and air connection sockets for control units
 - Modular upper structure designed to accommodate Gema master control, gun controls, reciprocator controls, powder hopper controls
 - Power supply
- | | |
|------------|--------------------------|
| Standard: | 3x400 VAC+N+PE / 50/60Hz |
| US Market: | 100-120 V 60Hz |

Technical data:

Width:	600 [mm]
Depth (incl. base):	300 (550) [mm]
Max height:	1'880 [mm]



www.optifinish.in



VALUE ADDED COATING SOLUTION PVT LTD

Office: 515, Devika Tower, Chander Nagar, Ghaziabad, 201010

Manufacturing: K-288, Site-V, Kasna, Greater Noida (U.P.)- 201310

+91- 9811846214 | +91- 9811357749 | info@coating-solution.com

www.optifinish.in | www.coating-solution.com



10

OptiStar 4.0 CG20 gun control

The new benchmark for gun controls

- 3 pre-set standard application programs and 250 user definable application programs - easy operation for beginners / powerful functions for the experts
- PCC technology to optimize the electrostatic charging even for challenging powders
- DVC technology grants the most precise and repeatable powder output settings
- Powder output calibration function, allowing for identical powder output at identical settings for all guns of a powder coating line, irrespective of their individual powder hose length
- Adjustment function to temporally change the powder output, without modifying the selected application program
- Wear part monitoring by working hours counters for the main wear parts
- Bluetooth connectivity to Gema E-App allowing device setup, application parameter adjustments and line data monitoring via mobile device
- Key pad lock to prevent unintended user input
- Diagnostics module and error code indication for easy trouble shooting
- Rinsing mode to remove powder accumulations from the injector, powder hose and gun





VALUE ADDED COATING SOLUTION PVT LTD

Office: 515, Devika Tower, Chander Nagar, Ghaziabad, 201010

Manufacturing: K-288, Site-V, Kasna, Greater Noida (U.P.)- 201310

+91- 9811846214 | +91- 9811357749 | info@coating-solution.com

www.optifinish.in | www.coating-solution.com



8

OptiGun GA03 automatic gun

More powder on the parts - less in the recovery

- Based on Gema corona charging technology
- Integrated 100 kV high power cascade for unmatched first pass transfer efficiency
- Equipped with high efficiency nozzle, ensuring highest quality application results
- Wide selection of special nozzles available as option
- Robust design, optimized for fast & reliable color change as well as low & easy maintenance
- Designed for use of organic and metallic powders



2

OptiSelect GM04 manual gun (for Manual Touch up)

The manual gun for maximum coating performance

- Based on Gema corona charging technology
- Integrated 110 kV Power Boost technology-based cascade for unmatched first pass transfer efficiency
- Equipped with high efficiency nozzle, ensuring highest quality application results
- Wide selection of special nozzles available as option
- On-gun remote control to adjust all coating parameters
- Robust design, light weight and very ergonomic design
- Optimized for fast & reliable color change as well as low & easy maintenance
- Designed for use of organic and metallic powders



10

OptiFlow IG07 injector

The first choice in injector technology for high performance powder conveying

- Single-component Inline Cartridge Design and 135° open angle design reduces wear consumption, guarantees a long-term consistent powder flow and enables even faster wear part exchange
- Designed to work with Gema DVC Technology
- All connections equipped with quick release couplings - Plug & Convey
- Robust die-cast housing
- Designed for mounting on fluidized powder hopper, includes suction tube



1

HF100 MS powder hopper (Manufactured Locally)

- High quality fluidized bed, designed to accommodate up to 12 injectors
- Opening for automatic powder supply and opening with lid for manual powder supply and inspection
- Easy to clean stainless steel construction
- Opening to accommodate level probe
- Air mover

Technical data:

Diameter	12 mm
Height	600 mm
Capacity	100 l

1

Caster for HF powder hoppers

www.optifinish.in



VALUE ADDED COATING SOLUTION PVT LTD

Office: 515, Devika Tower, Chander Nagar, Ghaziabad, 201010

Manufacturing: K-288, Site-V, Kasna, Greater Noida (U.P.)- 201310

+91- 9811846214 | +91- 9811357749 | info@coating-solution.com

www.optifinish.in | www.coating-solution.com



Powder Management Equipment

1 PS2 vibratory sieve (Manufactured locally)

An easy and effective solution to improve your finishing quality

- Releases powder agglomerations and separates dirt particles
- Robust electrical vibrator
- Ergonomic and easy access for cleaning

Technical data

Screen diameter	420 [mm]
Mesh size	300 [µm]
Powder throughput depending from powder type	up to 3 [kg/min]



Reciprocators and Automation Equipment

2 OptiMove CR08 reciprocator control unit

The most powerful and user-friendly reciprocator control

- control unit for one Gema ZA reciprocator or XT axis
- Clear interface for an intuitive operation
- Stores and recalls reciprocator programs for an easier automated operation of the line. More reproducible coating results!
- Different operating modes to meet every need:
- *oscillating* mode, with up to 250 programs; each program consists of lower reverse point, upper reverse point and speed
- *positioning* mode, with up to 250 programs; each program consists of end position and speed. Typical for horizontal XT axis
- *sequential* mode, with up to 250 program steps; realize complex movement cycles, consisting of individual segments with different end positions and speeds
- Installation in the OptiFlex AS cabinet

Technical data:

Positioning error	< 5 [mm]
-------------------	----------





VALUE ADDED COATING SOLUTION PVT LTD

Office: 515, Devika Tower, Chander Nagar, Ghaziabad, 201010

Manufacturing: K-288, Site-V, Kasna, Greater Noida (U.P.)- 201310

+91- 9811846214 | +91- 9811357749 | info@coating-solution.com

www.optifinish.in | www.coating-solution.com



2 ZA10-18 Reciprocator

The easy solution for your automation needs

- Reliable trouble-free operation with minimum maintenance costs
- Smooth acceleration, ideal for the best coating results
- Vertical carriage with plastic rollers and belt drive
- Synchronous motor

Technical data:

Height	2760 [mm]
Width (base)	550 [mm]
Width (column)	250 [mm]
Depth	750 [mm]
Stroke	1800 [mm]
Speed	0.08 to 0.6 [m/s]
Acceleration	0.1 – 2.0 [m/s ²]
Max load	25 [kg]
Power consumption	0.4 [kVA]
Max cable length to the CR control	20 [m]



2 Trolley for manual displacement of one reciprocator

- Base trolley
- Rollers and locking clamps
- Handles to move the reciprocator



Booths and Powder Recovery Systems

(Manufactured Locally with Gema Design & Engineering)

1 MagicPlus Stainless Steel Color Change booth

Perfect coating quality thanks to the suction hood with two horizontal extraction slots creates the perfect coating conditions



Booth dimensions:

Length	5000 [mm]
Width	1200 [mm]
Height	3100 [mm]

- The entire booth is made of Stainless-Steel material that reduces powder deposition and makes the cleaning process easy.
- Accessible base, with hinged air channel and adapter for air duct
- Upper structure, self-supporting, with two object openings, one with a pair of doors, 6 lighting in the roof walls, roof with frame work, holding the two walls.
- 1 Manual touch up provisional openings.
- 2 guns slots in the booth walls
- Cleaning tools to facilitate color change

1 Ducting, connecting the powder booth to the recovery system

Special design to avoid powder deposits

**1 Mono cyclone recovery,
(Manufactured Locally with Gema Design & Engineering)**


- High efficiency design to maximize powder recovery rate
- Openable lower section, for an easy accessibility for color change and maintenance
- Robust support frame with leveling feet
- Integrated OptiFeed PP01 pump for transport of recovery powder
 - Ensures gentle powder feed with minimum stress to the powder



1 Ducting, connecting the cyclone to the filter

**1 Cartridge filter for fine/dust powder particle
(Manufactured Locally with Gema Design & Engineering)**

- Filter box with integrated fan and motor
- Filter cartridges with automatic cleaning system
- Indicators for ventilator delta P and filters static pressure
- Powder collection hopper under the filter
-



1 Control cabinet for the filter

Compact electric cabinet, installed directly at the filter. **Gun supports Powder Management & Transfer Equipment**



VALUE ADDED COATING SOLUTION PVT LTD

Office: 515, Devika Tower, Chander Nagar, Ghaziabad, 201010

Manufacturing: K-288, Site-V, Kasna, Greater Noida (U.P.)- 201310

+91- 9811846214 | +91- 9811357749 | info@coating-solution.com

www.optifinish.in | www.coating-solution.com



Installation and Training

Start-up and training with a Gema authorized Service engineer

Manpower kept ready by the customer:

2 structure and steel trade man

2 fitters

1 electrical contractor

The electrical and compressed air installations, including all necessary materials have to be supplied by the customer, according to our instructions.



VALUE ADDED COATING SOLUTION PVT LTD

Office: 515, Devika Tower, Chander Nagar, Ghaziabad, 201010

Manufacturing: K-288, Site-V, Kasna, Greater Noida (U.P.)- 201310

+91- 9811846214 | +91- 9811357749 | info@coating-solution.com

www.optifinish.in | www.coating-solution.com



Price Summary

Automatic Application Equipment

- 01 OptiFlex AS10 electrical cabinet (Manufactured Locally)
- 10 OptiStar 4.0 CG20 gun control
- 08 OptiGun GA03 automatic gun
- 02 OptiSelect GM04 manual gun (for Manual touch up)
- 10 OptiFlow IG07 injector
- 01 HF100 MS powder hopper (Manufactured Locally)
- 01 Caster for HF powder hoppers

Powder Management Equipment

- 01 PS2 vibratory sieve (Manufactured Locally)
- 01 OptiFeed PP01 pump for recovery powder transport

Reciprocators and Automation Equipment

- 2 OptiMove CR08 reciprocator control unit
- 2 ZA10-18 Reciprocator
- 2 Trolley for manual displacement of one reciprocator
- 08 Gun supports

Booths and Powder Recovery Systems

- 01 MagicPlus Stainless Steel booth
- 01 MonoCyclone Recovery
- 01 Dust Collector

Installation and Training

Start-up and training with a Gema Service engineer

GRAND TOTAL PROJECT**90,00,000- INR**

www.optifinish.in



VALUE ADDED COATING SOLUTION PVT LTD

Office: 515, Devika Tower, Chander Nagar, Ghaziabad, 201010

Manufacturing: K-288, Site-V, Kasna, Greater Noida (U.P.)- 201310

+91- 9811846214 | +91- 9811357749 | info@coating-solution.com

www.optifinish.in | www.coating-solution.com



Connections and Energy Consumption

Compressed air connection data:

Max input pressure	10 [bar]
Min input pressure	6 [bar]
Max permissible water vapor content	1.3 [g/Nm ³]
Max permissible oil vapor content	0.1 [mg/Nm ³]

Electrical connection data:

Single phase voltage	230 [V]
Three phase voltage	3 x 400 [V+N+PE]
Frequency	50/60 [Hz]
Voltage tolerance	± 10 [%]
Type of protection class	IP54
Please consider the heat generated by the equipment for the thermal balance of the environment!	



VALUE ADDED COATING SOLUTION PVT LTD

Office: 515, Devika Tower, Chander Nagar, Ghaziabad, 201010

Manufacturing: K-288, Site-V, Kasna, Greater Noida (U.P.)- 201310

+91- 9811846214 | +91- 9811357749 | info@coating-solution.com

www.optifinish.in | www.coating-solution.com



Sales Conditions

Payment Conditions

50% advance along with Order & 50% before dispatch

Price Basis

Ex works Noida

Deliver Conditions

4 Months Ex-Works from the date of advance payment & layout approval

Warranty

12 months, one shift (8 hours) per day, beginning after commissioning.

There will be no warranty if other than original Gema spare parts are used.

Exclusions

The following items are excluded from our scope of supply, unless they are specifically mentioned:

- Building work and laying foundations on site and the necessary drawings
- Ventilation / air conditioning of the plant
- Supply and installation of main lines and sources, electrical power and compressed air to the -equipment including the required switches, valves, fuses, etc., according to our instruction
- Installation materials for the connections to all driven units
- All pressure release flaps and ducts to the exterior
- Equipotential line, including laying up to the equipotential bar acc. VDE 0141; Cross-section min. 16 [mm²]
- Suspensions for the conveyor within the area of the coating plant
- M6 or M10 connectivity for Gema encoder on conveyor
- Platforms for the manual touch-up openings
- Safety fences
- Erection aids and tools incl. necessary scaffolding
- Unloading, transport inside factory, and placing of plant items on erection site
- Disposal of waste materials (packaging, etc.)
- Powder for plant commissioning
- Packing, shipping, installation and commissioning
- Any items not especially mentioned in this offer

www.optifinish.in



VALUE ADDED COATING SOLUTION PVT LTD

Office: 515, Devika Tower, Chander Nagar, Ghaziabad, 201010

Manufacturing: K-288, Site-V, Kasna, Greater Noida (U.P.)- 201310

+91- 9811846214 | +91- 9811357749 | info@coating-solution.com

www.optifinish.in | www.coating-solution.com



**THANK YOU
FOR ANY ENQUIRY PLEASE CONTACT**



Opti finish

HARISH SHARMA

Mobile: (+91) 9811846214

Email: harish@optifinish.in

www.optifinish.in



VALUE ADDED COATING SOLUTION PVT LTD

Office: 515, Devika Tower, Chander Nagar, Ghaziabad, 201010

Manufacturing: K-288, Site-V, Kasna, Greater Noida (U.P.)- 201310

+91- 9811846214 | +91- 9811357749 | info@coating-solution.com

www.optifinish.in | www.coating-solution.com



UTILITY PROVIDED BY CUSTOMER

1. Electricity

- Power – 415 V + / - 5 %, 3 phase, 50 Hz + / - 2 %, 4 wire AC supply.
- Control – 230 V + / - 5 %, single phase, 50 Hz + / - %, 2 wire AC supply.

2. Compressed air of following quality and quantity

- Dirt – lum – 1 mg / N m 3 max.
- Water content – < 1.3 gm / Nm³; - 40 deg C p d p.
- Oil content – < 0.1 mg / Nm³.
- Pressure – @ 7 bar.
- Qty. Will be provided later.

3. Fuel for Heating System

- Type – LPG/Propane/NG (Client to confirm any one)

Note: Net calorific value of LPG considered 11500 Kcal/Kg Above fuel consumption figures are under worst ambient condition @ 7.5 °C

4. Quality and Quantity of Water

- Pressure at inlet to tank – 1.5 kg / cm 2 g. minimum.
- Quality of water for Pre-treatment Plant. (To be consulted with chemical supplier)

Notes:

1. Batch requirement of water will be equal to the volume of the Tank & Continuous quantities is to be given by the chemical supplier.
2. Water quantities required during initial cleaning and commissioning would be about 4 to 5 times of initial fill up quantities. **Customer to take care of the same.**

Notes:

1. Customer to provide above utilities free of cost during erection/trial/pre-commissioning/commissioning period.
2. All Utilities to be provided by client at the points required by VACSPL. All the control panels to be charged with MCCB and earthing to be provided by Client.

Note: The above values of utilities are tentative and may change during detail designing.