

TECHNICAL PROPOSAL FOR

**NE-26-0129 SECURE ACCESS SERVICE EDGE
(SASE) - 3 YEARS**

SUBMITTED TO:



كليات التقنية العليا
Higher Colleges of Technology

VER.1.0 9/7/2026

QUOTE REF No.: FW-SH-Q20260907-HCT-SASE

FIREWARE
KNOWLEDGE  **PROTECTED**

DOCUMENT AUTHORIZATION

Sales Manager : Sheeth Hashir
Email : s.hashir@fireware.com
Mobile : +971 56 841 3476
Company Name : FIREWARE INTERNATIONAL NETWORK L.L.C- S.P.C
Address : The Mall, World Trade Center, Level 3, Al Danah, Abu Dhabi
P.O. Box 111241, Cloud Suite 403
Telephone : +971 2 417 0506
Website : www.fireware.com

Version	Issue Date	Status	Reason for Change
1.0	9/7/2026	New	First issue

Statement of Confidentiality

This document is proprietary to Fireware. Use of this document is solely for the commercial evaluation of the Fireware response. It is supplied in confidence and except for evaluation by the Customer should not be copied, disclosed or otherwise revealed to outside parties without prior written consent of Fireware. These limitations are commercial in nature and are not in any way intended to restrict business between Fireware and the Customer.

Statement of Copyright

Designs produced as part of this proposal are considered to be the intellectual copyright of Fireware or its partners. Technical information is provided to demonstrate the technical compliance and design standards for the purpose of evaluation. All such designs remain the property of Fireware and cannot be copied in whole or part and utilized for incorporation into solutions without Fireware permission or via commercial acquisition.



FW-SH-Q20260907-HCT-SASE	TECHNICAL PROPOSAL	VER 1.0
FIREWARIN – CONFIDENTIAL	NE-26-0129 SASE - 3 YEARS	PAGE 1

9/7/2026

To,

Higher Colleges of Technology (HCT)

SUBJECT: Technical Proposal for NE-26-0129 SECURE ACCESS SERVICE EDGE (SASE) - 3 YEARS

Dear Sir,

Fireware would like to thank you for providing us with the opportunity to serve you with the above mentioned requirement.

Fireware is a focused end-to-end information security integrator with a regional coverage. We offer our customers the best in class solutions from all around the world integrated with our cutting edge professional services. We implement our own methodology, ADAM®, a powerful mechanism for protecting information in all business verticals.

We are committed to provide our clients with the best-in-class solutions. Our partners are carefully chosen based on their technology advancement, financial stability and strong support channel.

Fireware has local support available for the best of the technologies available worldwide to protect your information. People, technologies and organizations all are measured by the services they provide, and we believe that even the best technology in the world has to satisfy its users' needs. This is why Fireware is committed to customer satisfaction as an essential element of designing our solutions.

Thanking you and assuring our best service all the time,

For Fireware,

Sheeth Hashir
Account Manager UAE



FW-SH-Q20260907-HCT-SASE

TECHNICAL PROPOSAL

VER 1.0

FIREWARIN – CONFIDENTIAL

NE-26-0129 SASE - 3 YEARS

PAGE 2

TABLE OF CONTENTS

1. VENDOR PROFILE	4
1.1 COMPANY PROFILE	5
1.2 OUR KEY PARTNERS	6
1.3 FIREWARE - SUPPORT SERVICES	10
1.4 COMPANY ORGANIZATION, LOCATIONS AND SUBSIDIARIES	12
1.5 PARTNERS AND OWNERS OF THE COMPANY	12
1.6 LEGAL ENTITY	12
1.7 COMPANY TRADE LICENSE COPY	13
1.8 COMPANY VAT REGISTRATION COPY	15
1.9 COMPANY ORGANIZATIONAL CHART	17
1.10 KEY PERSONNEL	17
1.11 CLIENT REFERENCE	18
2 SOLUTION OVERVIEW	19
2.1 EXECUTIVE SUMMARY	20
2.2 TRAFFIC STEERING AND SECURITY ARCHITECTURE	22
2.3 NETSKOPE QUALIFICATION AS A SSE & SASE LEADER	24
2.4 NETSKOPE ONE PLATFORM	25
2.5 NETSKOPE NEW EDGE DATA CENTERS IN UAE AND GCC	35
2.6 WHY NETSKOPE IS THE BEST CHOICE	37
2.7 NETSKOPE ONE PRIVATE ACCESS (NPA)	42
2.7 NETSKOPE ONE ENTERPRISE BROWSER	46
2.8 BILL OF QUANTITIES	49
2.9 COMPLIANCE SHEET	50
3.PROJECT PLAN	56
3.1 CUSTOMER PRE-REQUEST	58
3.2 WORK BREAKDOWN STRUCTURE	60
3.3 PROJECT SCHEDULE	63
3.4 PROJECT MANAGEMENT APPROACH	64
4 APPENDICES	68
APPENDIX A - CURRICULUM VITAE OF ENGINEERS	69
APPENDIX B - DRAFT SLA	79
APPENDIX C - ISO/IEC 27001:2022 CERTIFICATE	92



SECTION - I

VENDOR PROFILE



1.1 COMPANY PROFILE

Fireware is a focused end-to-end service delivery solution integrator based in Middle East. We offer our customers the best in class solutions from all around the world integrated with our cutting edge professional services. We implement our own methodology, ADAM(R), a powerful mechanism for protecting and optimizing information delivery in all business verticals.

We work in a different horizon


A key differentiator for us is our ability to define customers' needs and plan, design, implement and support a completely integrated solution that address multiple areas rather than isolated, vendor concentric products.

Beyond business

Fireware is committed to market the concept of service delivery in the local community. We educate, train, and motivate the youth to understand and appreciate the various aspects of ADN. We also host a public forum and sponsor monthly seminars to develop the awareness of info sec and build a knowledgeable generation of professionals that can protect our nations from the ever-growing cyber threats.

Our Offerings

People, technologies and organizations; all are measured by the services they provide, and we believe that even the best technology in the world has to satisfy its users' needs. This is why Fireware is committed to customer satisfaction as an essential element of designing our solutions. Packed with this culture in mind, we provide our clients the following services:




1.2 OUR KEY PARTNERS



HOW DO WE DO IT

We apply our patent model for building creative service delivery solutions: Analyze, Detect, Act, Monitor (ADAM). ADAM is carefully chosen to address the various phases of application delivery needs as illustrated below.



ANALYZE

Information is everywhere. Millions of events are generated every day, and it is impossible to comprehend them all. This is why this phase is essential. We help you to extract, analyze and prioritize this information. This dramatically improves the application delivery decisions by improving the intelligence of the network and integrating it with powerful ADN mechanism. Our solutions for this phase include:

- Network Behavior Analysis
- Network Forensics
- Deep Packet Inspection
- Security Information & Events Analysis
- Gap Analysis and Risk Assessment
- Network and Application Vulnerability Assessment



DECIDE

As one of the most important aspects of application delivery architecture, the ability to have quick, firm, yet accurate and correct decisions is a key factor for successful application delivery network. In this phase, we focus on the strategic level and the overall IT management framework rather than specific technologies. The goal is to unite the isolated decision entities and apply an effective decision making system. Our solutions for this phase include:

- Information Security Management System
- Business Intelligence
- Enterprise Security Planning

ACT

Fireware provides end-to-end solutions to secure and optimize applications over an organization. Enforcement can be on the endpoint (e.g. desktop, laptop or server) or on the network level (e.g. LAN/WAN, core, DMZ, Internet or perimeter). We understand from the network layer up to the application layer. Deeper inspection levels result in greater application delivery control. Our value stands out in integrating the best-in-class products to offer our clients an integrated solution with the highest levels of protection and optimization. Our solutions for this phase include:

- Network Security (Firewalls, IDS/IPS, VPN, NAC, UTM)
- Web Application Security
- Data Traffic Steering and Service Availability
- Disaster Recovery
- WAN & Wireless Optimization (Acceleration, Compression, Caching, Qos)
- Secure Remote Access
- Enterprise and Military-Grade Endpoint Security and Control
- Data Leak Prevention, Data Encryption and Database Security
- Identity Management, Single Sign On, and Multi Factor Authentication
- Content Security, Web Filtering and Application Control



MONITOR

When the number of corporate users increases and network resources grow up, the ability to monitor the status of the network and security infrastructure become a critical success factor for IT managers. We help you to implement a centralized monitoring system to observe the small details that may affect the big picture. Keeping an eye on every resource in your infrastructure eliminates hard time surprises and ensures smooth and continuous business operations. Our solutions for this phase include:

- Security Information and Event Management
- Intrusion Detection System
- Lawful Interception
- Data Leak Monitoring
- Security incident management

In short, we can help you to:

- Effectively plan, design, implement, support and audit a highly secured IT environment while optimizing the delivery of the IT services in the organization.
- Take better decisions when it comes to application delivery, basically because we integrate the intelligence of the network analysis with the enforcement models like application delivery controllers, firewalls, IPS, NAC etc..., which dramatically reduces the amount of false positives and improves the associated business continuity as it ensures smoother operations.
- Integrate service delivery networks into the architecture of your organization's IT, achieving an optimal, matured and easy to implement service oriented networks.



1.3 FIREWARE - SUPPORT SERVICES

FIREWARE is pleased to offer a range of optional technical support services to provide customers with advice or diagnosis and resolution of issues the customer may experience with the supported products purchased through FIREWARE. This support covers level 2 and level 3 and it may be requested over the phone, e-mail, or internet portal and may take the form of an on-site visit or remote help via telephone, e-mail or remote desktop control, when applicable.

FIREWARE offers the following support options for CUSTOMER to choose from:

FEATURE	NO SUPPORT	STANDARD	PREMIUM	PLATINUM
8X5 - Business hours support availability (Sunday to Thursday, 9 AM – 5 PM local time)	●	●	●	●
24x7 web portal access		●	●	●
24x7x365 - All around the clock support availability for severity 1 cases			●	●
Up to 3 tickets included per support period/year (support provided via e-mail only)*	●			
Up to 12 tickets included per support period/ year*		●		
Unlimited tickets included			●	●
Quarterly health check visits and reports			●	●
Application enhancement (change) request management			●	●
Software upgrade of platforms (if required, maximum 2 per year)**			●	●
Resident engineer				●
Customised support usage reports				●
Post-deployment best practices advice				●
Software preventative maintenance				●

***When the total number of tickets has been used for the support period, support will be downgraded to the previous level. **Fireware will make the best efforts in notifying customers of required upgrades; however, for customers with standard or no support, it is advised to subscribe to vendor's security advisory to obtain information on available upgrades.**



Once one of the support options has been purchased, Fireware will submit a Service Level Agreement detailing the severity levels and response time commitments as follows:

SEVERITY LEVEL	DEFINITION	EXAMPLES	RESPONSE MEAN	NO SUPPORT	STANDARD	PREMIUM	PLATINUM
				RESPONSE TIME	RESPONSE TIME	RESPONSE TIME	RESPONSE TIME
1 CRITICAL	Severe error A problem related to a supported system, which causes a complete loss of service; work cannot continue at all and operation is mission critical to the customer business.	- System is down - Business operations are severely disrupted - All or a substantial portion of mission-critical data is at a significant risk of loss or corruption.	Phone & E-mail OR Remote Access ¹	8 business hours (E-mail only)	2 business hours	30 calendar minutes	IMMEDIATE RESPONSE FROM RESIDENT ENGINEER DURING BUSINESS HOURS, PREMIUM RESPONSE OUTSIDE BUSINESS HOURS
			On-site ²	N/A	6 business hours	4 calendar hours	
2 HIGH	Major functionality is severely impaired A problem related to a supported system, which causes a significant loss of service and no acceptable workaround is available. The problem adversely impacts customer business, but operation can continue in a restricted fashion or be alternatively routed.	- Major system function is unavailable or degraded. - Repeated failures - Error will create intolerable delays if not addressed.	Phone & E-mail OR Remote Access ¹	24 business hours (E-mail only)	4 business hours	1 calendar hours	
			On-site ²	N/A	8 business hours	6 calendar hours	
3 MEDIUM	Partial, non-critical loss of functionality A problem related to a supported product, which causes no loss in service, or only very minor loss in service. The impact is an inconvenience, which does not impede operation or customer business operations.	Impaired operations of some components	Phone & E-mail OR Remote Access ¹	3 business days (E-mail only)	1 business day	5 calendar hours	
			On-site ²	N/A	2 business days	1 calendar day	
4 LOW	General usage problem or feature request A question concerning the operation of a supported system, or a suggested change to the systems or its configuration. A reported anomaly in the supported system which does not substantially restrict the use of one or more of its features to perform necessary business functions.	General configuration or usage questions	Phone & E-mail OR Remote Access ¹	5-8 business days (E-mail only)	2-4 days	1-2 calendar days	

1 Only applicable to customers with paid support (Standard, Premium or Platinum customers). Only E-mail support, limited to a maximum of 3 tickets per support year, will be provided to customers who have elected not to purchase Fireware support.

2 On-site response to be provided whenever all attempts for phone, e-mail, and remote response options have been exhausted.



1.4 COMPANY ORGANIZATION, LOCATIONS AND SUBSIDIARIES

FULL NAME	: FIREWARE INTERNATIONAL NETWORK L.L.C S.P.C
LOCATION	: ABU DHABI
COMMERCE LICENSE NO	: CN-1987253
LEGAL ENTITY	: LIMITED LIABILITY COMPANY
INCORPORATED IN	: DUBAI, ABU DHABI, OMAN DUBAI-UAE PO Box 487157, Ibn Battuta Gate, Office Building Office number EH204 T: +971 4 5646100 F: +971 4 5646099 info-uae@fireware.com
OFFICE ADDRESSES	: <u>ABU DHABI-UAE</u> The Mall, World Trade Center, Level 3, Al Danah, Abu Dhabi P.O. Box 111241, Cloud Suite 403, Abu Dhabi, U.A.E Abu Dhabi, U.A.E Phone: +971 2 417 0506
	: <u>MUSCAT-OMAN</u> P.O. Box 252, Post Code 133, Building No. 212 Al-Khuwair Sooth, Road 247 Phone: +968 24485344 Fax +968 24485433 info-oman@fireware.com

1.5 PARTNERS AND OWNERS OF THE COMPANY

	NAME OF OWNER(S)	NATIONALITY	% OF OWNERSHIP
1	MOHAMMAD SALEM ALI ALJALLAF ALMHEIRI	UAE	100%

1.6 LEGAL ENTITY

LIMITED LIABILITY COMPANY (Trade License Attached in Next Section)



1.7 COMPANY TRADE LICENSE COPY



رخصة أبوظبي الاقتصادية Abu Dhabi Economic Licence

Licence Details

Licence Type	Business	تجارية	نوع الرخصة
Licence Category	Normal	عادية	فئة الرخصة
Licence No.	CN-1987253		رقم الرخصة
Unified Registration No.	101-2021-100006361		رقم التسجيل الموحد
Unified Licence No.	501-2015-100115550		رقم الرخصة الموحد
Establishment Date	16/06/2015		تاريخ التأسيس
Issuance Date	20/05/2026		تاريخ الإصدار
Expiry Date	19/06/2027		تاريخ الانتهاء
Legal Form	Limited Liability Company - Sole Proprietorship Company	شركة ذات مسؤولية محدودة - شركة الشخص الواحد	الشكل القانوني
Trade Name	FIREWARE INTERNATIONAL NETWORK - L.L.C - S.P.C	فايروير انترناشيونال للشبكات - ذ.م.م - ش.ش.و	الاسم التجاري

Ownership and Representatives

Representative of	Role/Position	Nationality	Name
مالك	Owner	الإمارات العربية المتحدة	محمد سالم علي الجلال المهيري
مدير	Manager	الإمارات العربية المتحدة	محمد سالم علي الجلال المهيري

Licence Activities

Activity	Code	Description
Auditing, Reviewing & Testing Cyber Risks	6202008	خدمات تدقيق ومراجعة واختبار المخاطر الإلكترونية
Computer Repair and Maintenance	9511001	إصلاح أجهزة الحاسب الآلي وصيانتها
Computer Systems and Software Designing	6201001	تصميم نظم وبرامج الحاسب الآلي
Data Storing and Recovering	6311003	تخزين البيانات واسترجاعها
Onshore And Offshore Oil And Gas Fields And Facilities Services	0910018	خدمات حقول ومنشآت النفط والغاز البرية والبحرية
Cyber Security Consultancy	6202006	إستشارات الأمن الإلكتروني
Computer Infrastructure Establishment, Institution and Maintenance	4321004	إنشاء وتأسيس وصيانة البنية التحتية للحاسب الآلي
Information Technology Network Services	6202005	خدمات شبكات تقنية المعلومات
Cyber Risk Management Services	6202007	خدمات إدارة المخاطر الإلكترونية

Address

Official Email	Lilla@fireware.com	البريد الإلكتروني الرسمي
Official Mobile	+971555042568	رقم التواصل الرسمي
Address	الدانة، شرق 2، 0 -، مبنى، جهاز الشؤون التنفيذية	العنوان

www.adra.gov.ae

1 of 2

Print Date 20/05/2026

Print Time 10:56:35

To verify the economic licence kindly visit the TAHAQAQ service on www.tamm.abudhabi

لتحقق من الرخصة الاقتصادية، يرجى زيارة خدمة "تحقق" على



FW-SH-Q20260907-HCT-SASE

TECHNICAL PROPOSAL

VER 1.0

FIREWARIN – CONFIDENTIAL

NE-26-0129 SASE - 3 YEARS

PAGE 13

رخصة أبوظبي الاقتصادية
Abu Dhabi Economic Licence

Additional Information

معلومات إضافية

ADCCI No	336508	رقم عضوية الغرفة
MOHRE Establishment Card No.	852244	بطاقة المنشأة - وزارة الموارد البشرية والتوطين
ICP Establishment Card No.		بطاقة المنشأة - الهيئة الاتحادية للهوية والجنسية

www.adra.gov.ae



2 of 2

Print Date 20/05/2026

Print Time 10:56:35

To verify the economic licence kindly visit the TAHAQAQ service on www.tamm.abudhabi

للتحقق من الرخصة الاقتصادية , يرجى زيارة خدمة "تحقق" على



FW-SH-Q20260907-HCT-SASE

TECHNICAL PROPOSAL

VER 1.0

FIREWARIN – CONFIDENTIAL

NE-26-0129 SASE - 3 YEARS

PAGE 14

1.8 COMPANY VAT REGISTRATION COPY

الهيئة الاتحادية للضرائب
FEDERAL TAX AUTHORITY



شهادة التسجيل في ضريبة القيمة المضافة
أصدرت بموجب الصلاحية الممنوحة بموجب المادة (4) من المرسوم بقانون رقم (13) لسنة 2016 بشأن إنشاء الهيئة الاتحادية للضرائب
Certificate of Registration for Value Added Tax in the United Arab Emirates
Issued under the authority allocated by Art. 4 of the Federal Decree-Law No. 13 of 2016

The Federal Tax Authority certifies that the entity below is a registered person for Value Added Tax in the UAE
تشهد الهيئة الاتحادية للضرائب أن الجية التالية مسجلة لضريبة القيمة المضافة في الإمارات العربية المتحدة

Tax Registration Number 104605691500003 رقم التسجيل الضريبي
Legal Name of Entity (Arabic) فايروير انترناشيونال للشبكات - ذ.م.م - ش.م.و الاسم القانوني للكيان (باللغة العربية)
Legal Name of Entity (English) FIREWARE INTERNATIONAL NETWORK - L.L.C - S.P.C الاسم القانوني للكيان (باللغة الانجليزية)
The Registered Address and Contact Number Office No. 403, World Trade Center Mall, Hamdan Bin Mohammed St, 405, Al Danah, Abu Dhabi, Abu Dhabi +971555042568 العنوان المسجل ورقم التواصل
Effective Registration Date 01/10/2024 تاريخ التسجيل الفعلي
First VAT Return Period 01/10/2024 - 31/12/2024 فترة أول إقرار لضريبة القيمة المضافة
VAT Return due date 28/01/2025 تاريخ استحقاق الإقرار الضريبي لضريبة القيمة المضافة
Start and end dates of Tax periods 1st Apr to 30th Jun, 1st Jul to 30th Sep, 1st Oct to 31st Dec, 1st Jan to 31st Mar تواريخ بدء وانتهاء الفترات الضريبية

List of Main trade license, Sole Establishments and branches licenses details under the registered taxable person: قائمة الرخصة التجارية الرئيسية والمؤسسات الفردية والفروع المندرجة ضمن التسجيل الضريبي:

Legal Name	License Issuing Authority	License Number/رقم الرخصة	جهة الترخيص	الاسم القانوني
------------	---------------------------	---------------------------	-------------	----------------

يرجى التأكد من صحة تفاصيل الشهادة. يجب إبلاغ الهيئة الاتحادية للضرائب في حال تغيير الأسس التي حصلت فيها على رقم التسجيل الضريبي الخاص بك.*

*Please check that the details on this certificate are correct. You must inform the Federal Tax Authority of any change on the basis of which you obtained your Tax Registration Number.

Date of Issue

31/10/2025

تاريخ الاصدار



FW-SH-Q20260907-HCT-SASE

TECHNICAL PROPOSAL

VER 1.0

FIREWARIN – CONFIDENTIAL

NE-26-0129 SASE - 3 YEARS

PAGE 15

الهيئة الاتحادية للضرائب
FEDERAL TAX AUTHORITY



الاسم القانوني	جهة الترخيص	رقم الرخصة / License Number	License Issuing Authority	Legal Name
فايروير انترناشيونال للشبكات - د.م.م - ش.ش.و	دائرة التنمية الاقتصادية في أبوظبي	CN-1987253	Abu Dhabi Department of Economic Development	1 FIREWARE INTERNATIONAL NETWORK - LLC - S.P.C

يرجى التأكد من صحة تفاصيل الشهادة. يجب إبلاغ الهيئة الاتحادية للضرائب في حال تغيير الأسس التي حصلت فيها على رقم التسجيل الضريبي الخاص بك.*

*Please check that the details on this certificate are correct. You must inform the Federal Tax Authority of any change on the basis of which you obtained your Tax Registration Number.

Date of Issue

31/10/2025

تاريخ الإصدار



FW-SH-Q20260907-HCT-SASE

TECHNICAL PROPOSAL

VER 1.0

FIREWARIN – CONFIDENTIAL

NE-26-0129 SASE - 3 YEARS


PAGE 16

1.9 COMPANY ORGANIZATIONAL CHART

Ref: HR-ORG-05-OC
V: 1.4
Rev. Date: 25-FEB-2016

ORGANIZATIONAL CHART

FIREWARE
KNOWLEDGE  PROTECTED



1.10 KEY PERSONNEL

NAME	TEL. NO.	E-MAIL
Tenny Thomas Kulathakal Technical Director, Fireware	M: +971 55 1448663	t.thomas@fireware.com
Sheeth Hashir Sales Account Manager UAE	M: +971 56 841 3476	s.hashir@fireware.com

1.11 CLIENT REFERENCE

S.NO	COMPANY NAME	CONTACT NAME	CONTACT DESIGNATION
1	RTA	SIBY JACOB	NW & INFRA LEAD
2	BOROUGE (ADNOC GROUP)	TAJ KHAN	IT NETWORK INFRA SPECIALIST
3	EDGE GROUP	KAMRAN HANIF	NETWORK ENGINEER- IT OPERATIONS
4	MASHREQ BANK	WAJEED MOHAMMED	VP – CLOUD & INFRA
5	AL MASRAF BANK	REMESH POOKAT	INFORMATION SECURITY SPECIALIST
6	NAKHEEL	ZOHER ABUZAR	SENIOR MANAGER – IT INFRASTRUCTURE
7	AMERICAN UNIVERSITY OF SHARJAH	BASHAR NUSIR	SENIOR PROJECT MANAGER
8	SHARJAH ROADS & TRANSPORT AUTHORITY (SRTA)	AMIR MASAUD	SR. NETWORK ENGINEER
9	AJMAN BANK	RISHABH DADLANI	ASSISTANT MANAGER - INFORMATION TECHNOLOGY
10	DUBAI MUNICIPALITY	SULEMAN ULDAY	SENIOR GIS ADMINISTRATOR

Due to NDAs Signed With The Organizations We cannot disclose further details at this point, Further Details will be provided on Reference



SECTION - II

SOLUTION OVERVIEW



2.1 EXECUTIVE SUMMARY

Higher Colleges of Technology (HCT) operates a geographically distributed environment comprising **17 campuses across the UAE**, supported by a **Primary Datacenter in Abu Dhabi and a Disaster Recovery Datacenter in Dubai**. The current security architecture includes a legacy on-premises SASE solution serving BYOD users alongside a separate cloud-based security solution for managed users. This fragmented operating model introduces additional operational complexity, multiple policy-enforcement points and limited consolidated visibility across the institution.

To support HCT's strategic objective of consolidating these environments, **Fireware proposes Netskope One as the strategic SASE platform**, delivering a unified, fully cloud-based security architecture for managed users, BYOD users, guest users and remote access across all HCT locations. The proposed solution is designed to support HCT's scale of approximately 29,000 users and up to 45,000 concurrent wired and wireless devices, while providing centralized security enforcement, visibility, analytics and administration.

The proposed Netskope One architecture combines Secure Web Gateway (SWG), Firewall-as-a-Service (FWaaS), DNS Security, SSL/TLS Inspection, Advanced Threat Protection, Remote Browser Isolation (RBI), Netskope Enterprise Browser, User and Entity Behaviour Analytics (UEBA), Advanced Analytics and Digital Experience Management (DEM) within a common cloud-delivered policy and management framework. This enables HCT to apply consistent security controls across the institution while differentiating policy according to user identity, device ownership, application, location, device posture and dynamic security risk.

The architecture has also been designed to support HCT's transition toward secure local internet breakout at each campus. Internet traffic originating from campus networks can be securely forwarded from the existing campus NGFW or SD-WAN infrastructure through resilient IPsec tunnels to the nearest Netskope NewEdge Point of Presence. This enables internet security inspection to be delivered directly from the cloud without requiring traffic to be centrally backhauled through the Primary Datacenter.

For managed endpoints, Fireware has proposed the unified Netskope Client to provide secure traffic steering, user and device context, endpoint posture visibility and consistent policy enforcement whether users are operating from an HCT campus or remotely. For BYOD and guest users, the architecture provides an agentless security model using a combination of campus IPsec traffic steering, DNS Security, PAC/Explicit Proxy, selective SSL inspection, Remote Browser Isolation and Enterprise Browser controls as appropriate to the individual access use case.

The proposed architecture will also integrate with HCT's existing security and operational ecosystem, including the Identity Provider, NAC, NGFW/SD-WAN infrastructure, EDR/XDR,



FW-SH-Q20260907-HCT-SASE	TECHNICAL PROPOSAL	VER 1.0
FIREWARIN – CONFIDENTIAL	NE-26-0129 SASE - 3 YEARS	PAGE 20

SIEM/SOAR, UEM/MDM, ITSM and other security platforms. This enables Netskope One to operate as part of HCT's broader Zero Trust and SOC architecture rather than as an isolated security service.

The solution is delivered through the Netskope NewEdge private cloud infrastructure, providing distributed cloud security processing and regional service delivery through UAE and GCC locations. The architecture is designed to provide the scalability, resilience, security inspection capacity and user experience required for HCT's distributed environment while maintaining centralized policy management and visibility across campuses and remote users.

In addition to the technology platform, Fireware will provide implementation, migration and managed support services throughout the engagement, backed by Netskope Premium Support. The engagement will include project management, detailed design, integration, phased migration from the existing environments, testing and validation, training for HCT IT personnel, knowledge transfer, operational documentation and 24x7x365 managed support throughout the three-year contract period.

As an optional extension to the proposed SASE architecture, Netskope One Private Access is proposed to provide Zero Trust Network Access for designated users requiring secure access to HCT private applications hosted within the Primary Datacenter, DR Datacenter or cloud environments. This allows HCT to extend the same identity-aware, centrally managed security architecture from internet and SaaS access to private application access without exposing the underlying HCT internal network.



FW-SH-Q20260907-HCT-SASE	TECHNICAL PROPOSAL	VER 1.0
FIREWARIN – CONFIDENTIAL	NE-26-0129 SASE - 3 YEARS	PAGE 21

2.2 TRAFFIC STEERING AND SECURITY ARCHITECTURE

Different traffic-steering methods are proposed based on endpoint type and access scenario.

Access Scenario	Proposed Traffic Flow	Main Security Controls
Managed user – campus/remote	Netskope Client → nearest Netskope PoP	SWG, SSL Inspection, ATP, DNS, UEBA
BYOD – campus	Campus Wi-Fi/NAC → NGFW/SD-WAN → IPsec → Netskope	SWG, FWaaS, DNS, ATP, RBI
BYOD browser traffic	PAC/Explicit Proxy → Netskope	Identity-aware web policies
Guest user	Guest network → campus edge → Netskope	Restricted web/DNS policies
Optional managed ZTNA	Netskope Client → NPA → private application	Application-level Zero Trust
Optional BYOD ZTNA	Browser/Enterprise Browser → NPA	Clientless private-app access

Managed User Security

For HCT-managed endpoints, the **Netskope Client** will provide secure traffic steering, user and device context and consistent policy enforcement regardless of whether users are on campus or remote.

The Client can support device posture assessment, traffic-steering rules, always-on protection and controlled bypasses for trusted local resources. Security policies can therefore incorporate user identity, endpoint compliance, application, destination, device posture and dynamic user risk.

The same Client can also support optional Netskope Private Access, allowing the endpoint to distinguish between internet traffic, private application traffic and approved campus-local services without deploying an additional ZTNA agent.

BYOD and Guest Security

For BYOD users, Fireware proposes an agentless security model combining network-based and browser-based controls.

Campus BYOD internet traffic will be forwarded through the existing campus NGFW or SD-WAN infrastructure using resilient IPsec tunnels to the nearest Netskope PoP. The IPsec tunnel is established by the campus edge device and does not require any VPN client on the BYOD endpoint.



Additional controls include:

- PAC / Explicit Proxy: Provides browser-level traffic steering and user-aware web policy.
- DNS Security: Blocks malicious domains, DGA activity, DNS tunnelling, phishing infrastructure and command-and-control destinations before connections are established.
- Selective SSL Inspection: Provides encrypted traffic inspection while allowing privacy-related bypasses such as banking and healthcare.
- Enterprise Browser: Provides stronger browser-level controls for unmanaged devices, including upload/download, copy/paste and printing restrictions and remote browser isolation control.
- The proposed Secure Web Gateway will provide centralized policy enforcement for HTTP and HTTPS traffic from managed and BYOD users.
- The solution will combine several complementary protection layers:

Web, DNS and Advanced Threat Security

The proposed Secure Web Gateway will provide centralized policy enforcement for HTTP and HTTPS traffic from managed and BYOD users.

The solution will combine several complementary protection layers:

Security Layer	Purpose
SWG / URL Filtering	Control web categories and user access
SSL/TLS Inspection	Inspect permitted encrypted traffic
Application Control	Control SaaS and web applications
File Control	Restrict file upload/download activities
Advanced Threat Protection	Detect malware and zero-day threats
Cloud Sandbox	Analyze suspicious or unknown files
DNS Security	Block malicious destinations before connection
RBI	Isolate risky websites
UEBA	Add behavioural and risk context

Advanced Threat Protection will provide machine-learning, heuristic and sandbox-based analysis in addition to traditional malware detection, strengthening protection against previously unseen threats. HCT's requirements specifically include ML-based zero-day malware detection and AI-powered DNS threat analysis.

DNS Security will operate as an additional pre-connection security layer. DNS requests can be evaluated for malicious reputation, DGA behaviour, newly observed domains and tunnelling before the endpoint receives the destination IP address.



2.3 NETSKOPE QUALIFICATION AS A SSE & SASE LEADER

Built from the beginning as a cloud delivered solution, Netskope provides a unified market-leading Cloud Access Security Broker (CASB), Next-Gen Secure Web Gateway (NGSWG), Remote Browser Isolation (RBI), Cloud Firewall, Public Cloud security, Zero-Trust Network Access (ZTNA), Internet of Things (IoT), and Borderless SDWAN under one platform called Netskope One. These components are modular, allowing Customers the capability to grow into the solution as you progress with implementing your Network Security uplift.

In addition to these modular features, Netskope also offers additional security microservices which can be added to further fine tune customers' security posture, such as our advanced Data Loss Prevention (DLP), User & Entity Behavior Analytics (UEBA), Threat Protection, Advanced Analytics, and Digital Experience Management.

Netskope's vision delivers on the Secure Access Service Edge, or SASE, a term coined by Gartner in 2019 for a new cloud-native security architecture that blends networking and security. SASE unifies protections for web security, cloud security, data and threat protection defenses, plus networking capabilities in cloud infrastructure to support users, data and applications in any location connecting to any destination, or any to any model. In this evolving architecture, traditional perimeter-based appliances and legacy solutions are being replaced by fully integrated cloud microservices creating one platform with unified policies supported by a highly-performant, extensible global network infrastructure.

A SASE architecture can identify users and devices, apply policy-based security controls, and delivering secure access to the appropriate applications or data. SASE makes it possible to provide secure access regardless of where users, data, applications or devices are located.

This document provides detailed information on how the Netskope One platform addresses HCT's Secure Access Service Edge requirements for managed and BYOD users, including cloud-delivered internet security, Zero Trust integration, centralized management and the optional private application access requirement.


The following sections describe the Netskope One platform, its underlying NewEdge architecture, proposed security services, deployment options and capabilities relevant to HCT's requirements.



2.4 NETSKOPE ONE PLATFORM

Netskope One is a cloud-native platform that offers converged security and networking services to enable your SASE and zero trust transformation. Through its patented Zero Trust Engine, Intelligent SSE, and the NewEdge network, Netskope One makes it easy for our customers to defend their businesses and protect their valuable data while delivering a phenomenal user experience.

The Netskope One platform fulfills the promise of SASE by enabling the consolidation of tools and capabilities aligned with an enterprise's business needs, priorities, and operational timelines. This approach not only sidesteps the risk and costs associated with complete system overhauls or purchases of unnecessary products but also empowers IT teams with unprecedented visibility into SaaS, web, and private application traffic. It provides continuous adaptive controls, applying zero trust principles to thwart threats and regulate access to data.



The Power of One and how it would offer ease of deployment and management using single console, single agent and Zero trust engine:

The major components of the Netskope One platform include:

The Netskope Zero Trust Engine: Netskope's Zero Trust Engine lies at the heart of the platform, continuously gathering risk telemetry and generating extensive contextual awareness across all users, devices, applications, and data. Unlike other SSE offerings that bypass some types of traffic and services, the Zero Trust Engine decrypts and decodes traffic inline across web and SaaS applications, cloud services, and private applications for the broadest and deepest levels of visibility and protection.

The Netskope NewEdge Network: Netskope one-of-a-kind network is purpose-built to deliver full compute SSE and SD-WAN. Featuring a global footprint of **ultrafast data centers in 78+ regions**, and a local experience for every country, NewEdge is highly elastic, built for scale, and designed to provide cloud-delivered security and networking services directly to where the users and offices are without performance trade-offs.

The Netskope One Client: Netskope's endpoint agent unified remote user access to web, cloud, and private apps, alongside data protection and voice and video optimization at the endpoint by converging access to SWG, cloud security, ZTNA, FWaaS and data/threat protection services through a common endpoint client. Easy to use, lightweight, and deployed to perform at a high throughput, it delivers a single agent footprint for SASE and zero trust use cases, greatly simplifying desktop administration for a **better user experience**.

The Netskope One Console: A single point for policy management across all components of the Netskope One platform. The 100% cloud-based console unifies management of SSE services across campuses, remote locations, multi-cloud environments and remote users, providing HCT with centralized policy management, visibility and control across the proposed SASE environment.

As enterprises embrace digital transformation—with their applications and data quickly moving to the cloud and an increasingly remote workforce accessing from everywhere selecting a cloud-native security platform that delivers real-time security without performance trade-offs is critical.


The Netskope Platform is built from the ground up to be **100% cloud native**, with its single-pass microservices architecture running on Netskope-owned hardware and not reliant on any public cloud provider for its infrastructure. This means that it can scale alongside the needs of HCT.



SCALABILITY AND PERFORMANCE

NETSKOPE NEWEDGE

-  **75+**
Regions
-  **200+**
Localization Zones
-  **3K+**
Network Adjacencies
-  **FULL**
Compute
-  Industry's Best **SLAs**




2024 © Netskope Confidential. All rights reserved.

Netskope One is hosted on NewEdge, the world’s largest, highest-performing security private cloud. This carrier grade network spans 78+ regions (and growing) to bring the edge as close to the user as possible. Each location has a full computer to service the full inline controls provided by the Netskope’s Security Service Edge (SSE). Processing is performed through an efficient single-pass engine providing; TLS/SSL decryption at scale (without down-negotiating connections), threat scanning, analysis (including JSON and API inspection), and policy enforcement and/or re-encryption. Traffic that is allowed through will take advantage of the 4,000+ peering relationships (with the likes of Microsoft, Amazon, Google, etc.) that NewEdge has.

As a cloud delivered security solution, Netskope utilises connection to our NewEdge architecture for processing and policy enforcement. NewEdge has full compute at all locations for real time analysis and utilises 3 core attributes to optimise performance of real time analysis.





PLATFORM SCALABILITY

The NewEdge Security Cloud has a unique and aggressive capacity management philosophy: NewEdge data centers are massively over provisioned to maintain elasticity and resilience, plus architected with unparalleled service coverage and performance. For example, each NewEdge can serve hundreds of millions of users' inline traffic. Today, Netskope has millions of enterprise users' real-time, inline traffic flowing through NewEdge, plus Netskope has successfully and quickly provisioned very large customers with hundreds of thousands of users without issue (or needing to add capacity).

Capacity management is not "just-in-time," meaning more is provisioned only when needed. With NewEdge, capacity is provisioned far ahead of demand targeting a 20% 7-day P95 utilization with a trigger of 30% P95 for adding resources. This aggressive form of elasticity permits several benefits: data center redundancy, radical changes/increases in internet traffic patterns (for example, NewEdge was not adversely affected by COVID-related traffic changes), and ample capacity for new large customer onboarding. When more capacity is required, Netskope prefers to deploy additional data centers in nearby metro areas instead of increasing existing data center size. Furthermore, Netskope One services within each data center are segregated - called microservices - and independently scalable. For example, tunnel termination, SSL/TLS, load balancing, policy enforcement, DLP and threat scanning are all handled, and can scale, independently. Plus, the Netskope services are tied together via a single-pass architecture

SLA

Netskope Provides industry leading Service Level Agreements (SLA).



99%

Uptime & Availability



<10



<50

This equates to

~5 mins

of unplanned downtime

We consider the 95th Percentile of Hourly Round-trip Processing Latency - we don't just take an average and discard outliers



which further improves traffic processing performance (e.g. fewer bumps in the wire and less latency) plus provides greater context for the best security protection.

Lastly, all components within the NewEdge architecture are deployed in a fault tolerant and redundant cluster, with services typically deployed as active-active which allows load balancing in addition to high availability. Global customers can use the traffic steering options of NewEdge to auto-select the nearest Netskope data center, as well as specify intent-based zones, like keep all users/traffic in UAE, US, UK, EU or English-speaking regions or countries to meet a specific compliance requirement or business objective (e.g. address GDPR).

THE STRATEGIC ADVANTAGE OF PURPOSE-BUILT PRIVATE CLOUD

The foundation upon which a SASE provider's infrastructure is built is critical to the provider's effectiveness and efficiency. A purpose-built private cloud represents a strategic choice to optimize data flow between users and applications through a secure and efficient pathway. This approach addresses several key considerations:

Global network design for seamless connectivity:

A well-architected network ensures minimal latency and optimal performance by facilitating direct and secure connections from users to applications. The infrastructure must span the globe, with strategically located points of presence (PoPs) that act as conduits between users and the digital resources they access. This global footprint, an embodiment of the global edge network concept, is essential for swift, secure user access to the security cloud, which securely guides them onward to their destinations. By integrating a global edge network into the private cloud infrastructure, organizations ensure that security functions are close to the user, enhancing the efficiency of single-pass traffic inspection and improving the user experience while maintaining high-security standards.

Ownership and control over infrastructure:

Choosing between leveraging existing public hyperscaler infrastructures and building a dedicated, private cloud infrastructure is pivotal. Hyperscaler infrastructure offers scale, but it also introduces dependencies on third-party capacities, priorities, and contracts, potentially affecting performance and control. In contrast, owning a purpose-built private cloud allows for end-to-end control over the network. End-to-end control reduces latency through better management of traffic routing, essential for supporting single-pass inspection. It also allows for direct peering with more than 650 providers (as of July 2024), which further reduces latency by eliminating the multiple hops otherwise required for users to reach cloud services and applications.

Customization and compliance flexibility:

A private infrastructure uniquely enables tailoring network paths and security measures to individual customer requirements. Whether compliance-driven demands, such as avoiding data transit through specific regions, adhering to specific data residency and flow regulations, or optimizing performance,



FW-SH-Q20260907-HCT-SASE	TECHNICAL PROPOSAL	VER 1.0
FIREWARIN – CONFIDENTIAL	NE-26-0129 SASE - 3 YEARS	PAGE 29

a purpose-built network offers agility that's unconstrained by the limitations or priorities of a third-party infrastructure, thereby enhancing technical and operational benefits such as data sovereignty and reduced compliance risks.

Innovation made possible by direct control:

Direct oversight of the network infrastructure paves the way for introducing advanced features and services, such as P-DEM and specialized packet capture capabilities. These innovations require granular control and visibility across the network, something inherently limited when relying on public cloud infrastructures. The ability to implement cutting-edge security measures tailored to specific organizational needs illustrates the unique advantages of a purpose-built private cloud infrastructure.



FW-SH-Q20260907-HCT-SASE	TECHNICAL PROPOSAL	VER 1.0
FIREWARIN – CONFIDENTIAL	NE-26-0129 SASE - 3 YEARS	PAGE 30

INDUSTRY RECOGNITION

Netskope has also received numerous industry awards and analyst recognition including:

Gartner Recognition

- Netskope has been recognized as a **Leader in the 2025 Gartner® Magic Quadrant™** for Security Service Edge (SSE). This marks the fourth consecutive year Netskope has achieved this recognition, maintaining a Leader position since the report's inception in 2022.
- Key highlights from Netskope's 2025 Gartner recognition include:
- **Leader in Magic Quadrant:** Netskope is positioned as a Leader, indicating strong performance and market standing.
- **Furthest in Completeness of Vision:** Netskope is positioned furthest in Completeness of Vision, suggesting a strong understanding of market direction.
- **High Ability to Execute:** Netskope also demonstrates a high Ability to Execute.
- **Top-ranked in Critical Capabilities:** Netskope is highly ranked across various Use Cases in the 2025Gartner Critical Capabilities for Security Service Edge report.



- In the **2025 Gartner Magic Quadrant for Security Service Edge (SSE)**, Netskope is recognized as a Leader, maintaining its position since the report's inception in 2022. Furthermore, Netskope is ranked #1 in Essential SSE, Private Application Access, and SaaS Enablement within the 2025 Gartner Critical Capabilities for Security Service Edge report. The Netskope One platform is also highlighted for its security, networking, and analytics capabilities, delivered through a private security cloud infrastructure.




- In 2024, Netskope received the highest ranking in the Secure Web and SaaS Usage, and the Consolidate Vendors Use Cases in the 2024 Gartner Critical Capabilities for Security Service Edge report.
- In 2024, Gartner recognized Netskope for the third year in a row as a Leader in the Gartner Magic Quadrant for Security Service Edge (SSE), with Netskope being rated highest Ability to Execute and furthest in Completeness of Vision.
- In 2023, Gartner recognized Netskope for the second year in a row as a Leader in the Gartner Magic Quadrant for Security Service Edge (SSE), with Netskope being rated highest Ability to Execute and furthest in Completeness of Vision.
- In 2023, Netskope was recognized as the only vendor to score highest or among the top two solutions cited in all Use Cases in the Gartner SSE Critical Capabilities Report.




Critical Capabilities for Security Service Edge

Netskope offers strong technical capabilities across all areas of SSE and can support the vast majority of customer use cases (detailed information can be shared by Netskope team).



Forrester and IDC Recognition

- Netskope recognized as leader in IDC MarketScope: Worldwide DLP 2025 Vendor Assessment
- In 2024, Netskope was recognized as the Leader in the inaugural Forrester Wave™: Secure Access Service Edge (SASE) Solution, Q1 2024 report.
- In the Forrester Wave for Secure Access Service Edge (SASE) Solutions, Q3 2025, Netskope was named a Leader. This inaugural SASE report marked a shift from the previous Zero Trust Edge solutions report in 2023.



2.5 NETSKOPE NEW EDGE DATA CENTERS IN UAE AND GCC

Netskope has built the world's largest, highest-performing security private cloud with NewEdge. NewEdge powers the real-time inline security services of Netskope One, allowing security to be deployed at the edge where and when it's needed. NewEdge data centers are located around the globe and deployed in areas to meet our customer requirements and support major population centers around the world. Netskope's data centers are each active (hot) and configured in a high availability architecture for active failover, Active/Active.

Today, NewEdge is powered across 138+ data centers in 78+ regions/metros worldwide, plus Localization Zones extend coverage to a total of 220 countries/territories with a seamless, local digital experience. Netskope continues to heavily invest in NewEdge and plans to continue the trend for Data Planes and significantly accelerate the expansion of Management Planes.

Currently, NewEdge has one or more data centers in the following regions:

- **North America:**
 - Canada - Montreal, Toronto, Vancouver, Calgary
 - USA - Atlanta, Ashburn, Boston, Chicago, Dallas*, Denver, Los Angeles, Miami, New York City, Philadelphia, Phoenix, San Francisco, San Jose*, Seattle, St. Louis
 - Mexico - Querétaro
- **Latin America:**
 - Argentina - Buenos Aires
 - Brazil - São Paulo, Brasília, Rio de Janeiro
 - Chile - Santiago
 - Colombia - Bogota
 - Peru - Lima
- **EMEA:**
 - Austria - Vienna
 - Belgium - Brussels
 - Czechia - Prague
 - Finland - Helsinki
 - France - Marseille, Paris
 - Germany - Düsseldorf, Frankfurt*, Munich
 - Italy - Milan
 - Ireland - Dublin
 - Netherlands - Amsterdam*
 - Poland - Warsaw
 - Portugal - Lisbon
 - Spain - Barcelona, Madrid
 - Sweden - Stockholm



- Switzerland - Zurich*, Geneva
- United Kingdom - Manchester, London*
- **United Arab Emirates - Dubai, Fujairah**
- **Saudi Arabia - Jeddah, Riyadh***
- **Oman - Muscat**
- South Africa - Johannesburg, Cape Town
- Nigeria - Lagos
- **APAC:**
 - Australia - Melbourne*, Brisbane, Sydney, Perth
 - New Zealand - Auckland
 - India - Chennai, Delhi, Mumbai, Hyderabad, Kolkata
 - China - Beijing, Hong Kong, Shanghai, Shenzhen
 - Taiwan - Taipei
 - Philippines - Manila
 - Japan - Osaka, Kobe, Tokyo
 - South Korea - Seoul
 - Singapore*
 - Thailand - Bangkok

Netskope also offers Localization Zones. Localization Zones provide improved user experience by ensuring websites deliver localized content even when the user is accessing the website from regions without an in-country data center. The user connects to a NewEdge Data Plane (DP) that is not in the current country, but egresses from a DP using an IP that is geo-located to be local to the user's country. This is very useful where Netskope currently does not provide a physical data center and local content is required. Other benefits include:

- Coverage for all 195 countries of the world, plus dependent territories (220 in total)
- Same experience as going direct-to-net with native language and localized content support for all websites (even if no in-country DP)
- Addresses certain sites/SaaS apps requiring user to be local (aka geo-blocking/fencing)
- Maintains user's digital experience during failover or maintenance situations, even when out-of-country DP is used
- No change to existing traffic path, not virtual POPs and no traffic backhauling that adds latency



2.6 WHY NETSKOPE IS THE BEST CHOICE

Netskope NewEdge is the **world's largest, highest-performing security private** cloud and powers the inline and API-driven security services of the Netskope Security Cloud. NewEdge provides customers with unparalleled service coverage, performance and resilience.

With more than \$100 million invested in NewEdge, the network was architected by experts who previously launched and scaled some of the world's largest cloud services. **NewEdge leverages cloud and hyperscale concepts from Tier 1 carriers and top content delivery networks (CDNs) paired with deep knowledge of security and network performance optimization combined with kernel and protocol expertise.** By taking full control over routing, peering and data center location decisions, NewEdge achieves the lowest possible latency and round-trip times for web, cloud & software-as-a-service (SaaS) access.

NewEdge deploys **full compute at every service point for real-time, inline processing designed to scale to achieve more than two terabits per second at every data center**—capable of serving hundreds of millions of users' inline traffic—ensuring no performance trade-offs. Designed to provide a security service edge (SSE) and embracing a secure access service edge (SASE) architecture, this allows security to be deployed at the edge where and when it's needed.

NewEdge leverages a **full mesh network built for maximum resilience** and is recognized as one of the most well-connected networks of any security vendor. Taking advantage of nearly a decade of cloud security experience with inline forward & reverse proxy technology, Netskope is trusted by millions of enterprise users—representing thousands of customers worldwide including more than **30 of the Fortune Global 100**— with NewEdge chosen as the network of choice for protecting and securing their business.

Key Benefits and Capabilities

Carrier-class design focused on security: Provides customers with a security private cloud infrastructure that is massively over-provisioned, highly elastic and built for scale, yet designed for data protection.

Future-proof, SASE-ready architecture: Powers Netskope SSE—including CFW, SWG, CASB, ZTNA and other services such as RBI, DLP, Threat Protection, CSPM/SSPM and more— without trade-offs even with all services enabled, plus full support for TLS 1.3 encryption, HTTP/2 and IPv6 clients.

Global access from anywhere: Delivers a single, unified network with all services available in all locations and no reliance on the unpredictable performance or added latency of the public cloud or virtual PoPs.



Extensive peering & network interconnects: Aligns closely with web, CDN, cloud and SaaS providers, including direct peering with Microsoft and Google in every region.


Superior user experience: Achieves the fastest end-to-end round trip times for web, cloud, and SaaS with low, typically single-digit millisecond latency on-ramps for users accessing from anywhere. Maximum deployment flexibility On-ramps traffic to NewEdge via IPsec/GRE tunnels, SD-WAN infrastructure—including Netskope Borderless SD-WAN—or embracing

GSLB (global server load balancing) for NewEdge data center selection

Netskope has added a new service to enhance the Automatic Data Plane section process. The client will make a REST API call to gateway.gslb.goskope.com. The API provides a list of the top 10 data planes based on the Client IP geo-location and the Round-Trip-Time (RTT) for each DP.

Netskope Global Service Load Balancing Netskope has added a new service to enhance the Automatic Data Plane section process.


- The client will make a REST API call to gateway.gslb.goskope.com
- The API provides a list of the top 10 Netskope DP based on the client IP geo-location and the Round-Trip-Time (RTT) for each DP.
- The Netskope Client will then choose a Primary and Backup data plane based on the best RTT.
- The Netskope Client re-evaluates the RTT every 15 minutes and if there is a data plane which has a 25% better RTT than the currently active one, the Netskope Client will switch to the better performing data plane.



DC selection using Netskope GSLB API

ZERO TRUST SECURITY PRINCIPALS

At the core of the Netskope One Platform is the Zero Trust Engine, a unified engine that can analyze several vectors of trust as context to enable a decision that aligns with your cyber security strategy.



NETSKOPE ZERO TRUST ENGINE

The Zero Trust Engine analyses a transaction, identifying these contextual vectors of trust and enacts policy accordingly. The level of detail provided allows for more than just allow or block, we can take a middle ground and coach the user with potentially the option to proceed. Netskope also enabled dynamic notifications that can capture live input from the user, requiring the input if you desire. Netskope also integrates with leading MFA providers such as Okta to trigger a Step-Up authentication challenge as an action for a policy. The granularity of the Zero Trust Engine enables the flexibility of security to enable users where safe to do so and block if not. For example, you can enable users true read only access to an External Unsolicited SaaS environment where they can go and download a file, of course Netskope Threat Protection is applied to monitor for Malware. However, if the user tries to give data through an Upload, Share, Create, Edit, or other activity that is potentially dangerous, the engine can stop that and/or coach the user to the Sanctioned SaaS environment to perform that activity, such as your corporate cloud storage.

CONTEXT AND ZERO TRUST

The concept of trust within network and security architectures has undergone a significant transformation. The traditional model, which operates on an implicit trust basis assuming that everything inside the network is safe, is inadequate for today's dynamic and boundary-less digital environments.

Zero trust is a security model that insists on explicit verification for every access request, regardless of where the request originates. This model operates on the principle of least privileged access, ensuring users can only reach the resources necessary for their roles, nothing more, nothing less.

By integrating zero trust into SASE, organizations can navigate the complexities of modern cybersecurity, transitioning from a state of implicit trust to continuous, adaptive evaluation based on identity and context.

Here is an example of Adaptive Security Controls enabled with the Zero Trust Engine:

IDENTITY	Pat Smith - Accounting	Logged in as psmith@live.com
DEVICE	Personal / BYOD	Managed
LOCATION	Home	HQ USA Russia
CATEGORY	GenAI	(130+ categories)
APP	High Risk	Medium Risk Low Risk (80,000+ apps)
INSTANCE	Corporate	Personal
ACTIVITY	Upload	Share Create Delete Move Download (120+ activities)
BEHAVIOR	High Risk	Medium Risk Low Risk (Over 100+ UEBA Rules)
THREAT	Threat Intel	AV Sandbox IPS ML CTE
DATA RISK / SENSITIVITY	GDPR	AU Privacy Act (3000+ classifiers)

Context is the foundation of zero trust

The ability to measure signals and gather context is at the heart of the zero-trust model. This goes beyond just recognizing an identity. It encompasses a comprehensive understanding of the user's device, their location, the applications they're accessing, and the nature or sensitivity of the data involved. By weaving together these strands of rich metadata, a detailed picture emerges — one that allows for real-time, informed decision-making about access permissions tailored to the specific circumstances of each request.



Visibility is the key to contextual awareness


To implement zero trust effectively, visibility across all network traffic is paramount. Traditional security systems primarily monitor web traffic, and a few can identify types of web applications; both are blind to the many other channels through which modern business operates, such as SaaS applications (personal and corporate), corporate applications running from IaaS/PaaS cloud services, and even on-premises custom applications. This comprehensive visibility is crucial; it's the foundation upon which context is built, enabling security systems to see and understand every interaction in the digital landscape.

The dynamics of context and policy enforcement

Because digital interactions are constantly evolving, context is inherently dynamic. A security system that can adapt to these changes in real time, adjusting policies and protections as needed, is essential. For instance, if a user's behavior suddenly deviates from the norm, this could trigger additional authentication steps or other security measures. This agility ensures that security responses are always tailored to the current risk level, providing robust protection without hindering legitimate business activities.

Legacy security systems typically operate on a binary yes/no decision framework. They lack the flexibility to adapt to the fluid nature of digital interactions.

The modern approach is characterized by its dynamic, ongoing assessment of each access request, with security measures that evolve in response to the shifting digital landscape to provide just the right access at just the right time. Adopting zero trust within a SASE framework marks a significant leap forward in cybersecurity strategy. By grounding security decisions in context, organizations can ensure that a responsive, adaptive security posture protects their digital assets. This is about more than just keeping up with the times. It's about setting a new standard for digital security equipped to handle the complexities of the modern world.



2.7 NETSKOPE ONE PRIVATE ACCESS (NPA)

An integral capability of Netskope One, using the same Netskope Client, management platform and policy engine, ZTNA Next, offers seamless connectivity for authenticated users, supports any application and protocol, enhances user experience, strengthens security posture and simplifies IT infrastructure.

Netskope One Private Access provides:

- **Zero trust network access to private applications:** Connects users anywhere (remote and on-campus) to resources everywhere, protecting data and resources with application-level access control based on context such as user identity and device security posture. Zero Trust access can be extended to 3rd party users and employee BYOD with the Clientless User Portal.
- **Superior User Experience with Direct & Fast Connectivity:** Bypass complex network routing and boost user experience with fast and frictionless connectivity to applications. Leverage NewEdge, a high-performance, highly available security private cloud that is extensively peered with cloud service providers.
- **Reduce Attack Surface:** Enhance security posture and reduce overall attack surface by eliminating the exposure of protocols and services to the public internet
- **Protect Data and Mitigate Insider Risk:** Detect data usage, activities, and behavior anomalies (UEBA), enforce advanced DLP rules and policies, and apply adoptive access policy based on user risks
- **Simplified Operations:** Built on the Netskope SSE platform that unifies ZTNA, CASB, SWG, and Cloud Firewall with one client, one policy engine, and a single management console, providing consistent policy enforcement, ease of management, and visibility.

Netskope One Private Access capabilities include:

- **Netskope Unified Steering Client** - Netskope Client automatically steers users' traffic to Netskope One, where the security policy is enforced, including verification of the trust level (user authentication, device posture check). Based on the access policy, it delivers access to the private resources to the users, regardless of where the user is located, and where the resources are hosted.
- **Clientless/ Agentless/ Browser Access for private web applications** - ZTNA Next Clientless User Portal option is ideal for contractors, suppliers and partners using third-party-managed devices. It also provides a convenient option to support employee BYOD. Netskope supports applications using both HTTPS and HTTP. Netskope supports DLP protection to protect against data exfiltration in this case.
- **Application & protocol support** - ZTNA Next supports both TCP and UDP protocols. Using the Netskope Client, users can connect to both web applications and non-web/thick clients, such as SSH, RDP, SQL, as well as Windows Active Directory and



SCCM. By integrating with endpoint SDWAN, Netskope ZTNA Next further extends application support to include server-initiated traffic.


- **Universal ZTNA** - Not just for remote connectivity, ZTNA Next can also be deployed for on-premise, campus-access use cases, ensuring consistent policy enforcement for hybrid workers.
- **End to end encryption** - The traffic is initiated from inside-out, and not discoverable from the outside. Traffic is encrypted from end to end to ensure privacy and confidentiality.
- **Unique two-hop architecture** - The Netskope Publisher (app connectors) connects the application or network to the NewEdge infrastructure. Users connect to the nearest data center in the NewEdge network, and then their traffic is steered to the Publishers. NewEdge is highly peered with cloud service providers, minimizing latency and dramatically improving the performance and user experience.
- **Load balancing and scalability** - With a simple per-user license, customers can deploy unlimited publishers and support unlimited applications. Users can easily deploy unlimited publishers (application connectors) across the network and cloud environments, which automatically route and load balance application traffic.
- **Ensure secure access for authenticated and authorized users** - With Inline access policies and platform integration with Microsoft Active Directory and Single Sign-On (SSO) providers, ensure only authenticated and authorized users can access applications. Inline policy further ensures that users are directly connected only to the authorized applications and not the underlying network.
- **Strong device posture check** – NPA assesses and asserts device security posture as a requirement for access to private applications such as ensuring the users endpoint security is enabled or mobile devices are not jailbroken/ rooted.
- **Device certificate secures Pre-Authenticated tunnel** – When access to the domain is required prior to user context, a device certificate is used to secure the communication channel - unique in the market.

With Netskope, use a single administrative console for simplified policy management, analytics and incident investigation for employee use of web, cloud and private applications. Below is a diagram illustrating the architecture used by Netskope One Private Access:



FW-SH-Q20260907-HCT-SASE	TECHNICAL PROPOSAL	VER 1.0
FIREWARIN – CONFIDENTIAL	NE-26-0129 SASE - 3 YEARS	PAGE 43

Netskope for Private Access



Our enterprise customers, including a global Fortune 500 drink and brewing company, a Fortune 500 marketing and corporate communications firm, and others, have appreciated that a single agent with a single platform enables them to adopt SASE/SSE in a phased manner and can turn on private access quickly without requiring additional agents for different security services.

The multinational drink and brewing company mentioned above started its SASE/SSE journey by replacing a competitor with Netskope Next Gen Secure Web Gateway and soon started piloting private access. Its business driver was vendor consolidation and employee remote access.

The drink company's networking team was managing 42 disparate remote access VPN appliances from seven different vendors. By leveraging the single agent and single platform, it was able to add the private access service and expanded Netskope SSE to all 152,000 users globally.

In early 2020, with remote work at scale, a large media communications company needed to enable remote access and ensure that remote users' laptops remain patched. It successfully onboarded 65,000 end-user devices in a short time frame. Its initial use case was connecting remote users with Windows laptops to AD services, and SCCM for managing security updates and patches. The communications firm has now fully deployed ZTNA Next for providing access to over 1,100 private applications for its 65,000 users worldwide.

For additional information, please see: <https://www.netskope.com/products/private-access>



User portal/browser access for contractors and third-party web private application access
Netskope ZTNA Next is protocol agnostic proxy service. ZTNA Next fully supports all ports and TCP/ UDP protocols for browser and clientless access to private applications, this includes access from thick or native apps installed on the endpoint. Virtually any protocol built on top of TCP or UDP is supported, with services being accessed using DNS names or IP addresses.

ZTNA Next provides tools to discover, automate and accelerate adoption of ZTNA. ZTNA Next's **Application Discovery** not only discovers the hostname and the associated ports and protocols, but it also provides information around the users and the publishers that were used to access the application, along with the ability to automatically tag applications based on predefined classification templates. As a result, customers can programmatically add discovered applications to existing app definitions and policy controls.

Legacy applications that require server-initiated traffic (such as on-premises hosted VoIP) are not suitable for cloud-delivered ZTNA solutions. However, Netskope ZTNA Next brings SD-WAN capabilities to ZTNA for enabling secure and optimized connectivity to all private applications, including on-premises hosted VoIP, video, and remote assistance, allowing organizations to completely replace their remote access VPN solutions and modernize connectivity for the hybrid workforce.

The unified endpoint client automatically steers users' traffic to ZTNA compatible applications through ZTNA Next tunnels, and leverages Endpoint SDWAN for applications that require server-initiated traffic. Moreover, Netskope Endpoint SDWAN can optimize voice and video quality. <https://www.netskope.com/blog/introducing-ztna-next>

NPA Browser Access supports an agentless deployment option (no need to install a client/agent on the endpoint). Users can access internal applications (HTTP/ HTTPS/ RDP/ SSH / VNC/ Telnet) directly using a Web browser.



2.7 NETSKOPE ONE ENTERPRISE BROWSER

The Netskope One Enterprise Browser enables Netskope One SSE services such as SWG (e.g. URL categorization), CASB (control of user activities in the context of the application), as well as threat protection and DLP to be extended to cover corporate users with unmanaged / personal devices, as well as non-employee contractors. Netskope One Enterprise Browser leverages the Netskope One platform, with a single policy engine and admin console.

Netskope One Enterprise Browser also complements Netskope One Data Security with granular in-browser policies for any website the user is browsing. Admins can define in-browser protection policies for any predefined or custom URL category or cloud application.

Netskope One Enterprise Browser allows companies to deliver secure browser-based access to their corporate apps to minimize the risk of data leakage even on untrusted, unmanaged devices:

- **Provide BYOD users and contractors secure access to corporate apps, applying corporate SSE controls via Netskope's NewEdge**
- **Enable M&A users to quickly and easily access your corporate SaaS apps, while reducing the risk of data leaks**
- **Elevate the security of your users accessing critical data, even on managed devices**

Netskope One Enterprise Browser customers benefit from:

- **Fast time to operationalize by easily extending existing application control policies to BYOD users / contractors**
- **Enterprise Browser protection policies apply data protection controls to the browsing experience itself, including activities like copy, paste, and print**
- **Hardened browser reduces the risk of data leakage on untrusted devices**
- **Self-service process reduces IT overhead by enabling users to easily install and configure the browser and remove it from their endpoint, all without the need for admin intervention**
- **The user experience is optimized by relegating enterprise access to a self-contained workspace environment based on the familiar Chrome experience of their personal browser, and is separated from users' personal browser of choice**
- **Application access is simplified and secured by having a corporate applications home page with app links defined by the admin**



SUPPORTED INTEGRATIONS

Netskope One platform was designed from the ground up to fulfil the Secure Access Service Edge (SASE)


Netskope Enables Seamless Integrations

Open platforms eliminate point solutions and allow for vendor consolidation and automation



CLOUD EXCHANGE (CE)

A strong Security Service Edge (SSE) strategy for modern business is one of several tools required for achieving cyber resilience. Netskope enables customers to safely enable hybrid work with Network Security following the user. In addition, Netskope aids cyber resilience with Cloud Exchange (CE). CE provides customers with a powerful integration tool to leverage investments across their security posture. The tool consumes valuable Netskope telemetry, external threat intelligence, and risk scores, enabling improved policy implementation, automated service ticket creation and exportation of log events from the Netskope Security Cloud.



The platform and its modules are available for customers at no charge or purchasing requirement. CE is deployed as a docker-based solution wherever Linux can be run and on

systems that support docker. Cloud Exchange requires very little compute and storage resources to run (minimum):




CE supports most identity services for local login or single sign-on, role-based access controls for the UI and API tokens, access is secured with TLS v1.3 with the option of customer-generated certificates and provides multi-instance/tenant support for more than one Netskope platform. CE includes automated checks for updated or newly published plug-ins and provides syslog messages to report platform functionality, audit logs, and system errors.

Proposed architecture

Client – server (agent based)



Client- Server (agent-less)



2.8 BILL OF QUANTITIES

S.No	Item/Code	Item Description	Qty
1	NK-P-PRIME-ADVT	Prime Advantage Package	29000
2	NK-SSLI	SSL/TLS Inspection with a Customer Signed Certificate	1
3	NK-U-INLTP-L3	Threat Protection Level 3 Upgrade - Inline	29000
4	NK-RBI-L2	Netskope RBI Level 2 for Next Gen SWG	29000
5	NK-FWAAS-L2	Cloud Firewall Level 2	29000
6	NK-DNS-SEC-FLTR	DNS Security & Content Filtering	29000
7	NK-U-INL-UEBA-L3	Behavior Analytics (UEBA) Level 3 Upgrade - Inline	29000
8	NK-EB	Netskope Enterprise browser	29000
9	NK-DEM-L3-USER	Digital Experience Management	29000
10	NK-NAA-13MR	Advanced Analytics 13-Month Extended Data Retention	29000
11	NK-NAA-CFW-13MR	Advanced Analytics CFW 13-Month Extended Data Retention	29000
12	NK-P-PRIME-FUND-UA	Server traffic (Unautheticated traffic)	500
13	NK-EGRESS-DIP-REG	Regional Dedicated Egress IP	29000
14	NK-SUPPORT-PRE	Netskope Premium Support	1
15	Training	Training	4
Professional Services			
1	FW-PS-IMP	Fireware Implementation Services	1
2	FW-PS-SUP	Managed Support Services (3 years)	1

Optional

S.No	Item/Code	Item Description	Qty
1	NK-NPA-APP-L2	Netskope Private Application Access Level 2	29000



2.9 COMPLIANCE SHEET

SOW Ref.	Requirement Domain	Compliance (Yes/No/Partial)	Remarks / Details (Vendor Response)	Reference(s)
3.1	General Scope of Work	YES	The proposed Netskope One SASE solution, delivered and supported by Fireware, complies with HCT's general scope requirements. The solution provides a fully cloud-delivered architecture with centralized management and consistent security policy enforcement for managed and BYOD users, including SWG, FWaaS, RBI/Enterprise Browser, DNS Security, AI-powered threat protection, DEM, integrations, campus internet breakout support, migration services and the optional ZTNA capability.	Sections 2.1-2.7 Section 3 - Project Plan
3.2	Secure Web Gateway (SWG) Requirements	YES	Netskope One provides inline Secure Web Gateway capabilities for managed and BYOD internet traffic, including SSL/TLS inspection, URL and content filtering, application control, advanced threat protection, file inspection, DNS security, browser threat protection and policy-based traffic controls.	Sections 2.3 and 2.5 BOQ
3.3	Firewall-as-a-Service (FWaaS) Requirements	YES	The proposed solution includes Netskope Cloud Firewall / FWaaS for cloud-delivered Layer 3-7 security and application-aware policy enforcement. The service provides user/group, application, IP/FQDN and contextual controls together with threat-prevention capabilities for internet-bound traffic.	Sections 2.3 and 2.5 BOQ - NK-FWAAS-L2
3.4	Remote Browser Isolation (RBI) / Enterprise Browser Requirements	YES	The proposed solution includes Netskope RBI Level 2 and Netskope One Enterprise Browser capabilities. Policy-driven isolation and browser controls can be applied to risky or uncategorized destinations and to BYOD/unmanaged access scenarios, including restrictions on data movement and browser actions.	Sections 2.7; BOQ - NK-RBI-L2 / NK-EB



SOW Ref.	Requirement Domain	Compliance (Yes/No/Partial)	Remarks / Details (Vendor Response)	Reference(s)
3.5	AI-Powered Security Requirements	YES	Netskope applies AI/ML across threat protection, behavioral analytics and security policy enforcement. The proposed scope includes advanced threat protection and UEBA capabilities and provides visibility and control for generative-AI application usage in accordance with HCT's security policies.	Sections 2.3 and 2.5 BOQ - NK-U-INLTP-L3 / NK-U-INL-UEBA-L3
3.6	BYOD-Specific Requirements	YES	The proposed architecture supports agentless BYOD security using network- and browser-based traffic steering and controls, including DNS-layer protection, proxy/PAC-based steering where applicable, IPsec-based campus traffic steering, selective SSL inspection and RBI/Enterprise Browser controls. Managed and BYOD populations can be differentiated through policy.	Sections 2.3 and 2.7
3.7	Managed User Requirements	YES	Managed HCT endpoints are supported through the Netskope One Client, providing secure traffic steering, policy enforcement, device/posture context and always-on access to Netskope security services. Centralized policies can be applied by user, group, device and contextual attributes.	Section 2.3 - Netskope One Platform
3.8	Platform Infrastructure and DEM	YES	Netskope NewEdge provides the globally distributed cloud infrastructure for the proposed SASE service, with regional UAE/GCC presence, resilience and scalable traffic processing. Netskope Digital Experience Management is included to provide user-experience, application and network-path visibility and analytics.	Sections 2.3-2.5 BOQ - NK-DEM-L3-USER



SOW Ref.	Requirement Domain	Compliance (Yes/No/Partial)	Remarks / Details (Vendor Response)	Reference(s)
3.9	Integration Requirements	YES	The proposed solution supports integration with HCT's existing identity, security and operations ecosystem through standard protocols, APIs, log export and Netskope integration capabilities. The design will cover the required integrations with IdP, NAC, NGFW, EDR/XDR, SIEM/SOAR, UEM/MDM and other in-scope enterprise systems during the implementation phase.	Section 2.3 Supported Integrations / Netskope Cloud Exchange
3.10	Management and Reporting	YES	Netskope One provides centralized cloud-based management for policy configuration, administration, visibility, reporting and auditing. The proposed scope also includes Advanced Analytics with extended data retention and centralized dashboards for operational and security reporting.	Section 2.3 BOQ - NK-NAA-13MR / NK-NAA-CFW-13MR
3.11	Managed Support Services	YES	Fireware will provide managed support services for the proposed SASE environment, backed by Netskope Premium Support. Services will cover platform administration, monitoring, incident handling, change and configuration management, health checks, optimization, reporting, escalation and ongoing operational support throughout the contract period in accordance with HCT's required service levels.	Section 1.3 - Fireware Support Services BOQ - FW-PS-SUP / NK-SUPPORT-PRE
3.12	Training and Knowledge Transfer	YES	The proposal includes OEM training for four HCT IT personnel together with structured knowledge transfer. Training and KT will cover platform administration, policy configuration, troubleshooting, reporting, integrations and operational procedures, together with the required materials and practical knowledge-transfer activities.	BOQ - Training (Qty 4) Section 3 - Project Plan



SOW Ref.	Requirement Domain	Compliance (Yes/No/Partial)	Remarks / Details (Vendor Response)	Reference(s)
3.13	Documentation Requirements	YES	Fireware will provide the required project and operational documentation, including HLD, LLD, as-built documentation, architecture and integration diagrams, traffic flows, configuration documentation, SOPs, runbooks, risk and configuration records, and handover documentation. Final documents will be supplied in editable format and PDF as required by HCT.	Section 3 - Project Plan / Project Deliverables
3.14	Service Level Agreements	YES	Fireware, together with Netskope Premium Support, will provide support in accordance with the service levels stipulated by HCT, including incident response and resolution, escalation, service availability monitoring, reporting and service governance for the duration of the contract.	Appendix - SLA BOQ - NK-SUPPORT-PRE / FW-PS-SUP
3.15	Equipment Delivery or Project Timeline	YES	Fireware will deliver the SASE deployment and migration in accordance with HCT's required project timeline. The project approach will include detailed planning, phased migration, parallel operation, UAT, go-live readiness, rollback planning, performance validation and formal acceptance/handover.	Section 3 - Project Plan
3.16	Special Terms and Conditions	YES	Fireware acknowledges and will comply with the special terms and conditions applicable to the proposed three-year SASE engagement, including subscription/support coverage, data protection, security requirements, required certifications, personnel controls, technology lifecycle obligations and the non-production/testing environment requirements stated in the HCT SOW.	Commercial Proposal Vendor Certifications; Appendices



SOW Ref.	Requirement Domain	Compliance (Yes/No/Partial)	Remarks / Details (Vendor Response)	Reference(s)
3.17	Project Management and Handover	YES	Fireware will assign a dedicated Project Manager and manage the engagement in line with HCT PMO requirements. The project will include governance, weekly progress management, schedule/risk/action tracking, change control, formal project closure and a structured project-to-operations handover.	Section 3.4 - Project Management Approach
3.18	Configuration Hygiene and Lifecycle Management	YES	As part of the managed service, Fireware will perform periodic configuration reviews, policy hygiene and optimization, certificate/credential lifecycle monitoring, integration health validation, configuration backup and change governance. Configuration baselines and lifecycle records will be maintained and reviewed with HCT.	Fireware Managed Support Services Section 3
3.19	Compliance and Regulatory Requirements	YES	The proposed solution and delivery approach will support HCT's applicable UAE regulatory and international compliance requirements. Fireware/Netskope will provide available compliance evidence, certification documentation and required cooperation for HCT governance and audit activities.	Vendor Certifications; Appendix C - ISO/IEC 27001 Netskope Compliance Documentation
3.20	Business Continuity and Disaster Recovery	YES	The Netskope NewEdge architecture is designed for resilient cloud service delivery across geographically distributed points of presence. Fireware/Netskope will support HCT's business-continuity and disaster-recovery requirements, including regional resilience, operational recovery procedures, service continuity and the optional ZTNA connector resilience design.	Section 2.4 - Netskope NewEdge Data Centers in UAE and GCC



SOW Ref.	Requirement Domain	Compliance (Yes/No/Partial)	Remarks / Details (Vendor Response)	Reference(s)
3.21	Governance Framework	YES	Fireware will operate the service under a formal governance framework with periodic service reviews, KPI and performance reporting, issue/escalation management, continuous-improvement activities and coordination with HCT stakeholders throughout the contract.	Section 3.4 - Project Management Approach Managed Support Services
3.22	Audit and Assurance	YES	Fireware/Netskope will support the audit and assurance obligations defined by HCT, including provision of relevant independent security assurance documentation, cooperation with authorized audits, vulnerability-management evidence, incident investigation support and remediation tracking where applicable.	Vendor Security / Compliance Documentation; Appendices
3.23	Legal Protections and Contract Governance	YES	Fireware acknowledges the legal protection, contract-governance, data-ownership, transition/exit-management, data-return and governing-law requirements specified by HCT and will address these requirements as part of the final contractual agreement.	Contractual / Commercial Terms
3.24	Proof of Concept (PoC) and Acceptance	YES	If shortlisted and requested by HCT, Fireware and Netskope will conduct the required PoC in accordance with HCT's stated scope, duration, test scenarios, success criteria and acceptance process. The PoC will cover the applicable SASE capabilities for managed and BYOD users and the optional ZTNA scope where required.	HCT SOW Section 3.24 Proposed Netskope One Solution



SOW Ref.	Requirement Domain	Compliance (Yes/No/Partial)	Remarks / Details (Vendor Response)	Reference(s)
3.25	Zero Trust Network Access for Private Application Access - Optional	YES	The optional Netskope One Private Access (NPA) solution provides cloud-brokered, identity- and context-aware application-level access to private applications without exposing the internal network. NPA supports outbound-initiated Publishers/connectors, agent-based and browser-based/clientless access, and private application protocols including web, RDP and SSH. The optional technical scope will be aligned to HCT's requirement for up to 200 designated users.	Section 2.6 - Netskope One Private Access (NPA) - Optional BOQ



SECTION - III

PROJECT PLAN



3.1 CUSTOMER PRE-REQUEST

- Assign a Project Manager from Higher Colleges of Technology (HCT) to be a single point of contact to coordinate site readiness before the commencement of engagement and manage the project during the implementation and migration phases.
- Installation, configuration, migration, and commissioning of the Netskope One SASE platform will be performed as a single engagement in accordance with the RFP Scope of Work.
- During the full course of the installation, Higher Colleges of Technology (HCT) will provide FIREWARE with the necessary access, guidance, and technical resources, including network, security, identity, and application information required for successful deployment and integration.
- Higher Colleges of Technology (HCT) network infrastructure, internet connectivity, Identity Provider (IdP), DNS services, NAC, NGFW, SIEM/SOAR, EDR/XDR, and UEM/MDM environments should be operational and available for integration before implementation activities begin.
- Campus internet breakout connectivity, IPsec tunnel endpoints, routing configuration, VLANs, and required network changes should be prepared and validated before the migration phase.
- Higher Colleges of Technology (HCT) will provide the list of applications, internet services, authentication services, and user groups that must be tested before and after each migration phase during the project planning stage.
- Any delay caused by unavailable applications, infrastructure, integrations, or customer dependencies may impact the implementation schedule and project timeline.
- FIREWARE requires 5 days advance notice for any planned onsite implementation, migration, testing, or cutover activities.
- The SSL Certificate if necessary, needs to be provided by Higher Colleges of Technology (HCT).



FW-SH-Q20260907-HCT-SASE	TECHNICAL PROPOSAL	VER 1.0
FIREWARIN – CONFIDENTIAL	NE-26-0129 SASE - 3 YEARS	PAGE 58

- Test environment, test user accounts, and traffic generation/testing tools required for validation and UAT will be provided by Higher Colleges of Technology (HCT).
- The implementation scope is limited to the products, integrations, and professional services explicitly defined in the approved Scope of Work and BOQ. Any activities outside the agreed scope will require a separate change request.
- Existing issues, incidents, or support cases related to systems outside the proposed SASE solution are the responsibility of Higher Colleges of Technology (HCT) or the respective product vendor.
- Product support for third-party infrastructure that is not included within the Fireware Scope of Work remains the responsibility of Higher Colleges of Technology (HCT).
- Higher Colleges of Technology (HCT) will participate in configuration validation, User Acceptance Testing (UAT), migration verification, and final acceptance of each implementation phase.



FW-SH-Q20260907-HCT-SASE	TECHNICAL PROPOSAL	VER 1.0
FIREWARIN – CONFIDENTIAL	NE-26-0129 SASE - 3 YEARS	PAGE 59

3.2 WORK BREAKDOWN STRUCTURE

FIREWARE RESPONSIBILITIES

PROJECT MANAGEMENT TASKS

- Project kick-off
- Project Plan
- Supervise project
- Progress reports
- Project close

PHASE 0: PROJECT INITIATION

- Requirements Gathering
- Gather Infrastructure Information and Architecture Requirements Documented
- Solution Design
- Produce Solution Design
- Review Design with Customer
- Complete High-Level Design for Sign-off
- Produce Detailed Project Implementation Plan
- Review detailed Project Implementation Plan
- Agree to UAT and project deliverables
- Document UAT Criteria

PHASE 1: IMPLEMENTATION PHASE

- Product Implementation
- Initial configuration of the Netskope One SASE platform
- Testing connectivity to the Netskope NewEdge platform

PHASE 2: BASE DEPLOYMENT

- Configure and activate the necessary licenses and subscribed services
- Configure the Netskope tenant and required security services
- Configure secure traffic steering and connectivity to the Netskope platform
- Base configuration of policies to ensure connectivity is operating properly



- Diversion of test traffic to new deployment – under Higher Colleges of Technology (HCT) guidance

PHASE 3: APPLICATION SERVICES/ MIGRATION & DEPLOYMENT

- Ensuring all necessary configurations as per the design is inculcated as per the design
- Testing all configuration elements to prove effectiveness
- Configure required integrations with Higher Colleges of Technology (HCT) existing infrastructure
- Parallel configuration Migration of services from existing configuration
- Monitoring of setup and correction of issues if any.

PHASE 4: DEPLOYMENT TUNING

- Fine tuning of all policies
- Fine tuning of any traffic steering and connectivity issues

PHASE 5: TRAINING

- Knowledge Transfer, and training

MILESTONES / DESCRIPTION

The following high-Level Milestones has been identified for this implementation:

- Planning and Design
- Implementation
- Knowledge Transfer

COMPLETION CRITERIA

FIREWARE provides the Deliverables below:

- Planning and Design Discussion
- Initial configuration of the Netskope One SASE platform
- Testing connectivity to the Netskope platform
- Activation and configuration of the required licenses and subscribed services
- Creating the Network Architecture – Derived from the initial design discussions




- Testing and ensuring systems are ready for Production deployment
- Migration of traffic and services to the new Netskope One SASE platform
- Fine Tuning
- Knowledge Transfer



3.3 PROJECT SCHEDULE

The following is a tentative project schedule and is subject to change based on mutual discussions between Higher Colleges of Technology (HCT) and Fireware. The Schedule is showing in weeks with W0 being the week when the project has been awarded – This has included buffers so the actual time required for the completion of project might be cut down by couple of weeks.




Week	MILESTONE
W0	Project Award : Initial Kick Off
W1	Design Workshops
W2	Design Workshops
W3	Documentation Phase
W4	Implementation Planning & Document Submission
W5	Delivery of Devices
W6	Initial Staging of Devices
W7	Completion of all Passive Works
W8	Completion of Device configuration
W9	Migration & Integration of systems into Network
W10	Monitoring & Fine Tuning
W11	Monitoring & Fine Tuning
W12	KT & Project Sign off



3.4 PROJECT MANAGEMENT APPROACH

Fireware follows industry-standard approach and methodology in managing its projects, which is consistent with the Project Management Institute's (PMI A Guide to Project Management Body of Knowledge (PMBOK).

PROJECT MANAGEMENT PROCESSES:



PROJECT INITIATION PHASE

This stage was covered by the proposal stage where project is conceptualized, justified, authorized, and funded by the appropriate governing bodies.

PROJECT PLANNING PHASE

Upon approval to proceed, Fireware will coordinate with the customer to organize a formal "kick-off" meeting between the respective management representatives to establish and confirm common agreement on the project charter and plan. Resulting from this will be the following deliverables:

- Project Charter
- Project Plan
- Project Constraints
- Communications Plan
- Responsibility and Accountability Matrix
- Work-Break-Down Structure
- Schedule

PROJECT MANAGEMENT (EXECUTION AND CONTROLLING) PHASE

Fireware will utilize email, telephone conferences, and similar communication methods and tools to facilitate efficient and cost effective project communications.

Fireware will employ its industry standards-compliant methodology to develop, document, implement, and maintain the following project management-specific documentation, plans, and standard operating procedures.

At a minimum, this includes

- Project Plan
- Responsibility and Accountability Matrix
- Communications Plan



FW-SH-Q20260907-HCT-SASE	TECHNICAL PROPOSAL	VER 1.0
FIREWARIN – CONFIDENTIAL	NE-26-0129 SASE - 3 YEARS	PAGE 65

- Configuration Management Plan
- Quality Assurance Plan

Fireware will implement best practices for the reporting, tracking, and management of change requests, issues, and risks. These processes shall be referenced where appropriate in the planning documents prepared as described above.

PROJECT CLOSURE PHASE

Fireware will prepare a final report for each completed task and at project completion. These will, at a minimum, report:

- Summary of accomplishments
- Inventory of deliverables
- Status and history of issues
- Recommendations for follow-on activities

PROJECT CHANGE MANAGEMENT

While there will always be some degree of changes in a project, the key is to be judicious about the amount of change and the effect on both the project delivery timeline and costs.

The most important step in change control is to establish a baseline. This is accomplished by creating a project definition package that clearly defines:

- Project overview, objectives and scope.
- Project assumptions, risk and approvals.

Once the baseline has been established and communicated, any desired changes must be documented, managed, agreed to and signed off with same approvals as those for the baseline.

Change control is one key to success in project management.



PROJECT REPORTING

Fireware will prepare and submit bi weekly project status reports that will, at a minimum, report:

- Progress and accomplishments per project plan
- Planned Activities
- Issues

Fireware will prepare and submit weekly project status reports that will, at a minimum, report:

- Progress and accomplishments per project plan
- Planned Activities
- Travel Completed and Planned
- Issues



SECTION - IV

APPENDICES



APPENDIX A - CURRICULUM VITAE OF ENGINEERS



FW-SH-Q20260907-HCT-SASE

TECHNICAL PROPOSAL

VER 1.0

FIREWARIN – CONFIDENTIAL

NE-26-0129 SASE - 3 YEARS

PAGE 69

HM

SECURITY SYSTEMS ENGINEER

KEY SKILLS AND EXPERIENCE

Intrusion Prevention Systems

- Sourcefire

Firewalls (Stateful & UTM)

- Juniper
- Astaro (Sophos)
- Bluecoat
- Watchguard

DDOS

- F5 AFM/ASM

Windows infrastructure

- ADS 2000/2003
- Exchange 2003, 2007
- WSMS
- WSUS

Routing & Switching

- Juniper EX Switches
- Cisco 1900, 2500 switches

Security Incident and Event Management (SIEM)

- Juniper STRM/JSA - Security Threat Response Manager

Network Visibility and Flow Analysis

- Lancope Stealthwatch

Anti-spam / Anti-spyware / Antivirus

- Sophos Endpoint Security
- Sophos Email Gateway
- Astaro Email Gateway

VPN IPSEC/SSL

- Cisco pix & routers (IPSec)
- F5 APM (SSL)
- Juniper (SSL) (SA & MAG Series)

Single Sign On

- ActivIdentity SecureLogin

Secure Access Control

- ActivIdentity (Smart Cards, OTP, USB Keys, AAA)

Application Delivery Optimization

- F5 BIG-IP LTM - Local Traffic Manager

Web Application Firewall

- F5 BIG-IP ASM - Application Security Manager

Global Sites High Availability

- F5 BIG-IP GTM - Global Traffic Manager



TECHNICAL CERTIFICATIONS

- Cisco Certified Network Associate (CCNA)
- Cisco Certified Network Professional (CCNP)
- F5 – 101 Application Delivery
- F5 – 201 TMOS Administration
- F5 – 301A LTM Technology Specialist
- Juniper Networks Certified Associate (JNCIA)
- Microsoft Certified Professional in configuring & administrating Windows (MCP)

EDUCATION

Bachelor of Engineering in Computer Science

PERSONAL DETAILS

5 years of professional experience | Born in 1988



RB

SECURITY SYSTEMS ENGINEER

KEY SKILLS AND EXPERIENCE

Intrusion Prevention Systems

Firewalls (Stateful & UTM)

- Cisco SourceFire (Basic)
- Juniper SRX100, SRX110, SRX210, SRX240, SRX650
- Juniper SSG-5, SSG-20, SSG-140
- Fortigate 60, 60b, 100a, 200a, 224b
- Dell Sonicwall TZ400, NSA2600, NSA3600, NSA4600, NSA5600

DDOS

Windows infrastructure

- F5 BigIP ASM (Basic)
- Windows 7, 8, 10
- Windows Server 2003 R2
- Windows Server 2008
- Windows Server 2008 R2

Routing & Switching

- Cisco Catalyst 2960, 3560, 3750, 4500, 6500
- Juniper EX 2200, 3300, 4200, 4550

Security Incident and Event Management (SIEM)

Network Visibility and Flow Analysis

- Qradar (Basic)
- Orion Solarwinds
- Packet Sniffer
- Wireshark
- PRTG

Anti-spam / Anti-spyware / Antivirus

- Trendmicro Officescan 8, 10 client-server
- Juniper SRX UTM
- Fortigate UTM
- Dell Sonicwall UTM
- ProofPoint (Basic)



VPN IPSEC/SSL

- Sophos (Basic)
- Juniper SRX IPSEC (Site-site)
- Fortigate IPSEC (Site-Site)
- Dell Sonicwall IPSEC (Site-Site) and SSL
- Juniper SSL VPN SA2500
- Checkpoint (Basic)

Single Sign On

- Dell Sonicwall NSA Series

Application Delivery Optimization

- F5 Big IP (Basic)

TECHNICAL CERTIFICATIONS

- Juniper Networks Certified Associate (JNCIA-Junos)
- Juniper Networks Certified Professional Security (JNCIP-SEC)
- Juniper Networks Certified Specialist Security (JNCIS-SEC)
- Cisco Certified Network Associate (CCNA-Routing & Switching)
- Cisco Certified Design Associate (CCDA-Design)
- Cisco Express Foundation for Systems Engineers (CXFS)
- Certified Sonicwall Security Administrator (CSSA)
- Checkpoint Certified Security Administrator (CCSA)

EDUCATION

Bachelor of Science in Information Technology (2002-2006)

PERSONAL DETAILS

8 years of professional experience | Born in 1985



TT
SECURITY ARCHITECT

KEY SKILLS AND EXPERIENCE

Intrusion Detection and Prevention Systems

- IBM XGS
- Cisco Sourcefire
- PA, Juniper Firewalls with NGTP capabilities

Firewalls (Stateful & UTM)

- Juniper – SRX, SSG, ISG
- Paloalto Networks – PANFW
- Cisco – ASA
- Checkpoint NGTP Systems
- BigIP F5 AFM

DDOS

- F5 AFM/ASM
- Arbor Networks SP, TMS, PI, Pravail APS and NSI

Routing & Switching

- Juniper J-Series Routers and EX Switches, MX Series

Security Incident and Event Management (SIEM)

- Juniper STRM/JSA - Security Threat Response Manager
- IBM Qradar

Network Visibility and Flow Analysis

- Lancope Stealthwatch
- Solar Winds

Network Packet Brokers

- IXIA Netoptics – Bypass Switches, TAPS
- IXIA Netoptics – Xbalancers, Vision ONE, XDirectors

VPN IPSEC/SSL

- Juniper IPsec – SRX Firewalls and J-Series Routers
- F5 APM (SSL)
- Juniper (SSL) (SA & MAG Series)
- Remote Client VPN

Application Delivery Optimization

- F5 BIG-IP LTM - Local Traffic Manager

Web Application Firewall

- F5 BIG-IP ASM - Application Security Manager

Global Sites High Availability

- F5 BIG-IP GTM - Global Traffic Manager



Programming Languages

- C, C++
- Visual Basic dotNET
- Basic Knowledge on XML Scripting

Other Products Categories

- Websense (Forcepoint) Proxy & DLP Solutions
- Appdynamics
- Bluecoat Proxy, Packet Shaper, MACH5 Systems
- FireEye Solutions
- Bradford Networks NG NAC Solutions

TECHNICAL CERTIFICATIONS

- Arbor Certified
- Juniper Certified Network Specialist JNCIS-SEC – Security
- Juniper Certified Network Associate JNCIA-JUNOS
- F5 PC – ASM F5 Product Consultant Application Security Manager
- F5 Product Consultant – GTM F5 Product Consultant Global Traffic Manager
- F5 SE – LTM F5 Systems Engineer Local Traffic Manager
- F5 APM
- F5 AFM
- F5 LC
- F5 SWG

EDUCATION

Bachelor of Engineering in Electronics & Communications

PERSONAL DETAILS

6.5 years of professional experience | Born in 1986



MI
SECURITY ARCHITECT

KEY SKILLS AND EXPERIENCE

Intrusion Prevention Systems	• Sourcefire • IBM XGS	• Suricata • Snort
Firewalls (Stateful & UTM)	• Juniper • Astaro (Sophos) • Watchguard • Meraki	• Cyberoam • Bluecoat • ISA server – 2004
DDOS	• Arbor	• F5 AFM/ASM
Windows infrastructure	• ADS 2000/2003 • Exchange 2003, 2007	• WSMS • WSUS
Routing & Switching	• Juniper EX Switches	• Cisco 1900, 2500 switches
Security Incident and Event Management (SIEM)	• Q1Labs (Qradar) • Juniper STRM/JSA - Security Threat Response Manager (OEM Q1Labs)	
Network Visibility and Flow Analysis	• Lancope Stealthwatch	
Network Admission Control (NAC)	• Juniper MAG/UAC • Bradford Network Sentry	
Vulnerability Assessment	• nCircle IP 360	• IBM AppScan
Anti-spam / Anti-spyware / Antivirus	• Sophos Endpoint Security • Sophos Email Gateway • Proofpoint Email Security • Cisco pix & routers (IPSec)	• Astaro Email Gateway • McAfee • E-Scan • Barracuda Antispam • F5 APM (SSL)

VPN IPSEC/SSL



	- Juniper SSG (IPSec) - Juniper (SSL) (SA & MAG Series) - F5 FirePass (SSL)
Single Sign On	- ActivIdentitySecureL ogin - Gemalto
Database Security	- Fortidb - Oracle Secerno
Secure Access Control	- HID-ActivID, AAA (Smart Cards, OTP, USB Keys, AAA) - Gemalto (Smart Cards)
Encryption	Utimaco (Hard Disk, Removable Media, File & Folders Encryption)
Application Delivery Optimization	F5 BIG-IP LTM - Local Traffic Manager
Web Application Firewall	F5 BIG-IP ASM - Application Security Manager
Global Sites High Availability	F5 BIG-IP GTM - Global Traffic Manager

TECHNICAL CERTIFICATIONS

Awarded the Best F5 Implementation Engineer Middle East -2015

- | | |
|---|---|
| <ul style="list-style-type: none"> ActivIdentity 4TRESS AAA Server for Remote Access 6.7 ActivIdentity 4TRESS Authentication Appliance FT2011 Blue Coat Certified ProxySG Administrator Blue Coat Certified ProxySG Professional Cisco Certified Network Associate (CCNA) Certified Information Systems Security Professional (CISSP) Exchange Microsoft Certified System Engineer -Exchange (MCSE-2003) F5 Product Consultant Application Security Manager (F5 PC – ASM) | <ul style="list-style-type: none"> Juniper Networks Sales Specialist Enterprise Switching (JNSS-EX) Juniper Networks Sales Specialist Firewall (JNSS-FWV) Juniper Networks Sales Specialist SSL (JNSS-SSL) Lancope Stealthwatch Certified Engineer Microsoft Certified Database Administrator (MCDBA) Microsoft Certified System Engineer (MCSE-2003) Microsoft Certified System Engineer -Security (MCSE-2003-Security) Proofpoint Accredited Administrator – Email Protection |
|---|---|



FW-SH-Q20260907-HCT-SASE	TECHNICAL PROPOSAL	VER 1.0
FIREWARIN – CONFIDENTIAL	NE-26-0129 SASE - 3 YEARS	PAGE 77

- F5 Product Consultant Global Traffic Manager (F5 Product Consultant – GTM)
- F5 Systems Engineer Local Traffic Manager (F5 SE – LTM)
- F5 Security Accreditation
- F5 Technical Sales Accreditation
- F5-101- Application Delivery Fundamentals
- ITIL V3 Foundation (EXIN) Information Technology Infrastructure Library
- Juniper Certified Internet Associate – Access Controller (JNCIA-AC)
- Juniper Certified Internet Specialist - SSL VPN (JNCIS-SSL VPN)
- Juniper Networks Sales Specialist Enterprise Routing (JNSS-MX)
- nCircle Certified Product Consultant
- Sophos Certified Architect Endpoint Protection
- Sophos Certified Architect UTM
- Sophos Certified Engineer Data Protection
- Sophos Certified Engineer Email
- Sophos Certified Engineer Endpoint
- Sophos Certified Engineer UTM
- Sophos Certified Engineer Web
- Sourcefire Certified Engineer (IPS/IDS/RNA/RUA)

EDUCATION

Bachelor of Engineering in Computer Science

PERSONAL DETAILS

9 Years of experience, Born in 1983



APPENDIX B - DRAFT SLA



FW-SH-Q20260907-HCT-SASE

TECHNICAL PROPOSAL

VER 1.0

FIREWARIN – CONFIDENTIAL

NE-26-0129 SASE - 3 YEARS

PAGE 79



Service Level Agreement

between

FIREWARE

and

XXX

PRODUCT: **XXX**

TYPE OF SUPPORT: **XXX**

SUPPORT PERIOD: **DD-MON-YYYY** to **DD-MON-YYYY**

COPYRIGHT NOTICE

© Copyright FIREWARE 2015. The information contained in this document is the property of FIREWARE. The contents of the document must not be reproduced or disclosed or used for purposes other than that for which it is supplied, without prior written permission of FIREWARE.

P.O. Box 111241 Abu Dhabi, UAE | P.O. Box 341237 Dubai, UAE | P.O. Box 252 Muscat, Oman



FW-SH-Q20260907-HCT-SASE

TECHNICAL PROPOSAL

VER 1.0

FIREWARIN – CONFIDENTIAL

NE-26-0129 SASE - 3 YEARS

PAGE 80

Ref: SDM-SLA-01-AG
Ver: 8.4
Rev. date: 28-JAN-2016

SERVICE LEVEL AGREEMENT

FIREWARE
KNOWLEDGE ● PROTECTED

TABLE OF CONTENTS

1	Purpose	3
2	Related documentation	3
3	Definitions	3
4	Scope	4
4.1	Services Automatically Provided Under This Agreement	4
4.2	Support services specifically covered under this agreement	4
4.3	Services NOT covered under this agreement	5
4.4	Exclusions	5
5	General terms and conditions	6
5.1	Agreement Period and approvals	6
5.2	Reviews/Changes	6
5.3	Confidentiality	6
5.4	Limitation of Liability	6
6	Responsibilities	6
7	Technical support services general process	7
8	Contacting FIREWARE Technical support	8
8.1	Availability of Support	8
8.2	Support Options - Features	9
8.3	Severity level definitions and response times commitment	9
8.4	Update guidelines	11
8.5	Service Request Closure	11
9	Escalation Management	11
9.1	Approvals	12

-Confidential-

Page 2 of 12



FW-SH-Q20260907-HCT-SASE

TECHNICAL PROPOSAL

VER 1.0

FIREWARIN – CONFIDENTIAL

NE-26-0129 SASE - 3 YEARS

PAGE 81

1 Purpose

The purpose of this Service Level Agreement (hereafter referred to as "SLA") is to formalize an arrangement between XXX (hereafter referred to as "CUSTOMER"), and FIREWARE, to deliver specific support services, at specific levels of support, and at an agreed-upon time as described in this document.

This document is intended to provide details of the provision of level 2 and level 3 support services to CUSTOMER on all supported appliances purchased from FIREWARE.

2 Related documentation

This SLA should be read alongside the proposal supplied to CUSTOMER, where all the pertinent details of products and services provided by FIREWARE to CUSTOMER are described.

3 Definitions

APPLIANCE: This term shall have the meaning set forth in this Agreement for a hardware device with integrated software.

BUSINESS DAY/HOUR: means normal working day/hour in the local time zone, i.e. SUNDAY through THURSDAY, 9am-5pm.

RESOLUTION: An incident shall be considered resolved when one of the following has occurred:

- The initial question asked has been answered.
- A solution has been delivered for the problem initially reported.
- A workaround has been delivered for the problem initially reported with a solution to be delivered through a future update with a change in priority. The problem is scheduled for resolution in a future update and the CUSTOMER has agreed to wait for the release of such update and does not require a workaround and end user will have no problem living with it.

RESPONSE: Answer or reaction under which ownership of the request is taken and the CUSTOMER issue is addressed in an attempt to resolve it.

RESPONSE TIME: Time elapsed between CUSTOMER contacting FIREWARE and FIREWARE initiating action to respond.

SEVERITY LEVEL: Degree of impact that an issue or incident has on the CUSTOMER business or operation, as per the definitions on the SLA table on section 8 of this document.

SUPPORT, TECHNICAL SUPPORT: For the purpose of this document, it covers level 2 and level 3 as defined below. It is the service provided by FIREWARE (or by the VENDOR if the case so requires it) which provides CUSTOMER with advice, or with diagnosis and resolution of issues CUSTOMER may experience with the supported solutions products purchased through FIREWARE.

Technical support may be requested over the phone, e-mail, or internet portal and may take the form of an on-site visit or remote help via telephone, e-mail or remote desktop control, when applicable.

SUPPORT LEVELS: There are three levels of support as defined below,

- **Level 1–** Level 1 support is to be provided by CUSTOMER helpdesk team when it receives the Support Request from the users. This represents generalist support. If this level of support cannot resolve the problem, the Support Request is passed to FIREWARE support team.



- Level 2– Level 2 support is provided by FIREWARE. L2 support covers the problems not resolved after L1 intervention. FIREWARE Specialist gets involved to perform required troubleshooting for resolution. Non-resolution of problem will be escalated to vendor to ensure that the problem is resolved at the minimum possible time.
- Level 3– Level 3 support is provided by VENDOR. L3 support covers the problems not resolved after L2 intervention.

VENDOR: For the purpose of this document, it is the organisation that supplies the hardware or software purchased by CUSTOMER through FIREWARE.

4 Scope

The following services are provided in response to the transfer of support tickets from CUSTOMER to FIREWARE in accordance with CUSTOMER's Support case management process.

Subject to the specifications of this SLA, CUSTOMER will be entitled to request FIREWARE support services via telephone, web portal or e-mail request. FIREWARE agrees to provide support, where appropriate, to CUSTOMER, as follows:

4.1 Services Automatically Provided Under This Agreement

The following services are provided against transfer of support tickets for level 2 and level 3 supports from CUSTOMER to FIREWARE:

Activity/Service	Description
Corrective maintenance	Maintenance task performed to identify, isolate, and rectify a fault so that the failed equipment, machine, or system can be restored to an operational condition within the tolerances or limits established for in-service operations.
Root-cause analysis	Problems will be reviewed to determine their root causes, measures will be taken to correct the sources of the problems, and reports will be prepared and distributed in a timely fashion.
Bug fixes on supported systems	Emergency repair of any system operation that does not comply with the current signed and approved system specification where it is totally reliable on the vendor. This includes system errors, "hung" or halted screens, or unexpected results within the system that render it unusable for the purpose for which it was designed.

4.2 Support services specifically covered under this agreement

Activity/Service	Description
Solution monitoring / Health Check-up	Conducting periodic monitoring on all supported systems to ensure service availability. This service will be covered under health check-up which will be scheduled once every quarter until the expiry of the support period. Status reports will be completed by FIREWARE support specialists and submitted to CUSTOMER for the implemented solution. Quarterly
Level 2/3 Support	L2/L3 support will be taken care of by FIREWARE for CUSTOMER's supported systems along with response and resolution of the problem as per agreed SLA.
Knowledge Management	Recording, storing, and retrieval of information to assist in the resolution of problems will be established and maintained. This process will help in improving response time for any problem reported.



Ref: SDM-SLA-01-AG
Ver: 8.4
Rev. date: 28-JAN-2016

SERVICE LEVEL AGREEMENT

Support media	This agreement will cover telephonic, email, remote and onsite support, as and when required, to meet agreed SLA during the support period.
Change Management	New or changed processes, practices, or policies that affect the support team consisting of CUSTOMER and FIREWARE technical team and that require members to understand, learn, and follow.

4.3 Services NOT covered under this agreement

This agreement does not cover providing services in response to the requests listed below. However, FIREWARE would be pleased to provide a separate statement of work in proposing services to address any of the following to CUSTOMER:

Activity/Service	Description
Level 1 Support	Level 1 (help desk) shall be provided by CUSTOMER Team. The scope covers maintenance of the implemented solution, configurations, escalation of problems as and when applicable, and shifting of location for the appliances in case of requirement.
Modifications to original design specification	Any functionality not specified in the current approved specification as per this SLA. Changes in CUSTOMER organisation or business needs (such as a reorganisation or change in business practice) may make the current specification obsolete. When this occurs, CUSTOMER should initiate a request for enhancement to update the system. It is highly recommended that CUSTOMER'S team and FIREWARE work closely together to anticipate future needs and prepare timely update of systems to accommodate new changes in CUSTOMER business requirements. Any change management related to the above.
Hardware preventative maintenance	Defined as activities including tests, measurements, adjustments, and parts replacement (this excludes RMA processes), performed specifically to prevent faults from occurring.
Individual Infrastructure	This service support plan does not cover the problems with CUSTOMER'S IT infrastructure covering nodes configuration, and other infrastructure (e.g., Server, Application, ISP Router, cabling, etc) not related to the scope of work.
Configuration Management Database	It would be responsibility of the CUSTOMER to take the backup of Network and Security Configuration as part of maintenance for further reference.

4.4 Exclusions

FIREWARE shall have no obligation to support:

- Altered, damaged or modified systems or any parts of the systems.
- System problems caused by CUSTOMER negligence, or misuse or misapplication, use of other than as specified in the user manual or outside the environmental range specified by the VENDOR documentation for such product or by any other causes beyond the control of FIREWARE.
- Any work to repair the product other than as specified in the VENDOR documentation or program guide for such product.
- Any modifications performed by CUSTOMER or a third party to the hardware or the software.
- Product installation on any computer hardware that is not supported by VENDOR.
- Specific configuration requests beyond initial SOW (Scope of Work).

The agreement contained in this SLA exclude acts of nature, acts of God, criminal acts, and other extenuating circumstances outside the control of FIREWARE.

-Confidential-

Page 5 of 12



FW-SH-Q20260907-HCT-SASE

TECHNICAL PROPOSAL

VER 1.0

FIREWARIN – CONFIDENTIAL

NE-26-0129 SASE - 3 YEARS

PAGE 84

This SLA does not apply during any period of time when scheduled payment has not been received for services.

5 General terms and conditions

5.1 Agreement Period and approvals

The agreement period is for one (1) calendar year of FIREWARE Support to CUSTOMER.

It is important to note that FIREWARE support, in most cases, runs in parallel with the support provided by and purchased from VENDOR(S).

In order to make this agreement operational, payment for services and official approval must be in place.

5.2 Reviews/Changes

This SLA and related details are operational in nature and may be modified at any time by FIREWARE. FIREWARE will take appropriate measures to inform CUSTOMER of modifications. This service level agreement supersedes any previous service level agreements.

This agreement may be reviewed at any point, by mutual agreement and formal approval.

5.3 Confidentiality

FIREWARE acknowledges that in the execution of this agreement, the Company's personnel may be supplied with or become aware of information that is confidential and is the CUSTOMER'S property. FIREWARE (and anyone working on its behalf) undertakes to keep such information and proprietary data and other materials strictly confidential and shall prevent any duplication or disclosure of such information.

5.4 Limitation of Liability

In no event shall either party be liable for any special, incidental or consequential damages (including such damages arising from breach of agreement or warranty or from tort (including negligence) or strict liability), or for interrupted communications, lost data or lost profits, arising from or in connection with this agreement. In no event shall the aggregate liability of FIREWARE and its suppliers and licensors with respect to any subject matter of this agreement exceed, in the aggregate, the amounts actually paid to FIREWARE under this agreement during the term (or renewal term, as the case may be) then in effect. Customer and FIREWARE agree that the foregoing limitations of liability fairly allocate the risks in the agreement between the parties, that this allocation is an essential element of the basis of the bargain between the parties, and that the foregoing limitations shall apply notwithstanding any failure of the essential purpose of this agreement or any limited remedy hereunder. The limitations of liability contained in this agreement will apply only to the maximum extent permissible under applicable law, and nothing in this agreement purports to limit either party's liability in a manner that would be unenforceable or void as against public policy in the applicable jurisdiction neither party will be liable for any delays or failures in performance due to circumstances beyond its reasonable control that could not be avoided by its exercise of due care.

6 Responsibilities

FIREWARE has the following general responsibilities under this agreement:

- FIREWARE will conduct business in a courteous and professional manner with CUSTOMER.
- FIREWARE is responsible of Level 2 and Level 3 support in coordination with VENDOR, unless otherwise stated.




- c. FIREWARE will securely log all information from CUSTOMER related to problem reported covering contact information, problem details to address the incident request.
- d. FIREWARE will obtain CUSTOMER approval before ticket closure.

CUSTOMER has the following general responsibilities under this agreement:

- a. Use the software and hardware provided by FIREWARE (and covered under this SLA) as intended.
- b. Use their own appropriate resources to provide Level 1 support to CUSTOMER users, including creating problem tickets and assigning responsibility to the appropriate Level 2 from FIREWARE.
- c. Follow the support level escalation process as defined in this document.
- d. Provide all information required to open a support request with FIREWARE.
- e. Provide FIREWARE with access to the relevant internal services (i.e., helpdesk, network services, etc.), and manage the availability of services provided by applicable external suppliers (ISP and/or MSP) as it relates to the provision of services under this agreement.
- f. Commit full-time resources to work with FIREWARE to resolve the situation or obtain a work around.
- g. Keep FIREWARE updated in any and all support cases CUSTOMER has chosen to open directly with VENDOR bypassing FIREWARE support. However, FIREWARE recommends being involved in this type of support cases from the beginning in order to have a complete log history of the incidents, as this may help in future problem analysis/ troubleshooting.

7 Technical support services general process



FIREWARE Support Services utilize a multi-tier support model for processing reported issues. When an initial request to obtain post-sales support services is made, a FIREWARE support team member will validate all information and gather details relevant to the request. A unique ticket number will be assigned and delivered to the contact via electronic mail. This ticket number will be used to track any

given incident from initial contact to final resolution. Additional testing and problem simulation may take place in a network laboratory environment. Further investigation, including additional troubleshooting or debugging activity may be required. Based on the results of the test lab investigation, an issue may be brought to resolution, or, if an anomaly is identified, escalated to the technical services division of FIREWARE'S vendors. The response times and resolution of the anomaly can vary depending on the escalation scheme of the particular vendor.

8 Contacting FIREWARE Technical support

When opening a case, CUSTOMER must be prepared to provide the following:

- Vendor name
- Serial number
- Definition of the problem in detail
- Severity level and impact of the problem (please refer to section 8.3 of this document to assign the appropriate severity level)
- Indication of the activity that was being performed when the problem occurred
- Software version
- Configuration data

TECHNICAL SUPPORT PHONE LINE 	UNITED ARAB EMIRATES* +971 4 319 7375
E-MAIL 	support@fireware.com **NOTE: THE SUBJECT OF THE EMAIL MUST STATE [CUSTOMER NAME – PRODUCT – SEVERITY LEVEL AND SUMMARY OF ISSUE]
WEB PORTAL 	https://helpdesk.fireware.com

**For Oman customers, due to technical limitations quality concerns with service providers, CUSTOMERS are advised to open support cases via e-mail or web portal.*

When the case is open, a case number will be assigned and a Support Engineer will attempt to help resolve the issue. If the issue cannot be resolved, the issue will be transferred to the FIREWARE Test Lab and CUSTOMER will be informed of progress.

8.1 Availability of Support

Technical Support via telephone and email is available (subject to conditions beyond FIREWARE'S control) on all days of the year, 24 hours a day in accordance with the information set forth in the Severity Level Response Time Commitments described in section 8.3.

Only Support Requests with Severity Level 1 (critical) are handled with priority between 5:00 pm and 9:00 am local time including weekends and public holidays.

During business hours, all support requests are handled between 9:00am and 5:00 pm local time.

8.2 Support Options - Features

FIREWARE offers the following support options for CUSTOMER to choose from:

FEATURE	NO SUPPORT	STANDARD	PREMIUM	PLATINUM
8X5 - Business hours support availability (Sunday to Thursday, 9 AM – 5 PM local time)	•	•	•	•
24x7 web portal access		•	•	•
24x7x365 - All around the clock support availability for severity 1 cases			•	•
Up to 3 tickets included per support period/year (support provided via e-mail only)*	•			
Up to 12 tickets included per support period/year*		•		
Up to 24 tickets included per support period/year*			•	
Unlimited tickets included				•
Quarterly health check visits and reports			•	•
Application enhancement (change) request management			•	•
Software upgrade of platforms (if required, maximum 2 per year)**			•	•
Resident engineer				•
Customised support usage reports				•
Post-deployment best practices advice				•
Software preventative maintenance				•

*When the total number of tickets has been used for the support period, support will be downgraded to the previous level.

**Fireware will make the best efforts in notifying customers of required upgrades; however, for customers with standard or no support, it is advised to subscribe to vendor's security advisory to obtain information on available upgrades.

8.3 Severity level definitions and response times commitment

Some work items (especially those associated with critical situations) may need to be handled or expedited faster than usual. When this is the case, CUSTOMER must notify FIREWARE that the issue has caused a critical situation. Depending on the impact, an initial severity level is assigned to the support request; this may be determined by CUSTOMER if CUSTOMER has a legitimate reason to consider the particular report as a critical outage. If CUSTOMER's choice for the severity level is unknown, FIREWARE will determine the adequate level in accordance with the information provided by CUSTOMER and its general business practices.

When the support request is accepted and FIREWARE determines that sufficient information has been provided by CUSTOMER to classify the report and categorize the severity level, work on resolving the incident will begin in accordance with FIREWARE's standard business practices.

FIREWARE agrees to use commercially reasonable efforts to respond to CUSTOMER requests based on the severity of the issue as follows:



Ref: SDM-SLA-01-AG
Ver: 8.4
Rev. date: 28-JAN-2016

SERVICE LEVEL AGREEMENT

SEVERITY LEVEL	DEFINITION	EXAMPLES	RESPONSE MEAN	NO SUPPORT	STANDARD	PREMIUM	PLATINUM
				RESPONSE TIME	RESPONSE TIME	RESPONSE TIME	RESPONSE TIME
1 CRITICAL	Severe error A problem related to a supported system, which causes a complete loss of service; work cannot continue at all and operation is mission critical to the customer business.	- System is down - Business operations are severely disrupted - All or a substantial portion if mission-critical data is at a significant risk of loss or corruption.	Phone & E-mail OR Remote Access ¹	8 business hours (E-mail only)	2 business hours	1 calendar hour	IMMEDIATE RESPONSE FROM RESIDENT ENGINEER DURING BUSINESS HOURS, PREMIUM RESPONSE OUTSIDE BUSINESS HOURS
			On-site ²	N/A	6 business hours	4 calendar hours	
2 HIGH	Major functionality is severely impaired A problem related to a supported system, which causes a significant loss of service and no acceptable workaround is available. The problem adversely impacts customer business, but operation can continue in a restricted fashion or be alternatively routed.	- Major system function is unavailable or degraded. - Repeated failures - Error will create intolerable delays if not addressed.	Phone & E-mail OR Remote Access ¹	24 business hours (E-mail only)	4 business hours	2 business hours	
			On-site ²	N/A	8 business hours	6 business hours	
3 MEDIUM	Partial, non-critical loss of functionality A problem related to a supported product, which causes no loss in service, or only very minor loss in service. The impact is an inconvenience, which does not impede operation or customer business operations.	Impaired operations of some components	Phone & E-mail OR Remote Access ¹	3 business days (E-mail only)	1 business day	5 business hours	
			On-site ²	N/A	2 business days	1 business day	
4 LOW	General usage problem or feature request A question concerning the operation of a supported system, or a suggested change to the systems or its configuration. A reported anomaly in the supported system which does not substantially restrict the use of one or more of its features to perform necessary business functions.	General configuration or usage questions	Phone & E-mail OR Remote Access ¹	5-8 business days (E-mail only)	2-4 days	1-2 business days	

¹ Only applicable to customers with paid support (Standard, Premium or Platinum customers). Only E-mail support, limited to a maximum of 3 tickets per support year, will be provided to customers who have elected not to purchase Fireware support.

² On-site response to be provided whenever all attempts for phone, e-mail, and remote response options have been exhausted.

-Confidential-

Page 10 of 12



8.4 Update guidelines

Though every reasonable effort will be made to provide resolution as soon as possible, each case is unique and carries a different set of complexities and challenges and may require internal or external action which will require waiting for responses beyond the initial response. In such instances, FIREWARE will update the customer with information as per the below:

SEVERITY LEVEL	UPDATE FREQUENCY
1 – CRITICAL	Every 4 hours
2 – MAJOR	Every business day
3 – MINOR	Every 2 business days
4 – LOW	Once a week

8.5 Service Request Closure

FIREWARE agrees to use commercially reasonable efforts to work with the CUSTOMER for problem resolution for an issue in accordance with the specifications of this SLA. Timely efforts must be made by all parties involved. If communication from CUSTOMER ceases without notice, after 3 business days, FIREWARE may notify CUSTOMER that it has closed a Support Request due to inactivity on the part of the CUSTOMER. A support request may be reopened within 30 consecutive days of closure. Once a Support Request is closed for 30 consecutive days, the issue will be considered permanently closed and it cannot be reopened. If further work is necessary, a new Support Request will be opened and all pertinent materials may need to be resubmitted before work can continue.

9 Escalation Management

Escalation is a process which should not be used as a tool to resolve problems. However, the escalation process is in place to take care of the extremely unlikely situation that a support case was not attended to within the agreed timeframes.

The below information needs to be provided when escalating:

- Problem statement, including early evaluation of possible resolution.
- Problem status.
- Actions required.
- Party who needs to perform the actions (i.e., FIREWARE, CUSTOMER, VENDOR, etc). It does not necessarily require the identification of a specific person.

In the event that response timeframes are not met, the case would automatically be escalated to the next level. In addition, there is an automatic management escalation path described below, and such escalation procedure keeps FIREWARE personnel informed through its helpdesk system.


In general, anybody involved in a case can request that a case be escalated at any time, independent of the below diagram. However, FIREWARE personnel may choose to remove a case from escalation should that case not merit escalation in FIREWARE personnel's opinion. Whenever escalation is the result of a CUSTOMER request, there should be a parallel escalation within the CUSTOMER's organisation; this ensures that the proper resources are in place and are identified in each organisation, thereby enabling the problem to be resolved more efficiently and expeditiously. Additionally, a justification for requesting escalation should be provided so that FIREWARE can understand why escalation is necessary, the context of the escalation request and what resources may be needed.

Regardless of the total elapsed time of an outstanding support request, the point of escalation is initiated at the first line support level, escalated to the Technical Manager and Service Delivery Manager and finally to the Chief Technical Officer, as described below:



Ref: SDM-SLA-01-AG
Ver: 8.4
Rev. date: 28-JAN-2016

SERVICE LEVEL AGREEMENT



TITLE	NAME	E-MAIL ADDRESS	PHONE NUMBER
SUPPORT LINE		support@fireware.com	+971 4 5646100
TECHNICAL MANAGER - UAE	Muhammad Ikram	m.ikram@fireware.com	+971 55 4818001
TECHNICAL MANAGER - OMAN	Amjad Beainy	a.beainy@fireware.com	+968 92538558
QUALITY & SERVICE DELIVERY MANAGER	Lilla DIANOVSKI	lilla@fireware.com	+971 55 5042568
ASSISTANT SERVICE DELIVERY MANAGER - OMAN	Mashail Balushi	m.balushi@fireware.com	+968 9115 5996
CTO	Zaid Rifaie	zaid@fireware.com	+971 52 5333317

9.1 Approvals

In order to make this agreement operational, official approval in the form of authorized signature and company stamp must be in place.

ON BEHALF OF CUSTOMER		ON BEHALF OF FIREWARE	
TYPE OF SUPPORT SELECTED	☐ STANDARD ☐ PREMIUM ☐ PLATINUM		
SIGNATURE _____	SIGNATURE _____		
NAME _____	NAME _____		
TITLE _____	TITLE _____		
DATE _____	DATE _____		
CITY, _____	CITY, _____		
COUNTRY _____	COUNTRY _____		
STAMP _____	STAMP _____		

-Confidential-

Page 12 of 12



FW-SH-Q20260907-HCT-SASE

TECHNICAL PROPOSAL

VER 1.0

FIREWARIN – CONFIDENTIAL

NE-26-0129 SASE - 3 YEARS

PAGE 91

APPENDIX C - ISO/IEC 27001:2022 CERTIFICATE



FW-SH-Q20260907-HCT-SASE	TECHNICAL PROPOSAL	VER 1.0
FIREWARIN – CONFIDENTIAL	NE-26-0129 SASE - 3 YEARS	PAGE 92



CERTIFICATE

This is hereby certified that the Information Security Management System of

Fireware International Network LLC SPC.

P.O Box: 111241, Office No. 403, World Trade Center Mall, Hamdan Bin
Mohammed St, 405, Al Danah, Abu Dhabi, United Arab Emirates.

Has been found to comply with the requirements of

ISO 27001: 2022

This certificate is applicable for the following scope:

Computer Repair and Maintenance, Computer Systems and Software Designing, Data
Storing and Recovering, Onshore And Offshore Oil And Gas Fields And Facilities
Services, Computer Infrastructure Establishment, Institution and Maintenance,
Information Technology Network Services

Certificate Number: KAIM202508011

Date of initial registration: 28 August 2025
Surveillance audit on/before: 28 July 2026
Certificate expiry: 28 August 2026
Recertification due: 27 August 2028




Authorized Signatory
KVQA Assessment Pvt. Ltd.

Website: www.iso-registration.com | Email: info@iso-registration.com

KVQA Assessment Private Limited is accredited to United Accreditation Foundation (UAF). UAF is internationally recognized by having a signatory status across multilateral recognition arrangement of International Accreditation Forum (IAF) and Asia Pacific Accreditation Cooperation (APAC).

The certificate is valid subject to successful completion of surveillance audits. Verify validity/status on www.iso-registration.com or on email at info@iso-registration.com

UAF address: 1060 Laskin Road, STE 12B/13B, Virginia Beach, VA 23451, United States of America

MANAGEMENT SYSTEM CERTIFICATE



FW-SH-Q20260907-HCT-SASE

TECHNICAL PROPOSAL

VER 1.0

FIREWARIN – CONFIDENTIAL

NE-26-0129 SASE - 3 YEARS

PAGE 93

THIS PAGE INTENTIONALLY LEFT BLANK

