

Contents


1 - Authentication.....	2
2 - Clients	2
i) Create/Add Client	2
ii) Update Client.....	4
iii) Get Clients	6
iv) Get Client.....	8
v) Delete Client.....	10
3 - Items	11
i) Create/Add Item	11
ii) Update Item.....	13
iii) Get Items	14
iv) Get Item	16
v) Delete item.....	17
4 - Invoices	18
i) Get Invoices	18
ii) Get Invoice	21
iii) Create/Add invoice	23
iv) Update Invoice.....	27
v) Delete Invoice.....	29
5 - SMS	31
i) Add SMS	31

1 - Authentication

The generated account id and api key would be used as parameters in further api calls. it is used for authentication for each request.

accountid: Account ID field in users is unique and auto-incremented (required)

apikey: (required)



2 - Clients

i) Create/Add Client

Method= **POST** (is used to create/add clients in the system)

APIURL

<siteurl>/api/addClient

Header parameters

Accept: application/json

Params parameters

accountid:

apikey:

Query Parameters

name: Clients name or Company name(required)

email: Clients work email address

vat_number: Clients tax identification number that is used in invoices

main_url: Business url like website or any social account like (<https://www.facebook.com/>)

code

postal_code: Area code

address= Home address

city= living city name

telephone_Code

telephone

mobile_Code

mobile

primary_telephone_code

primary_telephone

country

Response

Success

```
{
  "message": "success",
  "result": [
    {
      "name": "chris",
      "updated_at": "2020-06-12 11:29:29",
      "created_at": "2020-06-12 11:29:29",
      "id": 9
    }
  ]
}
```

Status = 201 Created

If user enters wrong name or leave it empty although name is mandatory filed

Response

Error

```
{
  "message": "The given data was invalid.",
  "errors": {
    "name": [
      "The name field is required."
    ]
  }
}
```

If user missed any parameter like account id and api key

Response

Error

```
{
  "message": "Authentication failed"
}
```

ii) Update Client

Method= **PUT** (is used to update existing clients in the system)

API URL

<siteurl>/api/updateClient/<id>

Header parameters

Accept: application/json

Params parameters

accountid:

apikey:

Query Parameters

name: Clients name or Company name(required)

email: Clients work email address

vat_number: Clients tax identification number that is used in invoices

main_url: Business url like website or any social account like (<https://www.facebook.com/>)

code

postal_code: Area code

address : Home address

city : Living city name

telephone_Code

telephone

mobile_Code

mobile

primary_telephone_code

primary_telephone

country

Response

Success

```
{
  "message": "success",
  "result": [
    {
      "id": 9,
      "name": "chris",
      "vat_number": null,
      "country": null,
      "main_url": null,
      "email": null,
      "code": null,
      "postal_code": null,
      "address": null,
      "city": null,
      "telephone": null,
      "mobile": null,
      "primary_name": null,
      "primary_email": null,
      "primary_mobile": null,
      "primary_telephone": null,
      "created_at": "2020-06-12 11:29:29",
      "updated_at": "2020-06-12 11:29:29",
      "deleted_at": null
    }
  ]
}
```

```
    ]  
  }  
}
```

Status = 200 OK

If user id is invalid

Response

Error

```
{  
  "message": "error",  
  "result": [  
    "Client not found"  
  ]  
}
```

If user missed any parameter like account id and api key

Response

Error

```
{  
  "message": "Authentication failed"  
}
```

iii) Get Clients

Method= **GET** (is used to bring/access all list of clients from the system)

API URL

<siteurl>/api/getClients

Header parameters

Accept: application/json

Params parameters

accountid:

apikey:

Response

Success

```
{  
  "message": "success",  
  "result": [  
    ]  
}
```

```
[
  {
    "id": 2,
    "name": "Hedley Hopkins",
    "vat_number": "880",
    "country": "AS",
    "main_url": "https://www.xaraqufigyr.co",
    "email": "zisyb@mailinator.com",
    "code": "Aut labore blanditii",
    "postal_code": "Esse alias velit ess",
    "address": "Sit in sed pariat",
    "city": "Inventore repudianda",
    "telephone": "[\"58\", \"54343\"]",
    "mobile": "[\"64\", \"47343\"]",
    "primary_name": "vegenuty",
    "primary_email": "nocicepa@mailinator.com",
    "primary_mobile": "[\"93\", \"324343\"]",
    "primary_telephone": "[\"674\", \"+1 (126) 573-4357\"]",
    "created_at": "2020-06-02 09:33:59",
    "updated_at": "2020-06-02 09:33:59",
    "deleted_at": null
  },
  {
    "id": 3,
    "name": "Alana Shelton",
    "vat_number": "852",
    "country": "UY",
    "main_url": "https://www.xejazalad.mobi",
    "email": "jidepur@mailinator.com",
    "code": "Adipisci obcaecati i",
    "postal_code": "Sunt sint eiusmod e",
    "address": "Id hic excepturi acc",
    "city": "Aut tempore sunt ma",
    "telephone": "[\"680\", \"59\"]",
    "mobile": "[\"500\", \"46\"]",
    "primary_name": "jiririj@mailinator.com",
    "primary_email": "hinex@mailinator.net",
    "primary_mobile": "[\"86\", \"Suscipit et nihil im\"]",
    "primary_telephone": "[\"93\", \"+1 (679) 553-7209\"]",
    "created_at": "2020-06-02 09:34:14",
    "updated_at": "2020-06-02 09:34:14",
    "deleted_at": null
  },
  {
    "id": 4,
    "name": "Tara Figueroa",
    "vat_number": "382",
    "country": "MA",
    "main_url": "https://www.diqyw.co",
    "email": "tuda@mailinator.net",
    "code": "Eos voluptate porro",
    "postal_code": "Aliqua Incididunt n",
    "address": "Veritatis rerum sed",
    "city": "Doloribus minim fugi",
  }
]
```

```

        "telephone": "[\"596\", \"65345345\"]",
        "mobile": "[\"1-264\", \"80345345\"]",
        "primary_name": "dugus@mailinator.net",
        "primary_email": "pacavaxifu@mailinator.net",
        "primary_mobile": "[\"357\", \"+1 (487) 694-3284\"]",
        "primary_telephone": "[\"262\", \"+1 (487) 694-3284\"]",
        "created_at": "2020-06-08 11:04:58",
        "updated_at": "2020-06-08 11:04:58",
        "deleted_at": null
    },
    {
        "id": 8,
        "name": "chris",
        "vat_number": null,
        "country": null,
        "main_url": null,
        "email": null,
        "code": null,
        "postal_code": null,
        "address": null,
        "city": null,
        "telephone": null,
        "mobile": null,
        "primary_name": null,
        "primary_email": null,
        "primary_mobile": null,
        "primary_telephone": null,
        "created_at": "2020-06-12 11:04:20",
        "updated_at": "2020-06-12 11:04:20",
        "deleted_at": null
    }
]
}

```

Status = 200 Ok

If user missed any parameter like account id and api key

Response

Error

```

{
    "message": "Authentication failed"
}

```

iv) Get Client

Method= **GET** (is used to bring single entity from the system)

API URL

<siteurl>/api/getClient/<id>

Header parameters

Accept: application/json

Params parameters

accountid:

apikey:

If client id is valid then system will bring particular client

Response

Success

```
{
  "message": "success",
  "result": [
    {
      "id": 1,
      "name": "oliver",
      "vat_number": "1234567",
      "country": "NO",
      "main_url": "https://www.oliver.com",
      "email": "oliver@mailinator.com",
      "code": "7575",
      "postal_code": "6000",
      "address": "usa",
      "city": "usa",
      "telephone": "[\"93\", \"34435435435\"]",
      "mobile": "[\"93\", \"324324324\"]",
      "primary_name": "oliver1",
      "primary_email": "oliver2@mailinator.com",
      "primary_mobile": "[\"355\", \"5674323329\"]",
      "primary_telephone": "[\"355\", \"654321234\"]",
      "created_at": "2020-06-02 09:31:57",
      "updated_at": "2020-06-02 09:31:57",
      "deleted_at": null
    }
  ]
}
```

Status 200 Ok

If client id is not given

Response

Error

```
"message": "",  
"exception": "Symfony\\Component\\HttpKernel\\Exception\\NotFoundHttpException",
```

Status:404 not found

If Id is invalid

```
{  
  "message": "error",  
  "result": [  
    "Client not found"  
  ]  
}
```

If user missed any parameter like account id and api key

Response

Error

```
{  
  "message": "Authentication failed"  
}
```

v) Delete Client

Method=**DELETE** (use to delete existing client from the system)

Api URL

<siteurl>/api/deleteClient/<id>

Header parameters

Accept: application/json

Params parameters

accountid:

apikey:

Response

Success

```
{  
  "message": "success",  
  "result": [  
    "Client deleted"  
  ]  
}
```

Status= 200 Ok

If id not valid

Response

Error

```
{
  "message": "error",
  "result": [
    "Invalid Id"
  ]
}
```

If user missed any parameter like account id and api key

Response

Error

```
{
  "message": "Authentication failed"
}
```

3 - Items

i) Create/Add Item

Method = **POST** (create item in the system)

Api URL

<siteurl>/api/addItem

Header parameters

Accept: application/json

Params parameters

accountid:

apikey:

Query Parameters

code: User enters the item code like(Dell Inspiron 15-3521 (P28F-001) (required)

rrp: Enters the recommended retail price(required)

description: Enters the product/item description

tax: Select tax that applied on particular item

unit: Select Unit in hour,day,service or other

price: Price of particular item(required)

Response

Success

```
{
  "message": "success",
  "result": [
    {
      "code": "Dell Inspiron 15-3521 (P28F-001",
      "rrp": "5000",
      "price": "4000",
      "updated_at": "2020-06-12 11:42:19",
      "created_at": "2020-06-12 11:42:19",
      "id": 13
    }
  ]
}
```

Status = 201 Ok

If user missed any attribute like rrp

Response

Error

```
{
  "message": "The given data was invalid.",
  "errors": {
    "code": [
      "The code has already been taken."
    ],
    "rrp": [
      "The rrp must be a number.",
      "The rrp field is required."
    ]
  }
}
```

Status = 422 Unprocessable Entity

If user missed any parameter like account id and api key

Response

Error

```
{
  "message": "Authentication failed"
}
```

ii) Update Item

Method = **PUT** (update existing item in the system)

Api URL

<siteurl >/api/updateItem/<id>

Header parameters

Accept: application/json

Params parameters

accountid:

apikey:

Query Parameters

code: User enters the item code like (Dell Inspiron 15-3521 (P28F-001)) **(required)**

rrp: Enters the recommended retail price **(required)**

description: Enters the product/item description

tax: Select tax that applied on particular item

unit: Select Unit in hour, day, service or other

price: Price of particular item **(required)**

Response

Success

```
{
  "message": "success",
  "result": [
    {
      "id": 3,
      "code": "Dell | Vostro 15 - 3000 (3580)",
      "unit": "Service",
      "price": "10000",
    }
  ]
}
```

```

        "tax": "0",
        "rrp": "9000",
        "description": "Dell | Vostro 15 - 3000 (3580)",
        "created_at": "2020-06-02 09:28:08",
        "updated_at": "2020-06-02 09:28:08",
        "deleted_at": null
    }
]
}

```

Status = 201 Ok

If user missed any attribute like rrp

Response

Error

```

{
  "message": "The given data was invalid.",
  "errors": {
    "rrp": [
      "The rrp must be a number."
    ]
  }
}

```

Status = 422 Unprocessable Entity

If user missed any parameter like account id and api key

Response

Error

```

{
  "message": "Authentication failed"
}

```

iii) Get Items

Method = **GET** (it will bring/get all list of items from the system)

ApiURI

<siteurl>/api/getItems

Header parameters

Accept: application/json

Params parameters

accountid:

apikey:

Response

Success

```
{
  "message": "success",
  "result": [
    [
      {
        "id": 2,
        "code": "PC-34",
        "unit": "Hour",
        "price": "300",
        "tax": "23",
        "rrp": "400",
        "description": "PC-34",
        "created_at": "2020-06-02 09:26:44",
        "updated_at": "2020-06-02 09:26:44",
        "deleted_at": null
      },
      {
        "id": 14,
        "code": "Dell Inspiron 15-3521 (P28F-001)",
        "unit": null,
        "price": "4000",
        "tax": null,
        "rrp": "5000",
        "description": null,
        "created_at": "2020-06-12 11:45:05",
        "updated_at": "2020-06-12 11:45:05",
        "deleted_at": null
      }
    ]
  ]
}
```

If user missed any parameter like account id and api key

Response

Error

```
{
  "message": "Authentication failed"
```

```
}
```

iv) Get Item

Method = **GET** (it will bring/get single items from the system)

ApiURI

<siteurl>/api/getItem/<id>

Header parameters

Accept: application/json

Params parameters

accountid:

apikey:

Response

Success

```
{
  "message": "success",
  "result": [
    {
      "id": 14,
      "code": "Dell Inspiron 15-3521 (P28F-001)",
      "unit": null,
      "price": "4000",
      "tax": null,
      "rrp": "5000",
      "description": null,
      "created_at": "2020-06-12 11:45:05",
      "updated_at": "2020-06-12 11:45:05",
      "deleted_at": null
    }
  ]
}
```

If id not exist in the system

Response

Error

```
{
  "message": "error",
  "result": [
    "Item not found"
  ]
}
```



```
    ]  
}
```

If user missed any parameter like account id and api key

Response

Error

```
{  
  "message": "Authentication failed"  
}
```

v) Delete item

Method = **DELETE** (that is used to delete any single item)

Api URL

<siteurl>/api/deleteItem/<id>

Header parameters

Accept: application/json

Params parameters

accountid:

apikey:

Response

Success

```
{  
  "message": "success",  
  "result": [  
    "Item deleted"  
  ]  
}
```

if id is invalid

Error

```
{  
  "message": "error",  
  "result": [  
    "Invalid Id"  
  ]  
}
```

If user missed any parameter like account id and api key

Response

Error

```
{
  "message": "Authentication failed"
}
```

4 - Invoices

Header parameters

Accept: application/json

Params parameters

accountid:

apikey:

i) Get Invoices

Method = **GET** (that is used to get list of line invoices from the system)

Api URL

<siteurl>/api/getInvoices

Header parameters

Accept: application/json

Params parameters

accountid:

apikey:

Response

Success

```
{
  "message": "success",
  "result": [
    {
      "id": 3,
```

```

        "inv_date": "2020-05-27 00:00:00",
        "remarks": "Windows 10 Pro 64\r\n10th Generation Intel® Core™ i7 proce
ssor\r\n16 GB memory; 512 GB SSD storage\r\n17.3\" diagonal Full HD display",
        "due": "30",
        "po": null,
        "sequence": null,
        "retention": null,
        "inv_retention": null,
        "inv_subtotal": 4754,
        "inv_vat": 236.28,
        "inv_discount": 184,
        "currency": "XCD $",
        "tax_exemption_reason": null,
        "total_invoice_value": "4806.28",
        "uid": 1,
        "cid": 4,
        "brand_templates_id": 9,
        "brands_id": 1,
        "created_at": "2020-06-08 11:09:41",
        "updated_at": "2020-06-10 12:06:53",
        "deleted_at": null,
        "line_items": [
            {
                "id": 28,
                "code": "HP 4580G90 Notebook",
                "description": "Veniam quibusdam es",
                "unit_price": 736,
                "qty": 5,
                "vat": 0,
                "discount": 5,
                "total": 3680,
                "invid": 3,
                "created_at": "2020-06-10 12:06:53",
                "updated_at": "2020-06-10 12:06:53",
                "deleted_at": null
            },
            {
                "id": 29,
                "code": "Minim doloremque odi-908",
                "description": "Quidem quisquam illo",
                "unit_price": 537,
                "qty": 2,
                "vat": 22,
                "discount": 0,
                "total": 1074,
                "invid": 3,
                "created_at": "2020-06-10 12:06:53",
                "updated_at": "2020-06-10 12:06:53",
                "deleted_at": null
            }
        ]
    },

```

```

    {
      "id": 47,
      "code": "Testing 2",
      "description": "This is a test please ignore Two",
      "unit_price": 5,
      "qty": 1,
      "vat": 0,
      "discount": 5,
      "total": 5,
      "invid": 11,
      "created_at": "2020-06-12 10:41:14",
      "updated_at": "2020-06-12 10:41:14",
      "deleted_at": null
    }
  ],
  {
    "id": 13,
    "inv_date": null,
    "remarks": null,
    "due": null,
    "po": null,
    "sequence": null,
    "retention": null,
    "inv_retention": null,
    "inv_subtotal": null,
    "inv_vat": null,
    "inv_discount": null,
    "currency": null,
    "tax_exemption_reason": null,
    "total_invoice_value": null,
    "uid": 1,
    "cid": 1,
    "brand_templates_id": null,
    "brands_id": null,
    "created_at": "2020-06-12 10:59:54",
    "updated_at": "2020-06-12 10:59:54",
    "deleted_at": null,
    "line_items": [
      {
        "id": 50,
        "code": "Testing New Line Item",
        "description": "This is a test please ignore One",
        "unit_price": 1543,
        "qty": 15,
        "vat": 23,
        "discount": 5,
        "total": 23145,
        "invid": 13,
        "created_at": "2020-06-12 10:59:54",
        "updated_at": "2020-06-12 10:59:54",
        "deleted_at": null
      },
    ],
  },

```


Response

Success

```
{
  "message": "success",
  "result": [
    {
      "id": 3,
      "inv_date": "2020-05-27 00:00:00",
      "remarks": "Windows 10 Pro 64\r\n10th Generation Intel® Core™ i7 processor\r\n\r\n16 GB memory; 512 GB SSD storage\r\n17.3\" diagonal Full HD display",
      "due": "30",
      "po": null,
      "sequence": null,
      "retention": null,
      "inv_retention": null,
      "inv_subtotal": 4754,
      "inv_vat": 236.28,
      "inv_discount": 184,
      "currency": "XCD_$",
      "tax_exemption_reason": null,
      "total_invoice_value": "4806.28",
      "uid": 1,
      "cid": 4,
      "brand_templates_id": 9,
      "brands_id": 1,
      "created_at": "2020-06-08 11:09:41",
      "updated_at": "2020-06-10 12:06:53",
      "deleted_at": null,
      "line_items": [
        {
          "id": 28,
          "code": "HP 4580G90 Notebook",
          "description": "Veniam quibusdam es",
          "unit_price": 736,
          "qty": 5,
          "vat": 0,
          "discount": 5,
          "total": 3680,
          "invid": 3,
          "created_at": "2020-06-10 12:06:53",
          "updated_at": "2020-06-10 12:06:53",
          "deleted_at": null
        },
        {
          "id": 29,
          "code": "Minim doloremque odi-908",
          "description": "Quidem quisquam illo",
          "unit_price": 537,
          "qty": 2,
          "vat": 22,
          "discount": 0,
```

```

        "total": 1074,
        "invid": 3,
        "created_at": "2020-06-10 12:06:53",
        "updated_at": "2020-06-10 12:06:53",
        "deleted_at": null
      }
    ]
  }
}

```

Status = 200 Ok

If id is invalid

Response

Error

```

{
  "message": "error",
  "result": [
    "Invoice not found"
  ]
}

```

If user missed any parameter like account id and api key

Response

Error

```

{
  "message": "Authentication failed"
}

```

iii) Create/Add invoice

Method = **POST** (post is used to create/add invoice with line item in the system)

Api URL

<siteurl>/api/addInvoice

Header parameters

Accept: application/json

Params parameters

accountid:

apikey:

Query Parameters

inv_date : User can add date means existing ,current and upcoming date

remarks : User can add any opinion, description etc

due

po

sequence

retention

currency

tax_exemption_reason

cid: (required)

lineitems: (required (at least one))

brands_id

lineitems : Here user can add line item in invoice(you need add valid json of array that need to parse)you also parse single and multiple line item in invoice Like

Single line item example

```
[{  
  
  "code": "code",  
  
  "unit_price": "price",  
  
  "qty": "quantity",  
  
  "vat": vat,  
  
  "discount": "dicount",  
  
  "description": "discription"  
}]
```


Multiple line item examples

```
{
  "code": "code",
  "unit_price": "price",
  "qty": "quantity",
  "vat": vat,
  "discount": "dicount",
  "description": "discription"
},
{
  "code": "code",
  "unit_price": "price",
  "qty": "quantity",
  "vat": vat,
  "discount": "dicount",
  "description": "discription"
}]
```

Response

Success

```
{
  "message": "success",
  "result": {
    "invoice": {
      "cid": 1,
      "uid": 1,
      "updated_at": "2020-06-12 10:20:49",
      "created_at": "2020-06-12 10:20:49",
      "id": 9
    },
    "lineitems": [
      {
        "discount": "5",
```

```

        "invid": 9,
        "unit_price": 1543,
        "qty": "15",
        "vat": 23,
        "total": 23145,
        "code": "Testing New Line Item",
        "description": "This is a test please ignore One",
        "updated_at": "2020-06-12 10:20:49",
        "created_at": "2020-06-12 10:20:49",
        "id": 42
    },
    {
        "discount": "5",
        "invid": 9,
        "unit_price": 5,
        "qty": "1",
        "vat": 0,
        "total": 5,
        "code": "Testing 2",
        "description": "This is a test please ignore Two",
        "updated_at": "2020-06-12 10:20:49",
        "created_at": "2020-06-12 10:20:49",
        "id": 43
    }
]
}
}

```

Status = 200 OK

If user missed any attribute or add any data in wrong format

Response

Error

```

{
    "message": "The given data was invalid.",
    "errors": {
        "cid": [
            "The cid field is required."
        ]
    }
}

```

Error

```

{
    "message": "The given data was invalid.",
    "errors": {
        "lineitems": [

```

```
        "The lineitems field is required."
    ]
}
```

If user missed any parameter like account id and api key

Response

Error

```
{
  "message": "Authentication failed"
}
```

Status = 422 Unprocessable Entity

If user missed any parameter like account id and api key

Response

Error

```
{
  "message": "Authentication failed"
}
```

iv) Update Invoice

Method = **PUT** (post is used to create/add invoice in the system)

Api URL

<siteurl>/api/updateInvoice/<id>

Header parameters

Accept: application/json

Params parameters

accountid:

apikey:

Query Parameters

Due

Po

Sequence

Retention

Currency

tax_exemption_reason

cid: (required)

uid

Response

Success

```
{
  "message": "success",
  "result": {
    "invoice": {
      "id": 9,
      "inv_date": null,
      "remarks": "Now this is a testing update check",
      "due": null,
      "po": null,
      "sequence": null,
      "retention": null,
      "inv_retention": null,
      "inv_subtotal": null,
      "inv_vat": null,
      "inv_discount": null,
      "currency": null,
      "tax_exemption_reason": null,
      "total_invoice_value": null,
      "uid": 1,
      "cid": 1,
      "brand_templates_id": null,
      "brands_id": null,
      "created_at": "2020-06-12 10:20:49",
      "updated_at": "2020-06-12 11:00:04",
      "deleted_at": null
    },
    "lineitems": [
      {
        "discount": "5",
        "invid": 9,
        "unit_price": 1543,
        "qty": "11",
        "vat": 0,
        "total": 16973,
        "code": "Testing again on edit 7 id",
        "description": "This is a test please ignore One",
        "updated_at": "2020-06-12 11:00:04",
        "created_at": "2020-06-12 11:00:04",
        "id": 52
      }
    ]
  }
}
```

```

        "discount": "5",
        "invid": 9,
        "unit_price": 100,
        "qty": "1",
        "vat": 0,
        "total": 100,
        "code": "Testing Okay for now",
        "description": "This is a test please ignore Two",
        "updated_at": "2020-06-12 11:00:04",
        "created_at": "2020-06-12 11:00:04",
        "id": 53
    }
}
]
}

```

Status = 200 OK

If user missed any mandatory attribute or add any data in wrong format

Response

Error

```

{
  "message": "error",
  "result": [
    "Invoice not found"
  ]
}

```

Status = 422 Unprocessable Entity

If user missed any parameter like account id and api key

Response

Error

```

{
  "message": "Authentication failed"
}

```

v) Delete Invoice

Method = **DELETE** (that is used to delete any single Invoice)

Api URL

If you need to delete invoice you just simple add invoice id

<siteurl> api/deleteInvoice/<id>

Header parameters

Accept: application/json

Params parameters

accountid:

apikey:

Query Parameters

If you need to delete invoice including line item that particular invoice have

delete_invoices: true

Response

Success

```
{
  "message": "success",
  "result": [
    "Invoice deleted"
  ]
}
```

If id is invalid or not given

Error

```
{
  "message": "error",
  "result": [
    "Invalid Id"
  ]
}
```

If user missed any parameter like account id and api key

Response

Error

```
{
  "message": "Authentication failed"
}
```

5 - SMS

i) Add SMS

Method= **POST** (is used to create and submit sms from the system)

APIURL

<siteurl>/api/addSMS

Header parameters

Accept: application/json

Params parameters

accountid:

apikey:

Query Parameters

admin_comment : This is optional field, admin user can add comments depending his choice rather he want to add comment or not.

message : This field allow to user to compose/write message that admin want to send the respective user **(required)**

blk_Add : Bulk add option gives you access to send message to multiple sender depending on given numbers

sender: select sender from the dropdown value **(required)**

mobile_num : **(required)**

mobile_num_blk: Enter 9 digits mobile number in proper format, this field is multiple valued depending on **"blk_Add"** **(required)**

template_Add : Here we can save sms as template

template_name: Enter the unique name of template. This field will be required when add template checkbox is checked **(required)**

sms_schedule : Here you can schedule the sms or can be send on given specific date and time date and time should be in proper format dd/mm/yyyy mm:hh

Example: 17/8/2020 11:22

You also need to specify hours in 24 hours format → 0 to 23

Examples: 12 Midnight = 00:00, 12:35 AM = 00:35

Examples: 4:45 PM = 16:45, 11:50 PM = 23:50

You also need to specify minutes → 0 to 59

Examples: 11:59 PM or 12:01 AM, or 23:59 or 00:01 (24-Hour Clock)

Key	Value	Description
mobile_num		
template_Add	1	
template_name	test man too	
<input checked="" type="checkbox"/> sms_schedule	17/8/2020 11:22	
mobile_num		

Response

Success

```
{
  "message": "success",
  "result": [
    "SMS_ID": 47,
    "REMAINING_BALANCE": 50
  ]
}
```

If sender name/id is not given

Error{

```
"message": "The given data was invalid.",
"errors": {
  "sender": [
    "The sender field is required."
  ]
}
```

If the mobile number is not given

Error

```
{
  "message": "error",
  "result": [
    "mobile_num not found"
  ]
}
```

If add bulk checkbox is checked but number not given

Error

```
{
  "message": "error",
  "result": [
    "mobile_num_blk not valid it should be comma seperated 9 digit number"
  ]
}
```

If the message not compose in appropriate field

Error

```
{
  "message": "The given data was invalid.",
  "errors": {
    "message": [
      "The message field is required."
    ]
  }
}
```

If the template name not given

Error

```
{
  "message": "error",
  "result": [
    "template_name not found"
  ]
}
```

If user missed any parameter like account id and api key

Response

Error

```
{  
  "message": "Authentication failed"}
```