

The Up-Side-Down Functor: A Reference Implementation of Smart Functors with Boundary-Visible Stance

Shuhei Ihara

June 22, 2026

Abstract

The Up-Side-Down functor is not a new equality, a new physical law, or a new proof principle. It is a structured functor: a pure functor equipped with an adoptive face, a non-adoptive face, a boundary witness, and a coherence contract. The purpose of this paper is to give a reference implementation of such structured functors and of their safe composition operations. The construction treats the adoptive and non-adoptive regions not as two arbitrary pre-existing categories, but as fibers of a single USD record fibration realized over both a carrier category and a two-sided stance category. In this sense a USD functor is a categorical analogue of a smart pointer: after forgetting the additional fields it is an ordinary functor, while before forgetting it carries explicit bookkeeping for observation, non-adoption, boundary visibility, and typed composition. Six API-level compositions are specified: compression, downward restriction, extension, sideways stabilization, temporal turnover, and upward image. Each operation is presented with its type, existence conditions, mathematical implementation, and philosophical reading. The conservative intent is made explicit: USD records may organize proof search or interpretation, but USD-free conclusions must be justified in the base theory.

Contents

1	Scope and non-claims	2
2	Base data	2
3	The USD record fibration	3
4	USD functors as smart functors	5
5	Morphisms and the category of USD functors	7
6	S-molecules and residue-stable sideways composites	8
7	The six composition APIs	11
7.1	C-composition: compression	11
7.2	D-composition: downward restriction	12
7.3	E-composition: extension by a cut vertex	12
7.4	S-composition: sideways shared stabilization	13
7.5	T-composition: temporal turnover	13
7.6	U-composition: upward image	14
7.7	API coverage and saturation	15
8	A syntactic reference implementation	15

9 Worked toy model	16
10 Relativistic test model	17
10.1 Newton-Einstein test	18
11 Interdisciplinary test model	19
11.1 Satoshi test	20
11.2 Oppenheimer test	23
12 Reviewer-facing checklist	27
13 Open problems	27
14 Conclusion	28

1 Scope and non-claims

This draft responds to a common failure mode in early USD notation: terms such as relation, boundary, observation, adoption, refusal, gap, and turn can sound like explanatory prose rather than mathematical data. The present version therefore treats USD theory as a typed reference implementation. The reader should not be asked to infer the missing interfaces. They are made explicit.

Remark 1.1 (What this paper does not claim). This paper does not claim that USD notation proves a new equality, a new inequality, a physical theorem, or a computational separation. It does not identify boundary-visible connection with equality. It does not identify non-adoption with ordinary negation. It does not claim that the relativistic discussion below proves anything about special or general relativity. The relativistic section is a test model for the vocabulary of observers, frames, local restrictions, and temporal records.

Remark 1.2 (What this paper does claim). This paper claims that one can specify a category of smart functors whose objects are ordinary functors equipped with additional USD structure, and that the main USD composition operations can be given as typed operations using standard categorical vocabulary: pushouts or gluing for compression, pullback or reindexing for downward composition, factorization for extension, fixed points for sideways stabilization, involution plus sequence reversal for temporal turnover, and Kan-style images for upward composition.

The intended comparison is with a smart pointer in programming. A raw pointer stores an address. A smart pointer stores an address together with ownership, lifetime, and release discipline. Likewise, a raw functor stores functorial action. A USD functor stores functorial action together with an adoptive face and a non-adoptive face that are stance-lifts of the same carrier, together with a boundary witness and a coherence contract. Forgetting these fields returns the raw functor. Keeping them enables safe composition of records without silently turning records into proof steps.

2 Base data

This section fixes the data that later sections use. The goal is to avoid introducing objects such as `Rel`, `BVis`, `Obs`, or `NonAdopt` as undefined prose.

Assumption 2.1 (Context category). Let $\mathcal{P}$ be a small category. Its objects are positions, contexts, observers, stages, regions, or local situations. A morphism $\phi : p \rightarrow q$ is an admissible transition of context. In concrete models $\mathcal{P}$ may be a poset, a site, or a category of local charts.

Assumption 2.2 (Indexed entity category). Let

$$E : \mathcal{P}^{\text{op}} \rightarrow \mathbf{Cat}$$

be an indexed category. For each context p the category $E(p)$ contains the entities, expressions, records, or local objects available at p . For each transition $\phi : p \rightarrow q$, the reindexing functor $E(\phi) : E(q) \rightarrow E(p)$ gives the local view of a q -object at p .

Construction 2.3 (Situated occurrence category). The category of situated occurrences is the Grothendieck construction

$$\text{Occ}(E) := \int_{\mathcal{P}} E.$$

An object is a pair (p, x) with $x \in E(p)$. A morphism $(p, x) \rightarrow (q, y)$ is a pair (ϕ, α) where $\phi : p \rightarrow q$ in $\mathcal{P}$ and

$$\alpha : x \rightarrow E(\phi)(y)$$

in $E(p)$. Composition is the usual composition in the Grothendieck construction.

This definition repairs the ambiguity that appears when a set of positions is used while morphisms $p \rightarrow q$ are also required. From this point on, context transitions are morphisms in $\mathcal{P}$.

Assumption 2.4 (Relation witness profunctor). Let $\mathcal{C}$ be a category. A relation witness structure on $\mathcal{C}$ is a profunctor valued in posets,

$$\text{Rel}_{\mathcal{C}} : \mathcal{C}^{\text{op}} \times \mathcal{C} \rightarrow \mathbf{Pos}.$$

An element $r \in \text{Rel}_{\mathcal{C}}(a, b)$ is a witness that a and b are related in the specified sense. Functoriality gives transport of relation witnesses along morphisms of $\mathcal{C}$.

Assumption 2.5 (Boundary visibility). Boundary visibility is a substructure of relation witnesses. We write

$$\text{BVis}_{\mathcal{C}} \hookrightarrow \text{Rel}_{\mathcal{C}}$$

for a subfunctor or indexed subposet. A boundary witness over $r \in \text{Rel}_{\mathcal{C}}(a, b)$ is denoted

$$\beta \in \text{BVis}_{\mathcal{C}}(r).$$

Thus BVis is not a metaphor; it is a typed predicate over relation witnesses.

Remark 2.6 (Minimality of the base). Nothing in the formal development requires Rel to be equality, isomorphism, equivalence, metric proximity, causal accessibility, or logical entailment. Those are model choices. The USD reference implementation only assumes relation witnesses and boundary witnesses.

3 The USD record fibration

The adoptive and non-adoptive sides are not introduced as two unrelated categories. They arise as fibers of a single record fibration.

Definition 3.1 (Stance category). The stance category $\mathbf{St}$ has two distinguished objects

$$U, \quad D,$$

called the adoptive stance and the non-adoptive stance. We assume an involutive equivalence

$$\tau : \mathbf{St} \rightarrow \mathbf{St}, \quad \tau(U) = D, \quad \tau(D) = U, \quad \tau^2 \cong 1_{\mathbf{St}}.$$

The category $\mathbf{St}$ may be taken discrete in the minimal model. In richer models it may contain comparison morphisms between stances.

Definition 3.2 (USD record fibration). A USD record fibration is a functor

$$\pi : \mathbf{Rec}_{\text{USD}} \rightarrow \mathbf{St}.$$

The fiber over U is the adoptive record category

$$\mathcal{U} := \pi^{-1}(U),$$

and the fiber over D is the non-adoptive record category

$$\mathcal{D} := \pi^{-1}(D).$$

The notation $\mathcal{U}$ and $\mathcal{D}$ therefore denotes fibers of one record fibration, not two arbitrary background categories.

Definition 3.3 (Carrier-realized USD record fibration). Fix a carrier category $\mathcal{C}$. A carrier-realized USD record fibration over $\mathcal{C}$ is a USD record fibration together with a realization functor

$$r : \mathbf{Rec}_{\text{USD}} \rightarrow \mathcal{C}$$

and hence a combined projection

$$q = (r, \pi) : \mathbf{Rec}_{\text{USD}} \rightarrow \mathcal{C} \times \mathbf{St}.$$

We require

$$\text{pr}_{\mathbf{St}} \circ q = \pi, \quad \text{pr}_{\mathcal{C}} \circ q = r.$$

Thus every USD record has both a stance and a realized carrier. For $c \in \mathcal{C}$ and $s \in \mathbf{St}$, the notation

$$(\mathbf{Rec}_{\text{USD}})_{(c,s)} := q^{-1}(c, s)$$

denotes the category of stance- s records realizing the carrier datum c . The notation suppresses the dependence of $\mathbf{Rec}_{\text{USD}}$ on $\mathcal{C}$ when no confusion is possible.

Remark 3.4 (Why realization is required). The projection $\pi : \mathbf{Rec}_{\text{USD}} \rightarrow \mathbf{St}$ separates adoptive from non-adoptive records, but by itself it does not say which ordinary carrier object a record is about. The realization functor $r : \mathbf{Rec}_{\text{USD}} \rightarrow \mathcal{C}$ fills this gap. It prevents the pure carrier, the adoptive face, and the non-adoptive face of a USD functor from becoming three unrelated functors.

Definition 3.5 (Record constructors). The record category contains typed constructors

$$\text{Obs}, \quad \text{Adopt}, \quad \text{NonAdopt}, \quad \text{Bnd}, \quad \text{Collapse},$$

with the following intended types:

$$\begin{aligned} \text{Obs} &: \text{raw datum} \rightarrow \text{Rec}_{\text{USD}}, \\ \text{Adopt} &: \text{Rel}_{\mathcal{C}}(a, b) \rightarrow \mathcal{U}, \\ \text{NonAdopt} &: \text{Rel}_{\mathcal{C}}(a, b) \rightarrow \mathcal{D}, \\ \text{Bnd} &: \text{BVis}_{\mathcal{C}}(r) \rightarrow \text{Rec}_{\text{USD}}, \\ \text{Collapse} &: \text{Rel}_{\mathcal{C}}(a, b) \rightarrow \text{Rec}_{\text{USD}}. \end{aligned}$$

These constructors are part of the syntax of records. A model may interpret them as evidence, annotations, proof-search traces, logs, or semantic states. The realization functor $r : \text{Rec}_{\text{USD}} \rightarrow \mathcal{C}$ records which carrier datum such a constructed record is about; two records may have different stances while realizing the same carrier.

Definition 3.6 (Directed stance notation). Given x, y in a common context, the notation

$$x \rightsquigarrow_{\text{USD}} y$$

means that a boundary-visible connection record from x to y has been constructed. The notation

$$x \dashrightarrow_{\text{USD}} y$$

means that a proposed connection from x to y has been observed but is recorded on the non-adoptive side. Neither notation is equality or ordinary inequality.

4 USD functors as smart functors

We now define the main object. The definition is deliberately close to a reference implementation: a USD functor is a record with fields.

Definition 4.1 (Pure carrier). Let $\mathcal{X}$ and $\mathcal{C}$ be categories. A pure carrier is an ordinary functor

$$F : \mathcal{X} \rightarrow \mathcal{C}.$$

It is the raw functor that remains after forgetting all USD metadata.

Definition 4.2 (Stance-lifts of a carrier). Let $q = (r, \pi) : \text{Rec}_{\text{USD}} \rightarrow \mathcal{C} \times \text{St}$ be a carrier-realized USD record fibration and let $F : \mathcal{X} \rightarrow \mathcal{C}$ be a pure carrier. Write

$$\underline{U}, \underline{D} : \mathcal{X} \rightarrow \text{St}$$

for the constant functors at the two stances. A strict adoptive stance-lift of F is a functor

$$U_F : \mathcal{X} \rightarrow \text{Rec}_{\text{USD}}$$

such that

$$q \circ U_F = (F, \underline{U}),$$

and a strict non-adoptive stance-lift of F is a functor

$$D_F : \mathcal{X} \rightarrow \text{Rec}_{\text{USD}}$$

such that

$$q \circ D_F = (F, \underline{D}).$$

Equivalently, $\pi U_F = \underline{U}$, $\pi D_F = \underline{D}$, and $r U_F = F = r D_F$. In a lax model, these equalities may be replaced by specified comparison 2-cells, but the strict form is the reference implementation used in the main text.

Definition 4.3 (USD functor). A USD functor from $\mathcal{X}$ to $\mathcal{C}$ is a tuple

$$\mathbb{H} = (F, U_F, D_F, \partial_F, \kappa_F)$$

where:

- (i) $F : \mathcal{X} \rightarrow \mathcal{C}$ is a pure carrier functor.
- (ii) $U_F : \mathcal{X} \rightarrow \text{Rec}_{\text{USD}}$ is a strict adoptive stance-lift of F , so $q \circ U_F = (F, \underline{U})$.
- (iii) $D_F : \mathcal{X} \rightarrow \text{Rec}_{\text{USD}}$ is a strict non-adoptive stance-lift of F , so $q \circ D_F = (F, \underline{D})$.
- (iv) ∂_F is boundary data over the common carrier F , relating the two stance-lifts. A minimal implementation treats ∂_F as a family of witnesses

$$\partial_F(x) \in \text{Bnd}_F(U_F(x), D_F(x))$$

natural in $x \in \mathcal{X}$.

- (v) κ_F is a coherence contract governing lifts, boundary data, morphisms, compositions, erasure, and descent.

The critical point is that U_F and D_F do not merely accompany F : they are records over the same realized carrier F .

Definition 4.4 (Coherence contract). For a USD functor $\mathbb{H} = (F, U_F, D_F, \partial_F, \kappa_F)$, the coherence contract is a tuple of obligations

$$\kappa_F = (\kappa_F^{\text{lift}}, \kappa_F^{\partial}, \kappa_F^{\text{mor}}, \kappa_F^{\text{comp}}, \kappa_F^{\text{erase}}, \kappa_F^{\text{desc}}).$$

Here:

- (i) κ_F^{lift} asserts the stance-lift equations $q \circ U_F = (F, \underline{U})$ and $q \circ D_F = (F, \underline{D})$.
- (ii) κ_F^{∂} asserts that ∂_F is defined over the common realized carrier F and is natural in $\mathcal{X}$.
- (iii) κ_F^{mor} specifies what a USD morphism must preserve: carrier, U-face, D-face, boundary witness, and contract data.
- (iv) κ_F^{comp} states the closure obligations for CComp, DComp, EComp, SComp, TComp, and UComp.
- (v) κ_F^{erase} prevents unlicensed USD records from yielding USD-free conclusions after erasure.
- (vi) κ_F^{desc} records which descent licenses, if any, are available for translating records into base assertions.

Thus κ_F is not auxiliary prose; it is the contract that makes the smart functor safe to reference, transform, compose, erase, and descend.

Definition 4.5 (Forgetful functor). There is a forgetful functor

$$|-| : \text{Smart}_{\text{USD}}(\mathcal{X}, \mathcal{C}) \rightarrow [\mathcal{X}, \mathcal{C}]$$

which sends

$$(F, U_F, D_F, \partial_F, \kappa_F) \mapsto F.$$

This is the categorical version of dereferencing the smart functor to its pure carrier.

Remark 4.6 (Why this is not merely gluing two categories). The data $\mathcal{U}$ and $\mathcal{D}$ are not assumed independently and then attached to F . They are stance fibers of the single record fibration $\pi : \text{Rec}_{\text{USD}} \rightarrow \text{St}$, and the same records are realized in the carrier category by $r : \text{Rec}_{\text{USD}} \rightarrow \mathcal{C}$. Consequently the adoptive and non-adoptive faces of a USD functor are stance-lifts over the same pure carrier:

$$q \circ U_F = (F, \underline{U}), \quad q \circ D_F = (F, \underline{D}).$$

The boundary witness ∂_F and coherence contract κ_F therefore relate two readings of one carrier, not two unrelated functors.

Definition 4.7 (Free and anchored USD functors). A free USD functor is a USD functor considered before anchoring it to particular entities. An anchored USD functor is a free USD functor equipped with endpoints or a local occurrence context. We write

$$\text{Anch}_{a,b}(\mathbb{H}) = \mathbb{H}_{a,b} : a \Rightarrow_{\text{USD}} b$$

for anchoring $\mathbb{H}$ between a and b when the required endpoint and boundary data exist.

The distinction is essential. Functions, expressions, programs, formulas, and hypotheses may be free USD functors before they touch any particular pair of entities. Entity-to-entity contact is an anchoring of an already typed USD functor.

5 Morphisms and the category of USD functors

Definition 5.1 (Morphism of USD functors). Let

$$\mathbb{H} = (F, U_F, D_F, \partial_F, \kappa_F), \quad \mathbb{K} = (G, U_G, D_G, \partial_G, \kappa_G)$$

be USD functors from $\mathcal{X}$ to $\mathcal{C}$. A morphism $\eta : \mathbb{H} \rightarrow \mathbb{K}$ consists of:

- (i) a natural transformation $\eta^0 : F \Rightarrow G$ of pure carriers;
- (ii) a natural transformation $\eta^U : U_F \Rightarrow U_G$ in $[\mathcal{X}, \text{Rec}_{\text{USD}}]$ whose realization is the carrier transformation and whose stance component is fixed:

$$q\eta^U = (\eta^0, \text{id}_{\underline{U}});$$

- (iii) a natural transformation $\eta^D : D_F \Rightarrow D_G$ in $[\mathcal{X}, \text{Rec}_{\text{USD}}]$ whose realization is the carrier transformation and whose stance component is fixed:

$$q\eta^D = (\eta^0, \text{id}_{\underline{D}});$$

- (iv) compatibility squares showing that η^U and η^D preserve the boundary data ∂_F and ∂_G over η^0 ;
- (v) preservation of the coherence contracts, in particular κ^{lift} , κ^{∂} , and κ^{erase} .

Proposition 5.2 (Category of USD functors). *For fixed $\mathcal{X}$ and $\mathcal{C}$, USD functors and their morphisms form a category, denoted*

$$\text{Smart}_{\text{USD}}(\mathcal{X}, \mathcal{C}),$$

provided the total record category admits vertical composition of q -compatible natural transformations and the coherence contracts are closed under identity and composition.

Proof. Identities are inherited componentwise from the functor category and the record category. Composition is componentwise and remains compatible with q because carrier and stance components compose in $\mathcal{C} \times \mathbf{St}$. The boundary compatibility and contract preservation conditions are stable by the assumed closure of contracts. The forgetful projection to $[\mathcal{X}, \mathcal{C}]$ is functorial by construction. $\square$

This proposition is intentionally modest. It is not advertised as a deep category-theoretic theorem. It is the sanity check that the reference implementation has the shape of a category.

6 S-molecules and residue-stable sideways composites

Before listing the six composition APIs, we isolate one record shape that will be used repeatedly in examples: an S -molecule. This section does not define an API and does not state a new proof rule. It fixes the local data needed to speak about two USD records that remain distinguishable while sharing a stable boundary-visible discrepancy. The term is internal to USD theory; it does not mean a chemical molecule unless a separate physical realization or descent license is supplied.

Definition 6.1 (S-compatibility). Let A and B be USD records or USD functors. They are S-compatible when the following data are available:

- (i) their realized carriers lie in a common carrier category, or have first been brought to a common comparison context;
- (ii) the relevant relation witnesses and boundary-visibility predicates are defined for cross-face comparisons between A and B ;
- (iii) their coherence contracts permit a shared boundary record and a residue record without detaching either U-face or D-face from its realized carrier.

S-compatibility is only a typing condition. It does not identify A with B , and it does not imply that their gap is zero.

Definition 6.2 (U/D interlock). Let A and B be S-compatible USD records or USD functors. A U/D interlock between A and B is boundary-visible data witnessing that the adoptive face of each side can be read against the non-adoptive face of the other side. In notation, this is recorded as

$$U_A \rightsquigarrow_{\text{USD}} D_B, \quad U_B \rightsquigarrow_{\text{USD}} D_A,$$

together with the relevant boundary witnesses and coherence data. The symbol $\rightsquigarrow_{\text{USD}}$ is not equality. It records a boundary-visible connection between stance-lifted records over their realized carriers.

Definition 6.3 (Sideways gap datum). For S-compatible A and B , a sideways gap datum consists of a complete lattice

$$\Lambda_{A,B}$$

of possible gap values, a monotone update map

$$\Phi_{A,B} : \Lambda_{A,B} \rightarrow \Lambda_{A,B},$$

and a selected fixed point

$$\Delta^* = \Phi_{A,B}(\Delta^*).$$

The order on $\Lambda_{A,B}$ is chosen by the model; it may mean “no more discrepant than”, “no less resolved than”, or another typed refinement order. The selected fixed point is part of the datum unless it is supplied by an independent fixed-point theorem. Without such a point there is no stabilized S -molecule.

Definition 6.4 (S-molecule). Let A and B be S-compatible USD records or USD functors equipped with a sideways gap datum. An S -molecule between A and B is a sideways-stabilized USD record

$$\text{SMol}(A, B; \Delta^*)$$

consisting of the fixed gap Δ^* , a U/D interlock between A and B , and coherence data asserting that Δ^* is preserved by the U-face, D-face, and boundary witness of the composite. Material not adopted by this main observable record is stored in the residue ledger defined next.

Thus an S -molecule is not the collapse of A and B into one identity. It is a USD composite in which two distinguishable sides keep a shared stable discrepancy and become observable as one composite record.

Definition 6.5 (S-molecular residue ledger). Let

$$\mathbb{M} = \text{SMol}(A, B; \Delta^*)$$

be an S -molecule. A residue ledger for $\mathbb{M}$ is a self-anchored USD functor

$$\mathbb{W}_{\mathbb{M}} : \mathbb{M} \Rightarrow_{\text{USD}} \mathbb{M}$$

that records the loss, mismatch, delay, non-adoption, and boundary-visible waste not adopted by the main observable composite. The ledger is self-anchored because the residue is about the stabilized composite itself, not a separate USD-free conclusion.

Definition 6.6 (S-molecular residue accounting). Let

$$\text{Qty} : \{A, B, \mathbb{M}, \mathbb{W}_{\mathbb{M}}\} \rightarrow \mathcal{R}$$

be a USD quantity valuation into an ordered commutative monoid, defined for the records under discussion. A residue ledger for $\mathbb{M} = \text{SMol}(A, B; \Delta^*)$ is conservative when

$$\text{Qty}(A) + \text{Qty}(B) = \text{Qty}(\mathbb{M}) + \text{Qty}(\mathbb{W}_{\mathbb{M}}).$$

This equation is a bookkeeping policy inside the USD model. It does not turn the unadopted residue into a base-language assertion.

Remark 6.7 (Meaning of molecule). The word “molecule” is used here by analogy with stable composite entities. A physical covalent molecule, a polymer, a software package dependency cluster, or a social institution may be modeled as an S -molecule only after specifying an interpretation of A , B , the gap lattice, the update map, the residue ledger, and the relevant boundary witnesses. Without such an interpretation, $\text{SMol}(A, B; \Delta^*)$ is only a USD record.

Remark 6.8 (Why residue is part of the molecule). Without the residue ledger, the stabilized composite may look as if the unadopted part of the interaction has disappeared. The ledger prevents that reading. Every loss or mismatch must remain accountable either inside the main observable composite or inside $\mathbb{W}_{\mathbb{M}}$. This is consistent with the conservative design of USD theory: unadopted records are not silently converted into USD-free conclusions.

Definition 6.9 (UD-spin). Let

$$\mathbb{M} = \text{SMol}(A, B; \Delta^*)$$

be an S -molecule, and let ξ be an external perturbation, force, load, attack, or environmental input applied to $\mathbb{M}$. A UD-spin generated by ξ is a finite or eventually stationary internal update sequence

$$S_0 \rightarrow S_1 \rightarrow \cdots \rightarrow S_n$$

in which the perturbation circulates between the U-face and D-face of $\mathbb{M}$ before being absorbed, recorded in $\mathbb{W}_{\mathbb{M}}$, or ejected through boundary-visible residue.

UD-spin is a USD bookkeeping operation. It is not physical spin unless a separate physical model identifies it with a physical spin-like quantity.

Definition 6.10 (Divergence, ejection, and spin termination). Let ω denote a UD-spin speed for an S -molecule $\mathbb{M}$. Let

$$\text{Div}_{\mathbb{M}}(\omega)$$

be the amount of perturbation that $\mathbb{M}$ can internally dissipate or diverge at spin speed ω , and let

$$\text{Eject}_{\mathbb{M}}(\omega)$$

be the amount that can be ejected through boundary-visible residue at that speed. If λ_{ξ} denotes the incoming perturbation rate, then the basic stability condition is

$$\lambda_{\xi} \leq \text{Div}_{\mathbb{M}}(\omega) + \text{Eject}_{\mathbb{M}}(\omega).$$

When this condition holds and the induced UD-spin terminates, the S -molecule returns to a state that is observationally equivalent, at the chosen boundary resolution, to the original composite record.

Definition 6.11 (Critical spin speed). The critical spin speed of an S -molecule $\mathbb{M}$ is the boundary spin speed at which the incoming perturbation rate begins to exceed the sum of the divergence capacity and ejection capacity:

$$\lambda_{\xi} > \text{Div}_{\mathbb{M}}(\omega) + \text{Eject}_{\mathbb{M}}(\omega).$$

Beyond this boundary, residue accumulates faster than it can be processed. If R_t denotes accumulated residue, one may record the update schematically as

$$R_{t+1} = R_t + \lambda_{\xi} - (\text{Div}_{\mathbb{M}}(\omega) + \text{Eject}_{\mathbb{M}}(\omega)).$$

When the residue exceeds the tolerance allowed by the coherence contract, the S -molecule may break, dissociate, reconfigure, or cease to be observable as one composite record.

Definition 6.12 (Observed UD-spin speed). The internal UD-spin speed of an S -molecule and the externally observed UD-spin speed need not coincide. We write

$$\omega_{\mathbb{M}}^{\text{int}}$$

for the internal spin speed and

$$\omega_{\mathbb{M}}^{\text{Obs}}$$

for the boundary-visible observed spin speed. If $\alpha_{\mathbb{M}}$ denotes observational resolution or accuracy, then one may model the observed speed as

$$\omega_{\mathbb{M}}^{\text{Obs}} = \alpha_{\mathbb{M}} \cdot \omega_{\mathbb{M}}^{\text{eff}}.$$

For a long serial chain of S -molecules, observational resolution may decrease as the chain length increases. In such models the observed UD-spin speed is allowed to remain constant or decrease, even if local internal spin speeds do not decrease.

Definition 6.13 (Non-observable pending wait). During the formation or perturbation of an S -molecule, internal non-equivalent exchanges need not be externally observable. Let σ_A be the time at which an internal accumulation begins in A , let θ_A be the time at which that accumulation becomes boundary-visible, and let $\tau_{A \rightarrow B}$ be the time at which the corresponding exchange is implemented toward B . The non-observable pending wait from A to B is

$$T_{A \rightarrow B}^{\text{NP}} = \tau_{A \rightarrow B} - \theta_A.$$

Here NP means “non-observable pending” and is unrelated to the complexity class NP.

Definition 6.14 (S-polymer). An S -polymer is a finite or indexed serial joining of S -molecules

$$\text{SMol}_1 \otimes_S \text{SMol}_2 \otimes_S \cdots \otimes_S \text{SMol}_n$$

which is externally observable as one higher-order USD entity at a chosen boundary resolution. Each adjacent joining must supply its own S-compatibility data, sideways gap datum, interlock, and residue ledger. An S -polymer may model a physical material, a software dependency cluster, an institution, or another composite system, provided that a suitable realization of the USD records is supplied.

Remark 6.15 (S-molecules and physical examples). A covalent bond may be used as an intuitive model of an S -molecule: two atoms remain distinguishable while forming a stable shared state through electron-density-mediated interaction. This comparison is only a model reading. USD theory does not redefine covalent bonding, molecular physics, software dependency, or any other base-domain concept. To obtain a USD-free physical conclusion, the relevant descent license must still be supplied in the base theory.

7 The six composition APIs

The following six operations are specified as APIs. Each operation has a mathematical implementation and a natural-language reading. None is an ordinary proof rule for equality, inequality, or physical truth.

Assumption 7.1 (Common closure invariant for composition). Every composition API below is required to preserve carrier-realized stance-lifts. If the output has carrier $F' : \mathcal{X}' \rightarrow \mathcal{C}$, then its output faces must satisfy

$$q \circ U_{F'} = (F', \underline{U}), \quad q \circ D_{F'} = (F', \underline{D}).$$

This is the operational content of κ^{comp} : composition may change the carrier, boundary, or indexing shape, but it may not detach U-face or D-face records from their carrier realization.

7.1 C-composition: compression

API 7.2 (C-composition). **Input.** Two free USD functors

$$\mathbb{H} : \mathcal{X} \rightarrow \mathcal{C}, \quad \mathbb{K} : \mathcal{Y} \rightarrow \mathcal{C},$$

together with an interface span

$$\mathcal{X} \xleftarrow{i} \mathcal{I} \xrightarrow{j} \mathcal{Y}$$

and interface compatibility data between $i^*\mathbb{H}$ and $j^*\mathbb{K}$.

Existence condition. The pushout

$$\mathcal{X} \sqcup_{\mathcal{I}} \mathcal{Y}$$

exists in **Cat**, and the carrier and record data glue along the interface in a way compatible with q . In particular, the glued U-face and D-face must be stance-lifts of the glued carrier.

Output. A free USD functor

$$\text{CComp}_{\mathcal{I}}(\mathbb{H}, \mathbb{K}) : \mathcal{X} \sqcup_{\mathcal{I}} \mathcal{Y} \rightarrow \mathcal{C}.$$

Mathematically, C-composition is gluing or compression by a pushout of domains plus compatible gluing of the carrier, adoptive face, non-adoptive face, and boundary witness. It compresses two freely available USD functors into one referenceable USD functor. It does not assert that the two inputs were identical; the joint boundary record retains the old boundary data and the new interface discrepancy.

A minimal boundary policy is

$$\partial_{\text{CComp}(\mathbb{H}, \mathbb{K})} = \partial_{\mathbb{H}} \oplus \partial_{\mathbb{K}} \oplus \Delta_{\mathcal{I}}(\mathbb{H}, \mathbb{K}),$$

where $\Delta_{\mathcal{I}}$ is the interface discrepancy supplied by the model.

7.2 D-composition: downward restriction

API 7.3 (D-composition). **Input.** A context morphism

$$\rho : \mathcal{L} \rightarrow \mathcal{G}$$

and a USD functor over the global context $\mathcal{G}$.

Mathematical implementation. D-composition is reindexing or pullback:

$$\text{DComp}_{\rho} = \rho^* : \text{Smart}_{\text{USD}}(\mathcal{G}, \mathcal{C}) \rightarrow \text{Smart}_{\text{USD}}(\mathcal{L}, \mathcal{C}).$$

Output. A local USD functor $\rho^*\mathbb{H}$.

Lift condition. If $\mathbb{H}$ has carrier F , then the output has carrier ρ^*F , and its faces are the reindexed stance-lifts satisfying

$$q(\rho^*U_F) = (\rho^*F, \underline{U}), \quad q(\rho^*D_F) = (\rho^*F, \underline{D}).$$

The natural-language reading is: a large observed USD functor is lowered to a local context. The operation is not a proof that the local context satisfies the global claim. It is the typed act of reading the global record through a local index.

7.3 E-composition: extension by a cut vertex

API 7.4 (E-composition). **Input.** An anchored USD functor

$$\mathbb{H}_{a,b} : a \Rightarrow_{\text{USD}} b$$

and a proposed cut vertex m .

Existence condition. There is factorization data in the relevant arrow category, together with a comparison 2-cell

$$\varepsilon_m : \mathbb{H}_{a,m} \circ \mathbb{H}_{m,b} \Rightarrow \mathbb{H}_{a,b}$$

or the reverse comparison, depending on the model.

Output. A subdivided anchored record

$$\text{EComp}_m(\mathbb{H}_{a,b}) = (\mathbb{H}_{a,m}, \mathbb{H}_{m,b}; \varepsilon_m).$$

E-composition extends one anchored USD functor by adding an internal observation point. It should be read as subdivision or refinement, not as a proof that the original record is strictly equal to the composite.

7.4 S-composition: sideways shared stabilization

The previous section isolated the shape of a residue-stable sideways composite. S-composition is the typed API that constructs that shape from compatible USD functors.

API 7.5 (S-composition). **Input.** A pair of S-compatible USD functors $\mathbb{H}, \mathbb{K}$, together with a complete gap lattice

$$\Lambda_{\mathbb{H}, \mathbb{K}}$$

and a monotone gap update map

$$\Phi_{\mathbb{H}, \mathbb{K}} : \Lambda_{\mathbb{H}, \mathbb{K}} \rightarrow \Lambda_{\mathbb{H}, \mathbb{K}}.$$

The value $\Phi(\Delta)$ is the new discrepancy after both sides have incorporated the current discrepancy into their non-adoptive records.

Existence condition. A fixed point

$$\Delta^* = \Phi_{\mathbb{H}, \mathbb{K}}(\Delta^*)$$

is selected. Existence follows, for example, from the Knaster-Tarski fixed point theorem when the stated monotonicity and completeness conditions hold.

Output. A sideways stabilized USD record

$$\text{SComp}(\mathbb{H}, \mathbb{K}; \Delta^*) := \text{SMol}(\mathbb{H}, \mathbb{K}; \Delta^*).$$

Natural-language reading: two USD functors do not eliminate their gap. They update their non-adoptive faces until the same gap is shared as a stable discrepancy. The completion condition is not $\Delta^* = 0$ but shared stability.

7.5 T-composition: temporal turnover

Definition 7.6 (Sequence category). Let $\text{Seq}(\text{Smart}_{\text{USD}})$ be the category of finite composable sequences of USD functors. An object is a finite chain

$$\mathcal{H} = (\mathbb{H}_1, \dots, \mathbb{H}_n).$$

Definition 7.7 (U/D flip). Assume that the stance involution $\tau : \text{St} \rightarrow \text{St}$ lifts to a carrier-preserving record involution

$$\bar{\tau} : \text{Rec}_{\text{USD}} \rightarrow \text{Rec}_{\text{USD}}, \quad r\bar{\tau} = r, \quad \pi\bar{\tau} = \tau\pi.$$

The induced operation

$$\text{Flip}_{U,D} : \text{Smart}_{\text{USD}} \rightarrow \text{Smart}_{\text{USD}}$$

sends

$$(F, U_F, D_F, \partial_F, \kappa_F) \mapsto (F, \bar{\tau}D_F, \bar{\tau}U_F, \partial_F^T, \kappa_F^T).$$

The pure carrier is not altered. The lifted faces satisfy

$$q(\bar{\tau}D_F) = (F, \underline{U}), \quad q(\bar{\tau}U_F) = (F, \underline{D}),$$

so T-composition turns the record upside down without touching the realized carrier.

API 7.8 (T-composition). **Input.** A finite USD functor chain

$$\mathcal{H} = (\mathbb{H}_1, \dots, \mathbb{H}_n).$$

Mathematical implementation.

$$\text{TComp}(\mathcal{H}) := \text{Rev}(\text{Flip}_{U,D}(\mathbb{H}_1), \dots, \text{Flip}_{U,D}(\mathbb{H}_n)),$$

so that

$$\text{TComp}(\mathcal{H}) = (\mathbb{H}_n^\tau, \dots, \mathbb{H}_1^\tau).$$

Output. A temporally turned-over USD record chain.

T-composition touches no entity. It reverses the order of the record chain and applies the carrier-preserving stance turnover to every adoptive and non-adoptive face. A chain that was read forward as an identification proposal may be re-read backward as a non-adoption record, but this is a transformation of records, not a proof of ordinary inequality.

If no information is lost, TComp is involutive up to record equivalence:

$$\text{TComp}^2 \cong 1.$$

If compression, stabilization, or descent has discarded information, the weaker USD-level comparison

$$\text{TComp}^2(\mathcal{H}) \rightsquigarrow_{\text{USD}} \mathcal{H}$$

may be all that remains.

7.6 U-composition: upward image

D-composition has two common adjoints when the relevant Kan extensions exist. We keep the existential and universal readings separate.

API 7.9 (U-composition). Let $\rho : \mathcal{L} \rightarrow \mathcal{G}$ be a context morphism.

Existential upward composition. When the left Kan extension exists, define

$$\text{UComp}_\rho^\exists := \Sigma_\rho := \text{Lan}_\rho : \text{Smart}_{\text{USD}}(\mathcal{L}, \mathcal{C}) \rightarrow \text{Smart}_{\text{USD}}(\mathcal{G}, \mathcal{C}).$$

Then

$$\Sigma_\rho \dashv \rho^*.$$

Universal upward composition. When the right Kan extension exists, define

$$\text{UComp}_\rho^\forall := \Pi_\rho := \text{Ran}_\rho : \text{Smart}_{\text{USD}}(\mathcal{L}, \mathcal{C}) \rightarrow \text{Smart}_{\text{USD}}(\mathcal{G}, \mathcal{C}).$$

Then

$$\rho^* \dashv \Pi_\rho.$$

Smart-lift condition. These Kan extensions are admitted as U-compositions only when they lift from the pure carrier category to $\text{Smart}_{\text{USD}}$. For example, if $\Sigma_\rho \mathbb{H}$ has carrier $\text{Lan}_\rho F$, then its faces must be records over that carrier:

$$q \circ U_{\text{Lan}_\rho F} = (\text{Lan}_\rho F, \underline{U}), \quad q \circ D_{\text{Lan}_\rho F} = (\text{Lan}_\rho F, \underline{D}),$$

and similarly for Π_ρ and $\text{Ran}_\rho F$. The existence of the ordinary Kan extension of F is therefore not enough; the USD record and contract data must lift with it.

If these lifted Kan extensions do not exist, the relevant U-composition is undefined in the smart category even when the carrier Kan extension exists.

The natural-language reading is that a local USD functor is pushed upward as a global candidate record. The existential version says that some local contribution is imaged globally; the universal version says that a local condition is extended as a global constraint when possible.

7.7 API coverage and saturation

The six operations are APIs, not phases of an algorithm. A model may call them in any order, may call the same API more than once, and may feed the records produced by one API into any other API whenever the input and existence conditions match. What can be required without ambiguity is not a global application order, but a coverage certificate.

Definition 7.10 (API agenda). For a USD test model, an API agenda is a six-tuple

$$\mathcal{A} = (\mathcal{A}_C, \mathcal{A}_D, \mathcal{A}_E, \mathcal{A}_S, \mathcal{A}_T, \mathcal{A}_U),$$

where $\mathcal{A}_\star$ is a finite or indexed family of typed candidate calls to the corresponding API. The agenda is six-covered when no component is empty and every listed candidate call supplies the input data and existence conditions required by its API.

Definition 7.11 (Saturation closure). Let R_0 be a family of seed USD records and let $\mathcal{A}$ be a six-covered API agenda. Write

$$\Gamma_{\mathcal{A}}(R) = R \cup C_{\mathcal{A}}(R) \cup D_{\mathcal{A}}(R) \cup E_{\mathcal{A}}(R) \cup S_{\mathcal{A}}(R) \cup T_{\mathcal{A}}(R) \cup U_{\mathcal{A}}(R)$$

for the family obtained by adding all well-typed outputs of the candidate calls whose inputs are present in R . A saturated expansion is a fixed point

$$R^* = \Gamma_{\mathcal{A}}(R^*)$$

generated from R_0 ; in a finite agenda this is the least closure reached by repeatedly adding newly well-typed outputs. The expansion is accepted only when every generated record preserves the common stance-lift invariant through q .

Definition 7.12 (Coverage certificate). A coverage certificate for a USD test model consists of a six-covered API agenda $\mathcal{A}$, a saturated expansion R^* , and a check that the realized API set is exactly

$$\{\text{CComp}, \text{DComp}, \text{EComp}, \text{SComp}, \text{TComp}, \text{UComp}\}.$$

Thus missing use of any one API is a failure of the test model, while multiple uses of an API are permitted whenever they are typed.

Diagrams in examples may still display dependency arrows between records. Such arrows describe which outputs are used as later inputs; they are not a global execution order for the six APIs.

8 A syntactic reference implementation

This section records the minimum syntax needed for a conservative USD calculus. It is intentionally austere.

Definition 8.1 (Base language). Let $\mathcal{L}_0$ be a base formal language with judgments

$$\Gamma \vdash_0 A.$$

The base language may be first-order logic, type theory, an internal language of a category, or another fixed formal system.

Definition 8.2 (USD extension). The USD calculus USDCalc extends $\mathcal{L}_0$ with record terms:

$$\text{conn}(x, y; r, \beta), \quad \text{nonadopt}(x, y; r, \beta), \quad \text{hand}(F, U, D, \partial, \kappa),$$

and with record-forming operations

$$\text{CComp}, \text{DComp}, \text{EComp}, \text{SComp}, \text{TComp}, \text{UComp}.$$

The USD extension does not add a base rule allowing a record term alone to prove a USD-free formula.

Definition 8.3 (Descent license). A descent license is an explicit rule instance

$$\text{IdLic}(R, A)$$

that permits a USD record R to be translated into a base assertion A in $\mathcal{L}_0$. Examples include a definition, an isomorphism, a proved equivalence, a semantic interpretation, or a verified coercion.

Definition 8.4 (Erasure). The erasure translation

$$|-| : \text{USDCalc} \rightarrow \mathcal{L}_0$$

acts as identity on base terms and formulas and removes pure USD records unless a descent license supplies a base formula.

Theorem 8.5 (Conservative design theorem). *Assume that every USD inference rule is record-forming, record-transforming, or explicitly licensed by a descent rule. If*

$$\Gamma \vdash_{\text{USDCalc}} A$$

and A is USD-free, then the derivation of A uses only base rules and licensed descents. Consequently

$$|\Gamma| \vdash_0 A$$

provided each used descent license is valid in the base system.

Proof. By induction on the given derivation. Base rules translate to base rules. Record-forming and record-transforming USD rules have USD-record conclusions and therefore cannot be the final step of a USD-free formula. If a USD record is used to produce a USD-free conclusion, the rule must be a licensed descent by hypothesis; replacing that step with its base license yields a derivation in $\mathcal{L}_0$. The induction removes all unlicensed USD bookkeeping from the derivation of A . $\square$

This theorem is deliberately conditional. It states the safety contract of the reference implementation. A stronger metatheorem for a particular formal calculus would require a fully specified proof system, but this condition is already enough to prevent USD records from acting as hidden proof rules.

9 Worked toy model

Example 9.1 (Poset record model). Let $\mathcal{C}$ be a poset regarded as a category. Let

$$\text{Rel}_{\mathcal{C}}(a, b)$$

be the truth value of $a \leq b$. Let $\mathbf{BVis}$ select those comparable pairs for which a chosen boundary label is present. Let $\mathbf{Rec}_{\text{USD}}$ be the product category

$$\mathcal{C} \times \mathbf{St}$$

with projection to $\mathbf{St}$. The realization projection is

$$r = \text{pr}_{\mathcal{C}} : \mathcal{C} \times \mathbf{St} \rightarrow \mathcal{C},$$

so the combined projection is

$$q = (r, \pi) : \mathcal{C} \times \mathbf{St} \rightarrow \mathcal{C} \times \mathbf{St},$$

the identity in this minimal model. Then $\mathcal{U} \cong \mathcal{C} \cong \mathcal{D}$, but the two copies are distinguished as fibers. A USD functor is a functor F together with two stance-lifted copies U_F, D_F over the same F and a boundary label. In this model D-composition is ordinary reindexing of monotone maps, C-composition is pushout of indexing posets when it exists, and T-composition swaps the two copies and reverses a finite chain while preserving realization.

Example 9.2 (Complete lattice gap model). Let the gap lattice be a complete lattice Λ . If a sideways interaction gives a monotone map $\Phi : \Lambda \rightarrow \Lambda$, then the set of fixed points is nonempty by the Knaster-Tarski theorem. Choosing the least fixed point gives a canonical minimal shared discrepancy. Choosing the greatest fixed point gives a maximal conservative discrepancy. The choice is part of the model policy.

10 Relativistic test model

The relativistic material is not an application claiming new physics. It is a test model for the USD vocabulary because relativity naturally involves observers, frames, local restrictions, and time-oriented records. The historical sources are Einstein's 1905 paper on special relativity and his 1916 paper on general relativity [7, 8].

Definition 10.1 (Lorentzian test base). Let (M, g) be a Lorentzian manifold. Let $\mathcal{O}(M, g)$ be a chosen category of local observers or frames. A morphism in $\mathcal{O}(M, g)$ may be a change of frame, inclusion of a local chart, or another chosen admissible comparison of observations.

Example 10.2 (D-composition as local restriction). A global geometric record, such as a metric-dependent record on (M, g) , may be lowered along a local frame map

$$\rho : O \rightarrow M$$

by pullback:

$$\mathbf{DComp}_{\rho}(\mathbb{H}) = \rho^* \mathbb{H}.$$

This is the familiar mathematical shape of restricting global data to a local observer or frame. The USD interpretation only adds adoptive and non-adoptive record faces and boundary witnesses.

Example 10.3 (T-composition as record turnover). A time-oriented chain of observation records may be transformed by $\mathbf{TComp}$ into the reverse-order chain with U and D faces exchanged. This is not asserted to be physical time reversal symmetry. It is a record operation that leaves the entities and geometric carrier untouched while turning the USD bookkeeping upside down.

Remark 10.4 (No hidden physics). If a model uses Lorentz transformations, connections, curvature, or field equations, those structures must be explicitly included in the base category or in the relation witness profunctor. USD functors do not supply them automatically.

10.1 Newton-Einstein test

The Newton-Einstein test uses E-composition as its main operation. The test does not claim that Einstein proved Newtonian absolute time false by one direct replacement. It records a two-stage theoretical operation: Newton's single global time parameter is first decomposed inside special relativity and then extended through local inertial structure into general relativity. The relevant historical base texts are Newton's *Principia*, Einstein's 1905 paper on special relativity, and Einstein's 1916 paper on general relativity [6, 7, 8].

Let

$$\mathcal{N}_{\text{mech}}, \quad \mathcal{S}_{\text{rel}}, \quad \mathcal{G}_{\text{rel}}$$

denote schematic categories of Newtonian mechanics, special relativity, and general relativity. A Newtonian time record may be written

$$\mathbb{N}_T : a \Rightarrow_{\text{USD}} b,$$

where an event configuration is assigned to a single frame-independent temporal order. In the Newtonian record, simultaneity and duration are treated as globally available, and the time coordinate is not produced by a synchronization protocol internal to the theory.

The coarse E-composition flow is

$$\mathbb{N}_T \xrightarrow{\text{EComp}_{\mathcal{S}_{\text{rel}}}} \mathbb{E}_{\text{SR}} \xrightarrow{\text{EComp}_{\mathcal{G}_{\text{rel}}}} \mathbb{E}_{\text{GR}}.$$

Thus special relativity is not skipped. It is the first cut vertex through which the Newtonian record is factored before the general relativistic record is formed.

First E-instance: Newton to special relativity. The cut vertex m_{SR} is itself resolved into smaller cuts:

$$\begin{aligned} \mathbb{N}_T &\xrightarrow{\text{EComp}_{\text{clock}}} \text{local clock readings} \\ &\xrightarrow{\text{EComp}_{\text{sync}}} \text{light-signal synchronization} \\ &\xrightarrow{\text{EComp}_{\text{inertial}}} \text{inertial-frame coordinate time} \\ &\xrightarrow{\text{EComp}_{\text{Lorentz}}} \text{Lorentz-compatible transformations} \\ &\xrightarrow{\text{EComp}_{\text{interval}}} \mathbb{E}_{\text{SR}}. \end{aligned}$$

The central cut is synchronization. What was transparent in the Newtonian record becomes an explicit operation:

$$\text{remote simultaneity} \quad \rightsquigarrow \quad \text{clock comparison by signal protocol}.$$

The carrier is no longer a single absolute time assignment. It is a special-relativistic carrier in which coordinate time is indexed by inertial frame and constrained by the constancy of light speed. The adoptive face contains

$$U_{\text{SR}} = \{\text{local clocks, synchronization, inertial frames,} \\ \text{Lorentz transformations, invariant interval}\}.$$

The non-adoptive residue contains

$$D_{\text{Newton}} = \{\text{universal simultaneity, frame-independent absolute time,} \\ \text{Galilean velocity addition, instantaneous global temporal order}\}.$$

This is not erasure of Newtonian mechanics. It is a factorization of the role played by absolute time into observable clock readings, synchronization, frame choice, transformation law, and invariant spacetime interval.

Second E-instance: special to general relativity. The next cut vertex is not another synchronization convention. It is the passage from global inertial frames to local inertial structure:

$$\begin{aligned}
\mathbb{E}_{\text{SR}} &\xrightarrow{\text{EComp}_{\text{local}}} \text{local inertial frames} \\
&\xrightarrow{\text{EComp}_{\text{equiv}}} \text{equivalence principle} \\
&\xrightarrow{\text{EComp}_g} \text{metric field } g \\
&\xrightarrow{\text{EComp}_{\text{curv}}} \text{curvature} \\
&\xrightarrow{\text{EComp}_{\text{EFE}}} \mathbb{E}_{\text{GR}}.
\end{aligned}$$

Special relativity remains as a local record: in sufficiently small regions and in the absence of curvature effects at the chosen resolution, the general relativistic record restricts to a special-relativistic one. The general relativistic extension changes the carrier from flat Minkowski spacetime to metric spacetime. Time is no longer merely frame-indexed coordinate time on a flat background; it is part of a metric field whose geometry is coupled to gravitation.

The complete theoretical surgery can therefore be summarized as

$$\begin{aligned}
\text{absolute Newtonian time} &\xrightarrow{\text{EComp}_{\mathcal{S}_{\text{rel}}}} \text{clock/synchronization/frame/interval structure} \\
&\xrightarrow{\text{EComp}_{\mathcal{G}_{\text{rel}}}} \text{local inertial/metric/curvature structure.}
\end{aligned}$$

The USD reading is that Einstein did not merely negate the Newtonian record. He inserted the missing operational vertices, preserved the usable low-speed and weak-field residue through appropriate limiting policies, and moved the privileged invariant from absolute time to spacetime structure. A USD-free physical claim about the Newtonian limit, Lorentz transformations, or Einstein field equations still requires the ordinary base theory; the USD test only records the typed decomposition flow.

11 Interdisciplinary test model

The preceding relativistic section tests USD vocabulary inside a mathematical physics setting. The same discipline can be used for interdisciplinary examples, where the carrier data are not all drawn from one field. The purpose of such a model is not to turn a social or economic interpretation into a proof of intention. It is to keep the interfaces visible when social records and economic records are read together.

Definition 11.1 (Interdisciplinary test base). Let $\mathcal{S}$ be a category of sociological records and let $\mathcal{E}$ be a category of economic records. An interdisciplinary carrier may be taken to be the product category

$$\mathcal{C}_{\mathcal{S},\mathcal{E}} := \mathcal{S} \times \mathcal{E},$$

or, more generally, a category equipped with projection functors

$$p_{\mathcal{S}} : \mathcal{C}_{\mathcal{S},\mathcal{E}} \rightarrow \mathcal{S}, \quad p_{\mathcal{E}} : \mathcal{C}_{\mathcal{S},\mathcal{E}} \rightarrow \mathcal{E}.$$

A USD functor into $\mathcal{C}_{\mathcal{S},\mathcal{E}}$ records a joint social-economic reading. Its relation witnesses may compare social data, economic data, or boundary-visible couplings between them.

Remark 11.2 (No hidden interdisciplinary descent). An interdisciplinary USD record is not, by itself, an empirical explanation. A descent license must specify the accepted historical sources, social model, economic model, and rule that permits a USD record to be translated into a USD-free claim. Without such a license, the record remains a structured hypothesis or interpretation.

11.1 Satoshi test

The pseudonymous creator of Bitcoin gives a useful interdisciplinary test case. The Bitcoin white paper presents the system as peer-to-peer electronic cash without reliance on a trusted third party [12]. Late in 2010, Satoshi Nakamoto publicly warned that Bitcoin was still a small beta community and that sudden WikiLeaks-driven attention could bring destructive heat [13]. The following day, Satoshi also described denial-of-service resistance as unfinished work [14]. Separately, claims that Satoshi or a dominant early miner controlled about one million bitcoins depend on chain-analysis heuristics; the evidence is suggestive but not as robust as popular retellings often imply [15].

The source data are kept in two different categories. The sociological side records legitimacy, founder authority, regulatory visibility, community dependence, and governance centrality. The economic side records early coin concentration, liquidity, expected sell-pressure signals, scarcity belief, and market confidence. The test is not licensed to derive an economic conclusion directly from a sociological one, or a sociological intention directly from an economic trace.

Let $\mathcal{A}_S$ be a small category of sociological founder actions: revealing an identity, exercising founder authority, transferring control, remaining pseudonymous, or withdrawing from public control. Let $\mathcal{A}_E$ be a small category of economic founder actions: moving early coins, not moving early coins, distributing control, signalling sale, or remaining economically inactive. These categories are not identified. They touch only through a boundary-visible interface.

D0-instance. Begin with broad sociological and economic USD records $\mathbb{H}_S^0$ and $\mathbb{H}_E^0$. Let

$$\rho_S^0 : \mathcal{A}_S \rightarrow \mathcal{G}_S, \quad \rho_E^0 : \mathcal{A}_E \rightarrow \mathcal{G}_E$$

be context morphisms selecting only founder-action data from broader social and economic contexts. The first downward restriction is

$$\mathbb{H}_S^f := \text{DComp}_{\rho_S^0}(\mathbb{H}_S^0), \quad \mathbb{H}_E^f := \text{DComp}_{\rho_E^0}(\mathbb{H}_E^0).$$

This step does not select withdrawal as the answer. It only removes material outside the founder-action comparison class.

C-instance. The social and economic records are read together only inside the interdisciplinary carrier $\mathcal{C}_{S,E}$. Before applying compression, assume the model supplies typed carrier lifts

$$\hat{\mathbb{H}}_S^f : \mathcal{A}_S \rightarrow \mathcal{C}_{S,E}, \quad \hat{\mathbb{H}}_E^f : \mathcal{A}_E \rightarrow \mathcal{C}_{S,E}$$

whose projections recover the restricted social and economic records:

$$p_S \circ \hat{\mathbb{H}}_S^f = \mathbb{H}_S^f, \quad p_E \circ \hat{\mathbb{H}}_E^f = \mathbb{H}_E^f.$$

The unused projections are bookkeeping fields supplied by the model, not licenses for cross-disciplinary descent. Let

$$\Theta_{\text{Sat}} : \mathcal{A}_S^{\text{op}} \times \mathcal{A}_E \rightarrow \mathbf{Pos}$$

be an interface profunctor. An element

$$\theta \in \Theta_{\text{Sat}}(s, e)$$

witnesses that a social founder action s and an economic founder action e are two boundary-visible readings of the same founder episode, such as public identity, authority, early coin movement, non-movement, market signal, or community dependence. Let

$$\mathcal{I}_{\text{Sat}} := \int_{\mathcal{A}_{\mathcal{S}}^{\text{op}} \times \mathcal{A}_{\mathcal{E}}} \Theta_{\text{Sat}}.$$

Compression along this interface gives the joint record

$$\mathbb{J}_{\text{Sat}} := \text{CComp}_{\mathcal{I}_{\text{Sat}}}(\hat{\mathbb{H}}_{\mathcal{S}}^f, \hat{\mathbb{H}}_{\mathcal{E}}^f).$$

The compression does not say that social authority is an economic price, or that economic non-movement is a social intention. It records only the typed interface through which both projections become visible in the same interdisciplinary carrier.

D1-instance. Now restrict the compressed record to the local Satoshi context. Let

$$\rho_{\text{Sat}} : \mathcal{L}_{\text{Sat}} \rightarrow \mathcal{A}_{\mathcal{S}} \sqcup_{\mathcal{I}_{\text{Sat}}} \mathcal{A}_{\mathcal{E}}$$

select the local span generated by pseudonymity, public withdrawal, non-exercise of founder authority, early coin non-movement, and the visible decentralization signal. Define

$$\mathbb{L}_{\text{Sat}} := \text{DComp}_{\rho_{\text{Sat}}}(\mathbb{J}_{\text{Sat}}).$$

This second downward restriction is local reading, not historical descent. It does not infer the inner intention, the identity, or the key status of Satoshi.

E-instance. Anchor the local record between an initial founder-action state a_0 and a decentralization-signal state a_1 :

$$\mathbb{L}_{\text{Sat}, a_0, a_1} : a_0 \Rightarrow_{\text{USD}} a_1.$$

Insert the following cut vertices by iterated E-composition:

$$\begin{aligned} m_{\text{id}} &= \text{public identity visibility,} \\ m_{\text{auth}} &= \text{founder authority,} \\ m_{\text{coin}} &= \text{early coin movement or non-movement,} \\ m_{\text{sell}} &= \text{large sell-pressure signal.} \end{aligned}$$

Thus

$$\mathbb{E}_{\text{Sat}} := \text{EComp}_{m_{\text{sell}}} \text{EComp}_{m_{\text{coin}}} \text{EComp}_{m_{\text{auth}}} \text{EComp}_{m_{\text{id}}}(\mathbb{L}_{\text{Sat}, a_0, a_1}).$$

The first two cuts are sociological: they concern visibility, authority, central target formation, and community dependence. The last two cuts are economic: they concern coin movement and sell-pressure signals. The factorization is deliberately conservative; it prevents the record from jumping directly from withdrawal to decentralization or from coin non-movement to personal intention.

S-instance. The sideways stabilization is the core of the Satoshi test. Let Λ_{Sat} be a complete lattice of discrepancies between decentralization-supporting outputs and non-adopted founder residue, and let

$$\Phi_{\text{Sat}} : \Lambda_{\text{Sat}} \rightarrow \Lambda_{\text{Sat}}$$

be the monotone update map supplied by the model. Choose a fixed point

$$\Delta_{\text{Sat}}^* = \Phi_{\text{Sat}}(\Delta_{\text{Sat}}^*).$$

The adoptive face is a product reading

$$U_{\text{decent}} = (U_{\mathcal{S}}, U_{\mathcal{E}}),$$

where

$U_{\mathcal{S}} = \{\text{reduced founder authority, reduced central target, reduced community dependence}\},$

$U_{\mathcal{E}} = \{\text{reduced large-sell signal, reduced direct founder-liquidity pressure}\}.$

The non-adoptive face is likewise a product reading

$$D_{\text{fame/wealth}} = (D_{\mathcal{S}}, D_{\mathcal{E}}),$$

where

$D_{\mathcal{S}} = \{\text{public fame, founder control, proved inner intention}\},$

$D_{\mathcal{E}} = \{\text{direct realization of early coin wealth, exact status of early coins}\}.$

Let A_{decent} be the decentralization-support record whose adoptive face is U_{decent} , and let B_{residue} be the founder-residue record whose non-adoptive face is $D_{\text{fame/wealth}}$. The stabilized record is

$$\text{SMol}_{\text{Sat}} := \text{SComp}(A_{\text{decent}}, B_{\text{residue}}; \Delta_{\text{Sat}}^*) = \text{SMol}(A_{\text{decent}}, B_{\text{residue}}; \Delta_{\text{Sat}}^*).$$

At the visible boundary,

$$U_{\text{decent}} \rightsquigarrow_{\text{USD}} D_{\text{fame/wealth}}.$$

This says that decentralized adoption can be modeled as stable only while public fame, founder control, direct realization of early coin wealth, proved intention, and exact early-coin status remain non-adopted residue. It does not say that fame or wealth were morally rejected, and it does not prove who Satoshi was.

A conservative best-effort policy can be expressed by assigning each compatible local action $a \in \mathcal{L}_{\text{Sat}}$ a social cost and an economic cost,

$$C_{\mathcal{S}}(a), \quad C_{\mathcal{E}}(a),$$

and selecting an action whose worst visible cost is minimal:

$$a^* \in \arg \min_{a \in \mathcal{L}_{\text{Sat}}} \max\{C_{\mathcal{S}}(a), C_{\mathcal{E}}(a)\}.$$

Under one plausible policy, withdrawal together with non-movement of early coins is a candidate for a^* . The social reading is reduced founder centrality and reduced central target formation. The economic reading is the absence of a large direct sell-pressure signal. The loss is not erased: abandoned fame, unresolved identity, founder control, direct realization of early wealth, and exact early-coin status remain attached as self-anchored residue.

T-instance. Let $\mathcal{H}_{\text{Sat}}$ be the finite subdivided record chain underlying $\mathbb{E}_{\text{Sat}}$ and SMol_{Sat} . Temporal turnover gives

$$\mathbb{T}_{\text{Sat}} := \text{TComp}(\mathcal{H}_{\text{Sat}}).$$

Forward, the record reads:

founder withdrawal and early-coin non-movement $\longrightarrow$ decentralization-supporting signal.

Turned over, it reads:

decentralized Bitcoin record

$\longrightarrow$ founder fame, control, wealth, identity, and intention as residue.

This reversal blocks a common overreading. The present decentralized record may be read as carrying founder-residue, but it does not reveal the founder’s private reason for withdrawing or not moving coins.

U-instance. When the relevant lifted Kan extension exists, image the turned local record upward along ρ_{Sat} :

$$\mathbb{U}_{\text{Sat}} := \text{UComp}_{\rho_{\text{Sat}}}^{\exists}(\mathbb{T}_{\text{Sat}}) \rightsquigarrow \text{FounderExitAsDecentralizationStabilizer}.$$

The upward image is a general schema, not a biographical claim. It says that, in projects where a founder has strong initial authority and a large visible economic position, public withdrawal, non-exercise of authority, and non-movement of large early holdings can stabilize a decentralization record, provided the fame, control, wealth, identity, and intention that are not adopted by the main output remain recorded as residue.

Remark 11.3 (No proof of Satoshi’s intention). The Satoshi test licenses at most a structural conclusion: withdrawal and coin non-movement can be modeled as a best-effort stable record for Bitcoin’s social and economic decentralization. It does not license the USD-free assertion that Satoshi chose withdrawal for that reason. The inner intention, the exact identity, and the exact status of the early coins remain non-adopted residue unless supplied by independent historical evidence and an explicit descent license.

11.2 Oppenheimer test

The Oppenheimer test is an interdisciplinary stress test for ethical translation. Its source data use only two categories: a category of theoretical nuclear physics and a category of public policy. The philosophical forum and the trial of Socrates are not assumed as source categories. They appear only after the test supplies a six-API coverage certificate and saturates the generated USD record family. No global application order of the APIs is part of the claim.

Historically, the Manhattan Project made nuclear fission and explosive chain reactions into an organized weapon program. The Smyth Report describes the scientific and administrative development of atomic energy for military purposes [9]. The Franck Report records that some project scientists understood the use of the first atomic bombs as a social and political problem, not merely a technical one [10]. Plato’s *Apology* records the trial in which Socrates’ public practice of examination was answered by charges of corrupting the youth and impiety [11]. The USD claim below is not that these events are historically the same. It is that the Oppenheimer record can be saturated, without dropping the decisive gap, into a record family whose upward image realizes the forum structure made visible by the trial of Socrates.

Let

$$\mathcal{T}_{\text{nuc}}$$

be a category of theoretical nuclear-physics records. Its objects may be fission models, chain-reaction calculations, criticality estimates, yield predictions, uncertainty bounds, or experimental confirmations. Its morphisms are refinements, derivations, approximations, empirical constraints, or transitions from speculative theory to reliable prediction. Let

$$\mathcal{P}_{\text{pub}}$$

be a category of public-policy records. Its objects may be nonresearch, research, secret development, demonstration, military use, nonuse, international control, or postwar governance. Its morphisms are funding, authorization, classification, command, deployment, diplomatic proposal, or legal constraint.

The two categories touch through a feasibility profunctor

$$\Theta_{\text{Op}} : \mathcal{T}_{\text{nuc}}^{\text{op}} \times \mathcal{P}_{\text{pub}} \rightarrow \mathbf{Pos}.$$

An element

$$\theta \in \Theta_{\text{Op}}(t, p)$$

is a witness that a theoretical record t makes a policy record p available, urgent, dangerous, or governable. Such a witness may record technical feasibility, predictability, destructive scale, uncertainty, time pressure, enemy-access risk, secrecy, irreversibility, or accountability. The interface category is the Grothendieck construction

$$\mathcal{I}_{\Theta} := \int_{\mathcal{T}_{\text{nuc}}^{\text{op}} \times \mathcal{P}_{\text{pub}}} \Theta_{\text{Op}},$$

whose objects are triples (t, p, θ) . This interface is the exact place where theoretical success becomes a public-policy option.

C-instance. Let $\mathbb{H}_T$ be a USD record over $\mathcal{T}_{\text{nuc}}$ and let $\mathbb{H}_P$ be a USD record over $\mathcal{P}_{\text{pub}}$. To type the compression, assume an interdisciplinary carrier category $\mathcal{C}_{\text{Op}}$ and typed carrier lifts

$$\hat{\mathbb{H}}_T : \mathcal{T}_{\text{nuc}} \rightarrow \mathcal{C}_{\text{Op}}, \quad \hat{\mathbb{H}}_P : \mathcal{P}_{\text{pub}} \rightarrow \mathcal{C}_{\text{Op}}.$$

Let

$$i : \mathcal{I}_{\Theta} \rightarrow \mathcal{T}_{\text{nuc}}, \quad j : \mathcal{I}_{\Theta} \rightarrow \mathcal{P}_{\text{pub}}$$

be the interface projections, with the first projection read through the variance of Θ_{Op} . Compression along the interface gives an Oppenheimer record

$$\mathbb{O} := \text{CComp}_{\mathcal{I}_{\Theta}}(\hat{\mathbb{H}}_T, \hat{\mathbb{H}}_P).$$

Its compressed global context is

$$\mathcal{G}_{\text{Op}} := \mathcal{T}_{\text{nuc}} \sqcup_{\mathcal{I}_{\Theta}} \mathcal{P}_{\text{pub}}.$$

The compression does not identify theory with policy. It only records that the two sides now share a boundary witness: the same nuclear-physics result that counts as explanatory success in $\mathcal{T}_{\text{nuc}}$ also counts as a possible state action in $\mathcal{P}_{\text{pub}}$.

D-instance. Choose a local theory-practice context

$$\rho_{\text{Op}} : \mathcal{L}_{\text{Op}} \rightarrow \mathcal{G}_{\text{Op}}$$

that retains the possible/ought collision and forgets the details of isotopes, laboratories, committees, and military offices. Downward restriction gives

$$\mathbb{L}_{\text{Op}} := \text{DComp}_{\rho_{\text{Op}}}(\mathbb{O}).$$

The local carrier retains the typed collision

$$\text{possible} \implies \text{must decide whether it ought to be done.}$$

This is sharper than the slogan that can does not imply ought. The lowered record says that can creates a decision burden. A theory may remain epistemic in its own category, but after contact with public policy it generates an actionable option for which someone becomes answerable.

E-instance. To avoid a leap from theory to guilt, anchor $\mathbb{L}_{\text{Op}}$ between the local records possible and responsible:

$$\mathbb{L}_{\text{Op,possible,responsible}} : \text{possible} \Rightarrow_{\text{USD}} \text{responsible}.$$

Insert an internal cut vertex

$$m_{\text{act}} = \text{actionability}.$$

The Oppenheimer record is subdivided as

$$\mathbb{E}_{\text{Op}} := \text{EComp}_{m_{\text{act}}}(\mathbb{L}_{\text{Op,possible,responsible}}) = (\mathbb{O}_{\text{possible},m_{\text{act}}}, \mathbb{O}_{m_{\text{act}},\text{responsible}}; \varepsilon_{m_{\text{act}}}).$$

The first half records the passage from theoretical possibility to available state action. The second half records the passage from available state action to responsibility for irreversible consequences. Thus the ethical problem is not imported from outside physics or outside policy. It is produced at the cut where a prediction becomes an implementable public act.

S-instance. Let Λ_{Op} be a complete lattice of discrepancies between theoretical success and ethically non-neutral public action. Let

$$\Phi_{\text{Op}} : \Lambda_{\text{Op}} \rightarrow \Lambda_{\text{Op}}$$

be the monotone update map supplied by the model, and choose a fixed point

$$\Delta_{\text{Op}}^* = \Phi_{\text{Op}}(\Delta_{\text{Op}}^*).$$

Let A_{theory} be the theoretical-success record and B_{practice} the public-action residue record. The stable Oppenheimer molecule is

$$\text{SMol}_{\text{Op}} := \text{SComp}(A_{\text{theory}}, B_{\text{practice}}; \Delta_{\text{Op}}^*) = \text{SMol}(A_{\text{theory}}, B_{\text{practice}}; \Delta_{\text{Op}}^*).$$

Its adoptive theoretical face is

$$U_{\text{theory}} = \{\text{truth, prediction, possibility, technical control}\},$$

while its non-adoptive public-policy face is

$$D_{\text{practice}} = \{\text{harm, authority, secrecy, irreversibility, accountability}\}.$$

The interlock is boundary-visible:

$$U_{\text{theory}} \rightsquigarrow_{\text{USD}} D_{\text{practice}}.$$

The fixed gap is not zero. It is the stable discrepancy

$$\Delta_{\text{Op}}^* = \text{the stable gap between theoretical success} \\ \text{and ethically non-neutral public action.}$$

The residue contains both sides of the policy dilemma: use may create direct and irreversible destruction, while nonuse, delay, demonstration, or secrecy may leave war, arms-race, or governance risks unresolved. The molecule therefore preserves the dilemma instead of resolving it.

T-instance. Let $\mathcal{H}_{\text{Op}}$ be a finite composable USD chain containing the subdivided local record $\mathbb{E}_{\text{Op}}$ and the stabilized molecule SMol_{Op} as typed factors. Temporal turnover gives

$$\mathbb{T}_{\text{Op}} := \text{TComp}(\mathcal{H}_{\text{Op}}).$$

This reverses the reading of the record chain. Forward, the Oppenheimer molecule reads:

$$\text{theory discovers possibility} \longrightarrow \text{policy must decide action.}$$

Turned over, it reads:

$$\text{public consequence} \longrightarrow \text{theoretical practice is judged by what it enabled.}$$

The turned record has the same carrier gap, but its vocabulary can now be read as a forum problem. In the forum normal form, theoretical discovery is replaced by contradiction discovery, and public-policy action is replaced by public authority over the speaker:

contradiction is found $\implies$ the forum must decide whether to rewind or expel.

This is the no-rewind forum dilemma. A truth-seeking argument treats contradiction as a repair point. An authority-protecting forum may treat the same contradiction as disqualification. The boundary witness is the same shape as in the Oppenheimer molecule: a successful epistemic act creates an irreversible practical burden.

U-instance. Let

$$\rho_{\text{Forum}} : \mathcal{L}_{\text{no-rewind}} \rightarrow \mathcal{G}_{\text{Forum}}$$

be the context morphism from the local no-rewind forum pattern to a global forum schema. When the relevant lifted Kan extension exists, the upward image of the turned record is the Socratic trial schema:

$$\mathbb{U}_{\text{Op}} := \text{UComp}_{\rho_{\text{Forum}}}^{\exists}(\mathbb{T}_{\text{Op}}) \rightsquigarrow \text{Trial}_{\text{Socrates}}.$$

In this image, the theoretical side becomes Socratic examination: questions expose contradictions and force interlocutors back to their premises. The public-policy side becomes the authority of the Athenian forum: the city can treat the exposed instability not as an invitation to rewind the argument, but as corruption, impiety, or civic danger. The mapping is:

$$\begin{array}{ll} \text{nuclear possibility} & \mapsto \text{exposed contradiction,} \\ \text{state action} & \mapsto \text{public judgment,} \\ \text{irreversible use} & \mapsto \text{irreversible punishment,} \\ \text{policy responsibility} & \mapsto \text{forum authority,} \\ \text{unresolved residue} & \mapsto \text{loss of rewind rights.} \end{array}$$

The coverage certificate for the Oppenheimer test is the six-covered agenda

$$\begin{aligned} \mathcal{A}_C &= \{\text{CComp}_{\mathcal{I}_{\Theta}}(\widehat{\mathbb{H}}_T, \widehat{\mathbb{H}}_P)\}, \\ \mathcal{A}_D &= \{\text{DComp}_{\rho_{\text{Op}}}(\mathbb{O})\}, \\ \mathcal{A}_E &= \{\text{EComp}_{m_{\text{act}}}(\mathbb{L}_{\text{Op,possible,responsible}})\}, \\ \mathcal{A}_S &= \{\text{SComp}(A_{\text{theory}}, B_{\text{practice}}; \Delta_{\text{Op}}^*)\}, \\ \mathcal{A}_T &= \{\text{TComp}(\mathcal{H}_{\text{Op}})\}, \\ \mathcal{A}_U &= \{\text{UComp}_{\rho_{\text{Forum}}}^{\exists}(\mathbb{T}_{\text{Op}})\}. \end{aligned}$$

The agenda may be saturated in any order, and the displayed dependencies only say which generated records are available as inputs to other typed API calls. A stronger historical or moral conclusion is not produced by the saturation itself. The transformation is therefore not a metaphorical jump from physics to Athens. It passes through the common S-molecular form:

$$\text{epistemic success} \rightsquigarrow_{\text{USD}} \text{practical authority over irreversible consequence.}$$

Remark 11.4 (No proof of historical identity). The Oppenheimer test licenses a structural comparison, not a USD-free historical identity. It does not say that Oppenheimer was Socrates, that the Manhattan Project was a trial, or that Athenian law and nuclear policy were the same institution. It says that both records can realize the same no-rewind pattern: a practice whose internal norm is correction by truth is recoded by public authority as a source of irreversible judgment. Any stronger historical or moral conclusion requires an explicit descent license.

12 Reviewer-facing checklist

For reference, the implementation satisfies the following design checks.

1. The context parameter is a category $\mathcal{P}$, not a bare set.
2. Situated occurrences are defined by a Grothendieck construction.
3. Rel is a poset-valued profunctor or indexed predicate.
4. BVis is a typed substructure of Rel .
5. $\mathcal{U}$ and $\mathcal{D}$ are fibers of one fibration $\text{Rec}_{\text{USD}} \rightarrow \text{St}$, and every record is also realized by $r : \text{Rec}_{\text{USD}} \rightarrow \mathcal{C}$.
6. The combined projection $q = (r, \pi) : \text{Rec}_{\text{USD}} \rightarrow \mathcal{C} \times \text{St}$ makes U- and D-faces stance-lifts over one carrier.
7. A USD functor is a tuple $(F, U_F, D_F, \partial_F, \kappa_F)$ where U_F and D_F satisfy $q \circ U_F = (F, \underline{U})$ and $q \circ D_F = (F, \underline{D})$.
8. The coherence contract κ_F is an explicit bundle of lift, boundary, morphism, composition, erasure, and descent obligations.
9. C/D/E/S/T/U operations have stated input types, outputs, and existence conditions.
10. S-composition depends on a complete lattice and a monotone update map, so fixed-point existence is not merely asserted.
11. T-composition is sequence reversal plus a carrier-preserving U/D involution and does not touch entities or carrier realization.
12. USD-free conclusions require base reasoning or an explicit descent license.

13 Open problems

The present draft is a reference implementation rather than a final metatheory. The main open problems are:

1. Refine preferred subclasses of coherence contracts κ_F and prove closure under all six composition APIs in nontrivial models.
2. Compare the carrier-realized USD record fibration with displayed categories, double categories, fibrations of proofs, and decorated functors.
3. Give a fully formal sequent calculus or type theory for USDCalc and prove a cut-elimination or model-theoretic conservativity theorem.
4. Identify useful model policies for selecting fixed points in S-composition.
5. Develop lax stance-lift variants where $q \circ U_F$ and $q \circ D_F$ compare to $(F, \underline{U})$ and $(F, \underline{D})$ rather than strictly equal them.
6. Develop nontrivial test models beyond the poset and relativistic sketches.

14 Conclusion

The central correction in this draft is that USD Functor Theory should be read as a specification of smart functors, not as a metaphorical use of category theory. A USD functor is an ordinary functor with additional record fields: adoptive face, non-adoptive face, boundary witness, and coherence contract. The U and D regions are fibers of one stance-indexed record fibration, and the faces are stance-lifts realized over the same carrier by

$$q = (r, \pi) : \text{Rec}_{\text{USD}} \rightarrow \mathcal{C} \times \text{St}.$$

The six composition operations are typed APIs backed by ordinary categorical constructions or explicit existence assumptions, and each operation is defined only when it preserves the stance-lift invariant through q . The resulting system can guide interpretation and proof search while remaining conservative over the base language for USD-free conclusions.

References

- [1] Saunders Mac Lane. *Categories for the Working Mathematician*. Springer, 1971.
- [2] Francis Borceux. *Handbook of Categorical Algebra, Volumes 1–3*. Cambridge University Press, 1994.
- [3] Peter T. Johnstone. *Sketches of an Elephant: A Topos Theory Compendium*. Oxford University Press, 2002.
- [4] Alexander Grothendieck. Revêtements étales et groupe fondamental. In *SGA 1*, Lecture Notes in Mathematics 224, Springer, 1971.
- [5] Alfred Tarski. A lattice-theoretical fixpoint theorem and its applications. *Pacific Journal of Mathematics*, 5(2):285–309, 1955.
- [6] Isaac Newton. *Philosophiæ Naturalis Principia Mathematica*. 1687.
- [7] Albert Einstein. Zur Elektrodynamik bewegter Körper. *Annalen der Physik*, 322(10):891–921, 1905.
- [8] Albert Einstein. Die Grundlage der allgemeinen Relativitätstheorie. *Annalen der Physik*, 354(7):769–822, 1916.
- [9] Henry DeWolf Smyth. *Atomic Energy for Military Purposes*. Princeton University Press, 1945. https://www.osti.gov/opennet/manhattan-project-history/publications/smyth_report.pdf.
- [10] James Franck et al. The Franck Report: A Report to the Secretary of War. June 1945. <https://sgp.fas.org/eprint/franck.html>.
- [11] Plato. *Apology*. Translated by Benjamin Jowett. Project Gutenberg. <https://www.gutenberg.org/ebooks/1656>.
- [12] Satoshi Nakamoto. Bitcoin: A Peer-to-Peer Electronic Cash System. 2008. <https://bitcoin.org/bitcoin.pdf>.
- [13] Satoshi Nakamoto. Re: Wikileaks contact info? BitcoinTalk, December 5, 2010. Archived by the Satoshi Nakamoto Institute: <https://satoshi.nakamotoinstitute.org/posts/bitcointalk/523/>.

- [14] Satoshi Nakamoto. Added some DoS limits, removed safe mode (0.3.19). BitcoinTalk, December 12, 2010. Archived by the Satoshi Nakamoto Institute: <https://satoshi.nakamotoinstitute.org/posts/bitcointalk/543/>.
- [15] BitMEX Research. Does Satoshi have a million bitcoin? August 20, 2018. <https://www.bitmex.com/blog/satoshis-1-million-bitcoin>.