

NAME	Youssef Ahmed Saeed Zaki
NAME in Arabic	يوسف أحمد سعيد زكي
ID	19016903
ID in Arabic	19.179.٣

Operating Systems Lab1 Linux shell

Description

A linux terminal by c programming and console that includes about all features of actual Linux Terminal.

Overall code organization


- Environment is set up by current working directory
- A signal is set for each parent to know exactly when child finished executing to kill zombies.
- We, then run the shell
 - o Input is taken from user as one line of command
 - Parsed so that all quotations are removed and get an array of split strings by space
 - Input is then evaluated so that any referenced pre-defined variable included by user is replaced by its value (if there is any)
 - Then we identify the type of command whether it's:
 - Built-in: each has its specific implementation in separate functions
 - cd
 - echo
 - export
 - Executable: we use multiprocessing here as we extract a child process from parent that does the command for us and for sure the parent has to wait for the child to complete execution.
 - All other Linux commands
 - o The previous loop repeats till user enters exit command

Major functions:

- main()
- shell() → takes input, parses it, evaluates it, checks its command type, runs command accordingly
- parser() → parses expression
- evalExp() → evaluates expression
- builtInCommandCheck() → checks if command is built in or implemented so that it can run its specified function
- runExe()

 uses multiprocessing to run linux commands

Sample runs:





```
total 20
              cmake-build-debug مار 24 30.10 debug
              -rw-rw-r-- 1 usef usef 108 05:42 24 مار CMakeLists.txt
              lol مار 24 15:47 drwxrwxr-x 2 usef usef 4096
              main.c مار 24 main.c مار 82 main.c
              'test مار 24 15:44 24 مار 48 drwxrwxr-x 2 usef usef
              Waitpid received: pid=2512, status=0
              Child Terminated
              total 32K
              . مار drwxrwxr-x 6 usef usef 4.0K 15:47 24
              .. مار drwxrwxr-x 5 usef usef 4.0K 06:12 24
              cmake-build-debug مار 24 cmake-build-debug
               -rw-rw-r-- 1 usef usef 108 05:42 24 مار CMakeLists.txt
              idea مار 24 1:30 drwxrwxr-x 2 usef usef 4.0K.
               lol مار 24 15:47 drwxrwxr-x 2 usef usef 4.0K
               main.c مار 24 main.c عار 24 rw-rw-r--
               'test مار 4.0K 15:44 24 مار test'
               Waitpid received: pid=2513, status=0
               Child Terminated
            export tahan="-
            export lol="-a"
            1s lol
            Waitpid received: pid=2547, status=0
            Child Terminated

    Version Control
    Run
    ■ TODO
    Problems

                                                                   Terminal
9:۲۱) Build finished in 228 ms
                                     Ħŧ 🥛
```