# Enable Applitools Eyes integration

Learn how to integrate Applitools Eyes with Kobiton, allowing you to view the Eyes status and access the detailed Eyes report from Session Overview.

### Before you start

- An Applitools Eyes account is required.
- Obtain the username and API key of a Kobiton account with ADMIN predefined role.
- Currently available for Cloud and Hybrid customers only.
- Only tested with Applitools Public Cloud. Applitools Private Cloud or On-premise customers please contact Kobiton support.

### Create Applitools API key

Log into Applitools Eyes with an admin account.

Select the User icon, then choose Admin.



#### In the admin panel, choose API keys.



If you do not have an API key with read permission, select the Add a new API key icon.

<	Admin ~			
	Admin / API keys Total: 2			
	□ □ ∇ • ‰ ℃ ९+			
	Key 🗘	Team 🗘	User 🗘	Permissions 🗘
	Kb49qxtaGY	Kobiton	Joshua Smith	Execute
	iNgeiNe104	Kobiton		Execute

### If you create a new API key, select the team and user, then turn on the read permission.

EAM *			USER	
Kobiton		~	Kobiton Product	×
PERMISSIONS *			EXPIRY	
Read 💽	Write		Select date	
xecute	Merge			
PURPOSE				

**(**) Contact Applitools if you cannot enable the read permission.

Select **Add** to create the key. After creating the key, hover over it to copy to clipboard. You'll need it to complete the integration in the Kobiton Portal.

< A	dmin 🗸			
Admin Total: 9	/ API keys Expired: 2			
	i 🔽 🗞 📿	S+		
	Key 🗘	Team 🛇	User 🗇	Permissions 🗘
	hIIdLkXJY320BPqXAdJHC6iGYH	🗐 Kobiton	Kobiton Product	Read
	Co	py to clipboard		

## Enable integration

Log in to Kobiton as a user with ADMIN predefined role.

Select your profile picture, then choose **Settings**.

Select the Integration tab, then choose Connect account under Visual Validation/Applitools Integration.

-	O <del>v</del> API Keys	ମ୍ବ Device Management	Cleanup Policy	Security Banner	ह iFrame Configuration	GD Integration	Network Capture	Q. Configurations	SSO settings	Webhook Settings	Other Settings	
□ ▷	Issu	ue Tracking			Scriptless Auto	omation Integ	ration		Test Case Mar	agement		
): 5 D 8		.Jii Enoble all members to Di	ra Integration access Jira issues fron sable Jira Integration emove account	m test sessions	0	SauceLabs II onnect to trigger on Connect o	ntegration SauceLabs devices		Allow users to lit	TestRail Integrat nik test cases in TestRail w Kobiton Remove accour	tion ith automated sessions in t	
	UIC	Design Fig Perform visual comparison Fi	ma Integration s between test sessior gma UI designs	ns screenshots and	Visual Validati	on Applitools in ools visual validation device	itegration presults of your tests on I	Kobiton				
<u>ل</u> ت ۵		C	onnect account			Connect o	ecount					

Input the Applitools API Key copied earlier. If you use a custom URL for your Applitools server, replace the **Applitools Server URL** field with the correct value.

•	Applitoo	ls Inte	gration	
Applitoo	ls Server URL	*		
https://e	yesapi.applitools.	com		
API Key *				
		•••••		]
	Cancel		Connect	

Select Connect. If the connection is successful, a confirmation message will appear.



You have successfully signed into Applitools account. 🛛 🛞

The Applitools Eyes integration is now enabled. Proceed to run your Appium script with the Eyes SDK on Kobiton devices.