

ADMIN Admin BAE

Administration / System status

Chamilo PHP Database Web server Paths Courses space

State of PHP settings on the server

1/1 I - 32 / 32

Section	Setting	Current	Correct	Comment
(SESSION)	session.gc_maxlifetime	4320	4320	The session garbage collector maximum lifetime indicates which
(PHP)	phpversion()	7.4.27	>= 7.4	maximum time is given between two runs of the garbage collector. PHP version
(INI)	max_input_time	1000	300 (minimum)	The maximum time allowed for a form to be processed by the server. it takes longer, the process is abandonned and a blank page is returned.
(INI)	browscap	Off	On	Browscap loading browscap.ini file that contains a large amount of data on the browser and its capabilities, so it can be used by the function get_browser () PHP
(INI)	output_buffering	4096	On	Output buffering setting is "On" for being enabled or "Off" for being disabled. This setting also may be enabled through an integer value (4096 for example) which is the output buffer size.
(INI)	upload_tmp_dir	C:\Windows\Temp\	-	The temporary upload directory is a space on the server where files a uploaded before being filtered and treated by PHP.
(INI)	upload_max_filesize	I500M	>= I0M	Maximum volume of an uploaded file. This setting should, most of the time, be matched with the post_max_size variable.
(INI)	post_max_size	I500M	>= 10M	This is the maximum size of uploads through forms using the POST method (i.e. classical file upload forms)
(INI)	memory_limit	1024M	>= I28M	Maximum memory limit for one single script run. If the memory needed is higher, the process will stop to avoid consuming all the server's available memory and thus slowing down other users.
(INI)	variables_order	GPCS	GPCS	The order of precedence of Environment, GET, POST, COOKIES and SESSION variables
(INI)	max_execution_time	1000	300 (minimum)	Maximum time a script can take to execute. If using more than that, to script is abandoned to avoid slowing down other users.
(INI)	display_errors	Off	Off	Show errors on screen. Turn this on on development servers, off on production servers.
(INI)	magic_quotes_gpc	Off	Off	Whether to automatically escape values from GET, POST and COOKI arrays. A similar feature is provided for the required data inside this software, so using it provokes double slash-escaping of values.
(INI)	short_open_tag	Off	Off	Whether to allow for short open tags to be used or not. This feature should not be used.
(INI)	register_globals	Off	Off	Whether to use the register globals feature or not. Using it represents potential security risks with this software.
(INI)	safe_mode	Off	Off	Safe mode is a deprecated PHP feature which (badly) limits the acce of PHP scripts to other resources. It is recommended to leave it off.
(INI)	magic_quotes_runtime	Off	Off	This is a highly unrecommended feature which converts values returned by all functions that returned external values to slashescaped values. This feature should *not* be enabled.
(INI)	file_uploads	On	On	File uploads indicate whether file uploads are authorized at all
(INI)	default_charset	UTF-8	UTF-8	The default character set to be sent when returning pages
(EXTENSION) Extension loaded: fileinfo	Yes	Yes	This extension must be loaded.
(EXTENSION) Extension loaded: openssl	Yes	Optional	This extension should be loaded.
(EXTENSION) Extension loaded: apcu	Yes	Optional	This extension should be loaded.
(EXTENSION) Extension loaded: Zend OPcache	No	Optional	This extension should be loaded.
(EXTENSION) Extension loaded: xsl	Yes	Optional	This extension should be loaded.
(EXTENSION) Extension loaded: pcre	Yes	Yes	This extension must be loaded.
(EXTENSION) Extension loaded: curl	Yes	Yes	This extension must be loaded.
(EXTENSION) Extension loaded: zlib	Yes	Yes	This extension must be loaded.
(EXTENSION) Extension loaded: standard	Yes	Yes	This extension must be loaded.
(EXTENSION) Extension loaded: session	Yes	Yes	This extension must be loaded.
(EXTENSION) Extension loaded: pdo_mysql	Yes	Yes	This extension must be loaded.
(EXTENSION) Extension loaded: gd	Yes	Yes	This extension must be loaded.