

## Regression report

Date: 2024-07-12 Time: 17-08-09

### Summary report

Module	Total testcases	Passed	Failed
ldap	26	26	0

**Testcase Complete Summary: Total: 26, Passed: 26, Failed: 0**

### Detailed report of ldap

**Testcase summary: Total: 26, Passed: 26, Failed: 0**

Testcase name	Status	User Input	Commands	Bef
test_case_01.1	Passed	<pre> Input: [   {     "binddn": "CN=example.com",     "map": {       "default_attribute": [         {           "from": "attr1",           "to": "attr2"         },         {           "from": "attr3",           "to": "attr4"         }       ],       "objectclass": [         {           "from": "attr1",           "to": "attr3"         }       ]     },     "name": "global",     "port": 389,     "servers": [       {         "address": "89.0.142.86"       },       {         "address": "244.178.44.111",         "port": 1550,         "priority": 10,         "ssl": "start_tls"       }     ],     "version": 3   },   {     "idle_timelimit": 25,     "name": "nss", </pre>	<pre> Commands: [   {     "binddn": "CN=example.com",     "map": {       "default_attribute": [         {           "from": "attr1",           "to": "attr2"         },         {           "from": "attr3",           "to": "attr4"         }       ],       "objectclass": [         {           "from": "attr1",           "to": "attr3"         }       ]     },     "name": "global",     "port": 389,     "servers": [       {         "address": "89.0.142.86"       },       {         "address": "244.178.44.111",         "port": 1550,         "priority": 10,         "ssl": "start_tls"       }     ],     "state": "merged",     "version": 3   },   {     "idle_timelimit": 25, </pre>	Before: []

Testcase name	Status	User Input	Commands	Bef
		<pre>       "nss_base_netgroup": "group1",       "nss_base_sudoers": "sudo1",       "scope": "sub",       "timelimit": 15     }   ] </pre>	<pre>       "name": "nss",       "nss_base_netgroup": "group1",       "nss_base_sudoers": "sudo1",       "scope": "sub",       "state": "merged",       "timelimit": 15     }   ] </pre>	
test_case_01.2	Passed	<pre> Input: [   {     "binddn": "CN=example.com",     "map": {       "default_attribute": [         {           "from": "attr1",           "to": "attr2"         },         {           "from": "attr3",           "to": "attr4"         }       ],       "objectclass": [         {           "from": "attr1",           "to": "attr3"         }       ]     },     "name": "global",     "port": 389,     "servers": [       {         "address": "89.0.142.86"       },       {         "address": "244.178.44.111",         "port": 1550,         "priority": 10,         "ssl": "start_tls"       }     ],     "version": 3   },   {     "idle_timelimit": 25,     "name": "nss",     "nss_base_netgroup": "group1",     "nss_base_sudoers": "sudo1",     "scope": "sub",     "timelimit": 15   } ] </pre>	<pre> Commands: [] </pre>	<pre> Before: [   {     "binddn": "CN=example.com"     "map": {       "default_attribute": [         {           "from": "attr1",           "to": "attr2"         },         {           "from": "attr3",           "to": "attr4"         }       ],       "objectclass": [         {           "from": "attr1",           "to": "attr3"         }       ]     },     "name": "global",     "port": 389,     "servers": [       {         "address": "89.0.142       },       {         "address": "244.178.         "port": 1550,         "priority": 10,         "ssl": "start_tls"       }     ],     "version": 3   },   {     "idle_timelimit": 25,     "name": "nss",     "nss_base_netgroup": "grou     "nss_base_sudoers": "sudo1     "scope": "sub",     "timelimit": 15   } ] </pre>
test_case_02.1	Passed	<pre> Input: [   {     "base": "admin",     "binddn": "CN=example.com",     "name": "pam",     "pam_login_attribute": "loginattrstring",     "retry": 3,     "scope": "one"   },   {     "name": "global",     "nss_base_passwd": "password",     "nss_skipmembers": false,     "pam_login_attribute": "loginattrstring", </pre>	<pre> Commands: [   {     "base": "admin",     "binddn": "CN=example.com",     "name": "pam",     "pam_login_attribute": "loginattrstring",     "retry": 3,     "scope": "one",     "state": "merged"   },   {     "name": "global",     "nss_base_passwd": "VALUE_SPECIFIED_IN_NO_LOG_PARAMETER",     "nss_skipmembers": false, </pre>	<pre> Before: [   {     "binddn": "CN=example.com"     "map": {       "default_attribute": [         {           "from": "attr1",           "to": "attr2"         },         {           "from": "attr3",           "to": "attr4"         }       ],     }   }, ] </pre>

Testcase name	Status	User Input	Commands	Bef
		<pre> "vrf": "VrfReg1" }, {   "base": "base_name",   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="   },   "name": "sudo",   "sudoers_search_filter": "filter1",   "timelimit": 10,   "version": 3 } ] </pre>	<pre> "pam_login_attribute": "loginattrstring", "state": "merged", "vrf": "VrfReg1" }, {   "base": "base_name",   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="   },   "name": "sudo",   "state": "merged",   "sudoers_search_filter": "filter1",   "timelimit": 10,   "version": 3 } ] </pre>	<pre> "objectclass": [   {     "from": "attr1",     "to": "attr3"   } ], "name": "global", "port": 389, "servers": [   {     "address": "89.0.142",     "port": 1550,     "priority": 10,     "ssl": "start_tls"   },   {     "address": "244.178.",     "port": 1550,     "priority": 10,     "ssl": "start_tls"   } ], "version": 3 }, {   "idle_timelimit": 25,   "name": "nss",   "nss_base_netgroup": "grou",   "nss_base_sudoers": "sudo1",   "scope": "sub",   "timelimit": 15 } ] </pre>
test_case_02.2	Passed	<pre> Input: [   {     "base": "admin",     "binddn": "CN=example.com",     "name": "pam",     "pam_login_attribute": "loginattrstring",     "retry": 3,     "scope": "one"   },   {     "name": "global",     "nss_base_passwd": "password",     "nss_skipmembers": false,     "pam_login_attribute": "loginattrstring",     "vrf": "VrfReg1"   } ] </pre>	<pre> Commands: [] </pre>	<pre> Before: [   {     "binddn": "CN=example.com",     "map": {       "default_attribute": [         {           "from": "attr1",           "to": "attr2"         },         {           "from": "attr3",           "to": "attr4"         }       ]     }   },   "objectclass": [ </pre>

Testcase name	Status	User Input	Commands	Bef
		<pre> }, {   "base": "base_name",   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="   },   "name": "sudo",   "sudoers_search_filter": "filter1",   "timelimit": 10,   "version": 3 } ]                     </pre>		<pre> {   "from": "attr1",   "to": "attr3" } ] "name": "global", "nss_base_passwd": "VALUE_ "nss_skipmembers": false, "pam_login_attribute": "lc "port": 389, "servers": [   {     "address": "89.0.142   },   {     "address": "244.178.     "port": 1550,     "priority": 10,     "ssl": "start_tls"   } ], "version": 3, "vrf": "VrfReg1" }, {   "idle_timelimit": 25,   "name": "nss",   "nss_base_netgroup": "grou   "nss_base_sudoers": "sudo1   "scope": "sub",   "timelimit": 15 }, {   "base": "admin",   "binddn": "CN=example.com"   "name": "pam",   "pam_login_attribute": "lc   "retry": 3,   "scope": "one" }, {   "base": "base_name",   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P   },   "name": "sudo",   "sudoers_search_filter": "   "timelimit": 10,   "version": 3 } ]                     </pre>
test_case_03.1	Passed	<pre> Input: [   {     "idle_timelimit": 20,     "map": {       "map_remote_groups_to_sonic_roles": [         {           "remote_group": "user1",           "sonic_roles": [             "secadmin",             "admin"           ]         }       ]     }   },   "name": "global",   "nss_base_passwd": "password2",                     </pre>	<pre> Commands: [   {     "idle_timelimit": 20,     "map": {       "map_remote_groups_to_sonic_roles": [         {           "remote_group": "user1",           "sonic_roles": [             "secadmin",             "admin"           ]         }       ]     }   },   "name": "global",   "nss_base_passwd": "VALUE_SPECIFIED_IN_NO_LOG_PARAMETER",                     </pre>	<pre> Before: [   {     "binddn": "CN=example.com"     "map": {       "default_attribute": [         {           "from": "attr1",           "to": "attr2"         },         {           "from": "attr3",           "to": "attr4"         }       ]     },     "objectclass": [       {                     </pre>

Testcase name	Status	User Input	Commands	Bef
		<pre> "nss_skipmembers": false, "pam_login_attribute": "loginattrstring2", "servers": [   {     "address": "89.0.142.85"   } ], "ssl": "off", "vrf": "VrfReg2" }, {   "base": "admin",   "bind_timelimit": 5,   "binddn": "CN=example.com",   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="   },   "name": "sudo",   "sudoers_search_filter": "filter1" } ] </pre>	<pre> "pam_login_attribute": "loginattrstring2", "servers": [   {     "address": "89.0.142.85"   } ], "ssl": "off", "state": "merged", "vrf": "VrfReg2" }, {   "base": "admin",   "bind_timelimit": 5,   "binddn": "CN=example.com",   "name": "sudo",   "state": "merged" } ] </pre>	<pre> "from": "attr1", "to": "attr3" } }, "name": "global", "nss_base_passwd": "passwd", "nss_skipmembers": false, "pam_login_attribute": "lc", "port": 389, "servers": [   {     "address": "89.0.142.85"   },   {     "address": "244.178.155.0",     "port": 1550,     "priority": 10,     "ssl": "start_tls"   } ], "version": 3, "vrf": "VrfReg1" }, {   "idle_timelimit": 25,   "name": "nss",   "nss_base_netgroup": "group",   "nss_base_sudoers": "sudo1",   "scope": "sub",   "timelimit": 15 }, {   "base": "admin",   "binddn": "CN=example.com",   "name": "pam",   "pam_login_attribute": "lc",   "retry": 3,   "scope": "one" }, {   "base": "base_name",   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="   },   "name": "sudo",   "sudoers_search_filter": "filter1",   "timelimit": 10,   "version": 3 } ] </pre>

Testcase name	Status	User Input	Commands	Bef
test_case_03.2	Passed	<pre> Input: [   {     "idle_timelimit": 20,     "map": {       "map_remote_groups_to_sonic_roles": [         {           "remote_group": "user1",           "sonic_roles": [             "secadmin",             "admin"           ]         }       ]     },     "name": "global",     "nss_base_passwd": "password2",     "nss_skipmembers": false,     "pam_login_attribute": "loginattrstring2",     "servers": [       {         "address": "89.0.142.85"       }     ],     "ssl": "off",     "vrf": "VrfReg2"   },   {     "base": "admin",     "bind_timelimit": 5,     "binddn": "CN=example.com",     "bindpw": {       "encrypted": true,       "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="     },     "name": "sudo",     "sudoers_search_filter": "filter1"   } ] </pre>	<pre> Commands: [] </pre>	<pre> Before: [   {     "binddn": "CN=example.com",     "idle_timelimit": 20,     "map": {       "default_attribute": [         {           "from": "attr1",           "to": "attr2"         },         {           "from": "attr3",           "to": "attr4"         }       ],       "map_remote_groups_to_s": [         {           "remote_group": "           "sonic_roles": [             "secadmin",             "admin"           ]         }       ],       "objectclass": [         {           "from": "attr1",           "to": "attr3"         }       ],       "name": "global",       "nss_base_passwd": "VALUE_       "nss_skipmembers": false,       "pam_login_attribute": "lc       "port": 389,       "servers": [         {           "address": "89.0.142         },         {           "address": "89.0.142         },         {           "address": "244.178.           "port": 1550,           "priority": 10,           "ssl": "start_tls"         }       ],       "ssl": "off",       "version": 3,       "vrf": "VrfReg2"     },     {       "idle_timelimit": 25,       "name": "nss",       "nss_base_netgroup": "grou       "nss_base_sudoers": "sudo1       "scope": "sub",       "timelimit": 15     },     {       "base": "admin",       "binddn": "CN=example.com",       "name": "pam",       "pam_login_attribute": "lc       "retry": 3,       "scope": "one"     }   ], </pre>

Testcase name	Status	User Input	Commands	Bef
				<pre>{   "base": "admin",   "bind_timelimit": 5,   "binddn": "CN=example.com",   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P   },   "name": "sudo",   "sudoers_search_filter": "   "timelimit": 10,   "version": 3 } ]</pre>
test_case_04.1	Passed	<pre>Input: [   {     "binddn": "CN=example.com",     "idle_timelimit": 20,     "name": "nss",     "nss_base_netgroup": "group2",     "nss_base_sudoers": "sudo1",     "scope": "sub"   },   {     "base": "admin",     "binddn": "CN=example.com",     "bindpw": {       "encrypted": true,       "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="     },     "name": "pam",     "retry": 3,     "scope": "one"   },   {     "map": {       "map_remote_groups_to_sonic_roles": [         {           "remote_group": "user1",           "sonic_roles": [             "secadmin",             "operator"           ]         }       ]     },     "name": "global",     "security_profile": "default"   } ]</pre>	<pre>Commands: [   {     "binddn": "CN=example.com",     "idle_timelimit": 20,     "name": "nss",     "nss_base_netgroup": "group2",     "state": "merged"   },   {     "bindpw": {       "encrypted": true,       "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="     },     "name": "pam",     "state": "merged"   },   {     "map": {       "map_remote_groups_to_sonic_roles": [         {           "remote_group": "user1",           "sonic_roles": [             "secadmin",             "operator"           ]         }       ]     },     "name": "global",     "security_profile": "default",     "state": "merged"   } ]</pre>	<pre>Before: [   {     "binddn": "CN=example.com",     "idle_timelimit": 20,     "map": {       "default_attribute": [         {           "from": "attr1",           "to": "attr2"         },         {           "from": "attr3",           "to": "attr4"         }       ],       "map_remote_groups_to_s         {           "remote_group": "           "sonic_roles": [             "secadmin",             "admin"           ]         }       ],       "objectclass": [         {           "from": "attr1",           "to": "attr3"         }       ]     },     "name": "global",     "nss_base_passwd": "passwd",     "nss_skipmembers": false,     "pam_login_attribute": "lc",     "port": 389,     "servers": [       {         "address": "89.0.142"       },       {         "address": "89.0.142"       },       {         "address": "244.178.         "port": 1550,         "priority": 10,         "ssl": "start_tls"       }     ],     "ssl": "off",     "version": 3,     "vrf": "VrfReg2"   },   {</pre>

Testcase name	Status	User Input	Commands	Bef
				<pre> "idle_timelimit": 25, "name": "nss", "nss_base_netgroup": "grou "nss_base_sudoers": "sudo1 "scope": "sub", "timelimit": 15 }, { "base": "admin", "binddn": "CN=example.com" "name": "pam", "pam_login_attribute": "lc "retry": 3, "scope": "one" }, { "base": "admin", "bind_timelimit": 5, "binddn": "CN=example.com" "bindpw": { "encrypted": true, "pwd": "U2FsdGVkX19eY7P }, "name": "sudo", "sudoers_search_filter": " "timelimit": 10, "version": 3 } ] </pre>
test_case_04.2	Passed	<pre> Input: [ { "binddn": "CN=example.com", "idle_timelimit": 20, "name": "nss", "nss_base_netgroup": "group2", "nss_base_sudoers": "sudo1", "scope": "sub" }, { "base": "admin", "binddn": "CN=example.com", "bindpw": { "encrypted": true, "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios=" }, "name": "pam", "retry": 3, "scope": "one" }, { "map": { "map_remote_groups_to_sonic_roles": [ { "remote_group": "user1", "sonic_roles": [ "secadmin", "operator" ] } ] } ], "name": "global", "security_profile": "default" </pre>	Commands: []	<pre> Before: [ { "binddn": "CN=example.com" "idle_timelimit": 20, "map": { "default_attribute": [ { "from": "attr1", "to": "attr2" }, { "from": "attr3", "to": "attr4" } ] }, "map_remote_groups_to_s { "remote_group": " "sonic_roles": [ "secadmin", "operator" ] } ], "objectclass": [ { "from": "attr1", "to": "attr3" } ] }, "name": "global", "nss_base_passwd": "passwd "nss_skipmembers": false, </pre>



Testcase name	Status	User Input	Commands	Bef
		<pre> } ]                     </pre>		<pre> "pam_login_attribute": "lc "port": 389, "security_profile": "defau "servers": [   {     "address": "89.0.142   },   {     "address": "89.0.142   },   {     "address": "244.178.     "port": 1550,     "priority": 10,     "ssl": "start_tls"   } ], "ssl": "off", "version": 3, "vrf": "VrfReg2" }, {   "binddn": "CN=example.com"   "idle_timelimit": 20,   "name": "nss",   "nss_base_netgroup": "grou   "nss_base_sudoers": "sudo1   "scope": "sub",   "timelimit": 15 }, {   "base": "admin",   "binddn": "CN=example.com"   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P   },   "name": "pam",   "pam_login_attribute": "lc   "retry": 3,   "scope": "one" }, {   "base": "admin",   "bind_timelimit": 5,   "binddn": "CN=example.com"   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P   },   "name": "sudo",   "sudoers_search_filter": "   "timelimit": 10,   "version": 3 } ]                     </pre>
test_case_del_01.1	Passed	<pre> Input: [   {     "map": {       "map_remote_groups_to_sonic_roles": [         {           "remote_group": "user1",           "sonic_roles": [             "secadmin"           ]         }       ]     }   },   "name": "global", ]                     </pre>	<pre> Commands: [   {     "map": {       "map_remote_groups_to_sonic_roles": [         {           "remote_group": "user1",           "sonic_roles": [             "operator",             "secadmin"           ]         }       ]     }   }, ]                     </pre>	<pre> Before: [   {     "binddn": "CN=example.com"     "idle_timelimit": 20,     "map": {       "default_attribute": [         {           "from": "attr1",           "to": "attr2"         },         {           "from": "attr3",           "to": "attr4"         }       ]     }   } ]                     </pre>

Testcase name	Status	User Input	Commands	Bef
		<pre> "nss_base_passwd": "password2", "security_profile": "default", "servers": [   {     "address": "89.0.142.86"   },   {     "address": "244.178.44.111"   } ], "vrf": "VrfReg2" }, {   "base": "admin",   "binddn": "CN=example.com",   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="   },   "name": "pam",   "retry": 3,   "scope": "one" } ]                     </pre>	<pre> "name": "global", "nss_base_passwd": "VALUE_SPECIFIED_IN_NO_LOG_PARAMETER", "security_profile": "default", "servers": [   {     "address": "244.178.44.111"   },   {     "address": "89.0.142.86"   } ], "state": "deleted", "vrf": "VrfReg2" }, {   "base": "admin",   "binddn": "CN=example.com",   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="   },   "name": "pam",   "retry": 3,   "scope": "one",   "state": "deleted" } ]                     </pre>	<pre> } ], "map_remote_groups_to_s   {     "remote_group": "       "sonic_roles": [         "operator",         "secadmin"       ]     }   ], "objectclass": [   {     "from": "attr1",     "to": "attr3"   } ], }, "name": "global", "nss_base_passwd": "VALUE_ "nss_skipmembers": false, "pam_login_attribute": "lc "port": 389, "security_profile": "defau "servers": [   {     "address": "244.178.     "port": 1550,     "priority": 10,     "ssl": "start_tls"   },   {     "address": "89.0.142   },   {     "address": "89.0.142   } ], "ssl": "off", "version": 3, "vrf": "VrfReg2" }, {   "binddn": "CN=example.com"   "idle_timelimit": 20,   "name": "nss",   "nss_base_netgroup": "grou   "nss_base_sudoers": "sudo1   "scope": "sub",   "timelimit": 15 }, {   "base": "admin",   "binddn": "CN=example.com"   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P   },   "name": "pam",   "pam_login_attribute": "lc   "retry": 3,   "scope": "one" }, {   "base": "admin",   "bind_timelimit": 5,   "binddn": "CN=example.com"   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P                     </pre>

Testcase name	Status	User Input	Commands	Bef
				<pre> }, "name": "sudo", "sudoers_search_filter": " "timelimit": 10, "version": 3 } ] </pre>
test_case_del_01.2	Passed	<pre> Input: [   {     "map": {       "map_remote_groups_to_sonic_roles": [         {           "remote_group": "user1",           "sonic_roles": [             "secadmin"           ]         }       ]     },     "name": "global",     "nss_base_passwd": "password2",     "security_profile": "default",     "servers": [       {         "address": "89.0.142.86"       },       {         "address": "244.178.44.111"       }     ],     "vrf": "VrfReg2"   },   {     "base": "admin",     "binddn": "CN=example.com",     "bindpw": {       "encrypted": true,       "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="     },     "name": "pam",     "retry": 3,     "scope": "one"   } ] </pre>	<pre> Commands: [] </pre>	<pre> Before: [   {     "binddn": "CN=example.com"     "idle_timelimit": 20,     "map": {       "default_attribute": [         {           "from": "attr1",           "to": "attr2"         },         {           "from": "attr3",           "to": "attr4"         }       ],       "objectclass": [         {           "from": "attr1",           "to": "attr3"         }       ]     },     "name": "global",     "nss_skipmembers": false,     "pam_login_attribute": "lc     "port": 389,     "servers": [       {         "address": "89.0.142       }     ],     "ssl": "off",     "version": 3   },   {     "binddn": "CN=example.com"     "idle_timelimit": 20,     "name": "nss",     "nss_base_netgroup": "grou     "nss_base_sudoers": "sudo1     "scope": "sub",     "timelimit": 15   },   {     "name": "pam",     "pam_login_attribute": "lc   },   {     "base": "admin",     "bind_timelimit": 5,     "binddn": "CN=example.com"     "bindpw": {       "encrypted": true,       "pwd": "U2FsdGVkX19eY7P     },     "name": "sudo",     "sudoers_search_filter": "     "timelimit": 10,     "version": 3   } ] </pre>

Testcase name	Status	User Input	Commands	Bef
test_case_del_02.1	Passed	<pre>Input: [   {     "name": "nss"   },   {     "name": "sudo"   } ]</pre>	<pre>Commands: [   {     "name": "nss",     "state": "deleted"   },   {     "name": "sudo",     "state": "deleted"   } ]</pre>	<pre>Before: [   {     "binddn": "CN=example.com",     "idle_timelimit": 20,     "map": {       "default_attribute": [         {           "from": "attr1",           "to": "attr2"         },         {           "from": "attr3",           "to": "attr4"         }       ],       "objectclass": [         {           "from": "attr1",           "to": "attr3"         }       ]     },     "name": "global",     "nss_skipmembers": false,     "pam_login_attribute": "lc",     "port": 389,     "servers": [       {         "address": "89.0.142"       }     ],     "ssl": "off",     "version": 3   },   {     "binddn": "CN=example.com",     "idle_timelimit": 20,     "name": "nss",     "nss_base_netgroup": "grou",     "nss_base_sudoers": "sudol",     "scope": "sub",     "timelimit": 15   },   {     "name": "pam",     "pam_login_attribute": "lc"   },   {     "base": "admin",     "bind_timelimit": 5,     "binddn": "CN=example.com",     "bindpw": {       "encrypted": true,       "pwd": "U2FsdGVkX19eV7P"     },     "name": "sudo",     "sudoers_search_filter": "",     "timelimit": 10,     "version": 3   } ]</pre>
test_case_del_02.2	Passed	<pre>Input: [   {     "name": "nss"   },   {     "name": "sudo"   } ]</pre>	<pre>Commands: []</pre>	<pre>Before: [   {     "binddn": "CN=example.com",     "idle_timelimit": 20,     "map": {       "default_attribute": [         { </pre>

Testcase name	Status	User Input	Commands	Bef
		<pre> } ] </pre>		<pre> "from": "attr1", "to": "attr2" }, { "from": "attr3", "to": "attr4" } ], "objectclass": [ { "from": "attr1", "to": "attr3" } ] }, "name": "global", "nss_skipmembers": false, "pam_login_attribute": "lc "port": 389, "servers": [ { "address": "89.0.142 } ], "ssl": "off", "version": 3 }, { "name": "pam", "pam_login_attribute": "lc } ] </pre>
test_case_del_03.1	Passed	<pre> Input: [ { "name": "global" } ] </pre>	<pre> Commands: [ { "name": "global", "state": "deleted" } ] </pre>	<pre> Before: [ { "binddn": "CN=example.com" "idle_timelimit": 20, "map": { "default_attribute": [ { "from": "attr1", "to": "attr2" }, { "from": "attr3", "to": "attr4" } ] }, "objectclass": [ { "from": "attr1", "to": "attr3" } ] }, "name": "global", "nss_skipmembers": false, "pam_login_attribute": "lc "port": 389, "servers": [ { "address": "89.0.142 } ], "ssl": "off", "version": 3 }, { "name": "pam", "pam_login_attribute": "lc } ] </pre>

Testcase name	Status	User Input	Commands	Bef
				} ]
test_case_del_03.2	Passed	Input: [ { "name": "global" } ]	Commands: []	Before: [ { "name": "pam", "pam_login_attribute": "lc" } ]
test_case_05.1	Passed	Input: [ { "bindpw": { "encrypted": true, "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios=" }, "map": { "attribute": [ { "from": "attr1", "to": "attr3" } ], "override_attribute": [ { "from": "attr1", "to": "attr2" }, { "from": "attr3", "to": "attr4" } ] }, "name": "global", "servers": [ { "address": "89.0.142.86", "ssl": "off" }, { "address": "244.178.44.111", "priority": 10, "ssl": "off" } ] }, { "binddn": "CN=example.com", "idle_timelimit": 20, "name": "nss", "nss_base_netgroup": "group2", "nss_base_sudoers": "sudo1", "scope": "sub", "timelimit": 15 } ]	Commands: [ { "bindpw": { "encrypted": true, "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios=" }, "map": { "attribute": [ { "from": "attr1", "to": "attr3" } ], "override_attribute": [ { "from": "attr1", "to": "attr2" }, { "from": "attr3", "to": "attr4" } ] }, "name": "global", "servers": [ { "address": "89.0.142.86", "ssl": "off" }, { "address": "244.178.44.111", "priority": 10, "ssl": "off" } ] }, "state": "merged" }, { "binddn": "CN=example.com", "idle_timelimit": 20, "name": "nss", "nss_base_netgroup": "group2", "nss_base_sudoers": "sudo1", "scope": "sub", "state": "merged", "timelimit": 15 } ]	Before: [ { "name": "pam", "pam_login_attribute": "lc" } ]
test_case_05.2	Passed	Input: [ { "bindpw": { "encrypted": true, "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios=" }, }, ]	Commands: []	Before: [ { "bindpw": { "encrypted": true, "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios=" }, }, ]

Testcase name	Status	User Input	Commands	Bef
		<pre> "map": {   "attribute": [     {       "from": "attr1",       "to": "attr3"     }   ],   "override_attribute": [     {       "from": "attr1",       "to": "attr2"     },     {       "from": "attr3",       "to": "attr4"     }   ] }, "name": "global", "servers": [   {     "address": "89.0.142.86",     "ssl": "off"   },   {     "address": "244.178.44.111",     "priority": 10,     "ssl": "off"   } ] }, {   "binddn": "CN=example.com",   "idle_timelimit": 20,   "name": "nss",   "nss_base_netgroup": "group2",   "nss_base_sudoers": "sudo1",   "scope": "sub",   "timelimit": 15 } ] </pre>		<pre> "map": {   "attribute": [     {       "from": "attr1",       "to": "attr3"     }   ],   "override_attribute": [     {       "from": "attr1",       "to": "attr2"     },     {       "from": "attr3",       "to": "attr4"     }   ] }, "name": "global", "servers": [   {     "address": "89.0.142.86",     "ssl": "off"   },   {     "address": "244.178.44.111",     "priority": 10,     "ssl": "off"   } ] }, {   "binddn": "CN=example.com",   "idle_timelimit": 20,   "name": "nss",   "nss_base_netgroup": "group2",   "nss_base_sudoers": "sudo1",   "scope": "sub",   "timelimit": 15 }, {   "name": "pam",   "pam_login_attribute": "lc" } ] </pre>
test_case_replace_01.1	Passed	<pre> Input: [   {     "binddn": "CN=example.com",     "bindpw": {       "encrypted": true,       "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="     },     "map": {       "default_attribute": [         {           "from": "attr1",           "to": "attr2"         },         {           "from": "attr3",           "to": "attr4"         }       ],       "map_remote_groups_to_sonic_roles": [         {           "remote_group": "user1",           "sonic_roles": [             "secadmin",             "admin"           ]         }       ]     }   } ] </pre>	<pre> Commands: [   {     "map": {       "attribute": [         {           "from": "attr1",           "to": "attr3"         }       ],       "override_attribute": [         {           "from": "attr1",           "to": "attr2"         },         {           "from": "attr3",           "to": "attr4"         }       ]     },     "name": "global",     "servers": [       {         "address": "244.178.44.111"       }     ]   } ] </pre>	<pre> Before: [   {     "bindpw": {       "encrypted": true,       "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="     },     "map": {       "attribute": [         {           "from": "attr1",           "to": "attr3"         }       ],       "override_attribute": [         {           "from": "attr1",           "to": "attr2"         },         {           "from": "attr3",           "to": "attr4"         }       ]     }   } ] </pre>

Testcase name	Status	User Input	Commands	Bef
		<pre>     ]   },   {     "remote_group": "user2",     "sonic_roles": [       "secadmin"     ]   },   {     "remote_group": "user3",     "sonic_roles": [       "secadmin",       "admin",       "operator"     ]   } ], "objectclass": [   {     "from": "attr1",     "to": "attr3"   } ] }, "name": "global", "nss_skipmembers": false, "pam_login_attribute": "loginattrstring2", "port": 390, "security_profile": "default", "servers": [   {     "address": "89.0.142.85",     "port": 1550,     "priority": 10,     "ssl": "start_tls"   } ], "source_interface": "Eth1/9", "ssl": "off", "version": 2 }, {   "base": "base_name",   "bind_timelimit": 5,   "binddn": "CN=example.com",   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="   },   "name": "sudo",   "sudoers_base": "auto",   "sudoers_search_filter": "filter1",   "timelimit": 10,   "version": 3 } ] </pre>	<pre>     },     {       "address": "89.0.142.86"     }   ],   "state": "deleted" }, {   "binddn": "CN=example.com",   "map": {     "default_attribute": [       {         "from": "attr1",         "to": "attr2"       },       {         "from": "attr3",         "to": "attr4"       }     ],     "map_remote_groups_to_sonic_roles": [       {         "remote_group": "user1",         "sonic_roles": [           "admin",           "secadmin"         ]       },       {         "remote_group": "user2",         "sonic_roles": [           "secadmin"         ]       },       {         "remote_group": "user3",         "sonic_roles": [           "admin",           "operator",           "secadmin"         ]       }     ]   },   "objectclass": [     {       "from": "attr1",       "to": "attr3"     }   ] }, {   "name": "global",   "nss_skipmembers": false,   "pam_login_attribute": "loginattrstring2",   "port": 390,   "security_profile": "default",   "servers": [     {       "address": "89.0.142.85",       "port": 1550,       "priority": 10,       "ssl": "start_tls"     }   ],   "source_interface": "Eth1/9",   "ssl": "off",   "state": "replaced",   "version": 2 }, {   "base": "base_name", </pre>	<pre> "name": "global", "servers": [   {     "address": "244.178.     "priority": 10,     "ssl": "off"   },   {     "address": "89.0.142     "ssl": "off"   } ], {   "binddn": "CN=example.com"   "idle_timelimit": 20,   "name": "nss",   "nss_base_netgroup": "group   "nss_base_sudoers": "sudo1   "scope": "sub",   "timelimit": 15 }, {   "name": "pam",   "pam_login_attribute": "lc } ] </pre>



Testcase name	Status	User Input	Commands	Bef
			<pre> "bind_timelimit": 5, "binddn": "CN=example.com", "bindpw": {   "encrypted": true,   "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios=" }, "name": "sudo", "state": "replaced", "sudoers_base": "auto", "sudoers_search_filter": "filter1", "timelimit": 10, "version": 3 } ] </pre>	
test_case_replace_01.2	Passed	<pre> Input: [ {   "binddn": "CN=example.com",   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="   },   "map": {     "default_attribute": [       {         "from": "attr1",         "to": "attr2"       },       {         "from": "attr3",         "to": "attr4"       }     ],     "map_remote_groups_to_sonic_roles": [       {         "remote_group": "user1",         "sonic_roles": [           "secadmin",           "admin"         ]       },       {         "remote_group": "user2",         "sonic_roles": [           "secadmin"         ]       },       {         "remote_group": "user3",         "sonic_roles": [           "secadmin",           "admin",           "operator"         ]       }     ],     "objectclass": [       {         "from": "attr1",         "to": "attr3"       }     ]   },   "name": "global",   "nss_skipmembers": false,   "pam_login_attribute": "loginattrstring2",   "port": 390,   "security_profile": "default",   "servers": [     { </pre>	<pre> Commands: [] </pre>	<pre> Before: [ {   "binddn": "CN=example.com",   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="   },   "map": {     "default_attribute": [       {         "from": "attr1",         "to": "attr2"       },       {         "from": "attr3",         "to": "attr4"       }     ],     "map_remote_groups_to_sonic_roles": [       {         "remote_group": "user1",         "sonic_roles": [           "admin",           "secadmin"         ]       },       {         "remote_group": "user2",         "sonic_roles": [           "secadmin"         ]       },       {         "remote_group": "user3",         "sonic_roles": [           "admin",           "operator",           "secadmin"         ]       }     ],     "objectclass": [       {         "from": "attr1",         "to": "attr3"       }     ]   },   "name": "global",   "nss_skipmembers": false,   "pam_login_attribute": "lc "port": 390, "security_profile": "defau "servers": [ { </pre>

Testcase name	Status	User Input	Commands	Bef
		<pre> "address": "89.0.142.85", "port": 1550, "priority": 10, "ssl": "start_tls" } ], "source_interface": "Eth1/9", "ssl": "off", "version": 2 }], { "base": "base_name", "bind_timelimit": 5, "binddn": "CN=example.com", "bindpw": { "encrypted": true, "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios=" }, "name": "sudo", "sudoers_base": "auto", "sudoers_search_filter": "filter1", "timelimit": 10, "version": 3 } ] </pre>		<pre> "address": "89.0.142 "port": 1550, "priority": 10, "ssl": "start_tls" } ], "source_interface": "Eth1/ "ssl": "off", "version": 2 }], { "binddn": "CN=example.com" "idle_timelimit": 20, "name": "nss", "nss_base_netgroup": "grou "nss_base_sudoers": "sudo1 "scope": "sub", "timelimit": 15 }, { "name": "pam", "pam_login_attribute": "lc }, { "base": "base_name", "bind_timelimit": 5, "binddn": "CN=example.com" "bindpw": { "encrypted": true, "pwd": "U2FsdGVkX19eY7P }, "name": "sudo", "sudoers_base": "auto", "sudoers_search_filter": " "timelimit": 10, "version": 3 } ] </pre>
test_case_replace_02.1	Passed	<pre> Input: [ { "map": { "map_remote_groups_to_sonic_roles": [ { "remote_group": "user1", "sonic_roles": [ "secadmin", "admin" ] }, { "remote_group": "user2", "sonic_roles": [ "secadmin", "admin" ] }, { "remote_group": "user3", "sonic_roles": [ "secadmin" ] }, { "remote_group": "user4", "sonic_roles": [ "operator" ] } ] } ] </pre>	<pre> Commands: [ { "binddn": "CN=example.com", "bindpw": { "encrypted": true, "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios=" }, "map": { "default_attribute": [ { "from": "attr1", "to": "attr2" }, { "from": "attr3", "to": "attr4" } ], "map_remote_groups_to_sonic_roles": [ { "remote_group": "user3", "sonic_roles": [ "admin", "operator", "secadmin" ] } ] }, "objectclass": [ { "from": "attr1", </pre>	<pre> Before: [ { "binddn": "CN=example.com" "bindpw": { "encrypted": true, "pwd": "U2FsdGVkX19eY7P }, "map": { "default_attribute": [ { "from": "attr1", "to": "attr2" }, { "from": "attr3", "to": "attr4" } ] }, "map_remote_groups_to_s { "remote_group": " "sonic_roles": [ "admin", "secadmin" ] }, { "remote_group": " "sonic_roles": [ "secadmin" ] } ] </pre>

Testcase name	Status	User Input	Commands	Bef
		<pre> }, "name": "global", "servers": [   {     "address": "89.0.142.85",     "priority": 10   } ] } ] </pre>	<pre>       "to": "attr3"     }   ] }, "name": "global", "nss_skipmembers": false, "pam_login_attribute": "loginattrstring2", "port": 390, "security_profile": "default", "servers": [   {     "address": "89.0.142.85",     "port": 1550,     "ssl": "start_tls"   } ], "source_interface": "Eth1/9", "ssl": "off", "state": "deleted", "version": 2 }, {   "map": {     "map_remote_groups_to_sonic_roles": [       {         "remote_group": "user1",         "sonic_roles": [           "secadmin",           "admin"         ]       },       {         "remote_group": "user2",         "sonic_roles": [           "admin",           "secadmin"         ]       },       {         "remote_group": "user3",         "sonic_roles": [           "secadmin"         ]       },       {         "remote_group": "user4",         "sonic_roles": [           "operator"         ]       }     ]   },   "name": "global",   "state": "replaced" } ] </pre>	<pre>       },       {         "remote_group": "         "sonic_roles": [           "admin",           "operator",           "secadmin"         ]       }     ],     "objectclass": [       {         "from": "attr1",         "to": "attr3"       }     ]   },   "name": "global",   "nss_skipmembers": false,   "pam_login_attribute": "lc   "port": 390,   "security_profile": "defau   "servers": [     {       "address": "89.0.142       "port": 1550,       "priority": 10,       "ssl": "start_tls"     }   ],   "source_interface": "Eth1/   "ssl": "off",   "version": 2 }, {   "binddn": "CN=example.com"   "idle_timelimit": 20,   "name": "nss",   "nss_base_netgroup": "grou   "nss_base_sudoers": "sudo1   "scope": "sub",   "timelimit": 15 }, {   "name": "pam",   "pam_login_attribute": "lc }, {   "base": "base_name",   "bind_timelimit": 5,   "binddn": "CN=example.com"   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eV7P   },   "name": "sudo",   "sudoers_base": "auto",   "sudoers_search_filter": "   "timelimit": 10,   "version": 3 } ] </pre>
test_case_replace_02.2	Passed	<pre> Input: [   {     "map": {       "map_remote_groups_to_sonic_roles": [         {           "remote_group": "user1",           "sonic_roles": [ </pre>	<pre> Commands: [] </pre>	<pre> Before: [   {     "map": {       "map_remote_groups_to_s         {           "remote_group": "           "sonic_roles": [ </pre>

Testcase name	Status	User Input	Commands	Bef
		<pre>                 "secadmin",                 "admin"             ]         },         {             "remote_group": "user2",             "sonic_roles": [                 "secadmin",                 "admin"             ]         },         {             "remote_group": "user3",             "sonic_roles": [                 "secadmin"             ]         },         {             "remote_group": "user4",             "sonic_roles": [                 "operator"             ]         }     ] }, "name": "global", "servers": [     {         "address": "89.0.142.85",         "priority": 10     } ] } ] </pre>		<pre>                 "admin",                 "secadmin"             ]         },         {             "remote_group": "             "sonic_roles": [                 "admin",                 "secadmin"             ]         },         {             "remote_group": "             "sonic_roles": [                 "secadmin"             ]         },         {             "remote_group": "             "sonic_roles": [                 "operator"             ]         }     ] }, "name": "global", "nss_skipmembers": false, "servers": [     {         "address": "89.0.142         "priority": 10     } ] }, {     "binddn": "CN=example.com"     "idle_timelimit": 20,     "name": "nss",     "nss_base_netgroup": "grou     "nss_base_sudoers": "sudo1     "scope": "sub",     "timelimit": 15 }, {     "name": "pam",     "pam_login_attribute": "lc }, {     "base": "base_name",     "bind_timelimit": 5,     "binddn": "CN=example.com"     "bindpw": {         "encrypted": true,         "pwd": "U2FsdGVkX19eY7P     },     "name": "sudo",     "sudoers_base": "auto",     "sudoers_search_filter": "     "timelimit": 10,     "version": 3 } ] </pre>
test_case_overridden_01.1	Passed	<pre> Input: [     {         "bindpw": {             "encrypted": true,             "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="         },         "map": { </pre>	<pre> Commands: [     {         "map": {             "map_remote_groups_to_sonic_roles": [                 {                     "remote_group": "user1",                     "sonic_roles": [ </pre>	<pre> Before: [     {         "map": {             "map_remote_groups_to_s                 {                     "remote_group": "                     "sonic_roles": [ </pre>

Testcase name	Status	User Input	Commands	Bef
		<pre> "objectclass": [   {     "from": "attr1",     "to": "attr2"   },   {     "from": "attr3",     "to": "attr4"   } ] }, "name": "global", "security_profile": "default", "servers": [   {     "address": "89.0.142.85",     "ssl": "off"   },   {     "address": "244.178.44.111",     "priority": 10,     "ssl": "off"   } ] } ] </pre>	<pre> "admin", "secadmin" ], {   "remote_group": "user2",   "sonic_roles": [     "admin",     "secadmin"   ] }, {   "remote_group": "user3",   "sonic_roles": [     "secadmin"   ] }, {   "remote_group": "user4",   "sonic_roles": [     "operator"   ] } ], "name": "global", "nss_skipmembers": false, "servers": [   {     "address": "89.0.142.85"   } ], "state": "deleted" }, {   "name": "nss",   "state": "deleted" }, {   "name": "pam",   "state": "deleted" }, {   "name": "sudo",   "state": "deleted" }, {   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="   },   "map": {     "objectclass": [       {         "from": "attr1",         "to": "attr2"       },       {         "from": "attr3",         "to": "attr4"       }     ]   } }, "name": "global", "security_profile": "default", "servers": [   {     "address": "244.178.44.111",     "priority": 10,     "ssl": "off"   } ] </pre>	<pre> "admin", "secadmin" ], {   "remote_group": " "sonic_roles": [     "admin",     "secadmin"   ] }, {   "remote_group": " "sonic_roles": [     "secadmin"   ] }, {   "remote_group": " "sonic_roles": [     "operator"   ] } ], "name": "global", "nss_skipmembers": false, "servers": [   {     "address": "89.0.142 "priority": 10   } ] }, {   "binddn": "CN=example.com"   "idle_timelimit": 20,   "name": "nss",   "nss_base_netgroup": "grou   "nss_base_sudoers": "sudo1   "scope": "sub",   "timelimit": 15 }, {   "name": "pam",   "pam_login_attribute": "lc }, {   "base": "base_name",   "bind_timelimit": 5,   "binddn": "CN=example.com"   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P   },   "name": "sudo",   "sudoers_base": "auto",   "sudoers_search_filter": "   "timelimit": 10,   "version": 3 } ] </pre>

Testcase name	Status	User Input	Commands	Bef
			<pre> }, {   "address": "89.0.142.85",   "ssl": "off" } ], "state": "overridden" } ] </pre>	
test_case_overridden_01.2	Passed	<pre> Input: [ {   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="   },   "map": {     "objectclass": [       {         "from": "attr1",         "to": "attr2"       },       {         "from": "attr3",         "to": "attr4"       }     ]   },   "name": "global",   "security_profile": "default",   "servers": [     {       "address": "89.0.142.85",       "ssl": "off"     },     {       "address": "244.178.44.111",       "priority": 10,       "ssl": "off"     }   ] } ] </pre>	<pre> Commands: [] </pre>	<pre> Before: [ {   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="   },   "map": {     "objectclass": [       {         "from": "attr1",         "to": "attr2"       },       {         "from": "attr3",         "to": "attr4"       }     ]   },   "name": "global",   "nss_skipmembers": false,   "security_profile": "default",   "servers": [     {       "address": "244.178.44.111",       "priority": 10,       "ssl": "off"     },     {       "address": "89.0.142.85",       "ssl": "off"     }   ] } ] </pre>
test_case_overridden_02.1	Passed	<pre> Input: [ {   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="   },   "map": {     "objectclass": [       {         "from": "attr1",         "to": "attr2"       },       {         "from": "attr3",         "to": "attr4"       }     ]   },   "name": "global",   "servers": [     {       "address": "89.0.142.85",       "ssl": "off"     }   ] } ] </pre>	<pre> Commands: [ {   "name": "global",   "nss_skipmembers": false,   "security_profile": "default",   "state": "deleted" }, {   "binddn": "CN=example.com",   "idle_timelimit": 20,   "name": "nss",   "nss_base_netgroup": "group2",   "nss_base_sudoers": "sudo1",   "scope": "sub",   "state": "overridden" }, {   "base": "admin",   "binddn": "CN=example.com",   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="   },   "name": "pam", } ] </pre>	<pre> Before: [ {   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="   },   "map": {     "objectclass": [       {         "from": "attr1",         "to": "attr2"       },       {         "from": "attr3",         "to": "attr4"       }     ]   },   "name": "global",   "nss_skipmembers": false,   "security_profile": "default",   "servers": [     {       "address": "244.178.44.111",       "priority": 10,       "ssl": "off"     }   ] } ] </pre>

Testcase name	Status	User Input	Commands	Bef
		<pre> {   "address": "244.178.44.111",   "priority": 10,   "ssl": "off" } ] }, {   "binddn": "CN=example.com",   "idle_timelimit": 20,   "name": "nss",   "nss_base_netgroup": "group2",   "nss_base_sudoers": "sudo1",   "scope": "sub" }, {   "base": "admin",   "binddn": "CN=example.com",   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="   },   "name": "pam",   "retry": 3,   "scope": "one" }, {   "base": "base_name",   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="   },   "name": "sudo",   "sudoers_base": "auto",   "sudoers_search_filter": "filter1",   "timelimit": 10,   "version": 2 } ] </pre>	<pre> "retry": 3, "scope": "one", "state": "overridden" }, {   "base": "base_name",   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="   },   "name": "sudo",   "state": "overridden",   "sudoers_base": "auto",   "sudoers_search_filter": "filter1",   "timelimit": 10,   "version": 2 } ] </pre>	<pre> "priority": 10, "ssl": "off" }, {   "address": "89.0.142 "ssl": "off" } ] } ] </pre>
test_case_overridden_02.2	Passed	<pre> Input: [   {     "bindpw": {       "encrypted": true,       "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="     },     "map": {       "objectclass": [         {           "from": "attr1",           "to": "attr2"         },         {           "from": "attr3",           "to": "attr4"         }       ]     },     "name": "global",     "servers": [       {         "address": "89.0.142.85",         "ssl": "off"       },       {         "address": "244.178.44.111",         "priority": 10,         "ssl": "off"       }     ]   } ] </pre>	<pre> Commands: [] </pre>	<pre> Before: [   {     "bindpw": {       "encrypted": true,       "pwd": "U2FsdGVkX19eY7P     },     "map": {       "objectclass": [         {           "from": "attr1",           "to": "attr2"         },         {           "from": "attr3",           "to": "attr4"         }       ]     },     "name": "global",     "nss_skipmembers": false,     "servers": [       {         "address": "244.178.         "priority": 10,         "ssl": "off"       },       {         "address": "89.0.142         "ssl": "off"       }     ]   } ] </pre>

Testcase name	Status	User Input	Commands	Bef
		<pre> ] }, {   "binddn": "CN=example.com",   "idle_timelimit": 20,   "name": "nss",   "nss_base_netgroup": "group2",   "nss_base_sudoers": "sudo1",   "scope": "sub" }, {   "base": "admin",   "binddn": "CN=example.com",   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="   },   "name": "pam",   "retry": 3,   "scope": "one" }, {   "base": "base_name",   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P3qRyyjaFsQgjoSQE71IX6IeBRios="   },   "name": "sudo",   "sudoers_base": "auto",   "sudoers_search_filter": "filter1",   "timelimit": 10,   "version": 2 } ] </pre>		<pre> } ] }, {   "binddn": "CN=example.com",   "idle_timelimit": 20,   "name": "nss",   "nss_base_netgroup": "grou   "nss_base_sudoers": "sudo1   "scope": "sub" }, {   "base": "admin",   "binddn": "CN=example.com",   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P   },   "name": "pam",   "retry": 3,   "scope": "one" }, {   "base": "base_name",   "bindpw": {     "encrypted": true,     "pwd": "U2FsdGVkX19eY7P   },   "name": "sudo",   "sudoers_base": "auto",   "sudoers_search_filter": "   "timelimit": 10,   "version": 2 } ] </pre>
test_case_delete_all.1	Passed	Input: []	<pre> Commands: [   {     "name": "global",     "state": "deleted"   },   {     "name": "nss",     "state": "deleted"   },   {     "name": "pam",     "state": "deleted"   },   {     "name": "sudo",     "state": "deleted"   } ] </pre>	<pre> Before: [   {     "bindpw": {       "encrypted": true,       "pwd": "U2FsdGVkX19eY7P     },     "map": {       "objectclass": [         {           "from": "attr1",           "to": "attr2"         },         {           "from": "attr3",           "to": "attr4"         }       ]     },     "name": "global",     "nss_skipmembers": false,     "servers": [       {         "address": "89.0.142",         "ssl": "off"       },       {         "address": "244.178.",         "priority": 10,         "ssl": "off"       }     ]   },   {     "binddn": "CN=example.com" </pre>



Testcase name	Status	User Input	Commands	Before
				<pre> "idle_timelimit": 20, "name": "nss", "nss_base_netgroup": "grou "nss_base_sudoers": "sudo1 "scope": "sub" }, { "base": "admin", "binddn": "CN=example.com" "bindpw": { "encrypted": true, "pwd": "U2FsdGVkX19eV7P }, "name": "pam", "retry": 3, "scope": "one" }, { "base": "base_name", "bindpw": { "encrypted": true, "pwd": "U2FsdGVkX19eV7P }, "name": "sudo", "sudoers_base": "auto", "sudoers_search_filter": " "timelimit": 10, "version": 2 } ] </pre>
test_case_delete_all.2	Passed	Input: []	Commands: []	Before: []

**Testcase Complete Summary: Total: 26, Passed: 26, Failed: 0**