




中国认可
检验
INSPECTION
CNAS IB0011

运输危险性鉴定报告书

Classification and Identification Report for Transport

Page 1 of 9 Pages

No.: UN2024-3321-2

 海运 By Sea	锂电池—非限制性货物 (SP 188) Lithium batteries—Non-restrictive goods (SP 188) 报告有效期 Period of validity: 2024-12-31
---	---

样品名称: (与吸尘器包装在一起的) 可充电锂离子电池

Sample Name.....: **Rechargeable Li-ion Battery**
(packed with **vacuum cleaner**)

委托单位: 苏州诚洁智能科技有限公司

Commissioner: **Suzhou Ash-Clean Intelligent Technology Co.,Ltd**

威凯检测技术有限公司
CVC Testing Technology Co., Ltd.

运输危险性鉴定报告书

Classification and Identification Report for Transport

Ref. No.: UN2024-3321-2

Page 2 of 9 Pages

样品信息/ Sample information		
样品名称	(与吸尘器 (设备型号见备注栏) 包装在一起的) 可充电锂离子电池 电池型号见备注栏	
Sample name.....	Rechargeable Li-ion Battery (See the remarks column for battery model) (packed with vacuum cleaner (See the remarks column for equipment model))	
电池类别/Battery Category	锂离子电池/Lithium-ion batteries	
电池型号规格/Battery Type.....	电池型号见备注栏/ See the remarks column for battery type 22,2V 2000mAh 44,4Wh	
外观颜色/ Appearance.....	黑色/ Black	
委托单位/ Commissioner information		
委托单位	苏州诚洁智能科技有限公司	
Commissioned by	Suzhou Ash-Clean Intelligent Technology Co.,Ltd	
制造商/Manufacturer information		
制造商	苏州诚洁智能科技有限公司	
Manufacturer	Suzhou Ash-Clean Intelligent Technology Co.,Ltd	
包装件信息/Package information		
包装件重量/Package weight ...	3,3kg	
电池净重/ Battery net weight ..	0,43kg	
电池个数/ Battery Number	1pc	
包装件尺寸/Package size	430mm * 290mm * 180mm	
设备信息/ Equipment info	名称/name	型号/model
	吸尘器/ vaccum cleaner	设备型号见备注栏/ See remark column for equipment model
时间信息/ Date		
鉴定日期/ Inspection date.....	2024-05-06~2024-05-13	
报告有效期/Period of validity ...	2024-12-31	
鉴定依据/Inspection refer to		
国际海事组织《国际海运危险货物规则》(2022 版) IMO INTERNATIONAL MARITIME DANGEROUS GOODS CODE (2022 Edition)		
鉴定结论/ Conclusions		
1. 运输名称/Proper Shipping name: — Lithium ion batteries packed with equipment		
2. 危险性识别/ Hazards identification : — 锂离子电池/Lithium-ion batteries		
3. 该物品符合 IMDG CODE (Amdt. 41-22) 2022 版特殊规定 188 的要求, 不受规则的其他条款限制。 / The article complies with the special provision 188 of IMDG CODE (Amdt. 41-22) 2022 Edition, and not subject to other provisions of the code.		
签发日期: 2024-05-14 Issue Date:	鉴定单位盖章 (Seal of CVC)	

批准:

黄鲲

审核:

张思瑶

检验:

柳震

Approved by:

黄鲲

Reviewed by:

张思瑶




Inspected by:

柳震

检验结果及其他事项 Inspection results and other information	
1	<p>本报告所述锂电池已经通过联合国《试验和标准手册》第三部分第 38.3 节的相关测试要求。UN38.3 测试报告编号及试验概要的编号为：RZUN2023-4520 / RZUN2023-4520-TS。</p> <p>The Lithium cells/batteries listed in the report are of type proven to meet the requirements of each test in the UN Manual of Tests and Criteria Part III subsection 38.3. The UN38.3 test report and test summary numbers are RZUN2023-4520 / RZUN2023-4520-TS.</p> <p>本报告所述锂电池的包装件能够承受 1,2 米跌落测试，1,2 米跌落测试报告编号：RZUN2023-4520-DT1</p> <p>The package of Lithium batteries listed in the report is capable of withstood the 1,2m drop test. The 1,2m Drop Test report No. is RZUN2023-4520-DT1</p>
2	<p>本报告所述锂电池按照《国际海运危险货物规则》（41-22）2022 版 2.9.4（5）规定的质量管理体系进行制造。</p> <p>Lithium cells and batteries listed in this report were manufactured under the quality management program as described in IMDG CODE (Amdt. 41-22) 2022 Edition 2.9.4 (5).</p>
3	<p>本报告所述锂电池具有适当的防短路措施。</p> <p>Lithium cells and batteries listed in this report are properly protected so as to prevent short circuits.</p>
4	<p>本报告所述锂电池装在能完全封闭其的内包装再与设备一起放置在坚固外包装。</p> <p>Lithium cells and batteries listed in this report are completely enclosed in inner packagings then place with equipment in a strong rigid outer packaging.</p>
<p>备注: Remarks:</p> <p>1.该报告中逗号用以代替小数点。 Throughout this report a comma is used as the decimal separator.</p> <p>2.电池型号: 样品型号有 C8, ACJ-C8A,AC8A,AC12, AC12A, ACJ-C8, AC8B, AC8C, AC8D, ACJ-C12, ACJ-C12A, P10 Pro, P20 Pro, P30 Pro, P10, P20, P30, ME01,ME02,ME03 区别仅在于型号名不同, 其它完全一致, 均属于同一款产品。 Battery type and Equipment model: The samples that have models of C8, ACJ-C8A,AC8A,AC12, AC12A, ACJ-C8, AC8B, AC8C, AC8D, ACJ-C12, ACJ-C12A, P10 Pro, P20 Pro, P30 Pro, P10, P20, P30, ME01,ME02,ME03 are the same products, only different in model names.</p> <p>3.设备型号: 该设备型号有 C8, ACJ-C8A,AC8A,AC12, AC12A, ACJ-C8, AC8B, AC8C, AC8D, ACJ-C12, ACJ-C12A, P10 Pro, P20 Pro, P30 Pro, P10, P20, P30, ME01,ME02,ME03,CJ-C12-1, CJ-C12B-1, CJ-C12C-1, CJ-C12D-1, CJ-C12E-1, CJ-C12F-1, CJ-C12H-1, CJ-C12G-1,V15, 区别仅在于型号名不同, 其它完全一致, 均属于同一款产品。 Equipment model: The samples that have models of C8, ACJ-C8A,AC8A,AC12, AC12A, ACJ-C8, AC8B, AC8C, AC8D, ACJ-C12, ACJ-C12A, P10 Pro, P20 Pro, P30 Pro, P10, P20, P30, ME01,ME02,ME03,CJ-C12-1, CJ-C12B-1, CJ-C12C-1, CJ-C12D-1, CJ-C12E-1, CJ-C12F-1, CJ-C12H-1, CJ-C12G-1, V15 are the same products, only different in model names.</p>	

样品照片
Photos of Samples

电池/ Battery(见备注栏/ See the remarks column 22,2V 2000mAh 44,4Wh)





C8


Rechargeable Li-ion Battery

Voltage: 22.2V

Capacity: 2000 mAh 44.4Wh

6INR19/66 YYYYY-MM-DD

 Risk of fire and burn.
Do not short circuit.
Do not disassemble, crush, incinerate or expose to high temp.
Refer to the user manual before using the battery.

**Suzhou Ash-Clean Intelligent
Technology Co.,ltd**

Made in China



ACI-C8A


Rechargeable Li-ion Battery

Voltage: 22.2V

Capacity: 2000 mAh 44.4Wh

6INR19/66 YYYYY-MM-DD

 Risk of fire and burn.
Do not short circuit.
Do not disassemble, crush, incinerate or expose to high temp.
Refer to the user manual before using the battery.

**Suzhou Ash-Clean Intelligent
Technology Co.,ltd**

Made in China



AC8A


Rechargeable Li-ion Battery

Voltage: 22.2V

Capacity: 2000 mAh 44.4Wh

6INR19/66 YYYYY-MM-DD

 Risk of fire and burn.
Do not short circuit.
Do not disassemble, crush, incinerate or expose to high temp.
Refer to the user manual before using the battery.

**Suzhou Ash-Clean Intelligent
Technology Co.,ltd**

Made in China

样品照片
Photos of Samples

电池/ Battery (见备注栏/ See the remarks column 22,2V 2000mAh 44,4Wh)


ACJ-C12A


Rechargeable Li-ion Battery

Voltage: 22.2V

Capacity: 2000 mAh 44.4Wh

6INR19/66 YYY-MM-DD



 Risk of fire and burn.
Do not short circuit.
Do not disassemble, crush, incinerate or expose to high temp
Refer to the user manual before using the battery.

Suzhou Ash-Clean Intelligent
Technology Co.,ltd

Made in China


P10 Pro


Rechargeable Li-ion Battery

Voltage: 22.2V

Capacity: 2000 mAh 44.4Wh

6INR19/66 YYY-MM-DD



 Risk of fire and burn.
Do not short circuit.
Do not disassemble, crush, incinerate or expose to high temp
Refer to the user manual before using the battery.

Suzhou Ash-Clean Intelligent
Technology Co.,ltd

Made in China


P20 Pro


Rechargeable Li-ion Battery

Voltage: 22.2V

Capacity: 2000 mAh 44.4Wh

6INR19/66 YYY-MM-DD



 Risk of fire and burn.
Do not short circuit.
Do not disassemble, crush, incinerate or expose to high temp
Refer to the user manual before using the battery.

Suzhou Ash-Clean Intelligent
Technology Co.,ltd

Made in China


AC12A


Rechargeable Li-ion Battery

Voltage: 22.2V

Capacity: 2000 mAh 44.4Wh

6INR19/66 YYY-MM-DD



 Risk of fire and burn.
Do not short circuit.
Do not disassemble, crush, incinerate or expose to high temp
Refer to the user manual before using the battery.

Suzhou Ash-Clean Intelligent
Technology Co.,ltd

Made in China


ACI-C8


Rechargeable Li-ion Battery

Voltage: 22.2V

Capacity: 2000 mAh 44.4Wh

6INR19/66 YYY-MM-DD



 Risk of fire and burn.
Do not short circuit.
Do not disassemble, crush, incinerate or expose to high temp
Refer to the user manual before using the battery.

Suzhou Ash-Clean Intelligent
Technology Co.,ltd

Made in China


AC8B


Rechargeable Li-ion Battery

Voltage: 22.2V

Capacity: 2000 mAh 44.4Wh

6INR19/66 YYY-MM-DD



 Risk of fire and burn.
Do not short circuit.
Do not disassemble, crush, incinerate or expose to high temp
Refer to the user manual before using the battery.

Suzhou Ash-Clean Intelligent
Technology Co.,ltd

Made in China

样品照片
Photos of Samples

电池/ Battery (见备注栏/ See the remarks column 22,2V 2000mAh 44,4Wh)


AC8C


Rechargeable Li-ion Battery

Voltage: 22.2V

Capacity: 2000 mAh 44.4Wh

6INR19/66 YYYYY-MM-DD



 Risk of fire and burn.
Do not short circuit.
Do not disassemble, crush, incinerate or expose to high temp.
Refer to the user manual before using the battery.

**Suzhou Ash-Clean Intelligent
Technology Co.,Ltd**

Made in China


AC8D


Rechargeable Li-ion Battery

Voltage: 22.2V

Capacity: 2000 mAh 44.4Wh

6INR19/66 YYYYY-MM-DD



 Risk of fire and burn.
Do not short circuit.
Do not disassemble, crush, incinerate or expose to high temp.
Refer to the user manual before using the battery.

**Suzhou Ash-Clean Intelligent
Technology Co.,Ltd**

Made in China


ACJ-C12


Rechargeable Li-ion Battery

Voltage: 22.2V

Capacity: 2000 mAh 44.4Wh

6INR19/66 YYYYY-MM-DD



 Risk of fire and burn.
Do not short circuit.
Do not disassemble, crush, incinerate or expose to high temp.
Refer to the user manual before using the battery.

**Suzhou Ash-Clean Intelligent
Technology Co.,Ltd**

Made in China


P30 Pro


Rechargeable Li-ion Battery

Voltage: 22.2V

Capacity: 2000 mAh 44.4Wh

6INR19/66 YYYYY-MM-DD



 Risk of fire and burn.
Do not short circuit.
Do not disassemble, crush, incinerate or expose to high temp.
Refer to the user manual before using the battery.

**Suzhou Ash-Clean Intelligent
Technology Co.,Ltd**

Made in China


P10


Rechargeable Li-ion Battery

Voltage: 22.2V

Capacity: 2000 mAh 44.4Wh

6INR19/66 YYYYY-MM-DD



 Risk of fire and burn.
Do not short circuit.
Do not disassemble, crush, incinerate or expose to high temp.
Refer to the user manual before using the battery.

**Suzhou Ash-Clean Intelligent
Technology Co.,Ltd**

Made in China


P20


Rechargeable Li-ion Battery

Voltage: 22.2V

Capacity: 2000 mAh 44.4Wh

6INR19/66 YYYYY-MM-DD



 Risk of fire and burn.
Do not short circuit.
Do not disassemble, crush, incinerate or expose to high temp.
Refer to the user manual before using the battery.

**Suzhou Ash-Clean Intelligent
Technology Co.,Ltd**

Made in China

样品照片
Photos of Samples

电池/ Battery (见备注栏/ See the remarks column 22,2V 2000mAh 44,4Wh)


P30


Rechargeable Li-ion Battery

Voltage: 22.2V

Capacity: 2000 mAh 44.4Wh

6INR19/66 YYYY-MM-DD



 Risk of fire and burn.
Do not short circuit.
Do not disassemble, crush, incinerate or expose to high temp.
Refer to the user manual before using the battery.

Suzhou Ash-Clean Intelligent
Technology Co.,Ltd

Made in China


ME01


Rechargeable Li-ion Battery

Voltage: 22.2V

Capacity: 2000 mAh 44.4Wh

6INR19/66 YYYY-MM-DD



 Risk of fire and burn.
Do not short circuit.
Do not disassemble, crush, incinerate or expose to high temp.
Refer to the user manual before using the battery.

Suzhou Ash-Clean Intelligent
Technology Co.,Ltd

Made in China


ME02


Rechargeable Li-ion Battery

Voltage: 22.2V

Capacity: 2000 mAh 44.4Wh

6INR19/66 YYYY-MM-DD



 Risk of fire and burn.
Do not short circuit.
Do not disassemble, crush, incinerate or expose to high temp.
Refer to the user manual before using the battery.

Suzhou Ash-Clean Intelligent
Technology Co.,Ltd

Made in China


AC12


Rechargeable Li-ion Battery

Voltage: 22.2V

Capacity: 2000 mAh 44.4Wh

6INR19/66 YYYY-MM-DD



 Risk of fire and burn.
Do not short circuit.
Do not disassemble, crush, incinerate or expose to high temp.
Refer to the user manual before using the battery.

Suzhou Ash-Clean Intelligent
Technology Co.,Ltd

Made in China


ME03


Rechargeable Li-ion Battery

Voltage: 22.2V

Capacity: 2000 mAh 44.4Wh

6INR19/66 YYYY-MM-DD



 Risk of fire and burn.
Do not short circuit.
Do not disassemble, crush, incinerate or expose to high temp.
Refer to the user manual before using the battery.

Suzhou Ash-Clean Intelligent
Technology Co.,Ltd

Made in China

包装照片
Photos of Packages

包装件/ Package



注 意 事 项

Important Notice

1. 本鉴定报告书仅对送检样品有效。
This report is valid for the tested samples only.
2. 申请人提供的样品须与实际运输货物一致。
The goods applied for shipment must be in conformity with the tested samples.
3. 本鉴定报告书无鉴定单位印章无效。
This report is invalid without the seal of CVC.
4. 本鉴定报告书无批准人、审核人及检验人签名无效。
This report is invalid without the signatures of Ratifier, Reviewer and Inspector.
5. 本鉴定报告书涂改无效。
This report is invalid if altered.
6. 本鉴定报告仅纸质版或电子版原件有效，任何形式未经许可的报告复制件均无效，包括但不限于复印件、传真件及扫描件等。
The original softcopy or hardcopy of this report is the only valid version. Any form of unauthorized copy of the report is invalid, including but not limited to photocopies, faxes and scanned documents.
7. 本鉴定报告书可以通过扫描封面二维码或登录网站 <http://www.cvc.org.cn> 进行核实。
This appraisal report can be verified by scanning the QR code on the cover or on the website <http://www.cvc.org.cn>.

地 址：中国 广州市科学城开泰大道天泰一路 3 号

Address: No.3, Tiantaiyi Road, Kaitai Avenue, Science City, Guangzhou, P. R. China.

电 话(Tel): (020)32293888

传 真(FAX): (020)32293889

邮政编码(Post Code): 510663

E-mail: office@cvc.org.cn

<http://www.cvc.org.cn>