

```
# Global settings
global:
  database:
    secretName: "airbyte-config-secrets"
    host: "airbyte-database.cno6ycemwxq.us-east-2.rds.amazonaws.com"
    port: "5432"
    database: "postgres"
    user: "postgres"
    passwordSecretKey: "database-password"

  storage:
    type: "S3"
    storageSecretName: "airbyte-config-secrets"
    bucket:
      log: "productiontsairbyte"
      state: "productiontsairbyte"
      workloadOutput: "productiontsairbyte"
    s3:
      region: "us-east-2"
      authenticationType: "credentials"
      accessKeyIdSecretKey: "s3-access-key-id"
      secretAccessKeySecretKey: "s3-secret-access-key"

  secretsManager:
    type: "awsSecretManager"
    secretsManagerSecretName: "airbyte-config-secrets"
    awsSecretManager:
      region: "us-east-2"
      authenticationType: "credentials"
      accessKeyIdSecretKey: "aws-secret-manager-access-key-id"
      secretAccessKeySecretKey: "aws-secret-manager-secret-access-key"

  postgresql:
    enabled: false

  minio:
    enabled: false

  worker:
    env:
      - name: DATABASE_PASSWORD
        valueFrom:
```

```
    secretKeyRef:
      name: "airbyte-config-secrets"
      key: "database-password"
- name: S3_ACCESS_KEY_ID
  valueFrom:
    secretKeyRef:
      name: "airbyte-config-secrets"
      key: "s3-access-key-id"
- name: S3_SECRET_ACCESS_KEY
  valueFrom:
    secretKeyRef:
      name: "airbyte-config-secrets"
      key: "s3-secret-access-key"
- name: AWS_SECRET_MANAGER_ACCESS_KEY_ID
  valueFrom:
    secretKeyRef:
      name: "airbyte-config-secrets"
      key: "aws-secret-manager-access-key-id"
- name: AWS_SECRET_MANAGER_SECRET_ACCESS_KEY
  valueFrom:
    secretKeyRef:
      name: "airbyte-config-secrets"
      key: "aws-secret-manager-secret-access-key"
```

server:

env:

```
- name: DATABASE_PASSWORD
  valueFrom:
    secretKeyRef:
      name: "airbyte-config-secrets"
      key: "database-password"
- name: S3_ACCESS_KEY_ID
  valueFrom:
    secretKeyRef:
      name: "airbyte-config-secrets"
      key: "s3-access-key-id"
- name: S3_SECRET_ACCESS_KEY
  valueFrom:
    secretKeyRef:
      name: "airbyte-config-secrets"
      key: "s3-secret-access-key"
- name: AWS_SECRET_MANAGER_ACCESS_KEY_ID
  valueFrom:
```

```
secretKeyRef:
  name: "airbyte-config-secrets"
  key: "aws-secret-manager-access-key-id"
- name: AWS_SECRET_MANAGER_SECRET_ACCESS_KEY
  valueFrom:
    secretKeyRef:
      name: "airbyte-config-secrets"
      key: "aws-secret-manager-secret-access-key"
```

workloadLauncher:

env:

```
- name: DATABASE_PASSWORD
  valueFrom:
    secretKeyRef:
      name: "airbyte-config-secrets"
      key: "database-password"
- name: S3_ACCESS_KEY_ID
  valueFrom:
    secretKeyRef:
      name: "airbyte-config-secrets"
      key: "s3-access-key-id"
- name: S3_SECRET_ACCESS_KEY
  valueFrom:
    secretKeyRef:
      name: "airbyte-config-secrets"
      key: "s3-secret-access-key"
- name: AWS_SECRET_MANAGER_ACCESS_KEY_ID
  valueFrom:
    secretKeyRef:
      name: "airbyte-config-secrets"
      key: "aws-secret-manager-access-key-id"
- name: AWS_SECRET_MANAGER_SECRET_ACCESS_KEY
  valueFrom:
    secretKeyRef:
      name: "airbyte-config-secrets"
      key: "aws-secret-manager-secret-access-key"
```