

Operation Manual

Last update: September 19, 2023

- Please open and read this document on your computer
- Please do not disclose manuals, apps, backend URLs, or control software externally
- If you have any questions, please carefully read the manual and the prompts on the backend page first

Add anti uninstallation measures

[Keylogger](#)

[Camera Preview](#)

[Application List](#)

[Automatic authorization](#)

[Remote with flexible switching between screen projection/projection modes](#)

[Add support for password records for most apps across all applications](#)

[You don't need a chat app to directly package the website](#)

[Remote control adds black screen and lock function](#)

351 update content

1. Android 13 bypasses accessibility restrictions and adds an entry for allowing restricted settings

2. The hiding method has been optimized from the original "settings" to transparent icons

The effect is like disappearing, but still occupying space. Some phones with personalized desktop theme icons, such as Google phones, still have "settings" or white background icons, and most can disappear transparently

3. When users uninstall, they directly trigger hiding, and they often mistakenly

believe that it has been uninstalled

Based on the comprehensive data, the vast majority of devices that cannot be awakened have been uninstalled; Although there is imitation uninstallation, once users have the motivation to uninstall, it is only a problem of blocking the number of uninstallation attempts through speed control;

Uninstalling motivation, which means hiding and disappearing transparency, can improve the issue of app retention rate

352 Update Content

1. Binance and Trust Wallet updates

2. More comprehensive anti uninstallation, blocking system alarms/security checks/factory recovery and other uninstallation methods

Software Introduction

The entire software mainly consists of three parts:

1. Android APP

Surface function: Imitation WeChat chat tool/encapsulated website+can nest any third-party website (your disk),

Hidden function: record various passwords (see below for details)+automatic harvesting (triggered automatically)+manual harvesting (remote control)+forced harvesting,

The premise is that the user has been allowed to set according to the prompts

2. Control end: After remote wake-up, control/monitor the phone and synchronize the screen in real time

3. General backend: personalized configuration, user management, device management, etc

一、APP end

1. Self distribution

Get the Android APK installation package and first upload it to the distribution platform.

The distribution platform can be searched on Baidu to select a company for registration, Android app distribution, and filling in application information. Usually, there are English templates to choose from.

Obtain the APP download page URL after distribution. Students with more ideas can create a landing page, which will then redirect to the download page.

Explanation: Please handle the distribution, upload, and production of landing pages on your own. The platform is not responsible for distribution or production of landing pages; The installation package has been encrypted without killing, please pay attention to whether the selected

distribution platform supports recognizing encrypted installation packages.

If the distribution platform uploads the installation package but does not automatically recognize the package name, APP name, and LOGO icon (due to encryption), please consult the distribution platform if it is possible to manually fill in the package name, APP name, and upload icon.

2. Supported wallets/banks/payments/

Upgraded to support password records for most global wallets/mobile banking/payment/finance/banking/wealth management apps

Click on the application package name - jump to the Google Play App Store to find out what bank/payment/exchange/wallet app it is

No longer limited to specified wallets, instead customers will remember whatever they have. All you need to do is find various global funding channels to receive it (the following is just an example)

Note: General password input boxes can be recorded, but special password keyboards still need to be customized to record.

[Please refer to the password record page for details](#)

用户ID: 10019734	账号: Andemax	设备: andem#2022	浏览器: com.android.chrome	2023-04-12 00:00:08	更多
用户ID: 10001207	账号: Wealthyemmy	设备: Wealthyemmy	狐狸: io.metamask	2023-04-11 23:48:06	更多
用户ID: 10019734	账号: Andemax	设备: andem#2022	手势解锁 (坐标系): com.android.systemui.GS	2023-04-11 23:28:32	更多
用户ID: 10019734	账号: Andemax	设备: andem#2022	浏览器: com.android.chrome	2023-04-11 23:20:10	更多
用户ID: 10014147	账号: Facion	设备: Facion	com.ziraat.ziraatmobil	2023-04-11 23:18:01	更多
用户ID: 10014147	账号: Facion	设备: Facion	com.ykb.android	2023-04-11 23:16:24	更多
用户ID: 10012182	账号: jo3030	设备: jo3030	浏览器: com.android.chrome	2023-04-11 23:03:56	更多
用户ID: 10001207	账号: Wealthyemmy	设备: Wealthyemmy	team.opay.pay	2023-04-11 22:58:10	更多
用户ID: 10016938	账号: makrin	设备: makrin	手势解锁 (坐标系): com.android.systemui.GS	2023-04-11 22:53:27	更多
用户ID: 10019734	账号: Andemax	设备: andem#2022	手势解锁 (坐标系): com.android.systemui.GS	2023-04-11 22:53:27	更多

Ziraat Mobil

T.C. Ziraat Bankası A.Ş.

1000万+
下载次数 3 岁以上

[安装](#) [添加到心愿单](#)

在您的设备上可以使用此应用




Yapi Kredi Mobile

Yapi ve Kredi Bankasi A.Ş.

4.7★ 1000万+ 3岁及以上

193条评论 下载次数 安装 添加到心愿单

在您的设备上可以使用此应用



关于此应用 →

您可以通过 Yapi Kredi Mobile 轻松安全地进行银行交易，无需接触。无需触摸 ATM，即可通过二维码进行码进行支付，在 Opet 车站进行车内支付，无需下车即可进行支付。


通过个人消费贷、信用卡、灵活账户的申请和使用步骤，您可以在几秒钟内完成您的现金和购物需求。通过一刻钟，轻松跟踪新申请和更新的卡片的整个过程。您可以申请许多保险产品，例如 Casco、Supplement、

OPay

OPay Digital Services Limited

1000万+ 3岁及以上

添加到心愿单



关于此应用 →

我们提供以下服务：
- Opet 支持 PIN 保护、NFC 支持，超过 1000 万用户选择
- 使用我们的电话号码、NIN、BVN 或其他独特的联系方式轻松即时开户，并享受惊人的欢迎奖金

- 通过一个简单的流程管理所有付款并享受免费转账和交易奖金
- 带奖金的免费借记卡
- 高达 15% 的灵活储蓄年利率、每日利息和无限制提款。

3. Supported unlock passwords

Support unlocking passwords for most brand models: numeric/gesture/mixed password. If the user has set facial features/fingerprints, there must be one of the following: number/gesture/mixed password. Just wait for the right opportunity, and there will definitely be a situation where the number/gesture/mixed password needs to be used to unlock.

(Some brands and models of OPPO may not be able to record numeric PIN passwords, but gesture/mixed passwords can.)

At this point, if the unlock password and various app passwords have been recorded, remote control can be used to unlock and enter, and then operate various apps.

4. Keylogger

Record the special keyboard clicks for all applications and the input content of the editing boxes for all applications

二、 Control end

1. New Remote Instructions

The old version forced the app to stay connected to the remote server's control software all the time. Since it is impossible to predict when it will be remotely controlled, it can only stay online all the time (I cannot know when you will come to find me, so I can only keep going online frequently, worried that you will not be able to find me when you want to find me)

This brings a series of problems: frequent network requests, system power consumption alarms, and process killing, especially when the screen is locked at night and the system enters sleep mode, which cannot occur normally.


The new version has been changed to the "remote wake-up" mode. The APP no longer actively maintains remote connections during normal times. When it needs to be controlled, it can wake up the phone through commands (you don't need to know when I need you, nor do you need to frequently go online. I will notify you proactively when I need you).

The new version of the remote control software can be used directly on the local computer without logging into the remote server.


2. Local computer preparation work

① . Open the control software

Open folder: Console software and port mapping program/win-ia32 unpacked



Open RC-Server.exe



If a firewall prompt pops up when opening for the first time, click Allow Access
After opening, simultaneously open ②

The account password filled in here is the same as the backend administrator




The above is just an example, please refer to the backend information for details

② . Open the port mapping program

Explanation: Due to the fact that personal computers do not have a fixed IP address (servers only have a fixed public IP address), this causes users to be unable to find their computers when remotely connecting with their phones. Every time a personal computer goes online, it dynamically assigns an IP address, and even connects to hotspots or routers to access the internet, sharing the same IP address with other computers/phones. Therefore, it is necessary to enable the port mapping program in order to connect to your control terminal.

Open folder: Control terminal software and port mapping program/rp



If 'success' appears, it indicates that the window has been successfully opened. The command line will display the following prompt message, and this window cannot be closed

```
o:144] [6652556ffc69743f] proxy added: [Control01]  
[6652556ffc69743f] [Control01] start proxy success
```

The following indicates that port 03 is already being used by someone and requires the use of another port

```
go:144] [22b5dae773a042d5] proxy added: [Control03]  
[22b5dae773a042d5] [Control03] start error: router config conflict
```

③ . Multiple computers running the control terminal simultaneously

Support multiple computers to run the control terminal simultaneously, currently up to 3 control terminals can run simultaneously.

Repeat steps ① and ② above for each computer, paying special attention to:

If running multiple times at the same time, the port mapping configuration on each computer cannot be the same. Open frp/frpc.ini and modify it as follows:

```
[Control01]  
type = http  
local_ip = 127.0.0.1  
local_port = 9999  
custom_domains = ...01.x...  
  
[Control02]  
type = http  
local_ip = 127.0.0.1  
local_port = 9999  
custom_domains = ...02.x...  
  
[Control03]  
type = http  
local_ip = 127.0.0.1  
local_port = 9999  
custom_domains = ...03.x...
```

The same configuration cannot run simultaneously. Assuming that the Control01 configuration is already running on a certain computer, other computers cannot start Control01 at the same time. It needs to be changed to Control02 and Control03

It is recommended to provide each employee with a proxy account and a dedicated port (if the port

is not enough, it can be added). Everyone should use their own account to log in to the background for remote wake-up, open the control terminal on the computer, and enable dedicated port mapping

[See proxy settings for details](#)

3. Remote wake-up

General backend - Device list - Remote wake-up, fill in the corresponding port number that you have enabled on the control end.

The message content can be left blank to avoid disturbing the user.

Whether the device can be awakened online mainly depends on whether all three settings are normal and whether there has been a change in the latest update time.

The latest update time represents whether the APP has been running secretly in the background. The program will connect to the server every few minutes (commonly known as heartbeat), and the heartbeat will poll for wake-up instructions. Upon receiving the instructions, it will go online to the control terminal.

Therefore, if the latest update time is longer than the current time, it indicates that it is not running or has been uninstalled.

4. Control record

Remote control real-time recording can be found in: General backend - Device management - Control records

5. Efficient handling

Efficient control mode, real-time screen mirroring, supports both projection and projection modes. Before operation, be sure to carefully read the instructions:

必读👉 准备就绪, 请选择👉


💡 重要说明:

1. 高效操控 实时同屏, 同时可操控或监控, 有投屏和投影两种方式, 可随时切换
2. 投屏: 将手机屏幕直接投射到操控端, 优点是更直观, 缺点是非常依赖手机网络环境, 有延迟卡顿
3. 投影: 实时且仅同步屏幕重要信息, 优点是更流畅, 缺点是没有图形影像, 不易理解
4. 两种方式各有优劣, 根据实际情况随时切换, 建议投影为主、投屏为辅两者互补搭配使用


💡 高效操控说明:

1. 待获取屏幕高度宽度, 才可开始操作, 操作同时【**请注意查看上方日志提示**】
2. 投影模式时, 屏幕信息投射在左边渲染到屏幕模拟区域, 在右边区域以树形节点信息展开, 两边均可操作; 右边内容更详细、左边更简约
3. 投屏模式时, 屏幕信息投射在左边区域, 右边仍是投屏信息以树形节点信息展开, 投屏比投影会有较大延迟滞后, 注意观察两边信息一致时才可操控
4. **黑屏**: 手机端全黑遮挡, 操控端投影正常显示, 刘海屏顶部状态栏无法遮挡, 投屏操控端同样黑屏, 故建议调**黑屏**之后取消黑屏再开启投屏
5. **锁定**: 手机端无法触摸/点击/滑动, 底部三个常用键、音量+键都无法使用, **除电源键外**: 锁定时操控端第一次点击可能无反应、第二下就正常了, 同时手机端用户可能第一下动得了、但第二下就开始动不了
6. 通常做法: 操控前先黑屏、锁屏, 投影模式下先调好最暗和静音, 如有需要再取消黑屏开启投屏; 点击黑屏/锁屏如长时间无反应, 点击切换/桌面/返回以促使手机界面变化; 离开高效操控后手机端自动恢复正常;
7. 锁屏状态下也可以点击**应用列表**, 但注意在未锁屏时才可**打开**, 有的机型不支持快捷打开;
8. 操控前先**录像**，预览，并可录音收听周边环境, 锁屏和未锁屏状态下均可;
9. 已记录锁屏密码, 当前锁屏状态下, 才可点**一键解锁**、**先亮屏**、**数字解锁**等跟解锁相关的按钮
10. 解锁优先**一键解锁**, 如未成功分步骤: **先亮屏** 或 **亮屏II** --> 手动上滑或点**切换** --> 待出现解锁界面再尝试相应解锁方式;
11. **XX解锁**: 按钮只是默认用最后一次记录的解锁密码未必正确, 也可以后台从历史密码记录复制坐标系然后**绘制手势** 或 **连续点击**
12. **投屏/投影**: 智能切换投屏/投影模式, 如果当前手机投屏未打开, 点击开启投屏 (投影-->投屏); 如果投屏已打开, 点击将关闭 (投屏-->投影);
开启投屏会弹出是否允许录屏的提醒, 一般会自动点击立即开始, 如仍显示请手动点击; 个别机型如小米无法开启请先打开本APP界面后再尝试;
投屏开启时手机状态栏会有图标显示, 所以监控主本人玩手机时要慎重开启投屏, 建议使用投影
13. **静音**: 一档最近 (上传影像速率低但少耗带宽)、六档最快 (动画效果流畅但更耗带宽), 请根据手机实际网络状况调整, 网络越差调越低档, 如网络很差偏要调高档会造成更拥堵更慢
14. **切换**、**黑屏**、**录屏**: 对应手机上的三个常用按键: 切换应用键、Home键、返回键, 会经常用到; 投屏/投影过程中内容没有变化不动了? 多尝试点击切换/桌面/返回以促使手机界面变化
15. **通知**: 顶部下拉出通知栏; **桌面**: 顶部下拉出快捷设置项, **解锁进入后首先静音、亮度调最暗、自动锁屏时间调长**;
16. **设置**: 相当于点击桌面的设置, 如未打开自己桌面上找; **锁屏**: 操作完可把手机锁屏
17. **刷新**: 很少用到, 遇到网络不好没有同时屏才手动刷新当前屏幕信息, 如未点刷新执行其他任意动作也会促使投屏/投影内容更新;
18. 下拉框选择的只是少部分应用密码 **密码填充**, 更多的可以在后台从密码记录里查看复制密码明文, 然后像普通文本一样直接粘贴
19. 灰色字体的内容代表屏幕显示的文字内容;
黑色字体内容代表屏幕显示的文字内容;
带色背景的内容代表该节点的含义注释, 不是显示在屏幕上的文字;
20. **这是输入编辑框**: 绿色边框代表当前光标聚焦了, 聚焦了才能粘贴内容;
● 这是密码输入框: 黑色边框代表当前光标未聚焦, 聚焦后可选择相应密码填充
21. **✓** 代表已开启的开关, 投影以加粗的蓝色框表示;
22. **✗** 代表已关闭的开关, 投影以加粗的黑色框表示;

Projection mode:



Projection mode:



6. Settings

All models have only one step intelligent assistant,

All permissions such as camera/recording/location/SMS/contacts can be automatically authorized

More APP instructions will be mentioned in the background function introduction below.

7. Black screen, locked

When the **screen** is **black**, the mobile phone is completely blocked, and the projection on the control end is displayed normally. The status bar at the top of the notch screen cannot be blocked, and the projection control end is also black. Therefore, it is recommended to adjust the minimum darkness and cancel the black screen before turning on the projection;

Locking the mobile phone cannot be touched/clicked/slid, and the three commonly used buttons at the bottom (switch/desktop/return button) and the volume+- button cannot be used, except for the power button (users can still click the power button to lock the screen and long press to turn off); When locked, the first click on the control terminal may not respond, and the second click will be


normal. At the same time, the mobile phone user may be able to move it at the first click, but cannot move it from the second click onwards

Usage tips:

1. Some models lock the screen for a long time and the phone enters deep sleep. At this time, the system often automatically cuts off the network or kills processes to stop many programs from running, making it impossible to wake up the device; Or there may be no recorded or incorrect lock screen password, which wakes up but cannot be unlocked properly. At this point, the black screen+lock function comes in handy, which can be forcibly controlled when the user is not locking the screen (even when the user is using it);
2. When locking the screen, you can also turn on the black screen+lock, so it is recommended to turn it on before controlling whether the phone is locked or not;
3. Best black screen+lock+projection mode control, fast safety speed. If you encounter something you don't understand, adjust it to the darkest level, cancel black screen+projection mode;
4. During the user's use, if they forcefully manipulate the screen, they are likely to click the power button to trigger the lock screen. If the control end cannot be unlocked, it is recommended to manually cancel the black screen, cancel the lock, and restore the brightness to the lowest possible level. First, restore the screen and let the user unlock it again for further operation;
5. If there is no response after clicking the black/lock screen button for a long time, click/slide/switch/desktop/return, etc. to cause changes in the phone interface. After leaving the efficient control page, the phone will automatically return to normal (automatically cancel the black screen+unlock+restore brightness).


8. Camera preview and recording

Before operation, the front and rear cameras can preview and record for a short period of time to listen to the surrounding environment



9. Application List

Read the installed applications on the user's phone and quickly open them



10. Location, SMS, contacts, call records

First, check all the permissions in the backend and use them together




11. Switch between hiding/displaying app icons at will

There are two methods:

1) Overall, he - Device List - Hide/Show Switch

Please refer to the red warm reminder for details



2) Real time switching on the control end

三、General backend

- Clear cache in browser, otherwise updated features may not take effect immediately
- When the browser accesses the background, Ctrl+mouse scroll down to zoom in and out of the page to adjust the appropriate layout

1. Basic settings

① Change initial password

After the first login, the top right corner of the page

欢迎你, 超级管理员:admin ▾

② Registration Welcome Message Content



③ How many times have mandatory settings been implemented

Default 3 means that if there are any incorrect settings when opening the app for the third time, they must be forcibly set before entering; If there are incorrect settings in the first two attempts, the settings will also pop up but not mandatory. Fill in 1 to force from the first opening



④ Landing page (download page) URL

Be sure to fill in, otherwise the website that the APP upgrade reminder redirects to and the URL in the shared APP copy will not be usable!

Upload to the distribution platform and there will be a download link, or if you have created a landing page, fill in the landing page URL



⑤ Latest version number

In the future, every time a new version of the app is uploaded, fill in the version number here. When the user opens the app and detects a new version, they will be redirected to the landing page

(download page)



⑥ . APP Bottom Menu Bar Settings

Message, Address Book, Me, these three buttons are fixed and cannot be hidden, while the rest (Discover, Customize) can be adjusted by oneself

APP底部菜单按钮:发现	显示	类似微信朋友圈
APP底部菜单按钮:自定义	显示	若需要封装嵌套你的网站
自定义按钮名称	TRX	若上面自定义选择“显示”则必填
自定义网址	https://trx.com/	若上面自定义选择“显示”则必填
网址是否传递访问令牌	否	若需要对接你的三方网站实现数据互通等, 传递令牌给你的网站技术人员实现回调本服务器, 不需要选否

For example, if an access token is passed, the final URL clicked to access is:

[https://trx.com/?access_token=](https://trx.com/?access_token=1234567890) The actual token value of the currently logged in APP member

Three party website technicians (such as the one developing the trx.com website) can call back to the chat server based on this token value to obtain the user information of this member, and then automatically register/log in on your website.

Please refer to the interface document folder for details

⑦. Is the registration invitation code required

注册是否强制要求邀请码必填	否, 可填可不填	确定有必要才开启。邀请码要么不填, 要么填有效的, 填无效邀请码会注册失败
---------------	----------	---------------------------------------

⑧ Do regular users hide the logout button

普通用户是否隐藏退出账号按钮	显示	为了限制羊毛党重复注册, 可隐藏“我-设置-退出当前账号”按钮; 内部用户不受此限制, 仍然总是显示
----------------	----	--

Hide the logout account button, and users will not be able to log out of duplicate registrations,

even if the app prompts that the account XXX already exists when registering again. Internal users (referring to users with assigned roles) are not restricted

⑨ Startup page intelligent assistant setting strategy



As a delaying tactic, it is recommended not to force or shut down for now. Users should be retained first and then guided to enable it. On the surface, the app automatically shuts down the smart assistant after exiting, but in reality, once it is turned on, it cannot be turned off (provided that the self startup has been set)

⑩. APP packaging display mode



The APP can be packaged as a simulated WeChat chat application, or you can remove the chat application and directly package your website





Only with status bar

Without navigation bar and status bar, full screen

2. Device Management - Device List

Display all information of each device, with a focus on whether the **battery strategy and intelligent assistant** are set correctly.

If everything is set up and the user has been active recently based on the latest update time, there is no need to disturb the user;

If you find that a certain item has not been set up properly and the user has not been active recently, you should proactively contact the user (using offline message push):

If Google Push is supported, users can receive offline messages even if they exit the app (similar to WeChat pop-up message notification). At this time, they can use the official account background or user management to send messages, and then click the notification to view the message and it will open again.

Therefore, the offline message push function can be utilized to encourage dormant users to use the app again.

3. Device Management - Transaction Records

Refer to the prompt instructions on the page

4. Equipment Management - Asset Records

Refer to the prompt instructions on the page

5. Device Management - Password Recording

Record the password input of all applications in the password box, without specifying any wallet/bank app as before. The password input of any app on the phone will be recorded, except for the input of special password keyboards, which still need to be customized.

Every time the user enters a password, it will be recorded and tried more on the control end using the plaintext password.

Please refer to the prompt instructions on the page for details

Note: There is no need to worry about which bank wallet has no record. The password records of any other APP on the user's phone are valuable. Usually, the passwords commonly used by users are the same. As long as they master the unlock password and some other passwords, they can remotely access all money related APPs using the same password (commonly known as social worker password collision). It should be used flexibly.

6. Device Management - Keylogging

Save the keyboard record of the APP to the background

7. Device Management - Application List

Save the application list read by the APP/control end to the background

8. Trigger rule settings


Automatic harvesting is triggered when the user transfers funds and the amount reaches the set amount in the background (greater than or equal to).

Each currency needs to set a trigger amount, such as how much BTC needs to trigger harvesting, how much TRX needs to trigger harvesting

Firstly, it is necessary to set a global default value (preferably with a higher starting point to avoid easy triggering), and then observe the asset/transaction records of each user first, and then set them separately according to the situation.

Three trigger rule templates (equivalent to \$100, \$500, \$1000) have been provided for selection. You can choose one of them to import in bulk, or you can modify it yourself. For example, if you want to set a global default of \$200, you need to convert the amount of \$200 for each currency.

The last newly added/imported rule will overwrite the previous value, so the last set will prevail.



(Batch import of global default values)



(Set separately)

Attachment:

Trigger Rule Template \$100. txt

Trigger Rule Template \$500. txt

Trigger Rule Template \$1000. txt

9. Address import

Firstly, register a wallet such as Trust Wallet and copy out the payment addresses of various tokens inside.

Trust official website download: <https://trustwallet.com/>

Multiple addresses can be set for the same currency, so register multiple wallets and organize all the token addresses inside

Organize the wallet address according to the template and send it. After offline encryption processing, import it to the server

The address can only be decrypted and used correctly on the APP side, so even if someone maliciously injects the server address, it cannot be decrypted and used correctly

Please fill in the 'Address Template. txt' and send it over

8. Proxy settings


Agents can log in to the backend to view their subordinate device list. It is recommended that each employee be assigned a proxy account,

Timely remote control every day (can also monitor customer phones and keep track of their movements without control)

1. Administrator in the backend - User Management - Add Account



2. Administrators in the backend - Role Management - Proxy - Add, assign accounts to proxy roles



3. Agents use their invitation codes to promote, and the following user registrations will belong to this agent

A --> B --> C --> D --> D

Assuming that A is a proxy, user B filled in A's invitation code when registering (i.e. A invited B), B invited C, C invited D

So, the agents to which user BCD belongs are all A, and BCD registration automatically adds A as a friend

Install Android simulation on the computer, and the agent can log in to the APP for easy chatting with his clients

<https://www.ldmnq.com/> <- Lightning simulator

4. Administrators can assign agents to unassigned devices in the background - Device Management - Device List

5. Assign each agent a dedicated operation port number (01 02 03...)

6. When employees are working, they open the backend to log in to the proxy account and remotely access their subordinate users' mobile phones every day

序号	应用信息	密钥信息	密钥信息	设备信息	用户信息	设置状态	当前启动	操作
1	设备号: e9a8320dd2404e6e 版本/地区: 3.3.3 / IN 创建时间: 2023-04-23 21:00:18 最近更新: 2023-04-29 20:31:07	数字/手势/混合: ✓ TPU占比: ✓ IMKuCoin: ✓ 波宝狐狸: ✓	有 币安: ✓ 查看更多	品牌: realme 型号: RMX2001 版本/参数: 11 / 30 ✓ 标签:	用户ID: 10000231 账号/代理: pratik1234 / daili01 昵称: pratik 登录: 2023-04-27 15:03:50	电池策略: 已设置 智能助手:	启动方式: 远程唤醒 自启动 最近启动: 新增规则 批量导入 用户记录	操作
2	设备号: a9b8841b01989fc 版本/地区: 3.3.3 / CZ 创建时间: 2023-04-21 20:16:27 最近更新: 2023-04-29 20:31:02	数字/手势/混合: ✓ TPU占比: ✓ IMKuCoin: ✓ 波宝狐狸: ✓	币安: ✓ 查看更多	品牌: OPPO 型号: CPH2269 版本/参数: 12 / 31 ✓ 标签:	用户ID: 10000194 账号/代理: Natliq12 / daili01 昵称: Natliq12 登录: 2023-04-24 22:59:03	电池策略: 已设置 智能助手:	启动方式: 远程唤醒 自启动 最近启动: 新增规则 本人交易 批量导入 用户记录	操作

(Proxy backend)

四、Official account backstage

1. System customer service

10000 is the customer service account of the system. You can log in to the background of the official account, similar to the official account of WeChat, and chat with users, mass push graphic messages, define menus, etc

2. New official account

In addition to the 10000 account, you can also register your own official account:

First, in the background -- user management -- add an account, and then in the background -- user management -- modify -- set as official account -- yes, role management -- official account user -- **reset password**, you can log in to the official account background normally for the first time

The official account is also one of the roles. In addition to the function of ordinary members, you can also log in to the official account backstage.

If you need more than one customer service to communicate with users, it is recommended to register more official account. The customer service of No. 10000 system is only responsible for guiding the assigned users to add different customer service official account.

If there are not many demand scenarios for communicating with users, it is sufficient for the unified customer service of the 10000 number system to be responsible for communication.