

Regression report

Date: 2024-09-26 Time: 15-00-46

Summary report

Module	Total testcases	Passed	Failed
interfaces	42	42	0

Testcase Complete Summary: Total: 42, Passed: 42, Failed: 0

Detailed report of *interfaces*

Testcase summary: Total: 42, Passed: 42, Failed: 0

Testcase name	Status	User Input	Commands	Before	After	Module exception
test_case_01.1	Passed	<pre>Input: [{ "description": "ansible Ethernet96", "enabled": false, "mtu": 6445, "name": "Eth1/97", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }]</pre>	<pre>Commands: [{ "description": "ansible Ethernet96", "mtu": 6445, "name": "Eth1/97", "state": "merged" }]</pre>	<pre>Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>	<pre>After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }] </pre>	<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }] </pre>	
test_case_01.2	Passed	<pre> Input: [{ "description": "ansible Ethernet96", "enabled": false, "mtu": 6445, "name": "Eth1/97", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }] </pre>	Commands: []	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }] </pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/9", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/10", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/11", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/12", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/13", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/14", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/15", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/16", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/17", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/18", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/19", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/20", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/21", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/22", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/23", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/24", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/25", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/26", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/27", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/28", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/29", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/30", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/32", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/33", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/34", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/35", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/39", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/40", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/41", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/42", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/43", "speed": "SPEED_25GB", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/44", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/45", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/46", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/47", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/48", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/49", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/52", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/53", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/54", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/55", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/56", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/57", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/58", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/59", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/60", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/61", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/62", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/64", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/68", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/69", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/70", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/71", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/72", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/73", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/74", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/75", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/76", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/77", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/78", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/79", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/80", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/81", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/82", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/83", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/84", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/85", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/86", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/87", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/88", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": false, "fec": "FEC_DISABLED", "mtu": 6445, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }] </pre>		
test_case_02.1	Passed	<pre> Input: [{ "description": "ansible Ethernet96", "enabled": true, "mtu": 6444, "name": "Eth1/97", "unreliable_los": "UNRELIABLE_LOS_MODE_OFF" }, { "description": "ansible Ethernet100", "enabled": true, "mtu": 6000, "name": "Eth1/98", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, { "description": "ansible Ethernet108", "enabled": false, "mtu": 5666, "name": "Eth1/100", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "description": "ansible Ethernet104", "enabled": true, "mtu": 5222, "name": "Eth1/99", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }] </pre>	<pre> Commands: [{ "enabled": true, "mtu": 6444, "name": "Eth1/97", "state": "merged", "unreliable_los": "UNRELIABLE_LOS_MODE_OFF" }, { "description": "ansible Ethernet100", "enabled": true, "mtu": 6000, "name": "Eth1/98", "state": "merged", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, { "description": "ansible Ethernet108", "mtu": 5666, "name": "Eth1/100", "state": "merged" }, { "description": "ansible Ethernet104", "enabled": true, "mtu": 5222, "name": "Eth1/99", "state": "merged", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>	<pre> After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": false, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, </pre>	<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_OFF" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6000, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, { "auto_negotiate": false, "description": "ansible Ethernet104", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, </pre>	

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }] </pre>	<pre> { "auto_negotiate": false, "description": "ansible Ethernet108", "enabled": false, "fec": "FEC_DISABLED", "mtu": 5666, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }] </pre>	
test_case_02.2	Passed	<pre> Input: [{ "description": "ansible Ethernet96", "enabled": true, "mtu": 6444, "name": "Eth1/97", "unreliable_los": "UNRELIABLE_LOS_MODE_OFF" }, { "description": "ansible Ethernet108", "enabled": true, "mtu": 6000, "name": "Eth1/98", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, { "description": "ansible Ethernet108", "enabled": false, "mtu": 5666, "name": "Eth1/100", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { </pre>	<pre> Commands: [] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>	<pre> After: "Not defined" </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
		<pre> "description": "ansible Ethernet104", "enabled": true, "mtu": 5222, "name": "Eth1/99", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" } }] </pre>		<pre> "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/9", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/10", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/11", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/12", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/13", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/14", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/15", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/16", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/17", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/18", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/19", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/20", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/21", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/22", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/23", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/24", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/25", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/26", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/27", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/28", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/29", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/30", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/32", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/33", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/34", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/35", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/39", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/40", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/41", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/42", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/43", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/44", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/45", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/46", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/47", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/48", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/49", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/52", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/53", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/54", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/55", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/56", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/57", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/58", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/59", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/60", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/61", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/62", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/64", "speed": "SPEED_25GB", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/68", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/69", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/70", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/71", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/72", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/73", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/74", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/75", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/76", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/77", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/78", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/79", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/80", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/81", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/82", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/83", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/84", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/85", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/86", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/87", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/88", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception	
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_OFF" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6000, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, { "auto_negotiate": false, "description": "ansible Ethernet104", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, { "auto_negotiate": false, "description": "ansible Ethernet108", "enabled": false, "fec": "FEC_DISABLED", "mtu": 5666, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { </pre>			

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }] </pre>		
test_case_03.1	Passed	<pre> Input: [{ "name": "Eth1/97", "speed": "SPEED_40GB" }] </pre>	<pre> Commands: [{ "name": "Eth1/97", "speed": "SPEED_40GB", "state": "merged" }] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", </pre>	<pre> After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_OFF" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6000, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, }, { "auto_negotiate": false, "description": "ansible Ethernet104", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, }, { "auto_negotiate": false, </pre>	<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_40GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6000, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, }, { "auto_negotiate": false, "description": "ansible Ethernet104", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, }, { "auto_negotiate": false, </pre>	

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "description": "ansible Ethernet108", "enabled": false, "fec": "FEC_DISABLED", "mtu": 5666, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }] </pre>	<pre> "description": "ansible Ethernet108", "enabled": false, "fec": "FEC_DISABLED", "mtu": 5666, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }] </pre>	
test_case_03.2	Passed	<pre> Input: [{ "name": "Eth1/97", "speed": "SPEED_40GB" }] </pre>	Commands: []	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", </pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/9", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/10", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/11", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/12", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/13", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/14", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/15", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/16", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/17", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/18", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/19", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/20", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/21", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/22", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/23", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/24", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/25", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/26", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/27", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/28", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/29", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/30", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/32", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/33", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/34", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/35", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/39", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/40", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/41", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/42", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/43", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/44", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/45", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/46", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/47", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/48", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/49", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/52", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/53", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/54", "speed": "SPEED_25GB", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/55", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/56", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/57", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/58", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/59", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/60", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/61", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/62", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/64", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/68", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/69", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/70", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/71", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/72", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/73", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/74", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/75", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/76", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/77", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/78", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/79", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/80", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/81", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/82", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/83", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/84", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/85", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/86", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/87", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/88", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_40GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6000, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, { "auto_negotiate": false, "description": "ansible Ethernet104", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, { "auto_negotiate": false, "description": "ansible Ethernet108", "enabled": false, "fec": "FEC_DISABLED", "mtu": 5666, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }] </pre>		
test_case_04.1	Passed	<pre> Input: [{ "advertised_speed": [100000, 40000], "auto_negotiate": true, "name": "Eth1/100" }] </pre>	<pre> Commands: [{ "advertised_speed": ["100000", "40000"], "auto_negotiate": true, "name": "Eth1/100", "state": "merged" }] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }] </pre>	<pre> After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }] </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_40GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6000, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, { "auto_negotiate": false, "description": "ansible Ethernet104", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, { "auto_negotiate": false, "description": "ansible Ethernet108", "enabled": false, </pre>	<pre> "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_40GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6000, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, { "auto_negotiate": false, "description": "ansible Ethernet104", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, { "advertised_speed": ["100000", "40000" </pre>	

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 5666, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } } </pre>	<pre>], "auto_negotiate": true, "description": "ansible Ethernet108", "enabled": false, "fec": "FEC_DISABLED", "mtu": 5666, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } } </pre>	
test_case_04.2	Passed	<pre> Input: [{ "advertised_speed": [100000, 400000], "auto_negotiate": true, "name": "Eth1/100" }] </pre>	Commands: []	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/9", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/10", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/11", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/12", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/13", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/14", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/15", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/16", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/17", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/18", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/19", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/20", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/21", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/22", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/23", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/24", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/25", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/26", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/27", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/28", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/29", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/30", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/32", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/33", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/34", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/35", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/39", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/40", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/41", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/42", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/43", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/44", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/45", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/46", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/47", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/48", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/49", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/52", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/53", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/54", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/55", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/56", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/57", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/58", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/59", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/60", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/61", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/62", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/64", "speed": "SPEED_25GB", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/68", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/69", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/70", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/71", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/72", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/73", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/74", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/75", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/76", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/77", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/78", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/79", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/80", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/81", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/82", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/83", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/84", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/85", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/86", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/87", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/88", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception	
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_40GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6000, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, { "auto_negotiate": false, "description": "ansible Ethernet104", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, { "advertised_speed": ["100000", "40000"], "auto_negotiate": true, "description": "ansible Ethernet108", "enabled": false, "fec": "FEC_DISABLED", "mtu": 5666, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", </pre>			

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }] </pre>		
test_case_05.1	Passed	<pre> Input: [{ "fec": "FEC_AUTO", "name": "Eth1/98", "unreliable_los": "UNRELIABLE_LOS_MODE_OFF" }] </pre>	<pre> Commands: [{ "fec": "FEC_AUTO", "name": "Eth1/98", "state": "merged", "unreliable_los": "UNRELIABLE_LOS_MODE_OFF" }] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, </pre>	<pre> After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_40GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6000, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, { "auto_negotiate": false, "description": "ansible Ethernet104", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", </pre>	<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_40GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 6000, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_OFF" }, { "auto_negotiate": false, "description": "ansible Ethernet104", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", </pre>	

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, { "advertised_speed": ["100000", "40000"], "auto_negotiate": true, "description": "ansible Ethernet108", "enabled": false, "fec": "FEC_DISABLED", "mtu": 5666, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } } </pre>	<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, { "advertised_speed": ["100000", "40000"], "auto_negotiate": true, "description": "ansible Ethernet108", "enabled": false, "fec": "FEC_DISABLED", "mtu": 5666, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } } </pre>	
test_case_05.2	Passed	<pre> Input: [{ "fec": "FEC_AUTO", "name": "Eth1/98", "unreliable_los": "UNRELIABLE_LOS_MODE_OFF" }] </pre>	Commands: []	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", </pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/9", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/10", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/11", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/12", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/13", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/14", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/15", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/16", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/17", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/18", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/19", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/20", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/21", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/22", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/23", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/24", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/25", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/26", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/27", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/28", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/29", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/30", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/32", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Eth1/33", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/34", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/35", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/39", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/40", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/41", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/42", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/43", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception	
				<pre> "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/44", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/45", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/46", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/47", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/48", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/49", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/52", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/53", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" </pre>			

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/54", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/55", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/56", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/57", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/58", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/59", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/60", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/61", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/62", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/64", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/68", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/69", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/70", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/71", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/72", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/73", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/74", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/75", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/76", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/77", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/78", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/79", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/80", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/81", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/82", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/83", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Eth1/84", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/85", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/86", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/87", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/88", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_40GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 6000, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_OFF" }, { "auto_negotiate": false, "description": "ansible Ethernet104", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, { "advertised_speed": ["100000", "40000"], "auto_negotiate": true, "description": "ansible Ethernet108", "enabled": false, "fec": "FEC_DISABLED", "mtu": 5666, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } }</pre>		
test_case_06.1	Passed	<pre>Input: [{ "description": null, "name": "Eth1/97" }, { "mtu": 6000, "name": "Eth1/98", "unreliable_los": "UNRELIABLE_LOS_MODE_OFF" }, { "enabled": null, "name": "Eth1/100" }, { "name": "Eth1/99", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }]</pre>	<pre>Commands: [{ "description": "ansible Ethernet96", "enabled": true, "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_40GB", "state": "deleted" }, { "mtu": 6000, "name": "Eth1/98", "state": "deleted", "unreliable_los": "UNRELIABLE_LOS_MODE_OFF" }, { "advertised_speed": ["100000", "40000"], "auto_negotiate": true, "description": "ansible Ethernet108", "mtu": 5666, "name": "Eth1/100", "state": "deleted" }, { "name": "Eth1/99", "state": "deleted", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }]</pre>	<pre>Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }]</pre>	<pre>After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }]</pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_40GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 6000, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_OFF" }, { "auto_negotiate": false, </pre>	<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet104", </pre>	

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "description": "ansible Ethernet104", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, { "advertised_speed": ["100000", "40000"], "auto_negotiate": true, "description": "ansible Ethernet108", "enabled": false, "fec": "FEC_DISABLED", "mtu": 5666, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }] </pre>	<pre> "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }] </pre>	
test_case_06.2	Passed	<pre> Input: [{ "description": null, "name": "Eth1/97" }, { "mtu": 6000, "name": "Eth1/98", "unreliable_los": "UNRELIABLE_LOS_MODE_OFF" },] </pre>	Commands: []	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" },] </pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
		<pre> "enabled": null, "name": "Eth1/100" }, { "name": "Eth1/99", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }] </pre>		<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/9", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/10", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/11", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/12", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/13", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/14", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/15", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/16", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/17", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/18", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/19", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/20", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/21", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/22", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/23", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/24", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/25", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/26", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/27", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/28", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/29", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/30", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/32", "speed": "SPEED_25GB", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/33", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/34", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/35", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/39", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/40", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/41", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/42", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/43", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/44", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/45", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/46", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/47", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/48", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/49", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/52", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/53", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/54", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/55", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/56", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/57", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/58", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/59", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/60", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/61", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/62", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Eth1/63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/64", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/68", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/69", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/70", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/71", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/72", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/73", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/74", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/75", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/76", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/77", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/78", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/79", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/80", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/81", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/82", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/83", "speed": "SPEED_25GB", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/84", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/85", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/86", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/87", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/88", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet104", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } }</pre>		
test_case_07.1	Passed	<pre>Input: [{ "description": "ansible Ethernet96", "enabled": true, "mtu": 6444, "name": "Eth1/97" }, { "description": "ansible Ethernet100", "name": "Eth1/98" }, { "description": "ansible eth60", "name": "Eth1/99" }]</pre>	<pre>Commands: [{ "description": "ansible Ethernet96", "enabled": true, "mtu": 6444, "name": "Eth1/97", "state": "merged" }, { "description": "ansible eth60", "name": "Eth1/99", "state": "merged" }]</pre>	<pre>Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>	<pre>After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet104", </pre>	<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, </pre>	

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }] </pre>	<pre> "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }] </pre>	

Testcase name	Status	User Input	Commands	Before	After	Module exception
test_case_07.2	Passed	<pre> Input: [{ "description": "ansible Ethernet96", "enabled": true, "mtu": 6444, "name": "Eth1/97" }, { "description": "ansible Ethernet100", "name": "Eth1/98" }, { "description": "ansible eth60", "name": "Eth1/99" }] </pre>	<pre> Commands: [] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/9", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/10", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }], </pre>	<pre> After: "Not defined" </pre>	<pre> Error: "No Error" </pre>

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/11", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/12", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/13", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/14", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/15", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/16", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/17", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/18", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/19", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/20", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/21", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/22", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/23", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/24", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/25", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/26", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/27", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/28", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/29", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/30", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Eth1/31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/32", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/33", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/34", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/35", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/39", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/40", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/41", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/42", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/43", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/44", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/45", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/46", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/47", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/48", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/49", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/52", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/53", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/54", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/55", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/56", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/57", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/58", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/59", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/60", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/61", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/62", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/64", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/68", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/69", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/70", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/71", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/72", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/73", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/74", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/75", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/76", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/77", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/78", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/79", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/80", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/81", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Eth1/82", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/83", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/84", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/85", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/86", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/87", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/88", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } }] </pre>		
test_case_08.1	Passed	<pre> Input: [{ "description": "ansible Loopback1", "name": "Loopback 100" }, { "description": "ansible Loopback2", "enabled": false, "name": "Loopback 101" }] </pre>	<pre> Commands: [{ "description": "ansible Loopback1", "name": "Loopback100", "state": "merged" }, { "description": "ansible Loopback2", "enabled": false, "name": "Loopback101", "state": "merged" }] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }], { </pre>	<pre> After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }], { </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }] </pre>	<pre> }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { "description": "ansible Loopback1", "enabled": true, "name": "Loopback100" }, { "description": "ansible Loopback2", "enabled": false, "name": "Loopback101" }, }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, }, { </pre>	

Testcase name	Status	User Input	Commands	Before	After	Module exception
					<pre> "enabled": true, "mtu": 9100, "name": "Vlan501" }] </pre>	
test_case_08.2	Passed	<pre> Input: [{ "description": "ansible Loopback1", "name": "Loopback 100" }, { "description": "ansible Loopback2", "enabled": false, "name": "Loopback 101" }] </pre>	<pre> Commands: [] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>	<pre> After: "Not defined" </pre>	<pre> Error: "No Error" </pre>

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/10", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/11", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/12", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/13", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/14", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/15", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/16", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/17", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/18", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/19", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/20", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/21", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/22", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/23", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/24", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/25", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/26", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/27", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/28", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/29", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/30", "speed": "SPEED_25GB", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/32", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/33", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/34", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/35", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/39", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/40", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/41", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/42", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/43", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/44", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/45", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/46", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/47", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/48", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/49", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/52", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/53", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/54", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/55", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/56", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/57", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/58", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/59", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/60", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Eth1/61", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/62", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/64", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/68", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/69", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/70", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/71", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/72", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/73", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/74", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/75", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/76", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/77", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/78", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/79", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/80", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/81", "speed": "SPEED_25GB", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/82", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/83", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/84", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/85", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/86", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/87", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/88", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" } </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "description": "ansible Loopback1", "enabled": true, "name": "Loopback100" }, { "description": "ansible Loopback2", "enabled": false, "name": "Loopback101" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }] </pre>		
test_case_09.1	Passed	<pre> Input: [{ "description": "ansible Loopback1", "name": "Loopback 100" }] </pre>	<pre> Commands: [{ "description": "ansible Loopback1", "name": "Loopback100", "state": "deleted" }] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>	<pre> After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "description": "ansible Loopback1", "enabled": true, "name": "Loopback100" }, { "description": "ansible Loopback2", "enabled": false, "name": "Loopback101" }, }, </pre>	<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "name": "Loopback100" }, { "description": "ansible Loopback2", "enabled": false, "name": "Loopback101" }, }, </pre>	

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>{ "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }]</pre>	<pre>"enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }]</pre>	
test_case_09.2	Passed	<pre>Input: [{ "description": "ansible Loopback1", "name": "Loopback 100" }]</pre>	<pre>Commands: []</pre>	<pre>Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>	<pre>After: "Not defined"</pre>	<pre>Error: "No Error"</pre>

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/8", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/9", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/10", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/11", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/12", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/13", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/14", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/15", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/16", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/17", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/18", "speed": "SPEED_25GB", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/19", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/20", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/21", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/22", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/23", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/24", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/25", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/26", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/27", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/28", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/29", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/30", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/32", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/33", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/34", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/35", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/39", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/40", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/41", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/42", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/43", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/44", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/45", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/46", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/47", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/48", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Eth1/49", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/52", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/53", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/54", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/55", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/56", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/57", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/58", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/59", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/60", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/61", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/62", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/64", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/68", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/69", "speed": "SPEED_25GB", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/70", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/71", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/72", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/73", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/74", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/75", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/76", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/77", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/78", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/79", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/80", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/81", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/82", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/83", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/84", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/85", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/86", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/87", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/88", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "name": "Loopback100" }, { "description": "ansible Loopback2", "enabled": false, "name": "Loopback101" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } }] </pre>		
test_case_10.1	Passed	<pre> Input: [{ "name": "Loopback 100" }, { "name": "Loopback 101" }] </pre>	<pre> Commands: [{ "name": "Loopback100", "state": "deleted" }, { "name": "Loopback101", "state": "deleted" }] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", </pre>	<pre> After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_ios": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_ios": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_ios": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_ios": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_ios": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_ios": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_ios": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_ios": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_ios": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_ios": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>	<pre> "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_ios": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_ios": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_ios": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_ios": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_ios": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_ios": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_ios": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_ios": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_ios": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>	

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "name": "Loopback100" }, { "description": "ansible Loopback2", "enabled": false, "name": "Loopback101" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }] </pre>	<pre> "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }] </pre>	
test_case_10.2	Passed	<pre> Input: [{ "name": "Loopback 100" }, { "name": "Loopback 101" }] </pre>	<pre> Commands: [] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }], </pre>	<pre> After: "Not defined" </pre>	<pre> Error: "No Error" </pre>

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/9", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/10", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/11", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/12", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/13", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/14", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/15", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/16", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/17", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/18", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/19", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/20", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/21", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/22", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/23", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/24", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/25", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/26", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Eth1/27", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/28", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/29", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/30", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/32", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/33", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/34", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/35", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/37", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception	
				<pre> "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/39", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/40", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/41", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/42", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/43", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/44", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/45", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/46", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/47", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" </pre>			

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/48", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/49", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/52", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/53", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/54", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/55", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/56", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/57", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/58", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/59", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/60", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/61", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/62", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/64", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/68", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/69", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/70", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/71", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/72", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/73", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/74", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/75", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/76", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/77", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Eth1/78", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/79", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/80", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/81", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/82", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/83", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/84", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/85", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/86", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/87", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/88", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }] </pre>		
test_case_11.1	Passed	<pre> Input: [{ "mtu": 5000, "name": "Vlan500" }, { "mtu": 5001, "name": "Vlan501" }] </pre>	<pre> Commands: [{ "mtu": 5000, "name": "Vlan500", "state": "merged" }, { "mtu": 5001, "name": "Vlan501", "state": "merged" }] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { </pre>	<pre> After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Eth1/63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/64", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/68", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/69", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/70", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/71", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/72", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>	<pre> "mtu": 9100, "name": "Eth1/63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/64", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/68", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/69", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/70", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>	

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" } </pre>	<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" } </pre>	

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }] </pre>	<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 5000, "name": "Vlan500" }, { "enabled": true, "mtu": 5001, "name": "Vlan501" }] </pre>	
test_case_11.2	Passed	<pre> Input: [{ "mtu": 5000, "name": "Vlan500" }, { "mtu": 5001, "name": "Vlan501" }] </pre>	Commands: []	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/9", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/10", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/11", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/12", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/13", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/14", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/15", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/16", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/17", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/18", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/19", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/20", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/21", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/22", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/23", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/24", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/25", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/26", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/27", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/28", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/29", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/30", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/32", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/33", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/34", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/35", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/39", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/40", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/41", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/42", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/43", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/44", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/45", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/46", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/47", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/48", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/49", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/52", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/53", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/54", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/55", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/56", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/57", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/58", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/59", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/60", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/61", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/62", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/64", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/68", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/69", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/70", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/71", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/72", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/73", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/74", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/75", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/76", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/77", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/78", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/79", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/80", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/81", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/82", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/83", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/84", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/85", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/86", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/87", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/88", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 5000, "name": "Vlan500" }, { "enabled": true, "mtu": 5001, "name": "Vlan501" } }] </pre>		
test_case_12.1	Passed	<pre> Input: [{ "mtu": 5000, "name": "Vlan500" }] </pre>	<pre> Commands: [{ "mtu": 5000, "name": "Vlan500", "state": "deleted" }] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>	<pre> After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>	<pre> "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>	

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 5000, "name": "Vlan500" }, { "enabled": true, "mtu": 5001, "name": "Vlan501" }] </pre>	<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 5001, "name": "Vlan501" }] </pre>	
test_case_12.2	Passed	<pre> Input: [{ "mtu": 5000, "name": "Vlan500" }] </pre>	Commands: []	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }] </pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/9", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/10", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/11", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/12", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/13", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/14", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/15", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/16", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/17", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/18", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/19", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/20", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/21", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/22", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/23", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/24", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/25", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/26", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/27", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/28", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/29", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/30", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/32", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/33", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/34", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/35", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception	
				<pre> "name": "Eth1/38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/39", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/40", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/41", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/42", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/43", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/44", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/45", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/46", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/47", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/48", "speed": "SPEED_25GB", </pre>			

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/49", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/52", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/53", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/54", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/55", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/56", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/57", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/58", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/59", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/60", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/61", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/62", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/64", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/68", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/69", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/70", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/71", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/72", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/73", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/74", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/75", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/76", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/77", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/78", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/79", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/80", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/81", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/82", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/83", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/84", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/85", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/86", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/87", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/88", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 5001, "name": "Vlan501" }] </pre>		
test_case_13.1	Passed	<pre> Input: [{ "mtu": 6676, "name": "Vlan500" }, { "mtu": 5113, "name": "Vlan501" }] </pre>	<pre> Commands: [{ "mtu": 6676, "name": "Vlan500", "state": "merged" }, { "mtu": 5113, "name": "Vlan501", "state": "merged" }] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }], </pre>	<pre> After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }], </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", </pre>	<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", </pre>	

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 5001, "name": "Vlan501" }] </pre>	<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" }] </pre>	
test_case_13.2	Passed	<pre> Input: [{ "mtu": 6676, "name": "Vlan500" }, { "mtu": 5113, "name": "Vlan501" }] </pre>	Commands: []	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/9", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/10", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/11", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/12", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/13", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/14", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/15", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/16", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/17", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/18", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/19", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/20", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/21", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/22", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/23", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/24", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/25", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/26", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/27", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/28", "speed": "SPEED_25GB", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/29", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/30", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/32", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/33", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/34", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/35", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/39", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/40", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/41", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/42", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/43", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/44", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/45", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/46", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/47", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/48", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/49", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/52", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/53", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/54", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/55", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/56", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/57", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/58", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Eth1/59", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/60", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/61", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/62", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/64", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/68", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/69", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/70", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/71", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/72", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/73", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/74", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/75", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/76", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/77", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/78", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/79", "speed": "SPEED_25GB", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/80", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/81", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/82", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/83", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/84", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/85", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/86", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/87", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/88", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" } </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" }] </pre>		
test_case_14.1	Passed	<pre> Input: [{ "enabled": true, "mtu": 3434, "name": "PortChannel150" }, { "description": "ansible PortChannel151 descr", "enabled": true, "mtu": 5454, "name": "PortChannel151" }] </pre>	<pre> Commands: [{ "mtu": 3434, "name": "PortChannel150", "state": "merged" }, { "description": "ansible PortChannel151 descr", "mtu": 5454, "name": "PortChannel151", "state": "merged" }] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>	<pre> After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, </pre>	<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, </pre>	

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" }] </pre>	<pre> "mtu": 3434, "name": "PortChannel150" }, { "description": "ansible PortChannel151 descr", "enabled": true, "mtu": 5454, "name": "PortChannel151" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" }] </pre>	
test_case_14.2	Passed	<pre> Input: [{ "enabled": true, "mtu": 3434, "name": "PortChannel150" }, { "description": "ansible PortChannel151 descr", "enabled": true, "mtu": 5454, "name": "PortChannel151" }] </pre>	<pre> Commands: [] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", </pre>	<pre> After: "Not defined" </pre>	<pre> Error: "No Error" </pre>

Testcase name	Status	User Input	Commands	Before	After	Module exception	
				<pre> "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/9", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/10", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/11", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/12", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/13", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/14", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/15", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/16", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/17", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/18", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" </pre>			

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/19", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/20", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/21", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/22", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/23", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/24", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/25", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/26", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/27", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/28", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/29", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/30", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/32", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/33", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/34", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/35", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/39", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/40", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/41", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/42", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/43", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/44", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/45", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/46", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/47", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/48", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/49", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/52", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/53", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/54", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/55", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/56", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/57", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/58", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/59", "speed": "SPEED_25GB", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/60", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/61", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/62", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/64", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/68", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/69", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/70", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/71", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/72", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/73", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/74", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/75", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/76", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/77", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/78", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/79", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/80", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/81", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/82", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/83", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/84", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/85", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/86", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/87", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/88", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 3434, "name": "PortChannel50" }, { "description": "ansible PortChannel51 descr", "enabled": true, "mtu": 5454, "name": "PortChannel51" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" }] </pre>		
test_case_15.1	Passed	<pre> Input: [{ "enabled": true, "mtu": 3434, "name": "PortChannel50" }, { "mtu": 5454, "name": "PortChannel151" }] </pre>	<pre> Commands: [{ "mtu": 3434, "name": "PortChannel50", "state": "deleted" }, { "mtu": 5454, "name": "PortChannel151", "state": "deleted" }] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", </pre>	<pre> After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 3434, "name": "PortChannel50" </pre>	<pre> "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" </pre>	

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "description": "ansible PortChannel151 descr", "enabled": true, "mtu": 5454, "name": "PortChannel151" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" }] </pre>	<pre> }, { "description": "ansible PortChannel151 descr", "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" }] </pre>	
test_case_15.2	Passed	<pre> Input: [{ "enabled": true, "mtu": 3434, "name": "PortChannel150" }, { "mtu": 5454, "name": "PortChannel151" }] </pre>	Commands: []	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }] </pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/9", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/10", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/11", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/12", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/13", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/14", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/15", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/16", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/17", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/18", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/19", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/20", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/21", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/22", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/23", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/24", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/25", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/26", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/27", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/28", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/29", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/30", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/32", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/33", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/34", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/35", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/39", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/40", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/41", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/42", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/43", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/44", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/45", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/46", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/47", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/48", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/49", "speed": "SPEED_25GB", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/52", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/53", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/54", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/55", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/56", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/57", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/58", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/59", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/60", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/61", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/62", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/64", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/68", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/69", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/70", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/71", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/72", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/73", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/74", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/75", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/76", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/77", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/78", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/79", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/80", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/81", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/82", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/83", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/84", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/85", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/86", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/87", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/88", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "description": "ansible PortChannel151 descr", "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" }] </pre>		
test_case_16.1	Passed	<pre> Input: [{ "enabled": true, "mtu": 3434, "name": "PortChannel150" }, { "description": "ansible PortChannel151 descr", "enabled": true, "mtu": 5454, "name": "PortChannel151" }] </pre>	<pre> Commands: [{ "mtu": 3434, "name": "PortChannel150", "state": "merged" }, { "mtu": 5454, "name": "PortChannel151", "state": "merged" }] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }] </pre>	<pre> After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }] </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { </pre>	<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 3434, "name": "PortChannel150" }, { </pre>	

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "description": "ansible PortChannel151 descr", "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" }] </pre>	<pre> "description": "ansible PortChannel151 descr", "enabled": true, "mtu": 5454, "name": "PortChannel151" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" }] </pre>	
test_case_16.2	Passed	<pre> Input: [{ "enabled": true, "mtu": 3434, "name": "PortChannel150" }, { "description": "ansible PortChannel151 descr", "enabled": true, "mtu": 5454, "name": "PortChannel151" }] </pre>	<pre> Commands: [] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }], { </pre>	<pre> After: "Not defined" </pre>	<pre> Error: "No Error" </pre>

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/9", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/10", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/11", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/12", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/13", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/14", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/15", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/16", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/17", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/18", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/19", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/20", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/21", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/22", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/23", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/24", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/25", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/26", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/27", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/28", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/29", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/30", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/32", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/33", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/34", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/35", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/39", "speed": "SPEED_25GB", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/40", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/41", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/42", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/43", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/44", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/45", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/46", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/47", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/48", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/49", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/52", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/53", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/54", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/55", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/56", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/57", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/58", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/59", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/60", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/61", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/62", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/64", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/68", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/69", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/70", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/71", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/72", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/73", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/74", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/75", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/76", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/77", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/78", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/79", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/80", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/81", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/82", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/83", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/84", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/85", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/86", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/87", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/88", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 3434, "name": "PortChannel150" }, { "description": "ansible PortChannel151 descr", "enabled": true, "mtu": 5454, "name": "PortChannel151" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" }] </pre>		
test_case_17.1	Passed	<pre> Input: [{ "description": "Ansible Interface1 descr", "enabled": true, "mtu": 6500, "name": "Eth1/97" }, { "description": "ansible Interface2 descr", "enabled": true, "mtu": 7500, "name": "Eth1/99", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }] </pre>	<pre> Commands: [{ "description": "Ansible Interface1 descr", "mtu": 6500, "name": "Eth1/97", "state": "merged" }, { "description": "ansible Interface2 descr", "mtu": 7500, "name": "Eth1/99", "state": "merged", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }], { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }], { </pre>	<pre> After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }], { </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 3434, "name": "PortChannel150" }, { "description": "ansible PortChannel151 descr", "enabled": true, </pre>	<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "Ansible Interface1 descr", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6500, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Interface2 descr", "enabled": true, "fec": "FEC_DISABLED", "mtu": 7500, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 3434, "name": "PortChannel150" }, { "description": "ansible PortChannel151 descr", "enabled": true, </pre>	

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 5454, "name": "PortChannel151" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" }] </pre>	<pre> "mtu": 5454, "name": "PortChannel151" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" }] </pre>	
test_case_17.2	Passed	<pre> Input: [{ "description": "Ansible Interface1 descr", "enabled": true, "mtu": 6500, "name": "Eth1/97" }, { "description": "ansible Interface2 descr", "enabled": true, "mtu": 7500, "name": "Eth1/99", "unreliable_ios": "UNRELIABLE_LOS_MODE_ON" }] </pre>	<pre> Commands: [] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_ios": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_ios": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_ios": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_ios": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_ios": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_ios": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_ios": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", "speed": "SPEED_25GB", "unreliable_ios": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>	<pre> After: "Not defined" </pre>	<pre> Error: "No Error" </pre>

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/9", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/10", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/11", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/12", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/13", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/14", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/15", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/16", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/17", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/18", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/19", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/20", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/21", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/22", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/23", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/24", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/25", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/26", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/27", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/28", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/29", "speed": "SPEED_25GB", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/30", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/32", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/33", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/34", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/35", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/39", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/40", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/41", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/42", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/43", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/44", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/45", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/46", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/47", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/48", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/49", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/52", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/53", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/54", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/55", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/56", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/57", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/58", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/59", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Eth1/60", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/61", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/62", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/64", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/68", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/69", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/70", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/71", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/72", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/73", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/74", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/75", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/76", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/77", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/78", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/79", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/80", "speed": "SPEED_25GB", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/81", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/82", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/83", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/84", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/85", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/86", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/87", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/88", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "Ansible Interface1 descr", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6500, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Interface2 descr", "enabled": true, "fec": "FEC_DISABLED", "mtu": 7500, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" } </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 3434, "name": "PortChannel150" }, { "description": "ansible PortChannel151 descr", "enabled": true, "mtu": 5454, "name": "PortChannel151" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" }] </pre>		
test_case_18.1	Passed	<pre> Input: [{ "advertised_speed": [100000, 40000], "auto_negotiate": true, "mtu": 3300, "name": "Eth1/97" }, { "advertised_speed": [100000], "auto_negotiate": true, "mtu": 3300, "name": "Eth1/99" }] </pre>	<pre> Commands: [{ "description": "Ansible Interface1 descr", "enabled": true, "name": "Eth1/97", "state": "deleted" }, { "description": "ansible Interface2 descr", "enabled": true, "name": "Eth1/99", "state": "deleted", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, { "advertised_speed": ["100000", "40000"], "auto_negotiate": true, "mtu": 3300, "name": "Eth1/97", "state": "replaced" }, { "advertised_speed": ["100000"], "auto_negotiate": true, "mtu": 3300, "name": "Eth1/99", </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>	<pre> After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "Ansible Interface1 descr", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6500, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Interface2 descr", "enabled": true, "fec": "FEC_DISABLED", "mtu": 7500, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { "enabled": true, "mtu": 3434, "name": "PortChannel150" }, }, { "description": "ansible PortChannel151 descr", "enabled": true, "mtu": 5454, "name": "PortChannel151" </pre>	<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "advertised_speed": ["100000", "40000"], "auto_negotiate": true, "enabled": false, "fec": "FEC_DISABLED", "mtu": 3300, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "advertised_speed": ["100000"], "auto_negotiate": true, "enabled": false, "fec": "FEC_DISABLED", "mtu": 3300, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { "enabled": true, "mtu": 3434, "name": "PortChannel150" } </pre>	

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" }] </pre>	<pre> { "description": "ansible PortChannel151 descr", "enabled": true, "mtu": 5454, "name": "PortChannel151" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" }] </pre>	
test_case_18.2	Passed	<pre> Input: [{ "advertised_speed": [100000, 40000], "auto_negotiate": true, "mtu": 3300, "name": "Eth1/97" }, { "advertised_speed": [100000], "auto_negotiate": true, "mtu": 3300, "name": "Eth1/99" }] </pre>	<pre> Commands: [] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }], </pre>	<pre> After: "Not defined" </pre>	<pre> Error: "No Error" </pre>

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/9", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/10", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/11", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/12", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/13", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/14", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/15", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/16", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/17", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/18", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/19", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/20", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/21", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/22", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/23", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/24", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/25", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/26", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/27", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/28", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Eth1/29", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/30", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/32", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/33", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/34", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/35", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/39", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception	
				<pre> "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/40", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/41", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/42", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/43", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/44", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/45", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/46", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/47", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/48", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/49", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" </pre>			

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/52", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/53", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/54", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/55", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/56", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/57", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/58", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/59", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/60", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/61", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/62", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/64", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/68", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/69", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/70", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/71", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/72", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/73", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/74", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/75", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/76", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/77", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/78", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/79", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Eth1/80", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/81", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/82", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/83", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/84", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/85", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/86", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/87", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/88", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "advertised_speed": ["10000", "40000"], "auto_negotiate": true, "enabled": false, "fec": "FEC_DISABLED", "mtu": 3300, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "advertised_speed": ["10000"], "auto_negotiate": true, "enabled": false, "fec": "FEC_DISABLED", "mtu": 3300, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 3434, "name": "PortChannel50" }, { "description": "ansible PortChannel51 descr", "enabled": true, "mtu": 5454, "name": "PortChannel51" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" } }</pre>		
test_case_19.1	Passed	<pre>Input: [{ "advertised_speed": [40000], "auto_negotiate": true, "mtu": 3500, "name": "Eth1/97" }, { "advertised_speed": [100000, 40000], "auto_negotiate": true, "description": "Ansible Interface2", "mtu": 3500, "name": "Eth1/99" }, { "description": "Ansible Loopback1", "name": "Loopback 100" }]</pre>	<pre>Commands: [{ "advertised_speed": ["100000"], "name": "Eth1/97", "state": "deleted" }, { "mtu": 3500, "name": "Eth1/97", "state": "replaced" }, { "advertised_speed": ["40000"], "description": "Ansible Interface2", "mtu": 3500, "name": "Eth1/99", "state": "replaced" }, { </pre>	<pre>Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>	<pre>After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "advertised_speed": ["100000", "40000"], "auto_negotiate": true, "enabled": false, "fec": "FEC_DISABLED", "mtu": 3300, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "advertised_speed": ["100000"], "auto_negotiate": true, "enabled": false, "fec": "FEC_DISABLED", "mtu": 3300, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", </pre>	<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "advertised_speed": ["40000"], "auto_negotiate": true, "enabled": false, "fec": "FEC_DISABLED", "mtu": 3500, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "advertised_speed": ["100000", "40000"], "auto_negotiate": true, "description": "Ansible Interface2", "enabled": false, "fec": "FEC_DISABLED", "mtu": 3500, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>	

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 3434, "name": "PortChannel150" }, { "description": "ansible PortChannel151 descr", "enabled": true, "mtu": 5454, "name": "PortChannel151" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" }] </pre>	<pre> "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "description": "Ansible Loopback1", "enabled": true, "name": "Loopback100" }, { "enabled": true, "mtu": 3434, "name": "PortChannel150" }, { "description": "ansible PortChannel151 descr", "enabled": true, "mtu": 5454, "name": "PortChannel151" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" }] </pre>	
test_case_19.2	Passed	<pre> Input: [{ "advertised_speed": [40000], "auto_negotiate": true, "mtu": 3500, "name": "Eth1/97" }, { "advertised_speed": [100000, 40000], "auto_negotiate": true, "description": "Ansible Interface2", "mtu": 3500, "name": "Eth1/99" }, { "description": "Ansible Loopback1", "name": "Loopback 100" }] </pre>	Commands: []	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/9", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/10", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/11", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/12", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/13", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/14", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/15", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/16", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/17", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/18", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/19", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/20", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/21", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/22", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/23", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/24", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/25", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/26", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/27", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/28", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/29", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/30", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/32", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/33", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/34", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/35", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/39", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/40", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/41", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/42", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/43", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/44", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/45", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/46", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/47", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/48", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/49", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/52", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/53", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/54", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/55", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/56", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/57", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/58", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/59", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/60", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/61", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/62", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/64", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/68", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception	
				<pre> "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/69", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/70", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/71", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/72", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/73", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/74", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/75", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/76", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/77", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/78", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" </pre>			

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/79", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/80", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/81", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/82", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/83", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/84", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/85", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/86", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/87", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/88", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "advertised_speed": ["40000"], "auto_negotiate": true, "enabled": false, "fec": "FEC_DISABLED", "mtu": 3500, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "advertised_speed": ["10000", "40000"], "auto_negotiate": true, "description": "Ansible Interface2", "enabled": false, "fec": "FEC_DISABLED", "mtu": 3500, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { "description": "Ansible Loopback1", "enabled": true, "name": "Loopback100" }, { "enabled": true, "mtu": 3434, "name": "PortChannel50" }, { "description": "ansible PortChannel151 descr", "enabled": true, "mtu": 5454, "name": "PortChannel151" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" } }] </pre>		
test_case_20.1	Passed	<pre> Input: [{ "description": "Ansible Interface2", </pre>	<pre> Commands: [{ "advertised_speed": [</pre>	<pre> Before: [{ "auto_negotiate": false, </pre>	<pre> After: [{ "auto_negotiate": false, </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
		<pre> "name": "Eth1/99" }, { "description": "Ansible Loopback1 Replace", "name": "Loopback 100" }] </pre>	<pre> "100000", "40000"], "auto_negotiate": true, "mtu": 3500, "name": "Eth1/99", "state": "deleted" }, { "description": "Ansible Loopback1 Replace", "name": "Loopback100", "state": "replaced" }] </pre>	<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/10", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>	<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>	

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "advertised_speed": ["40000"], "auto_negotiate": true, "enabled": false, "fec": "FEC_DISABLED", "mtu": 3500, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "advertised_speed": ["100000", "40000"], "auto_negotiate": true, "description": "Ansible Interface2", "enabled": false, "fec": "FEC_DISABLED", "mtu": 3500, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "auto_negotiate": false, "enabled": false, </pre>	<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "advertised_speed": ["40000"], "auto_negotiate": true, "enabled": false, "fec": "FEC_DISABLED", "mtu": 3500, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "Ansible Interface2", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", </pre>	

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "description": "Ansible Loopback1", "enabled": true, "name": "Loopback100" }, { "enabled": true, "mtu": 3434, "name": "PortChannel150" }, { "description": "ansible PortChannel151 descr", "enabled": true, "mtu": 5454, "name": "PortChannel151" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" } } </pre>	<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "description": "Ansible Loopback1 Replace", "enabled": true, "name": "Loopback100" }, { "enabled": true, "mtu": 3434, "name": "PortChannel150" }, { "description": "ansible PortChannel151 descr", "enabled": true, "mtu": 5454, "name": "PortChannel151" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" }] </pre>	
test_case_20.2	Passed	<pre> Input: [{ "description": "Ansible Interface2", "name": "Eth1/99" }, { "description": "Ansible Loopback1 Replace", "name": "Loopback 100" }] </pre>	Commands: []	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, </pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/9", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/10", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/11", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/12", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/13", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/14", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Eth1/15", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/16", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/17", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/18", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/19", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/20", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/21", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/22", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/23", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/24", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/25", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception	
				<pre> "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/26", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/27", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/28", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/29", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/30", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/32", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/33", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/34", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/35", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" </pre>			

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/39", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/40", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/41", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/42", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/43", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/44", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/45", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/46", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/47", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/48", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/49", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/52", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/53", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/54", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/55", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/56", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/57", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/58", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/59", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/60", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/61", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/62", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/64", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Eth1/66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/68", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/69", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/70", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/71", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/72", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/73", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/74", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/75", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/76", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/77", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/78", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/79", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/80", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/81", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/82", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/83", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/84", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/85", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/86", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/87", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/88", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "advertised_speed": ["40000"], "auto_negotiate": true, "enabled": false, "fec": "FEC_DISABLED", "mtu": 3500, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "Ansible Interface2", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "description": "Ansible Loopback1 Replace", "enabled": true, "name": "Loopback100" }, { "enabled": true, "mtu": 3434, "name": "PortChannel150" }, { "description": "ansible PortChannel151 descr", "enabled": true, "mtu": 5454, "name": "PortChannel151" }, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>{ "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" }]</pre>		
test_case_21.1	Passed	<pre>Input: [{ "description": "Interface1", "enabled": true, "mtu": 3300, "name": "Eth1/97" }, { "description": "Ansible Loopback2", "name": "Loopback 101" }]</pre>	<pre>Commands: [{ "advertised_speed": ["40000"], "auto_negotiate": true, "name": "Eth1/97", "state": "deleted" }, { "description": "hi ", "name": "Eth1/65", "state": "deleted" }, { "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "name": "Eth1/98", "state": "deleted" }, { "description": "Ansible Interface2", "name": "Eth1/99", "state": "deleted" }, { "name": "Loopback100", "state": "deleted" }, { "mtu": 3434, "name": "PortChannel50", "state": "deleted" }, { "description": "ansible PortChannel51 descr", "mtu": 5454, "name": "PortChannel51", "state": "deleted" }, { "mtu": 6676, "name": "Vlan500", "state": "deleted" }, { "mtu": 5113, "name": "Vlan501", "state": "deleted" }, { "description": "Interface1", "enabled": true, "mtu": 3300, "name": "Eth1/97", "state": "overridden" }, { "description": "Ansible Loopback2", "name": "Loopback101", "state": "overridden" }]</pre>	<pre>Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/9", </pre>	<pre>After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/9", </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "advertised_speed": ["40000"], "auto_negotiate": true, "enabled": false, "fec": "FEC_DISABLED", "mtu": 3500, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "Ansible Interface2", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, </pre>	<pre> "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "Interfacel", "enabled": true, "fec": "FEC_DISABLED", "mtu": 3300, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>	

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "description": "Ansible Loopback1 Replace", "enabled": true, "name": "Loopback100" }, { "enabled": true, "mtu": 3434, "name": "PortChannel150" }, { "description": "ansible PortChannel151 descr", "enabled": true, "mtu": 5454, "name": "PortChannel151" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" } }</pre>	<pre>"name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "description": "Ansible Loopback2", "enabled": true, "name": "Loopback101" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }]</pre>	
test_case_21.2	Passed	<pre>Input: [{ "description": "Interface1", "enabled": true, "mtu": 3300, "name": "Eth1/97" }, { "description": "Ansible Loopback2", "name": "Loopback 101" }]</pre>	Commands: []	<pre>Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }]</pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/8", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/9", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/10", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/11", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/12", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/13", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, } </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/14", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/15", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/16", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/17", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/18", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/19", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/20", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/21", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/22", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/23", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/24", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/25", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/26", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/27", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/28", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/29", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/30", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/32", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/33", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Eth1/34", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/35", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/39", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/40", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/41", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/42", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/43", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/44", "speed": "SPEED_25GB", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/45", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/46", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/47", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/48", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/49", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/52", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/53", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/54", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/55", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/56", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/57", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/58", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/59", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/60", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/61", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/62", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/64", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/68", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/69", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/70", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/71", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/72", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/73", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/74", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Eth1/75", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/76", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/77", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/78", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/79", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/80", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/81", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/82", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/83", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/84", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/85", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception	
				<pre> "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/86", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/87", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/88", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" </pre>			

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/96", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "Interfacel", "enabled": true, "fec": "FEC_DISABLED", "mtu": 3300, "name": "Eth1/97", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/98", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/99", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/101", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/102", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/103", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Eth1/104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { "description": "Ansible Loopback2", "enabled": true, "name": "Loopback101" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "enabled": true, "mtu": 9100, "name": "PortChanne151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }] </pre>		

Testcase Complete Summary: Total: 42, Passed: 42, Failed: 0