

FastAPI 0.1.0 OAS 3.1

/openapi.json

Usuario ^

GET /Usuario/ Obtener Usuarios ^

Parameters

Cancel

No parameters

Servers

These operation-level options override the global server options.

/

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/Usuario/' \
  -H 'accept: application/json'
```

Request URL

http://127.0.0.1:8000/Usuario/

Server response

Code

Details

200

Response body

Code

```

    "José",
    "Antonio",
    "Martín",
    "Romero",
    "jose.martin@.com",
    "12345"
  ],
  [
    1,
    "Juan",
    "Carlos",
    "Pérez",
    "Gómez",
    "juan.perez@.com",
    "12345"
  ],
  [
    13,
    "juan",
    "David",
    "lopez",
    "malambo",
    "juan@gmail.com",
    "12345"
  ]
]

```



Response headers

```

content-length: 408
content-type: application/json
date: Sun,29 Sep 2024 21:20:34 GMT
server: uvicorn

```

Responses

Code	Description	Links
200	Successful Response	No links
	Media type <div style="border: 1px solid green; padding: 2px; display: inline-block;">application/json</div> Controls Accept header.	
	Example Value Schema "string"	

GET /Usuario/{Id_usuario} Obtener Usuario



Parameters

Cancel

Name Description

Id_usuario * required
integer
(path)

Servers

These operation-level options override the global server options.

Responses

Curl

```
curl -X 'GET' \  
  'http://127.0.0.1:8000/Usuario/1' \  
  -H 'accept: application/json'
```

Request URL

http://127.0.0.1:8000/Usuario/1

Server response

Code Details

200

Response body

```
[  
  1,  
  "Juan",  
  "Carlos",  
  "Pérez",  
  "Gómez",  
  "juan.perez@.com",  
  "12345"  
]
```

Response headers

```
content-length: 63  
content-type: application/json  
date: Sun, 29 Sep 2024 21:20:48 GMT
```

[Download](#)

Code **Details**

server: uvicorn

Responses

Code	Description	Links
------	-------------	-------

200	Successful Response	No links
-----	---------------------	----------

Media type

application/json

Controls Accept header.

Example Value Schema

"string"

422	Validation Error	No links
-----	------------------	----------

Media type

application/json

Example Value Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

DELETE /Usuario/{Id_usuario} Eliminar Usuario



Parameters

Cancel

Name	Description
------	-------------

Id_usuario * required

integer
(path)

13

Servers

These operation-level options override the global server options.

/

Execute Clear

Responses

Curl

```
curl -X 'DELETE' \
  'http://127.0.0.1:8000/Usuario/13' \
  -H 'accept: application/json'
```

Request URL

http://127.0.0.1:8000/Usuario/13

Server response

Code	Details
200	<p>Response body</p> <pre>{ "message": "Usuario eliminado" }</pre> <p style="text-align: right;">Download</p> <p>Response headers</p> <pre>content-length: 31 content-type: application/json date: Sun, 29 Sep 2024 21:21:19 GMT server: uvicorn</pre>

Responses

Code	Description	Links
200	<p>Successful Response</p> <p>Media type</p> <p>application/json</p> <p>Controls Accept header.</p> <p>Example Value Schema</p> <p>"string"</p>	No links

Code	Description	Links
422	Validation Error	No links

Media type

application/json

Example Value Schema

```
{  "detail": [    {      "loc": [        "string",        0      ],      "msg": "string",      "type": "string"    }  ]}
```

POST /Usuario/usuarios/ Crear Usuario ^

Parameters Cancel

Name	Description
Primer_nombre * required (query)	<input type="text" value="juan"/>
Segundo_nombre * required (query)	<input type="text" value="david"/>
Primer_apellido * required (query)	<input type="text" value="lopez"/>
Segundo_apellido * required (query)	<input type="text" value="malambo"/>
Email * required (query)	<input type="text" value="juan@gmail.com"/>
Contraseña * required (query)	<input type="text" value="12345"/>

Servers

These operation-level options override the global server options.

/

Execute Clear

Responses

Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/Usuario/usuarios/?Primer_nombre=juan&Segundo_nombre=david&Primer_apellido=lopez&Segundo_apellido=malambo&Email=juan%40gmail.com&Contrase%C3%B1a=12345' \
  -H 'accept: application/json' \
  -d ''
```

Request URL

http://127.0.0.1:8000/Usuario/usuarios/?Primer_nombre=juan&Segundo_nombre=david&Primer_apellido=lopez&Segundo_apellido=malambo&Email=juan%40gmail.com&Contrase%C3%B1a=12345

Server response

Code	Details
200	<p>Response body</p> <p>true</p> <p style="text-align: right;">Download</p> <p>Response headers</p> <pre>content-length: 4 content-type: application/json date: Sun, 29 Sep 2024 21:21:54 GMT server: uvicorn</pre>

Responses

Code	Description	Links
200	<p>Successful Response</p> <p>Media type</p> <p>application/json</p> <p>Controls Accept header.</p> <p>Example Value Schema</p>	No links

Code	Description	Links
	<code>"string"</code>	
422	Validation Error	No links
	Media type <input type="text" value="application/json"/>	
	Example Value Schema	
	<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }] }</pre>	

Asignacion de tareas



POST /Tarea_asig/Crear/ Crear Asignacion

Parameters

Name	Description
Id_asig_T * required integer (query)	<input type="text" value="6"/>
Id_usuario * required integer (query)	<input type="text" value="3"/>

Servers

These operation-level options override the global server options.

/

Execute Clear

Responses

Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/Tarea_asig/Crear/?Id_asig_T=6&Id_usuario=3' \
  -H 'accept: application/json' \
  -d ''
```

Request URL

http://127.0.0.1:8000/Tarea_asig/Crear/?Id_asig_T=6&Id_usuario=3

Server response

Code	Details
200	<p>Response body</p> <pre>{ "message": "Asignación creada exitosamente" }</pre> <p style="text-align: right;">Download</p> <p>Response headers</p> <pre>content-length: 45 content-type: application/json date: Sun,29 Sep 2024 21:22:26 GMT server: uvicorn</pre>

Responses

Code	Description	Links
200	<p>Successful Response</p> <p>Media type</p> <p>application/json</p> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>"string"</pre>	No links

Code	Description	Links
422	Validation Error	No links
	Media type	
	<input type="text" value="application/json"/>	
	Example Value	Schema
	<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }]}</pre>	

GET /Tarea_asig/ Obtener Asignaciones

Parameters

No parameters

Servers

These operation-level options override the global server options.

Responses

Curl

```
curl -X 'GET' \
'http://127.0.0.1:8000/Tarea_asig/' \
-H 'accept: application/json'
```

Request URL

http://127.0.0.1:8000/Tarea_asig/

Server response

Code **Details**

200

Response body

```
[
  [
    1,
    1
  ],
  [
    2,
    2
  ],
  [
    3,
    3
  ],
  [
    4,
    4
  ],
  [
    6,
    3
  ]
]
```

Download

Response headers

```
content-length: 31
content-type: application/json
date: Sun, 29 Sep 2024 21:22:35 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value Schema

"string"

GET /Tarea_asig/{Id_asig_T} Obtener Asignacion



Parameters

Cancel

Name Description

Id_asig_T * required
integer
(path)

Servers

These operation-level options override the global server options.

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/Tarea_asig/6' \
  -H 'accept: application/json'
```

Request URL

http://127.0.0.1:8000/Tarea_asig/6

Server response

Code Details

200

Response body

```
[
  6,
  3
]
```

[Download](#)

Response headers

```
content-length: 5
content-type: application/json
date: Sun, 29 Sep 2024 21:22:50 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	<p>Successful Response</p> <p>Media type <div style="border: 1px solid green; padding: 2px; display: inline-block;">application/json</div> <small>Controls Accept header.</small></p> <p>Example Value Schema</p> <p><code>"string"</code></p>	No links
422	<p>Validation Error</p> <p>Media type <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div></p> <p>Example Value Schema</p> <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }] }</pre>	No links

DELETE /Tarea_asig/{Id_asig_T} Eliminar Asignacion



Parameters

Cancel

Name	Description
Id_asig_T * required	
integer (path)	<input type="text" value="6"/>

Servers

These operation-level options override the global server options.

/

Execute Clear

Responses

Curl

```
curl -X 'DELETE' \
'http://127.0.0.1:8000/Tarea_asig/6' \
-H 'accept: application/json'
```

Request URL

http://127.0.0.1:8000/Tarea_asig/6

Server response

Code	Details
200	<p>Response body</p> <pre>{ "message": "Asignación eliminada exitosamente" }</pre> <p style="text-align: right;">Download</p> <p>Response headers</p> <pre>content-length: 48 content-type: application/json date: Sun,29 Sep 2024 21:23:05 GMT server: uvicorn</pre>

Responses

Code	Description	Links
200	<p>Successful Response</p> <p>Media type</p> <p>application/json</p> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>"string"</pre>	No links

Code	Description	Links
422	Validation Error Media type <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div> Example Value Schema <pre> { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }] } </pre>	No links

Tareas



GET	/Tareas/ Tareas	▼
GET	/Tareas/{Id_tarea} Obtener Tarea	▼
DELETE	/Tareas/{Id_tarea} Eliminar Tarea	▼
POST	/Tareas/creacion_tarea/ Crear Tarea	▼

Asignacion de proyectos



POST	/Proyecto_asig/crear/ Crear Asignacion	▼
GET	/Proyecto_asig/ Obtener Asignaciones	▼
GET	/Proyecto_asig/{Id_asig} Obtener Asignacion	▼
DELETE	/Proyecto_asig/{Id_asig} Eliminar Asignacion	▼

Proyectos



- GET /Proyectos/ Project
- GET /Proyectos/{Id_proyecto} Obtener Proyecto
- POST /Proyectos/creacion_proyecto/ Crear Proyecto
- DELETE /Proyectos/{Id_proyecto} Eliminar Proyecto

Estados

GET /Estados/ Obtener Estados

Parameters Cancel

No parameters

Servers

These operation-level options override the global server options.

/

Execute Clear

Responses

Curl

```
curl -X 'GET' \
'http://127.0.0.1:8000/Estados/' \
-H 'accept: application/json'
```

Request URL

http://127.0.0.1:8000/Estados/

Server response

Code **Details**

200

Response body

```
[  
  [  
    1,  
    "Activo"  
  ],  
  [  
    2,  
    "Inactivo"  
  ],  
  [  
    3,  
    "En Progreso"  
  ],  
  [  
    4,  
    "Finalizado"  
  ],  
  [  
    5,  
    "Pendiente"  
  ]  
]
```

Download

Response headers

```
content-length: 96  
content-type: application/json  
date: Sun, 29 Sep 2024 21:23:30 GMT  
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value Schema

"string"

GET /Estados/{Id_estado} Obtener Estado Id



Parameters

Cancel

Name Description

Id_estado * required
integer
(path)

Servers

These operation-level options override the global server options.

Responses

Curl

```
curl -X 'GET' \  
  'http://127.0.0.1:8000/Estados/3' \  
  -H 'accept: application/json'
```

Request URL

http://127.0.0.1:8000/Estados/3

Server response

Code Details

200

Response body

```
[  
  3,  
  "En Progreso "  
]
```

[Download](#)

Response headers

```
content-length: 18  
content-type: application/json  
date: Sun, 29 Sep 2024 21:23:44 GMT  
server: uvicorn
```

Responses

Code	Description	Links
200	<p>Successful Response</p> <p>Media type</p> <p>application/json</p> <p>Controls Accept header.</p> <p>Example Value Schema</p> <p>"string"</p>	No links
422	<p>Validation Error</p> <p>Media type</p> <p>application/json</p> <p>Example Value Schema</p> <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }] }</pre>	No links

default



GET / Root

Schemas



HTTPValidationError > Expand all **object**

ValidationError > Expand all **object**