

1 Start coding or [generate](#) with AI.

1 Start coding or [generate](#) with AI.

1 Start coding or [generate](#) with AI.

1 Start coding or [generate](#) with AI.

1 <https://github.com/open-webui/open-webui#troubleshooting>

1 !pip install udocker

2

3 !udocker --allow-root install

```

🔄 Collecting udocker
  Downloading udocker-1.3.17-py2.py3-none-any.whl.metadata (37 kB)
  Downloading udocker-1.3.17-py2.py3-none-any.whl (119 kB)
-----119.6/119.6 kB 4.1 MB/s eta 0:00:00
Installing collected packages: udocker
Successfully installed udocker-1.3.17
Info: creating repo: /root/.udocker
Info: udocker command line interface 1.3.17
Info: searching for udockertools >= 1.2.11
Info: installing udockertools 1.2.11
Info: installation of udockertools successful

```

1 !udocker --allow-root pull ghcr.io/open-webui/open-webui:ollama

```

🔄 Info: downloading layer sha256:efff07362107940e1939dce54898ff14db06881378fa0ca8bab0013c45b889df
Info: downloading layer sha256:e2a12b9358eec11a535d17484ddb3f44a557f30ac488d00316c1f88f0ecec7e
Info: downloading layer sha256:674a925a98e947ee828ed657ff1dbb49a491c4b26a2557ee5ada4b60cc4c75fb
Info: downloading layer sha256:30ceabb28b19619092b09c387141906d5470dfce58da0c4bc596078eb44a8ce5
Info: downloading layer sha256:d684b58791697e8750a54136a04c67a910aef5a11476bcc351e5d48b87d66bbe
Info: downloading layer sha256:78c2b9c5ae8d999a74363bf0f0b09d7de4f6e100be9158628ccf518e9bf5351c
Info: downloading layer sha256:e3fb4b9a2f37fb4c10d3b9028cad2135bfb25e23d17037617a6f7343e4de1065
Info: downloading layer sha256:4a1c71cbb139f01d08fac41d98c706349f31ef5701febfee4269a576b1dbf3cc
Info: downloading layer sha256:4f4fb700ef54461cfa02571ae0db9a0dc1e0cdb577484a6d75e68dc38e8acc1
Info: downloading layer sha256:9152002b26b843e077fdef5286d8e81e5648a3c30e891f67dfd37c75ff7c6c06
Info: downloading layer sha256:cde32ca1e9ae528a4602bc29ba944f7736558755db33abe7346616fc154f021
Info: downloading layer sha256:4f4fb700ef54461cfa02571ae0db9a0dc1e0cdb577484a6d75e68dc38e8acc1
Info: downloading layer sha256:4bc148cbea8450ed744a49154c1f567418b93a162b42617f5468980128bc057d
Info: downloading layer sha256:2f779fda9095263a7b87573965b88a397d57cd19e64fc62747cde30706500876
Info: downloading layer sha256:5cfa0738ac2ffcd75f9dab52bb71a8b7b97148e781f69c90d3ea0f85b2398d2
Info: downloading layer sha256:a5072a025aa2429fb10c09ec82a6285de006dd60d218109e2d8e1a31694ede28
Info: downloading layer sha256:a480a496ba95a197d587aa1d9e0f545ca7dbd40495a4715342228db62b67c4ba

```

1 !pip install pyngrok

2

```

🔄 Collecting pyngrok
  Downloading pyngrok-7.2.1-py3-none-any.whl.metadata (8.3 kB)
Requirement already satisfied: PyYAML>=5.1 in /usr/local/lib/python3.10/dist-packages (from pyngrok) (6.0.2)
  Downloading pyngrok-7.2.1-py3-none-any.whl (22 kB)
Installing collected packages: pyngrok
Successfully installed pyngrok-7.2.1

```

1 !mkdir /content/ollama

1 from pyngrok import ngrok

2

3 ngrok.set_auth_token("xxxxxxxxxxxxxxxxxxxxxxxxxxxx")

4

5 public_url = ngrok.connect(3000)

6 print("Public URL:", public_url)

7

▶ 8 !udocker --allow-root run -p 3000:8080 -v /content/ollama:/root/.ollama ghcr.io/open-webui/open-webui:ollama

...

```

ERRORK [open_webui.apps.ollama.main] Connection error: Cannot connect to host localhost:11434 ssl:default [Name or service not known]
INFO [open_webui.apps.ollama.main] get_all_models()
INFO: 102.45.121.249:0 - "GET /api/config HTTP/1.1" 200 OK
ERROR [open_webui.apps.ollama.main] Connection error: Cannot connect to host localhost:11434 ssl:default [Name or service not known]
INFO: 102.45.121.249:0 - "POST /ws/socket.io/?EIO=4&transport=polling&t=PCdqJVr&sid=ZJVahWNC-i7nnK2gAAAE HTTP/1.1" 200 OK
INFO: ('102.45.121.249', 0) - "WebSocket /ws/socket.io/?EIO=4&transport=websocket&sid=ZJVahWNC-i7nnK2gAAAE" [accepted]
INFO: connection open
INFO [open_webui.apps.ollama.main] get_all_models()
ERROR [open_webui.apps.ollama.main] Connection error: Cannot connect to host localhost:11434 ssl:default [Name or service not known]
INFO: 102.45.121.249:0 - "GET /ws/socket.io/?EIO=4&transport=polling&t=PCdqJVs&sid=ZJVahWNC-i7nnK2gAAAE HTTP/1.1" 200 OK
INFO [open_webui.apps.openai.main] get_all_models()
INFO [open_webui.apps.openai.main] get_all_models()
INFO [open_webui.apps.openai.main] get_all_models()
INFO [open_webui.apps.ollama.main] get_all_models()
INFO [open_webui.apps.ollama.main] get_all_models()
ERROR [open_webui.apps.ollama.main] Connection error: Cannot connect to host localhost:11434 ssl:default [Name or service not known]
ERROR [open_webui.apps.ollama.main] Connection error: Cannot connect to host localhost:11434 ssl:default [Name or service not known]
INFO: 102.45.121.249:0 - "GET /api/changelog HTTP/1.1" 200 OK
INFO: 102.45.121.249:0 - "GET /api/v1/users/user/settings HTTP/1.1" 200 OK
INFO [open_webui.apps.ollama.main] get_all_models()
ERROR [open_webui.apps.ollama.main] Connection error: Cannot connect to host localhost:11434 ssl:default [Name or service not known]
INFO: 102.45.121.249:0 - "GET /ws/socket.io/?EIO=4&transport=polling&t=PCdqJd3&sid=ZJVahWNC-i7nnK2gAAAE HTTP/1.1" 200 OK
INFO [open_webui.apps.openai.main] get_all_models()
INFO [open_webui.apps.openai.main] get_all_models()
INFO [open_webui.apps.openai.main] get_all_models()
INFO [open_webui.apps.openai.main] get_all_models()
INFO [open_webui.apps.openai.main] get_all_models()
INFO [open_webui.apps.openai.main] get_all_models()
INFO [open_webui.apps.openai.main] get_all_models()
INFO [open_webui.apps.openai.main] get_all_models()
INFO [open_webui.apps.ollama.main] get_all_models()
INFO [open_webui.apps.ollama.main] get_all_models()
ERROR [open_webui.apps.ollama.main] Connection error: Cannot connect to host localhost:11434 ssl:default [Name or service not known]
ERROR [open_webui.apps.ollama.main] Connection error: Cannot connect to host localhost:11434 ssl:default [Name or service not known]
INFO [open_webui.apps.openai.main] get_all_models()
INFO: 102.45.121.249:0 - "GET /api/v1/prompts/ HTTP/1.1" 200 OK
INFO [open_webui.apps.ollama.main] get_all_models()
ERROR [open_webui.apps.ollama.main] Connection error: Cannot connect to host localhost:11434 ssl:default [Name or service not known]
INFO [open_webui.apps.ollama.main] get_all_models()
INFO [open_webui.apps.ollama.main] get_all_models()
INFO: 102.45.121.249:0 - "GET /api/v1/configs/banners HTTP/1.1" 200 OK
ERROR [open_webui.apps.ollama.main] Connection error: Cannot connect to host localhost:11434 ssl:default [Name or service not known]
ERROR [open_webui.apps.ollama.main] Connection error: Cannot connect to host localhost:11434 ssl:default [Name or service not known]
INFO [open_webui.apps.ollama.main] get_all_models()
INFO [open_webui.apps.ollama.main] get_all_models()
ERROR [open_webui.apps.ollama.main] Connection error: Cannot connect to host localhost:11434 ssl:default [Name or service not known]
INFO: 102.45.121.249:0 - "GET /api/v1/knowledge/ HTTP/1.1" 200 OK
INFO: 102.45.121.249:0 - "GET /api/v1/chats/all/tags HTTP/1.1" 200 OK
ERROR [open_webui.apps.ollama.main] Connection error: Cannot connect to host localhost:11434 ssl:default [Name or service not known]
INFO [open_webui.apps.ollama.main] get_all_models()
INFO: 102.45.121.249:0 - "GET /api/v1/tools/ HTTP/1.1" 200 OK
INFO: 102.45.121.249:0 - "GET /api/v1/functions/ HTTP/1.1" 200 OK

```

```

1 from os import sched_get_priority_min
2 قائمة
3 admin setting
4 غير البورت الى 127.0.0.1:11343
5 ollama pull xxxxxxxx
6 يعمل رن للكود

```

1 Start coding or [generate](#) with AI.

1 Start coding or [generate](#) with AI.

1 Start coding or [generate](#) with AI.

1 Start coding or [generate](#) with AI.

1 Start coding or [generate](#) with AI.

1 Start coding or [generate](#) with AI.

1 Start coding or [generate](#) with AI.

1 Start coding or [generate](#) with AI.

1 Start coding or [generate](#) with AI.

```
1 https://github.com/open-webui/open-webui#troubleshooting
2 !pip install udocker
3
4 !udocker --allow-root install
5 !udocker --allow-root pull ghcr.io/open-webui/open-webui:ollama
6 !pip install pyngrok
7
8 !mkdir /content/ollama
9 from pyngrok import ngrok
10
11 ngrok.set_auth_token("xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx")
12
13 public_url = ngrok.connect(3000)
14 print("Public URL:", public_url)
15
16 !udocker --allow-root run -p 3000:8080 -v /content/ollama:/root/.ollama ghcr.io/open-webui/open-webui:ollama
17 from os import sched_get_priority_min
18 قائمة
19 admin setting
20 غير البورت الى 127.0.0.1:11343
21 ollama pull xxxxxxxx
22 يعمل رن للكود

1 admin setting
2 غير البورت الى 127.0.0.1:11343
3 ollama pull xxxxxxxx
4 يعمل رن للكود
5 127.0.0.1:11343 change port
```


