



dell wyse

Manufacturer

dell

Model

wyse

Firmware

123

MAC Address

f0:d4:e2:f2:f5:41

Device Configuration

- ✓ Protocol
- ✓ Connection
- ✓ TLS
- ✓ DNS
- ✓ Services
- ✓ NTP

Test Status

Complete

Pilot Recommendation

Do Not Proceed

Started

2025-01-16 18:50:11

Duration

8m 15s

Results List (39/40)

Name	Description	Result	Required result
protocol.valid_bacnet	BACnet device could not be discovered	Feature Not Detected	Information...
protocol.bacnet.version	Device did not respond to BACnet discovery	Feature Not Detected	Information...
protocol.valid_modbus	Device did not respond to Modbus connection	Feature Not Detected	Information...
connection.port_link	Port stats not available	Error	Information...
connection.port_speed	Succesfully auto-negotiated speeds above 10 Mbps	Informational	Information...
connection.port_duplex	Succesfully auto-negotiated full duplex	Informational	Information...
connection.switch.arp_inspection	Device uses ARP correctly	Informational	Information...
connection.switch.dhcp_snooping	Device does not act as a DHCP server	Informational	Information...
connection.dhcp_address	Device responded to leased IP address	Compliant	Requir...
connection.mac_address	MAC address found: f0:d4:e2:f2:f5:41	Compliant	Requir...
connection.mac_oui	OUI Manufacturer found: Dell Inc.	Informational	Information...



Results List (39/40)

Name	Description	Result	Required result
connection.private_address	All subnets are supported	Informational	Informationo...
connection.shared_address	All subnets are supported	Informational	Informationo...
connection.single_ip	Device is using a single IP address	Informational	Informationo...
connection.target_ping	Device responds to ping	Informational	Informationo...
connection.ipaddr.ip_change	Device has accepted an IP address change	Informational	Informationo...
connection.ipaddr.dhcp_failover	Secondary DHCP server lease confirmed active in device	Informational	Informationo...
connection.ipv6_slaac	Device does not support IPv6	Informational	Informationo...
connection.ipv6_ping	No IPv6 SLAAC address found. Cannot ping	Informational	Informationo...
security.tls.v1_0_client	No outbound connections were found	Feature Not Detected	Required if Applica...
security.tls.v1_2_server	TLS 1.2 certificate could not be validated	Feature Not Detected	Informationo...
security.tls.v1_2_client	No outbound connections were found	Feature Not Detected	Informationo...
security.tls.v1_3_server	TLS 1.3 certificate could not be validated	Feature Not Detected	Informationo...
security.tls.v1_3_client	No outbound connections were found	Feature Not Detected	Informationo...
dns.network.hostname_resolution	DNS traffic detected from device	Informational	Informationo...
dns.network.from_dhcp	No DNS traffic detected from the device	Informational	Informationo...
dns.mdns	No MDNS traffic detected from the device	Informational	Informationo...
security.services.ftp	No FTP server found	Informational	Informationo...
security.ssh.version	SSH server found running 9.7 protocol 2.0	Informational	Informationo...
security.services.telnet	No telnet server found	Informational	Informationo...
security.services.smtp	Found SMTP server running on port 25/tcp	Informational	Informationo...

Results List (39/40)

Name	Description	Result	Required result
security.services.http	Found HTTP server running on port 80/tcp	Informational	 Informatio...
security.services.pop	No POP server found	Informational	 Informatio...
security.services.imap	Found IMAP server running on port 143/tcp, 993/tcp	Informational	 Informatio...
security.services.snmpv3	No SNMP server found	Informational	 Informatio...
security.services.vnc	No VNC server found	Informational	 Informatio...
security.services.tftp	No TFTP server found	Informational	 Informatio...
ntp.network.ntp_server	No NTP server found	Informational	 Informatio...
ntp.network.ntp_support	Device has not sent any NTP requests	Informational	 Informatio...
ntp.network.ntp_dhcp	Device has not sent any NTP requests	Feature Not Detected	 Informatio...

Recommendations for Device Qualification

ATTENTION

The following recommendations are required solely for full device qualification. They are optional for the pilot assessment. But you may find it valuable to understand what will be required in the future and our recommendations for your device.

1.

Name

connection.ipv6_slaac

Description

Device does not support IPv6

Steps to resolve

1. Install a network manager that supports IPv6

2. Disable DHCPv6
2.

Name

connection.ipv6_ping

Description

No IPv6 SLAAC address found. Cannot ping

Steps to resolve

1. Enable ping response to IPv6 ICMP requests in network manager settings

2. Create a firewall exception to allow ICMPv6 via LAN
3.

Name

security.services.smtp

Description

Found SMTP server running on port 25/tcp

Steps to resolve

1. Disable the SMTP server



dell wyse



4.

Name

security.services.http

Description

Found HTTP server running on port 80/tcp

Steps to resolve

1. Disable all unsecure HTTP servers
2. Setup TLS on the web server

5.

Name

security.services.imap

Description

Found IMAP server running on port 143/tcp, 993/tcp

Steps to resolve

1. Disable the IMAP server

6.

Name

ntp.network.ntp_support

Description

Device has not sent any NTP requests

Steps to resolve

1. Set the NTP version to v4 in the NTP client
2. Install an NTP client that supports NTPv4

Device profile

Question

Answer