

TypeError

CodeIgniter\Database\BaseResult::getFirstRow(): Argument #1 (\$type) must be of type string, null given, called in

E:\laragon\www\opresensi\vendor\codeigniter4\framework\system\Model.php on line 200 [search →](#)

SYSTEMPATH\Database\BaseResult.php at line 391

```
384     }
385
386     /**
387      * Returns the "first" row of the current results.
388      *
389      * @return array|object|null
390      */
391     public function getFirstRow(string $type = 'object')
392     {
393         $result = $this->getResult($type);
394
395         return ($result === []) ? null : $result[0];
396     }
397
398     /**
```



Backtrace Server Request Response Files Memory

1. SYSTEMPATH\Model.php : 200 — CodeIgniter\Database\BaseResult->getFirstRow (arguments)

```
193         if (is_array($id)) {
194             $row = $builder->whereIn($this->table . '.' . $this->primaryKey, $id)
195                 ->get()
196                 ->getResult($this->tempReturnType);
197         } elseif ($singleton) {
198             $row = $builder->where($this->table . '.' . $this->primaryKey, $id)
199                 ->get()
200                 ->getFirstRow($this->tempReturnType);
201         } else {
```

```
202     $row = $builder->get()->getResult($this->tempReturnType);
203 }
204
205     return $row;
206 }
207
```

2. SYSTEMPATH\BaseModel.php : 577 — CodeIgniter\Model->doFind (arguments)

```
570     if (isset($EventData['returnData'])) && $EventData['returnData'] ===
571         return $EventData['data'];
572     }
573 }
574
575 $EventData = [
576     'id'      => $id,
577     'data'    => $this->doFind($singleton, $id),
578     'method'  => 'find',
579     'singleton' => $singleton,
580 ];
581
582 if ($this->tempAllowCallbacks) {
583     $EventData = $this->trigger('afterFind', $EventData);
584 }
```



3. APPPATH\Controllers\Ketidakhadiran.php : 519 — CodeIgniter\BaseModel->find (arguments)

```
512
513     session()->set_flashdata('berhasil', 'Pengajuan Ketidakhadiran berhasil');
514     return redirect()->to(base_url('/ketidakhadiran'));
515 }
516
517 public function delete($id)
518 {
519     $data_pengajuan = $this->ketidakhadiranModel->find($id);
520
521     if ($data_pengajuan['status_pengajuan'] === 'REJECTED') {
522         session()->set_flashdata('info', 'Pengajuan Sudah DI-REJECT. Tidak b
523         return redirect()->to(base_url('/ketidakhadiran'));
524     } else if ($data_pengajuan['status_pengajuan'] === 'APPROVED') {
```

```
525         session()->set_flashdata('info', 'Pengajuan Sudah DI-APPROVE. Tidak  
526         return redirect()->to(base_url('/ketidakhadiran'));
```

4. SYSTEMPATH\CodeIgniter.php : 941 — App\Controllers\Ketidakhadiran->delete (arguments)

```
934     protected function runController($class)  
935     {  
936         // This is a Web request or PHP CLI request  
937         $params = $this->router->params();  
938  
939         $output = method_exists($class, '_remap')  
940             ? $class->_remap($this->method, ...$params)  
941             : $class->{$this->method}(...$params);  
942  
943         $this->benchmark->stop('controller');  
944  
945         return $output;  
946     }  
947  
948     /**
```



5. SYSTEMPATH\CodeIgniter.php : 502 — CodeIgniter\CodeIgniter->runController (arguments)

```
495         if (! method_exists($controller, '_remap') && ! is_callable([$contr  
496             throw PageNotFoundException::forMethodNotFound($this->method);  
497         }  
498  
499         // Is there a "post_controller_constructor" event?  
500         Events::trigger('post_controller_constructor');  
501  
502         $returned = $this->runController($controller);  
503     } else {  
504         $this->benchmark->stop('controller_constructor');  
505         $this->benchmark->stop('controller');  
506     }  
507  
508     // If $returned is a string, then the controller output something,  
509     // probably a view, instead of echoing it directly. Send it along
```



6. SYSTEMPATH\CodeIgniter.php : 361 — CodeIgniter\CodeIgniter->handleRequest (arguments)

```
354
355     $this->getRequestObject();
356     $this->getResponseObject();
357
358     $this->spoofRequestMethod();
359
360     try {
361         $this->response = $this->handleRequest($routes, config(Cache::class));
362     } catch (ResponsableInterface|DeprecatedRedirectException $e) {
363         $this->outputBufferingEnd();
364         if ($e instanceof DeprecatedRedirectException) {
365             $e = new RedirectException($e->getMessage(), $e->getCode(), $e);
366         }
367
368         $this->response = $e->getResponse();
```



7. FCPATH\index.php : 79 — CodeIgniter\CodeIgniter->run ()

```
72 *-----
73 * LAUNCH THE APPLICATION
74 *-----
75 * Now that everything is set up, it's time to actually fire
76 * up the engines and make this app do its thang.
77 */
78
79 $app->run();
80
81 // Save Config Cache
82 // $factoriesCache->save('config');
83 // ^^^ Uncomment this line if you want to use Config Caching.
84
85 // Exits the application, setting the exit code for CLI-based applications
86 // that might be watching.
```



8. require_once SYSTEMPATH\Commands\Server\rewrite.php — require_once()

