

```

endurain-app | ERROR: Exception in ASGI application
endurain-app | + Exception Group Traceback (most recent call
endurain-app | last):
endurain-app | | File "/usr/local/lib/python3.13/site-
endurain-app | | packages/starlette/_utils.py", line 79, in collapse_excgroups
endurain-app | | yield
endurain-app | | File "/usr/local/lib/python3.13/site-
endurain-app | | packages/starlette/middleware/base.py", line 192, in __call__
endurain-app | | async with anyio.create_task_group() as
endurain-app | | task_group:
endurain-app | | |
endurain-app | | | File "/usr/local/lib/python3.13/site-
endurain-app | | | packages/anyio/_backends/_asyncio.py", line 783, in __aexit__
endurain-app | | | raise BaseExceptionGroup(
endurain-app | | | "unhandled errors in a TaskGroup",
endurain-app | | self._exceptions
endurain-app | | ) from None
endurain-app | | ExceptionGroup: unhandled errors in a
endurain-app | | TaskGroup (1 sub-exception)
endurain-app | | +-+----- 1 -----
endurain-app | | | Traceback (most recent call last):
endurain-app | | | File "/usr/local/lib/python3.13/site-
endurain-app | | | packages/uvicorn/protocols/http/h11_impl.py", line 403, in run_asgi
endurain-app | | | result = await app( # type:
endurain-app | | | ignore[func-returns-value]
endurain-app | | |
endurain-app | | | ~~~~~
endurain-app | | | self.scope, self.receive,
endurain-app | | | self.send
endurain-app | | |
endurain-app | | | ~~~~~
endurain-app | | | )
endurain-app | | | ^
endurain-app | | | File "/usr/local/lib/python3.13/site-
endurain-app | | | packages/uvicorn/middleware/proxy_headers.py", line 60, in __call__
endurain-app | | | return await self.app(scope, receive,
endurain-app | | | send)
endurain-app | | |
endurain-app | | | ~~~~~
endurain-app | | | File "/usr/local/lib/python3.13/site-
endurain-app | | | packages/fastapi/applications.py", line 1134, in __call__
endurain-app | | | await super().__call__(scope,
endurain-app | | | receive, send)
endurain-app | | | File "/usr/local/lib/python3.13/site-
endurain-app | | | packages/starlette/applications.py", line 107, in __call__
endurain-app | | | await self.middleware_stack(scope,
endurain-app | | | receive, send)
endurain-app | | | File "/usr/local/lib/python3.13/site-
endurain-app | | | packages/starlette/middleware/errors.py", line 186, in __call__
endurain-app | | | raise exc
endurain-app | | | File "/usr/local/lib/python3.13/site-
endurain-app | | | packages/starlette/middleware/errors.py", line 164, in __call__
endurain-app | | | await self.app(scope, receive, _send)
endurain-app | | | File "/usr/local/lib/python3.13/site-

```

```

packages/opentelemetry/instrumentation/asgi/__init__.py", line 743,
in __call__
endurain-app | | await self.app(scope, otel_receive,
otel_send)
endurain-app | | File "/usr/local/lib/python3.13/site-
packages/starlette/middleware/base.py", line 191, in __call__
endurain-app | | with recv_stream, send_stream,
collapse_excgroups():
endurain-app | |
~~~~~^
endurain-app | | File "/usr/local/lib/python3.13/
contextlib.py", line 162, in __exit__
endurain-app | | self.gen.throw(value)
endurain-app | | ~~~~~^
endurain-app | | File "/usr/local/lib/python3.13/site-
packages/starlette/_utils.py", line 85, in collapse_excgroups
endurain-app | | raise exc
endurain-app | | File "/usr/local/lib/python3.13/site-
packages/starlette/middleware/base.py", line 193, in __call__
endurain-app | | response = await
self.dispatch_func(request, call_next)
endurain-app | |
~~~~~^
endurain-app | | File "/app/backend/core/middleware.py",
line 186, in dispatch
endurain-app | | response = await call_next(request)
endurain-app | | ~~~~~^
endurain-app | | File "/usr/local/lib/python3.13/site-
packages/starlette/middleware/base.py", line 168, in call_next
endurain-app | | raise app_exc from app_exc.__cause__
or app_exc.__context__
endurain-app | | File "/usr/local/lib/python3.13/site-
packages/starlette/middleware/base.py", line 144, in coro
endurain-app | | await self.app(scope,
receive_or_disconnect, send_no_error)
endurain-app | | File "/usr/local/lib/python3.13/site-
packages/starlette/middleware/base.py", line 191, in __call__
endurain-app | | with recv_stream, send_stream,
collapse_excgroups():
endurain-app | |
~~~~~^
endurain-app | | File "/usr/local/lib/python3.13/
contextlib.py", line 162, in __exit__
endurain-app | | self.gen.throw(value)
endurain-app | | ~~~~~^
endurain-app | | File "/usr/local/lib/python3.13/site-
packages/starlette/_utils.py", line 85, in collapse_excgroups
endurain-app | | raise exc
endurain-app | | File "/usr/local/lib/python3.13/site-
packages/starlette/middleware/base.py", line 193, in __call__
endurain-app | | response = await
self.dispatch_func(request, call_next)
endurain-app | |
~~~~~^

```

```

endurain-app | | File "/app/backend/core/middleware.py",
line 62, in dispatch
endurain-app | | response = await call_next(request)
endurain-app | | ~~~~~
endurain-app | | File "/usr/local/lib/python3.13/site-
packages/starlette/middleware/base.py", line 168, in call_next
endurain-app | | raise app_exc from app_exc.__cause__
or app_exc.__context__
endurain-app | | File "/usr/local/lib/python3.13/site-
packages/starlette/middleware/base.py", line 144, in coro
endurain-app | | await self.app(scope,
receive_or_disconnect, send_no_error)
endurain-app | | File "/usr/local/lib/python3.13/site-
packages/starlette/middleware/cors.py", line 85, in __call__
endurain-app | | await self.app(scope, receive, send)
endurain-app | | File "/usr/local/lib/python3.13/site-
packages/starlette/middleware/sessions.py", line 85, in __call__
endurain-app | | await self.app(scope, receive,
send_wrapper)
endurain-app | | File "/usr/local/lib/python3.13/site-
packages/starlette/middleware/exceptions.py", line 63, in __call__
endurain-app | | await
wrap_app_handling_exceptions(self.app, conn)(scope, receive, send)
endurain-app | | File "/usr/local/lib/python3.13/site-
packages/starlette/_exception_handler.py", line 53, in wrapped_app
endurain-app | | raise exc
endurain-app | | File "/usr/local/lib/python3.13/site-
packages/starlette/_exception_handler.py", line 42, in wrapped_app
endurain-app | | await app(scope, receive, sender)
endurain-app | | File "/usr/local/lib/python3.13/site-
packages/fastapi/middleware/asyncexitstack.py", line 18, in __call__
endurain-app | | await self.app(scope, receive, send)
endurain-app | | File "/usr/local/lib/python3.13/site-
packages/starlette/routing.py", line 716, in __call__
endurain-app | | await self.middleware_stack(scope,
receive, send)
endurain-app | | File "/usr/local/lib/python3.13/site-
packages/starlette/routing.py", line 736, in app
endurain-app | | await route.handle(scope, receive,
send)
endurain-app | | File "/usr/local/lib/python3.13/site-
packages/starlette/routing.py", line 290, in handle
endurain-app | | await self.app(scope, receive, send)
endurain-app | | File "/usr/local/lib/python3.13/site-
packages/fastapi/routing.py", line 125, in app
endurain-app | | await
wrap_app_handling_exceptions(app, request)(scope, receive, send)
endurain-app | | File "/usr/local/lib/python3.13/site-
packages/starlette/_exception_handler.py", line 53, in wrapped_app
endurain-app | | raise exc
endurain-app | | File "/usr/local/lib/python3.13/site-
packages/starlette/_exception_handler.py", line 42, in wrapped_app
endurain-app | | await app(scope, receive, sender)
endurain-app | | File "/usr/local/lib/python3.13/site-

```

```

packages/fastapi/routing.py", line 111, in app
endurain-app |         response = await f(request)
endurain-app |         ~~~~~
endurain-app |         File "/usr/local/lib/python3.13/site-
packages/fastapi/routing.py", line 391, in app
endurain-app |         raw_response = await
run_endpoint_function(
endurain-app |
~~~~~
endurain-app |         ...<3 lines>...
endurain-app |         )
endurain-app |         ^
endurain-app |         File "/usr/local/lib/python3.13/site-
packages/fastapi/routing.py", line 290, in run_endpoint_function
endurain-app |         return await dependant.call(**values)
endurain-app |         ~~~~~
endurain-app |         File "/app/backend/activities/activity/
router.py", line 524, in read_activities_user_activities_refresh
endurain-app |         strava_activities = await
strava_activity_utils.get_user_strava_activities_by_dates(
endurain-app |
~~~~~
endurain-app |
start_date=datetime.now(timezone.utc) - timedelta(days=1),
endurain-app |
~~~~~
endurain-app |         ...<3 lines>...
endurain-app |         db=db,
endurain-app |         ~~~~~
endurain-app |         )
endurain-app |         ^
endurain-app |         TypeError:
get_user_strava_activities_by_dates() got an unexpected keyword
argument 'websocket_manager'
endurain-app |         +-----
endurain-app |
endurain-app |         The above exception was the direct cause of the
following exception:
endurain-app |
endurain-app |         Traceback (most recent call last):
endurain-app |         File "/usr/local/lib/python3.13/site-
packages/uvicorn/protocols/http/h11_impl.py", line 403, in run_asgi
endurain-app |         result = await app( # type: ignore[func-
returns-value]
endurain-app |
~~~~~
endurain-app |         self.scope, self.receive, self.send
endurain-app |         ~~~~~
endurain-app |         )
endurain-app |         ^
endurain-app |         File "/usr/local/lib/python3.13/site-
packages/uvicorn/middleware/proxy_headers.py", line 60, in __call__
endurain-app |         return await self.app(scope, receive, send)
endurain-app |         ~~~~~

```

```

endurain-app | File "/usr/local/lib/python3.13/site-
packages/fastapi/applications.py", line 1134, in __call__
endurain-app |     await super().__call__(scope, receive,
send)
endurain-app | File "/usr/local/lib/python3.13/site-
packages/starlette/applications.py", line 107, in __call__
endurain-app |     await self.middleware_stack(scope, receive,
send)
endurain-app | File "/usr/local/lib/python3.13/site-
packages/starlette/middleware/errors.py", line 186, in __call__
endurain-app |     raise exc
endurain-app | File "/usr/local/lib/python3.13/site-
packages/starlette/middleware/errors.py", line 164, in __call__
endurain-app |     await self.app(scope, receive, _send)
endurain-app | File "/usr/local/lib/python3.13/site-
packages/opentelemetry/instrumentation/asgi/__init__.py", line 743,
in __call__
endurain-app |     await self.app(scope, otel_receive,
otel_send)
endurain-app | File "/usr/local/lib/python3.13/site-
packages/starlette/middleware/base.py", line 191, in __call__
endurain-app |     with recv_stream, send_stream,
collapse_excgroups():
endurain-app |
~~~~~
endurain-app | File "/usr/local/lib/python3.13/
contextlib.py", line 162, in __exit__
endurain-app |     self.gen.throw(value)
endurain-app |     ~~~~~
endurain-app | File "/usr/local/lib/python3.13/site-
packages/starlette/_utils.py", line 85, in collapse_excgroups
endurain-app |     raise exc
endurain-app | File "/usr/local/lib/python3.13/site-
packages/starlette/middleware/base.py", line 193, in __call__
endurain-app |     response = await
self.dispatch_func(request, call_next)
endurain-app |
~~~~~
endurain-app | File "/app/backend/core/middleware.py", line
186, in dispatch
endurain-app |     response = await call_next(request)
endurain-app |     ~~~~~
endurain-app | File "/usr/local/lib/python3.13/site-
packages/starlette/middleware/base.py", line 168, in call_next
endurain-app |     raise app_exc from app_exc.__cause__ or
app_exc.__context__
endurain-app | File "/usr/local/lib/python3.13/site-
packages/starlette/middleware/base.py", line 144, in coro
endurain-app |     await self.app(scope,
receive_or_disconnect, send_no_error)
endurain-app | File "/usr/local/lib/python3.13/site-
packages/starlette/middleware/base.py", line 191, in __call__
endurain-app |     with recv_stream, send_stream,
collapse_excgroups():

```

```

endurain-app |
~~~~~^
endurain-app | File "/usr/local/lib/python3.13/
contextlib.py", line 162, in __exit__
endurain-app |     self.gen.throw(value)
endurain-app |     ~~~~~^
endurain-app | File "/usr/local/lib/python3.13/site-
packages/starlette/_utils.py", line 85, in collapse_excgroups
endurain-app |     raise exc
endurain-app | File "/usr/local/lib/python3.13/site-
packages/starlette/middleware/base.py", line 193, in __call__
endurain-app |     response = await
self.dispatch_func(request, call_next)
endurain-app |
~~~~~^
endurain-app | File "/app/backend/core/middleware.py", line
62, in dispatch
endurain-app |     response = await call_next(request)
endurain-app |     ~~~~~^
endurain-app | File "/usr/local/lib/python3.13/site-
packages/starlette/middleware/base.py", line 168, in call_next
endurain-app |     raise app_exc from app_exc.__cause__ or
app_exc.__context__
endurain-app | File "/usr/local/lib/python3.13/site-
packages/starlette/middleware/base.py", line 144, in coro
endurain-app |     await self.app(scope,
receive_or_disconnect, send_no_error)
endurain-app | File "/usr/local/lib/python3.13/site-
packages/starlette/middleware/cors.py", line 85, in __call__
endurain-app |     await self.app(scope, receive, send)
endurain-app | File "/usr/local/lib/python3.13/site-
packages/starlette/middleware/sessions.py", line 85, in __call__
endurain-app |     await self.app(scope, receive,
send_wrapper)
endurain-app | File "/usr/local/lib/python3.13/site-
packages/starlette/middleware/exceptions.py", line 63, in __call__
endurain-app |     await
wrap_app_handling_exceptions(self.app, conn)(scope, receive, send)
endurain-app | File "/usr/local/lib/python3.13/site-
packages/starlette/_exception_handler.py", line 53, in wrapped_app
endurain-app |     raise exc
endurain-app | File "/usr/local/lib/python3.13/site-
packages/starlette/_exception_handler.py", line 42, in wrapped_app
endurain-app |     await app(scope, receive, sender)
endurain-app | File "/usr/local/lib/python3.13/site-
packages/fastapi/middleware/asyncexitstack.py", line 18, in __call__
endurain-app |     await self.app(scope, receive, send)
endurain-app | File "/usr/local/lib/python3.13/site-
packages/starlette/routing.py", line 716, in __call__
endurain-app |     await self.middleware_stack(scope, receive,
send)
endurain-app | File "/usr/local/lib/python3.13/site-
packages/starlette/routing.py", line 736, in app
endurain-app |     await route.handle(scope, receive, send)

```

