

The Next Generation of R Markdown

J.J. Allaire^{1,*}

1. RStudio

*Contact author: jj@rstudio.com

Keywords: reproducible, knitr, markdown, reports

R Markdown is an authoring format that enables easy creation of dynamic documents, presentations, and reports from *R*. It combines the core syntax of markdown (Gruber 2004), an easy-to-write plain text format, with embedded *R* code chunks whose output is included in the final document. R Markdown documents are fully reproducible (they can be automatically regenerated whenever underlying *R* code or data changes).

This talk will describe R Markdown v2 (Allaire 2014), a next generation implementation of R Markdown based on **knitr** (Xie 2012) and pandoc (MacFarlane 2006). This implementation brings many enhancements to R Markdown, including:

- Create HTML, PDF, and MS Word documents as well as Beamer, ioslides and reveal.js presentations.
- New markdown syntax including expanded support for tables and bibliographies.
- Hooks for customizing HTML and PDF output (include CSS, headers, and footers).
- Embedding of Shiny applications and reactive expressions within R Markdown documents.
- Compilation of HTML, PDF, or MS Word notebooks from R scripts.
- Extensibility: easily define new formats for custom publishing requirements.

This talk will cover the new features of R Markdown in depth and provide many examples of their use. We'll also discuss creating custom templates and output formats as well as extending R Markdown to include new types of rich web content.

References

Allaire, J.J. 2014. "R Markdown: Dynamic Documents for R." <http://rmarkdown.rstudio.com>.

Gruber, John. 2004. "Markdown." <https://daringfireball.net/projects/markdown/>.

MacFarlane, John. 2006. "Pandoc: A Universal Document Converter." <http://johnmacfarlane.net/pandoc/>.

Xie, Yihui. 2012. "knitr: A General-Purpose Package for Dynamic Report Generation in R." <http://yihui.github.com/knitr/>.