

日曜FLOSS開発と モチベーション

...

榎本優樹
e-yuuki.org

登壇者

榎本 優樹 <uki@e-yuuki.org>

<https://e-yuuki.org>

<https://github.com/user340>

大学 FLOSSを作る



仕事 FLOSSを扱う



目的

いち会社員が余暇にFLOSS開発者としてどう振舞っているかを伝える。

なぜ“FLOSS”という語を使うのか

Free **L**ibre **O**pen **S**ource **S**oftware



Thus, if you want to be neutral between free software and open source, and clear about them, the way to achieve that is to say “FLOSS,” not “FOSS.”

—Richard Stallman

Open Source == 開発論

Free Software == 社会運動

作っているもの



卒業



File not found


引っ越し






就職



職場PC



+ bhyve + ZFS



<https://twitter.com/miraclechan0601>

現状



自由な時間



疲労感



人事・事務等のストレス



通勤

仕事でも趣味でも”FLOSS”？

疲れえない？

疲れえない！

仕事と趣味におけるFLOSSの立ち位置

仕事

サポート > コミュニティ

製品・サービス

趣味

サポート < コミュニティ

自分がやりたいもの・欲しいもの

コミュニティ活動 == 仕事 は少数

開発スタイル

平日: 最大2時間

休日: 最大6時間

ソースコードはGitHubでホスティング





Yuuki Enomoto

user340

Block or report user

📍 Tokyo, Japan

✉ [Sign in to view email](#)

🔗 <https://e-yuuki.org>

Overview

Repositories 3

Stars 0

Followers 7

Following 6

Popular repositories

[fdgw2](#)

Minimal NetBSD Distribution Making Tool

● Makefile ★ 14

[basepkg](#)

NetBSD system packages


● Shell ★ 5 🍴 2

[dotfiles](#)

Dot files under the \$HOME.

● Vim script

92 contributions in the last year



[Learn how we count contributions.](#)

Less More

どう共有するか

メーリングリ
スト

カンファレンス

BOF

wip/basepkg: NetBSD system package

- To: tech-misc%NetBSD.org@localhost, tech-install%NetBSD.org@localhost, tech-pkg%NetBSD.org@localhost
 - Subject: wip/basepkg: NetBSD system package
 - From: Yuuki Enomoto <uki%e-yuuki.org@localhost>
 - Date: Thu, 28 Jun 2018 23:30:02 +0900
-

Hello

I am working on wip/basepkg that follows syspkgs project[1]. It can make base system packages as syspkg.

I gave an presentations in AsiaBSDCon 2017 and 2018[2]. I am using it and it seems to be work well. But it has still a few problems (dependency, naming of package, build server, etc).

Source code and usage are here[3]. I want to obtain feedback from users of basepkg.

Thank you!

[1] <https://wiki.netbsd.org/projects/project/syspkgs/>

[2] <http://www.jp.netbsd.org/gallery/presentations/index.html>

[3] <https://github.com/user340/basepkg>

--

Yuuki Enomoto <uki%e-yuuki.org@localhost>

Attachment: [signature.asc](#)

Description: PGP signature

basepkg: Update wip/basepkg to 1.5.2

- To: pkgsrc-wip-changes@NetBSD.org
- Subject: basepkg: Update wip/basepkg to 1.5.2
- From: Yuuki Enomoto <yuuki%e-yuuki.org@localhost>
- Date: Thu, 28 Jun 2018 10:54:28 +0000

Module Name: pkgsrc-wip
Committed By: Yuuki Enomoto <yuuki%e-yuuki.org@localhost>
Pushed By: e-yuuki
Date: Thu Jun 28 19:54:28 2018 +0900
Changeset: b1aa14673bc9f0637b6c9b91cd0edadb7dcb853f

Modified Files:
basepkg/Makefile
basepkg/distinfo

Log Message:
basepkg: Update wip/basepkg to 1.5.2

Changes:
* Naming xserver package

To see a diff of this commit:
<https://wip.pkgsrc.org/cgi-bin/gitweb.cgi?p=pkgsrc-wip.git;a=commitdiff;h=b1aa14673bc9f0637b6c9b91cd0edadb7dcb853f>

Please note that diffs are not public domain; they are subject to the copyright notices on the relevant files.

diffstat:
basepkg/Makefile | 4 +---
basepkg/distinfo | 8 +-----
2 files changed, 6 insertions(+), 6 deletions(-)

NetBSD Problem Report #53315

From www@NetBSD.org Sat May 26 11:58:31 2018

Return-Path: <www@NetBSD.org>

Received: from mail.netbsd.org (mail.netbsd.org [199.233.217.200])

(using TLSv1.2 with cipher ECDHE-RSA-AES256-GCM-SHA384 (256/256 bits))

(Client CN "mail.NetBSD.org", Issuer "mail.NetBSD.org CA" (not verified))

by mollari.NetBSD.org (Postfix) with ESMTPS id 52C807A21F

for <gnats-bugs@gnats.NetBSD.org>; Sat, 26 May 2018 11:58:31 +0000 (UTC)

Message-Id: <20180526080600.8BCB57A218@mollari.NetBSD.org>

Date: Sat, 26 May 2018 08:06:00 +0000 (UTC)

From: uki@e-yuuki.org

Reply-To: uki@e-yuuki.org

To: gnats-bugs@NetBSD.org

Subject: Submitting source packages

X-Send-Pr-Version: www-1.0

>Number: 53315
>Category: pkg
>Synopsis: Submitting source packages
>Confidential: no
>Severity: serious
>Priority: medium
>Responsible: pkg-manager
>State: open
>Class: sv-bug
>Submitter-Id: net
>Arrival-Date: Sat May 26 12:00:00 +0000 2018
>Originator: Yuuki Enomoto
>Release: pkgsrc-2018Q1

>Organization:
<https://github.com/user340>

>Environment:
NetBSD laptop.e-yuuki.org 8.0_RC1 NetBSD 8.0_RC1 (GENERIC) #3: Thu May 3 12:56:30 JST 2018 root@laptop

>Description:
The basepkg is a build framework for NetBSD base system packages.
It aims which makes it possible to managing NetBSD base system based on package
like as Debian apt, RHEL yum, and others.

The basepkg.sh builds all categories packages into the "packages" directory.
We can manage these packages to own NetBSD system using pkg_add(1),
pkg_delete(1) and pkg_info(1) same as pkgsrc(7).

>How-To-Repeat:

>Fix:
begin 644 basepkg
M'XL(*\$'1"5L''^V;[V_:2!K'^S;^*T;=;-5J&_"/;"123DL3FJ(F)'*JW7?1
MV1Z#%8R1;1K2JO_[C0'/#)3G&>ZNZ4EWC'8+>#X\7F;FF>_S3(!:W:<YFS^.
M7[U<;V&V71=-FA:3=<J'_FSS>.ZO;(<Q[1MLVE9WJNRT_3<5*X+^B3:(B)H
M1LBKQ6.,<D]Y%OP*?WYQJU7K7[_J#B\'+w(/TS)-K\$'U]]SFGS][:9CVY9C
M-5;KwM1X0+R(-SOM_WS)1Q-&-A%`XIQ0XB_B:4BBC";L<t>291FI,^*%\K
MX47RY[Q@"9G3X)&.65XS>@6A<9*3ITD<3\$A"'UE.XH+;TSR/_2DC1<HOSN0X
M\$HWW82J7AR2=51:-:?'S("W)%?>-C.B-T7KPC@X_=&_*\2-X1.N-P,6\$90[.A

>Number:	53315
>Category:	pkg
>Synopsis:	Submitting source packages
>Confidential:	no
>Severity:	serious
>Priority:	medium
>Responsible:	pkg-manager
>State:	open
>Class:	sv-bug
>Submitter-Id:	net
>Arrival-Date:	Sat May 26 12:00:00 +0000 2018

まとめ

仕事とは
方向性が
違う

自分が
使うものを
作る

イベント
めがけて
なにか
やる