# Registration with valid login and password

Severity **Priority Behavior** Type O Normal Positive **Functional** ↑ High Layer Is Flaky Milestone **Automation** Not set Manual No Status Is Muted Actual No

#### **Pre-conditions**

User has never been registered

#### **Parameters**

Environment: Windows 7 Version 6.1 Google Chrome 109.0.5414.120

Step	1
Action	Open the page
Input data	https://qa.demoshopping.ru/
Expected result	The page is opened
Step	2
Action	Click on "Регистрация/войти" button
Input data	
Expected result	Redirect on authorisation page
Step	3
Action	Input 6 letters and 1 special character in "Логин" field
Input data	Nasgar_
Expected result	The data is displayed
Step	4
Action	Input 6 letters and 2 numbers in "Пароль" field
Input data	Nastya11
Expected result	

Step	5
Action	Click on "Регистрация" button
Input data	
Expected result	Button "Войти" should change to "Выйти"

# Registration with invalid login and valid password

Severity **Priority Behavior** Type O Normal Negative **Functional** ↑ High Layer Is Flaky Milestone **Automation** Manual Not set No Status Is Muted Actual No

#### **Pre-conditions**

User has never been registered

#### **Parameters**

Environment: Windows 7 Version 6.1 Google Chrome 109.0.5414.120

Step	1
Action	Open the page
Input data	https://qa.demoshopping.ru/
Expected result	The page is opened
Step	2
Action	Click on "Регистрация/войти" button
Input data	
Expected result	Redirect on authorisation page
Step	3
Action	Input 2 letters in "Логин" field
Input data	ik
Expected result	The data is displayed
Step	4
Action	Input 6 leters and 2 numbers in "Пароль" field
Input data	Nastya11

Expected result	The data is displayed
Step	5
Action	Click on "Зарегистрироваться" button
Input data	
Expected result	Validation is not successful with error message: "Логин должен содержать от 3 до 15 символов и может вк лючать буквы, цифры и символы: _"

# Registration with valid login and invalid password

Severity **Priority Behavior** Type O Normal Negative **Functional** ↑ High Layer Is Flaky Milestone **Automation** Manual Not set No Status Is Muted

#### **Pre-conditions**

Actual

User has never been registered

#### **Parameters**

Environment: Windows 7 Version 6.1 Google Chrome 109.0.5414.120

No

Step	1
Action	Open the page
Input data	https://qa.demoshopping.ru/
Expected result	The login page is opened
Step	2
Action	Click on "Регистрация/войти" button
Input data	
Expected result	Redirect on authorisation page
Step	3
Action	Input 14 letters and 1 numbers in "Логин" field
Input data	NastyaGaranina1
Expected result	The data is displayed
Step	4
Action	Input 1 number and 6 letters in "Пароль" field
Input data	1nastya

Expected result	The data is displayed
Step	5
Action	Click on "Зарегистрироваться" button
Input data	
Expected result	Validation is not successful with error message "Пароль должен содержать не менее 8 символов, включая минимум одну букву и одну цифру".
	Perscriptuus  Ross  Ross

# Registration with invalid login and password

Severity **Priority Behavior** Type O Normal Negative **Functional** ↑ High Layer Is Flaky Milestone **Automation** Manual Not set No Status Is Muted

#### **Pre-conditions**

Actual

User has never been registrated

#### **Parameters**

Environment: Windows 7 Version 6.1 Google Chrome 109.0.5414.120

No

Step	1
Action	Open the page
Input data	https://qa.demoshopping.ru/
Expecte result	td. The page is opened
Step	2
Action	Click on "Регистрация/войти" button
Input data	
Expecte result	Redirect on authorisation page
Step	3
Action	Input special characters in "Логин" field
Input data	%%#\$%^&
Expecte result	<sup>ed</sup> The data is displayed
Step	4
Action	Input 6 letters in "Пароль" field

Input data	nastya
Expecte result	<sup>d</sup> The data is displayed
Step	5
Action	Click on "Зарегистрироваться" button
Input data	
Expecte result	d <sup>Validation</sup> is not successful with error message : "Логин должен содержать от 3 до 15 символов и может вклю чать буквы, цифры и символы: Пароль должен содержать не менее 8 символов, включая минимум одну букву и одну цифру"."
	Peru  Tome protect composition of 3 day 51 cases  Authors (composition of days 6) cases  157

# Registration with empty fields

Severity	Priority	Behavior	Туре
O Normal	O Medium	Negative	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Manual
Status	Is Muted		
Actual	No		

## **Pre-conditions**

User has never been registrated

#### **Parameters**

Environment: Windows 7 Version 6.1 Google Chrome 109.0.5414.120

Step	1
Action	Open the page
Input data	https://qa.demoshopping.ru/
Expected result	The login page is opened
Step	2
Action	Click on "Регистрация/войти" button
Input data	
Expected result	Redirect on authorisation page
Step	3
Action	Click on "Зарегистрироваться" button
Input data	
Expected result	The error message is displayed
	Регистрация  Погам:  1 Заполнита это подец.  Заполнита угороваться

# Registration with special characters

Severity **Priority Behavior** Type O Normal Positive **Functional** O Medium Layer Is Flaky Milestone **Automation** Manual Not set No Status Is Muted Actual No

#### **Pre-conditions**

User has never been registered

#### **Parameters**

Environment: Windows 7 Version 6.1 Google Chrome 109.0.5414.120

Step	1
Action	Open the page
Input data	https://qa.demoshopping.ru/
Expecte result	d The page is opened
Step	2
Action	Click on "Регистрация/войти" button
Input data	
Expecte result	d Redirect on authorisation page
Step	3
Action	Input 3 special characters in "Логин" field
Input data	_
Expecte result	<sup>d</sup> The data is displayed
Step	4
Action	Input 8 special characters"Пароль" field

Input data	%%%%%%%
Expecte result	ed The data is displayed
Step	5
Action	Click on "Зарегистрироваться" button
Input data	

Expected Validation is not successful with error message : "Логин должен содержать от 3 до 15 символов и может вклю result чать буквы, цифры и символы: \_. Пароль должен содержать не менее 8 символов, включая минимум одну букву и одну цифру"."

# **Authorization with valid data**

Severity	Priority	Behavior	Туре
O Normal	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Manual
Status	Is Muted		
Actual	No		

## **Pre-conditions**

User should be registered

#### **Parameters**

Environment: Windows 7 Version 6.1 Google Chrome 109.0.5414.120

Step	1
Action	Open the page
Input data	https://qa.demoshopping.ru/
Expected result	The login page is opened
Step	2
Action	Click on "Регистрация/войти" button
Input data	
Expected result	Redirect on authorisation page
Step	3
Action	Input 6 letters and special character "_" in "Логин" field
Input data	Nasgar_
Expected result	The data is displayed
Step	4
Action	Input 6 letters and 2 numbers in "Пароль" field
Input data	Nastya11
Expected result	The data is displayed

Step	5
Action	Click on "Войти" button
Input data	
Expected result	User is redirected to the homepage

# Authorisation with valid login and invalid password

Severity **Priority Behavior** Type O Normal Negative **Functional** ↑ High Layer Is Flaky Milestone **Automation** Not set Manual No Status Is Muted Actual No

#### **Pre-conditions**

User should be registered

#### **Parameters**

Environment: ipad 17.4.1 Safari 16.5.2

Step	1
Action	Open the page
Input data	https://qa.demoshopping.ru/
Expected result	The login page is opened
Step	2
Action	Click on "Регистрация/войти" button
Input data	
Expected result	Redirect on authorisation page
Step	3
Action	Input 6 letters and special character "_" in "Логин" field
Input data	Nasgar_
Expected result	The data is displayed
Step	4
Action	Input 6 numbers in "Пароль" field
Input data	222222
Expected result	The data is displayed

Step	5
Action	Click on "Войти" button
Input data	
Expected result	The error message "Неверное имя пользователя или пароль" is displayed

# **User logout**

Severity **Priority Behavior** Type O Normal ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Manual **Status** Is Muted

#### **Pre-conditions**

Actual

User should be authorized

#### **Parameters**

Environment: ipad 17.4.1 Safari 16.5.2

No

Step	1
Action	Open the page
Input data	
Expected result	The login page is opened
Step	2
Action	Click on "Регистрация/войти" button
Input data	
Expected result	Redirect on authorisation page
Step	3
Action	Input 6 letters and special character "_" in "Логин" field
Input data	Nasgar_
Expected result	The data is displayed
Step	4
Action	Input 6 letters and 2 numbers in "Пароль" field
Input data	Nastya11

Expected result	The data is displayed
Step	5
Action	Click on "Выйти" button
Input data	
Expected result	After logging out, the system reverts to an unauthorized state, and the user is redirected to the login page or the homepage

# Check the users authorisation status with "Корзина" without authorization

Severity Priority Behavior Type
O Normal 1 High Negative Functional
Layer Is Flaky Milestone Automation
Not set No - Manual

Status Is Muted

Actual No

#### **Pre-conditions**

User should be not logged

## **Parameters**

Environment: ipad 17.4.1 Safari 16.5.2

Step	1
Action	Open the page
Input data	https://qa.demoshopping.ru/
Expected resul	t The page is opened
Step	2
	Click on "Корзина"button
Action	Спск оп корзина вишоп
Input data	
Expected resul	t The message is displayed about indicating the need for authorization with link on authorization page
Step	3
Action	Click on link
Input data	
Expected result User redirected on login page	

# Check the users authorisation status with "Оплата" without authorization

SeverityPriorityBehaviorType○ Normal↑ HighNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Manual

Status Is Muted

Actual No

#### **Pre-conditions**

User should be not logged

## **Parameters**

Environment: ipad 17.4.1 Safari 16.5.2

Step	1
Action	Open the page
Input data	https://qa.demoshopping.ru/
Expected resul	t The page is opened
Step	2
Action	Click on "Оплата"button
Input data	
Expected resul	t The message is displayed about indicating the need for authorization with link on authorization page
Step	3
Action	Click on link
Input data	
Expected result User redirected on login page	

# Check the users authorisation status with "История заказов" without authorization

Manual

SeverityPriorityBehaviorType○ Normal↑ HighNegativeFunctionalLayerIs FlakyMilestoneAutomation

Status Is Muted

Actual No

#### **Pre-conditions**

Not set

User should be not logged

## **Parameters**

Environment: ipad 17.4.1 Safari 16.5.2

Step	1
Action	Open the page
Input data	https://qa.demoshopping.ru/
Expected resul	t The page is opened
Step	2
Action	Click on "История заказов"button
Input data	
Expected resul	t The message is displayed about indicating the need for authorization with link on authorization page
Step	3
Action	Click on link
Input data	
Expected result User redirected on login page	

# Viewing the product list with details

Severity **Priority Behavior** Type O Normal ↑ High Positive Usability Milestone Automation Layer Is Flaky Not set No Manual **Status** Is Muted Actual No

#### **Parameters**

Environment: ipad 17.4.1 Safari 16.5.2

Step	1
Action	Open the page
Input data	https://qa.demoshopping.ru/
Expected result	The page is opened
Step	2
Action	Click on "Каталог" button
Input data	
Expected result	A list of products is displayed with cards that include an image, title, description, price, category, manufacture r, and free shipping information <a href="https://www.figma.com/design/2T99]t5OHPqkhe4yyoe2IC/demoshopping.ru?node-id=22-2">https://www.figma.com/design/2T99Jt5OHPqkhe4yyoe2IC/demoshopping.ru?node-id=22-2</a>

# Navigate through product list with pagination elements

Severity **Priority Behavior** Type O Normal ↑ High Positive **Functional** Automation Layer Is Flaky Milestone Not set Manual No **Status** Is Muted Actual No

#### **Parameters**

Environment: ipad 17.4.1 Safari 16.5.2

Step	1
Action	Open the page
Input data	https://qa.demoshopping.ru/
Expected result	The page is opened
Step	2
Action	Click on "Каталог" button
Input data	
Expected result	Redirect on page with product list
Step	3
Action	Scroll page to pagination
Input data	
Expected result	The pagination is displayed in bottom of the page
Step	4
Action	Select page number to view
Input data	3
Expected result	Redirected to page 3 of the product catalog

# Page is displayed fixed numbers of products in product catalog

Severity **Priority Behavior** Type O Normal O Medium Positive Usability Layer Is Flaky Milestone **Automation** Not set Manual No **Status** Is Muted Actual No

#### **Parameters**

Environment: ipad 17.4.1 Safari 16.5.2

Step	1	
Action	Open the page	
Input data	https://qa.demoshopping.ru/	
Expected result	The page is opened	
Step	2	
Action	Click on "Каталог" button	
Input data		
Expected result	Redirect on page with product list	
Step	3	
Action	Check the number of products on page	
Input data		
Expected result	Each page is displayed a fixed numbers of products (6) <a href="https://www.figma.com/design/2T99Jt5OHPqkhe4yyoe2IC/demoshopping.ru?node-id=22-2">https://www.figma.com/design/2T99Jt5OHPqkhe4yyoe2IC/demoshopping.ru?node-id=22-2</a>	

# Sorting the product list by name (A-Z,Z-A)

SeverityPriorityBehaviorTypeO Normal↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Manual

Status Is Muted

Actual No

## **Parameters**

Action

Choose "A-Z" sorting

Environment: ipad 17.4.1 Safari 16.5.2

Step	1
Action	Open the page
Input data	https://qa.demoshopping.ru
Expected result	The page is opened
Step	2
Action	Click on "Каталог" button
Input data	
Expected result	Redirect on page with product list
Step	3
Action	Click on dropdown "Сортировка" button
Input data	
Expected result	A list of sorting option is displayed: "A to Z", "Z to A", "Price ascending", "Price descending"
Step	4
Action	Choose "Z-A" sorting
Input data	
Expected result	The list of products is updated according to the selected sorting
Step	5
_	

# Input data

Expected result The list of products is updated according to the selected sorting

# Sorting the product list by price

Severity Priority **Behavior** Type O Normal ↑ High Positive **Functional** Is Flaky Milestone Automation Layer Not set No Manual **Status** Is Muted Actual No

#### **Parameters**

Environment: ipad 17.4.1 Safari 16.5.2

Step	1	
Action	Open the page	
Input data	https://qa.demoshopping.ru	
Expected result	The page is opened	
Step	2	
Action	Click on "Каталог" button	
Input data		
Expected result	Redirect on page with product list	
Step	3	
Action	Click on dropdown "Сортировка" button	
Input data		
Expected result	A list of sorting option is displayed: "A to Z", "Z to A", "Price ascending", "Price descending"	
Step	4	
Action	Choose "High to low" sorting	
Input data		
Expected result	The list of products is updated according to the selected sorting	
	_	
Step	5	
Action	Choose "Low to high" sorting	

# Input data

Expected result The list of products is updated according to the selected sorting

# Filtration the product list by category

No

Severity **Priority Behavior** Type O Normal Positive Usability ↑ High Layer Is Flaky Milestone **Automation** Not set Manual No **Status** Is Muted

Parameters

Actual

Action

Environment: ipad 17.4.1 Safari 16.5.2

## **Steps to reproduce**

Step	1
Action	Open the page
Input data	https://qa.demoshopping.ru/
Expected result	The page is opened
Step	2
Action	Click on "Каталог" button
Input data	
Expected result	Redirect on page with product list
Step	3
Action	Click on dropdown "Все категории" button
Input data	
Expected result	A list of sorting option is displayed: "Все категории","Laptops","Phones","Watches"
Step	4
Action	Choose filtering in dropdown "Все категории"
Input data	Laptops
Expected result	
Step	5

Click on "Применить фильтры" button

# Input data

Expected result

The list of products is updated according to the selected sorting

# Filtration the product list by manufacturer

SeverityPriorityBehaviorType○ Normal↑ HighPositiveUsabilityLayerIs FlakyMilestoneAutomationNot setNo-Manual

Status Is Muted

Actual No

## **Parameters**

Action

Environment: ipad 17.4.1 Safari 16.5.2

## Steps to reproduce

Step	1
Action	Open the page
Input data	https://qa.demoshopping.ru/
Expected result	The page is opened
Step	2
Action	Click on "Каталог" button
Input data	
Expected result	Redirect on page with product list
Step	3
Action	Click on dropdown "Все производители" button
Input data	
Expected result	A list of sorting option is displayed: "Все категории","Apple","Xiaomi","Huawei","Samsung"
Step	4
Action	Choose filtering in dropdown "Все производители"
Input data	Apple
Expected result	
Step	5

Click on "Применить фильтры" button

# Input data

Expected result The list of products is updated according to the selected sorting

# Filtration the product list by shipping fee

No

Severity Priority **Behavior** Type O Normal ↑ High Positive Usability Is Flaky Milestone Automation Layer Not set No Manual **Status** Is Muted

#### **Parameters**

Actual

Environment: ipad 17.4.1 Safari 16.5.2

Step	1
Action	Open the page
Input data	https://qa.demoshopping.ru/
Expected result	The page is opened
Step	2
Action	Click on "Каталог" button
Input data	
Expected result	Redirect on page with product list
Step	3
Action	Click on "Бесплатная доставка"button
Input data	
Expected result	
Step	4
Action	Click on "Применить фильтры" button
Input data	
Expected result	The list of products is updated according to the selected sorting

# Filtration the product list by price with empty values

Severity **Priority Behavior** Type O Normal ↑ High Negative Usability Milestone Automation Layer Is Flaky Not set No Manual **Status** Is Muted Actual No

#### **Parameters**

Environment: ipad 17.4.1 Safari 16.5.2

Step	1
Action	Open the page
Input data	https://qa.demoshopping.ru/
Expected result	The page is opened
Step	2
Action	Click on "Каталог" button
Input data	
Expected result	Redirect on page with product list
Step	3
Action	Input data in "Мин.цена" field
Input data	
Expected result	The data is displayed
Step	4
Action	Input data in "Макс.цена" field
Input data	
Expected result	The data is displayed
Step	5
Action	Click on "Применить фильтры" button

Expected result

The error message is displayed

# Reset all selected filters with a single click

Is Muted

No

SeverityPriorityBehaviorType0 Normal0 MediumPositiveUsabilityLayerIs FlakyMilestoneAutomationNot setNo-Manual

**Parameters** 

Status

Actual

Action

Environment: ipad 17.4.1 Safari 16.5.2

## Steps to reproduce

Step	1
Action	Open the page
Input data	https://qa.demoshopping.ru
Expected result	The page is opened
Step	2
Action	Click on "Каталог" button
Input data	
Expected result	Redirect on page with product list
Step	3
Action	Click on dropdown "Все категории" button
Input data	
Expected result	A list of sorting option is displayed: "Все категории","Laptops","Phones","Watches"
Step	4
Action	Choose filtering in dropdown "Все категории"
Input data	Laptops
Expected result	
Step	5

Click on "Применить фильтры" button

# Input data

Expected result	The list of products is updated according to the selected sorting	
Step	6	
Action	Click on "Сбросить фильтры"button	
Input data		
Expected result	All filters have been reset	

No

# Adding a product to the cart with authorization

Severity **Priority Behavior Type** O Normal Positive **Functional** ↑ High Layer Is Flaky Milestone **Automation** Not set Manual No Status Is Muted

#### **Pre-conditions**

Actual

User should be authorized

#### **Parameters**

Environment: ipad 17.4.1 Safari 16.5.2

Step	1
Action	Open the page
Input data	https://qa.demoshopping.ru/
Expected result	The page is opened
Step	2
Action	Click on "Каталог" button
Input data	
Expected result	Redirect on page with product list
Step	3
Action	Choose product from product list
Input data	Apple Fit 10
Expected result	
Step	4
Action	Click on "Добавить в корзину " button
Input data	

Expected result

Notification of successful addition is displayed, and the information about the number of products in the cart is updated

# Adding a product to the cart without authorization

Severity **Priority Behavior** Type O Normal Negative **Functional** ↑ High Layer Is Flaky Milestone **Automation** Not set Manual No Status Is Muted Actual No

### **Pre-conditions**

User should be not authorized

#### **Parameters**

Environment: ipad 17.4.1 Safari 16.5.2

Step	1
Action	Open the page
Input data	https://qa.demoshopping.ru/
Expected result	The page is opened
Step	2
Action	Click on "Каталог" button
Input data	
Expected result	Redirect on page with product list
Step	3
Action	Choose product from product list
Input data	Apple Fit 10
Expected result	
Step	4
Action	Click on "Добавить в корзину " button
Input data	

# Change the quantity of a product before adding it to the cart

SeverityPriorityBehaviorTypeO Normal↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Manual

Status Is Muted

Actual No

#### **Parameters**

Environment: ipad 17.4.1 Safari 16.5.2

Step	1
Action	Open the page
Input data	https://qa.demoshopping.ru/
Expected result	The page is opened
Step	2
Action	Click on "Каталог" button
Input data	
Expected result	Redirect on page with product list
Step	3
Action	Choose product from product list
Input data	Apple Fit 10
Expected result	
Step	4
Action	Input quantity in field
Input data	3
Expected result	



Step	5
Action	Click on "Добавить в корзину " button
Input data	
Expected result	The product cart is updated