# Registration with valid login and password

user should be on page <a href="http://example.com">http://example.com</a>

Severity **Priority Behavior** Type O Normal ↑ High Positive **Functional Automation** Layer Is Flaky Milestone Manual Not set No

**Status** Is Muted

Actual No

#### **Pre-conditions**

user has never been registered

#### **Post-conditions**

delete user from system

#### Tags

User registration

#### **Parameters**

environment: Windows 7 Version 6.1 Google Chrome 109.0.5414.120

Step	1
Action	click on "регистрация/войти "
Input data	
Expected result	
Step	2
Action	entry 7 symbols in login
Input data	Nasgar_
Expected result	data display
Step	3
Action	entry 8 symbols in password
Input data	Nastya11
Expected result	data dislplay
Step	4

Action	click on "регистрация"
Input data	
Expected result	button "Войти" should change to "Выйти"

# Registartion with valid password

user should be on page <a href="http://example.com">http://example.com</a>

SeverityPriorityBehaviorTypeO Normal↑ HighNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Manual

Status Is Muted

Actual No

#### **Pre-conditions**

user has never been registered

#### Tags

User registration

#### **Parameters**

environment: Windows 7 Version 6.1 Google Chrome 109.0.5414.120

#### **Steps to reproduce**

Step	1
Action	click on "регистрация/войти"
Input data	
Expected result	
Step	2
Action	entry 2 symbols
Input data	ik
Expected result	data display
Step	3
Action	entry 8 symbols
Input data	Nastya11
Expected result	data display
Class	

Step

Action	click on "зарегистрироваться"	
Input data		
Expected result	validation is not successful display error message: "The username must contain 3 to 15 characters and can include letters, numbers, an d symbols:	

# Registration with valid login

user should be on page <a href="http://example.com">http://example.com</a>

SeverityPriorityBehaviorType○ Normal↑ HighNegativeFunctionalLayerIs FlakyMilestoneAutomation

Not set No - Manual

Status Is Muted

Actual No

#### **Pre-conditions**

user has never been registered

#### Tags

Step

User registration

#### **Parameters**

environment: Windows 7 Version 6.1 Google Chrome 109.0.5414.120

Step	1
Action	click on "регистрация/войти"
Input data	
Expected result	
Step	2
Action	entry 15 symbols
Input data	NastyaGaranina1
Expected result	data display
Step	3
Action	entry 7 symbols
Input data	1nastya
Expected result	data display

Action	click on "зарегистрироваться"
Input data	
Expected result	validation is not successful display error message "The password must be at least 8 characters long, including at least one letter and on e number".

# Registration with not valid login and password

user should be on page <a href="http://example.com">http://example.com</a>

SeverityPriorityBehaviorTypeO Normal↑ HighNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Manual

Status Is Muted

Actual No

#### **Pre-conditions**

user has never been registrated

#### Tags

User registration

#### **Parameters**

environment: Windows 7 Version 6.1 Google Chrome 109.0.5414.120

Step	1
Action	click on "регистрация/войти"
Input data	
Expecte result	d
Step	2
Action	entry data in login
Input data	%%#\$%^&
Expecte result	d data display
Step	3
Action	entry data in password
Input data	nastya
Expecte result	d data display

Step 4
Action click on "зарегистрироваться"

Input data

Expected validation is not successful display error message: "The username must contain 3 to 15 characters and can include letters, numbers, and sy mbols: \_. The password must be at least 8 characters long, including at least one letter and one number".

# **User login**

user should be on page <a href="http://example.com/login">http://example.com/login</a>

No

Severity	Priority	Behavior	Туре
O Normal	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Manual
Status	Is Muted		

#### **Pre-conditions**

Actual

user should be authorized

#### **Post-conditions**

log out from system

#### Tags

login

#### **Parameters**

environment: Windows 7 Version 6.1 Google Chrome 109.0.5414.120

Step	1
Action	click on "регистрация/войти"
Input data	
Expected result	
Step	2
Action	entry 7 symbols in login
Input data	Nasgar_
Expected result	data display
Step	3
Action	enty 8 symbols in password
Input data	Nastya11
Expected result	data display
Step	4

Action	click on "войти"
Input data	
Expected result	user is redirected to the homepage

# Authorisation with wrong login or password

No

Severity **Priority Behavior** Type O Normal Negative **Functional** ↑ High Layer Is Flaky Milestone **Automation** Not set Manual No Status Is Muted

#### **Pre-conditions**

user must be registered

#### Tags

Actual

login

#### **Parameters**

environment: ipad 17.4.1 Safari 16.5.2

Step	1
Action	click on "регистрация/войти"
Input data	
Expected result	
Step	2
Action	entry login
Input data	
Expected result	data display
Step	3
Action	entry wrong password
Input data	
Expected result	data display
Step	4
Action	click on "войти"
Input data	

# **User logout**

Severity **Priority Behavior** Type O Normal ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Manual **Status** Is Muted

#### **Pre-conditions**

user must be authorised

#### Tags

Actual

log out

#### **Parameters**

environment: ipad 17.4.1 Safari 16.5.2

No

Step	1
Action	click on "выйти"
Input data	
Expected result	After logging out, the system reverts to an unauthorized state, and the user is redirected to the login page or the homepage

# Check the users authorisation status with "корзина"

Severity **Priority Behavior** Туре O Normal Negative **Functional** ↑ High Layer Is Flaky Milestone **Automation** Not set Manual No Status Is Muted Actual No

#### **Pre-conditions**

user must be not logged

#### **Parameters**

environment: ipad 17.4.1 Safari 16.5.2

Step	1	
Action	click on "корзина"	
Input data		
Expected result	a message appears indicated that authorisation is required message with link on authorisation page	
Step	2	
Action	click on link	
Input data		
Expected result	user should be redirect on homepage	

## Check the users authorisation status with "оплата"

Severity **Priority Behavior** Type O Normal ↑ High Negative **Functional** Milestone Layer Is Flaky **Automation** Not set Manual No Status Is Muted Actual No

#### **Pre-conditions**

user must be not logged

#### **Parameters**

environment: ipad 17.4.1 Safari 16.5.2

Step	1	
Action	click on "оплата"	
Input data		
Expected result	a message appears indicated that authorisation is required message with link on authorisation page	
Step	2	
Action	click on link	
Input data		
Expected result	user should be redirect on homepage	

# Check the users authorisation status with "история заказов"

Severity **Priority Behavior** Type O Normal Negative **Functional** ↑ High Layer Is Flaky Milestone **Automation** Not set Manual No Status Is Muted Actual No

#### **Pre-conditions**

user must be not logged

#### **Parameters**

environment: ipad 17.4.1 Safari 16.5.2

Step	1	
Action	click on "история заказов"	
Input data		
Expected result	a message appears indicated that authorisation is required message with link on authorisation page	
Step	2	
Action	click on link	
Input data		
Expected result	user should be redirect on homepage	

# Viewing the product list with details

SeverityPriorityBehaviorType○ Normal↑ HighPositiveUsability

Layer Is Flaky Milestone Automation

Manual

Status Is Muted

No

rer, and free shipping information.

Actual No

#### **Parameters**

result

Not set

environment: ipad 17.4.1 Safari 16.5.2

Step	1
Action	click on "каталог"
Input data	
Expected	customers see a list of products with cards that include an image, title, description, price, category, manufactu

# Navigate through product list with pagination and each page displays fixed numbers of products

Severity **Priority Behavior** Type O Normal ↑ High Positive Usability Is Flaky Milestone Automation Layer Not set No Manual Is Muted **Status** 

#### **Parameters**

Actual

environment: ipad 17.4.1 Safari 16.5.2

No

Step	1
Action	click on "каталог"
Input data	
Expected result	displays the product list
Step	2
Action	scroll through the list
Input data	
Expected result	
Step	3
Action	select page number to view
Input data	3
Expected result	redirect on page
Step	4
Action	scroll through the list
Input data	
Expected result	each page displays a fixed number of products (e.g.,6)

# Sorting the product list

Severity **Priority Behavior** Type O Normal ↑ High Positive **Functional** Is Flaky Milestone **Automation** Layer Not set No Manual Status Is Muted Actual No

#### **Parameters**

environment: ipad 17.4.1 Safari 16.5.2

Step	1
Action	click on "каталог"
Input data	
Expected result	displays the product list
Step	2
Action	click on "сортировка"
Input data	
Expected result	
Step	3
Action	choose sorting by name and price
Input data	choose from A to Z and from low to high
Expected result	product list updates

# Filtration the product list

Severity Priority **Behavior** Type O Normal ↑ High Positive **Functional** Is Flaky Milestone Automation Layer Not set No Manual Status Is Muted Actual No

Step	1
Action	click on "каталог"
Input data	
Expected result	displays the product list
Step	2
Action	click on " все категории"
Input data	choose laptops
Expected result	
Stop	3
Step	3
Action	click on "все производители"
Input data	choose apple
Expected result	
Step	4
Action	click on button "бесплатная доставка"
Input data	
Expected result	
Step	5
Action	click on "применить фильтры"
Input data	
Expected result	list updates according to the applied filters

# Filtration with missing products

No

Priority Severity **Behavior** Type O Normal O Medium Negative **Functional** Milestone Automation Layer Is Flaky Not set No Manual **Status** Is Muted Actual

#### **Parameters**

environment: ipad 17.4.1 Safari 16.2.5

Step	1
Action	click on "каталог"
Input data	
Expected result	displays the product list
Step	2
Action	choose by min. price
Input data	0
Expected result	data displays
Step	3
Action	choosy by max. price
Input data	0
Expected result	data displays
Step	4
Action	click on "применить фильтры"
Input data	
Expected result	error notification displays

# Adding a product to the cart

must be authorised and be on page <a href="http://example.com/catalog">http://example.com/catalog</a>

Severity **Priority Behavior** Type O Normal ↑ High Positive **Functional** Is Flaky Milestone **Automation** Layer Not set No Manual **Status** Is Muted Actual No

#### **Parameters**

environment: ipad 17.4.1 Safari 16.2.5

Step	1
Action	choose the product
Input data	Apple Fit 12
Expected result	
Step	2
Action	click on "добавить в корзину"
Input data	
Expected result	cart updates with successful notification

# Adding a product to the cart without authorisation

user should be on page <a href="http://example.com/catalog">http://example.com/catalog</a> and not authorised

SeverityPriorityBehaviorType○ Normal↑ HighNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Manual

Status Is Muted

Actual No

#### **Parameters**

environment: ipad 17.4.1 Safari 16.5.2

Step	1
Action	choose the product
Input data	Apple Fit 12
Expected result	
Step	2
Action	click on "добавить в корзину"
Input data	
Expected result	error message appears asking them to log in

# Change the quantity of a product before adding it to the cart

user should be on page <a href="http://example.com/catalog">http://example.com/catalog</a>

SeverityPriorityBehaviorTypeO NormalO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Manual

Status Is Muted

Actual No

#### **Parameters**

environment: ipad 17.4.1 Safari 16.5.2

Step	1
Action	choose the product
Input data	Apple fit 12
Expected result	
Step	2
Action	select quantity
Input data	3
Expected result	
Step	3
Action	click on "добавить в корзину "
Input data	
Expected result	quantity in cart updates

# **Products in cart is incorrectly specified**

user should be on page <a href="http://example.com/catalog">http://example.com/catalog</a>

SeverityPriorityBehaviorTypeO NormalO MediumNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Manual

Status Is Muted

Actual No

#### **Parameters**

environment: ipad 17.4 safari 16.5.2

Step	1
Action	choose the product
Input data	Apple Fit 12
Expected result	
Step	2
Action	select quantity
Input data	0
Expected result	
Step	3
Action	click on "добавить в корзину"
Input data	
Expected result	error message

# User can reset all selected filters with a single click

user should be on page http:/example.com/catalog

SeverityPriorityBehaviorTypeO NormalO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Manual

Status Is Muted

Actual No

#### **Parameters**

environment: ipad 17.4.1 Safari 16.5.2

Step	1
Action	select sorting by name
Input data	from A to Z
Expected result	
Step	2
Action	click on "применить фильтры"
Input data	
Expected result	product list updates
Step	3
Action	click on "сбросить фильтры"
Input data	
Expected result	all filters are reset