WEB PROGRAMMING

Laboratory Experiment 3

Recitation Document

Code + Output Screenshots

Name:	Anthony Rodrigues
Roll No:	58
Class:	SE-AIML
Batch:	SAA3

Question 1

■ Source Code

```
<!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8"> <meta name="viewport"
content="width=device-width, initial-scale=1.0"> <title>AI Art Studio - Pricing Plans</title> <style> * {
margin: 0; padding: 0; box-sizing: border-box; } body { font-family: 'Segoe UI', Tahoma, Geneva, Verdana,
sans-serif; overflow-x: hidden; } .split-container { display: flex; min-height: 100vh; } .hero-section {
flex: 1; background: linear-gradient(135deg, #667eea 0%, #764ba2 100%); padding: 60px; color: white;
display: flex; flex-direction: column; justify-content: center; } .hero-title { font-size: 4em;
margin-bottom: 15px; text-shadow: 2px 2px 4px rgba(0,0,0,0.2); } .hero-subtitle { font-size: 1.5em;
opacity: 0.95; margin-bottom: 40px; } .art-grid { display: grid; grid-template-columns: repeat(2, 1fr);
gap: 20px; margin-bottom: 30px; }
```

```
.art-item { aspect-ratio: 1; border-radius: 15px; overflow: hidden; box-shadow: 0 10px 30px
rgba(0,0,0,0.3); transition: transform 0.3s ease; } .art-item:hover { transform: scale(1.05); } .art-item
img { width: 100%; height: 100%; object-fit: cover; } .art-features { display: flex; gap: 15px; flex-wrap:
wrap; } .feature-badge { background: rgba(255,255,255,0.2); backdrop-filter: blur(10px); padding: 12px
20px; border-radius: 25px; font-size: 1.05em; } .pricing-section { flex: 1; padding: 60px; background:
#f8f9fa; overflow-y: auto; } .pricing-section h1 { font-size: 3em; color: #2c3e50; margin-bottom: 40px;
text-align: center; } .pricing-container { display: flex; flex-direction: column; gap: 25px; }
.pricing-card {
```

```
background: white; border-radius: 20px; padding: 35px; box-shadow: 0 5px 20px rgba(0,0,0,0.1); transition:
transform 0.3s ease, box-shadow 0.3s ease; border-left: 5px solid #667eea; } .pricing-card:hover {
transform: translateX(10px); box-shadow: 0 10px 30px rgba(0,0,0,0.15); } .pricing-card.pro-plan {
border-left-color: #f093fb; position: relative; } .pricing-card.pro-plan:before { content: '■ POPULAR';
position: absolute; top: -15px; right: 30px; background: linear-gradient(135deg, #f093fb 0%, #f5576c
100%); color: white; padding: 5px 15px; border-radius: 15px; font-size: 0.85em; font-weight: bold; }
.pricing-card.enterprise-plan { border-left-color: #4facfe; } .pricing-card h2 { font-size: 2em; color:
#2c3e50; margin-bottom: 10px; } .price { font-size: 2.5em; color: #667eea; font-weight: bold;
margin-bottom: 20px; } .pricing-card.pro-plan .price { color: #f093fb; } .pricing-card.enterprise-plan
.price {
```

```
color: #4facfe; } .features { list-style: none; margin-bottom: 25px; } .features li { padding: 12px 0;
border-bottom: 1px solid #ecf0f1; display: flex; align-items: center; gap: 10px; } .features li:before {
content: '✓'; color: #27ae60; font-weight: bold; font-size: 1.2em; } .btn { width: 100%; padding: 15px;
background: linear-gradient(135deg, #667eea 0%, #764ba2 100%); color: white; border: none; border-radius:
10px; font-size: 1.1em; font-weight: bold; cursor: pointer; transition: all 0.3s ease; } .btn:hover {
transform: translateY(-3px); box-shadow: 0 10px 20px rgba(102, 126, 234, 0.3); } .pricing-card.pro-plan
.btn { background: linear-gradient(135deg, #f093fb 0%, #f5576c 100%); } .pricing-card.enterprise-plan .btn
{ background: linear-gradient(135deg, #4facfe 0%, #00f2fe 100%); } @media (max-width: 1024px) {
.split-container { flex-direction: column; }
```

```
} </style> </head> <body> <div class="split-container"> <!-- Left Side: Hero/Art Section --> <div
class="hero-section"> <div class="hero-content"> <h1 class="hero-title">■ AI Art Studio</h1> <p
class="hero-subtitle">Create stunning artwork with the power of AI</p> <div class="art-showcase"> <div
class="art-grid"> <div class="art-item"> <img
src="https://images.unsplash.com/photo-1634017839464-5c339ebe3cb4?w=400&q=80" alt="AI Art 1"> </div> <div
class="art-item"> <img src="https://images.unsplash.com/photo-1618005182384-a83a8bd57fbe?w=400&q=80"
alt="AI Art 2"> </div> <div class="art-item"> <img
src="https://images.unsplash.com/photo-1620641788421-7a1c342ea42e?w=400&q=80" alt="AI Art 3"> </div> <div
class="art-item"> <img src="https://images.unsplash.com/photo-1549317661-bd32c8ce0db2?w=400&q=80" alt="AI
Art 4"> </div> </div> <div class="art-features"> <div class="feature-badge">■ Unlimited Generations</div>
<div class="feature-badge">■ AI-Powered Creation</div> <div class="feature-badge">■■ High-Resolution
Output</div> </div> </div> </div> </div> <!-- Right Side: Pricing Section --> <div
class="pricing-section"> <h1>■ Pricing Plans</h1> <div class="pricing-container"> <div class="pricing-card
basic-plan"> <h2>Basic</h2> <p class="price">$9<span style="font-size:0.5em">/month</span></p> <ul
class="features"> <li>100 AI Generations/month</li> <li>Standard Resolution (1024x1024)</li>
```

```
<li>Basic Styles & Filters</li> <li>Email Support</li> <li>Personal Use Only</li> </ul> <button
class="btn">Get Started</button> </div> <div class="pricing-card pro-plan"> <h2>Professional</h2> <p
class="price">$29<span style="font-size:0.5em">/month</span></p> <ul class="features"> <li>1000 AI
Generations/month</li> <li>High Resolution (2048x2048)</li> <li>All Styles & Advanced Filters</li>
<li>Priority Support</li> <li>Commercial Use License</li> <li>Custom Training Models</li> </ul> <button
class="btn">Choose Pro</button> </div> <div class="pricing-card enterprise-plan"> <h2>Enterprise</h2> <p
class="price">$99<span style="font-size:0.5em">/month</span></p> <ul class="features"> <li>Unlimited AI
Generations</li> <li>Ultra HD Resolution (4096x4096)</li> <li>All Features + Custom Styles</li> <li>24/7
Dedicated Support</li> <li>Full Commercial License</li> <li>Private Training Models</li> <li>API
Access</li> <li>Team Collaboration Tools</li> </ul> <button class="btn">Contact Sales</button> </div>
</div> </div> </div> </body> </html>
```

Output Screenshot



Question 2

■ Source Code

```
<!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8"> <meta name="viewport"
content="width=device-width, initial-scale=1.0"> <title>Poker Hand - Playing Cards</title> <style> * {
margin: 0; padding: 0; box-sizing: border-box; } body { background: linear-gradient(135deg, #0F2027 0%,
#203A43 50%, #2C5364 100%); font-family: 'Arial', sans-serif; padding: 50px 20px; min-height: 100vh;
display: flex; flex-direction: column; align-items: center; justify-content: center; } h1 { color: white;
font-size: 3.5em; text-align: center; margin-bottom: 20px; text-shadow: 2px 2px 4px rgba(0,0,0,0.5); }
.subtitle { color: rgba(255,255,255,0.8); font-size: 1.3em; text-align: center; margin-bottom: 50px; }
#playing-cards { display: flex; gap: 20px; flex-wrap: wrap; justify-content: center; perspective: 1000px;
} .card { width: 180px; height: 250px;
```

```
background: white; border-radius: 15px; padding: 20px; display: flex; flex-direction: column;
justify-content: space-between; box-shadow: 0 15px 40px rgba(0,0,0,0.5); transition: all 0.3s ease;
cursor: pointer; position: relative; } .card:hover { transform: translateY(-20px) rotateY(10deg);
box-shadow: 0 25px 60px rgba(0,0,0,0.6); } .card:before { content: ''; position: absolute; top: 0; left:
0; right: 0; bottom: 0; background: linear-gradient(135deg, transparent 0%, rgba(255,255,255,0.1) 100%);
border-radius: 15px; pointer-events: none; } .card .left, .card .right { display: flex; flex-direction:
column; align-items: center; gap: 5px; } .card .left { align-self: flex-start; } .card .right {
align-self: flex-end; transform: rotate(180deg); } .card .middle { flex: 1; display: flex; align-items:
center; justify-content: center;
```

```
} .rank { font-size: 2em; font-weight: bold; } .suit { font-size: 1.8em; } .suit-large { font-size: 6em; }
.hearts .rank, .hearts .suit, .hearts .suit-large { color: #e74c3c; } .diamonds .rank, .diamonds .suit,
.diamonds .suit-large { color: #e74c3c; } .spades .rank, .spades .suit, .spades .suit-large { color:
#2c3e50; } .clubs .rank, .clubs .suit, .clubs .suit-large { color: #2c3e50; } .hand-info { text-align:
center; margin-top: 40px; background: rgba(255,255,255,0.1); backdrop-filter: blur(10px); padding: 20px
40px; border-radius: 15px; color: white; } .hand-info h2 { font-size: 2em; margin-bottom: 10px; color:
#ffd700; }
```

```
.hand-info p { font-size: 1.2em; opacity: 0.9; } @media (max-width: 768px) { #playing-cards { gap: 15px; }
.card { width: 140px; height: 200px; padding: 15px; } .suit-large { font-size: 4em !important; } }
</style> </head> <body> <h1>■ Poker Hand</h1> <p class="subtitle">Royal Flush - The Best Hand in
Poker!</p> <div id="playing-cards"> <!-- Ace of Hearts --> <div class="card hearts"> <div class="left">
<div class="rank">A</div> <div class="suit">♥</div> </div> <div class="middle"> <div
class="suit-large">♥</div> </div> <div class="right"> <div class="rank">A</div> <div class="suit">♥</div>
</div> </div> <!-- King of Hearts --> <div class="card hearts"> <div class="left"> <div
class="rank">K</div> <div class="suit">♥</div> </div>
```

```
<div class="middle"> <div class="suit-large">♥</div> </div> <div class="right"> <div class="rank">K</div>
<div class="suit">♥</div> </div> </div> <!-- Queen of Hearts --> <div class="card hearts"> <div
class="left"> <div class="rank">Q</div> <div class="suit">♥</div> </div> <div class="middle"> <div
class="suit-large">♥</div> </div> <div class="right"> <div class="rank">Q</div> <div class="suit">♥</div>
</div> </div> <!-- Jack of Hearts --> <div class="card hearts"> <div class="left"> <div
class="rank">J</div> <div class="suit">♥</div> </div> <div class="middle"> <div
class="suit-large">♥</div> </div> <div class="right"> <div class="rank">J</div> <div class="suit">♥</div>
</div> </div> <!-- 10 of Hearts --> <div class="card hearts"> <div class="left"> <div
class="rank">10</div> <div class="suit">♥</div> </div>
```

```
<div class="middle"> <div class="suit-large">♥</div> </div> <div class="right"> <div class="rank">10</div>
<div class="suit">♥</div> </div> </div> </div> <div class="hand-info"> <h2>■ Royal Flush!</h2> <p>A♥ K♥
Q♥ J♥ 10♥ - The highest ranking hand in poker</p> </div> </body> </html>
```

■■ Output Screenshot

Poker Hand
Royal Flush - The Best Hand in Poker!
A♥ K♥ Q♥ J♥ 10♥
Royal Flush!
A♥ K♥ Q♥ J♥ 10♥ - The highest ranking hand in poker

Question 3

Source Code

```
<!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8"> <meta name="viewport"
content="width=device-width, initial-scale=1.0"> <title>C++ Documentation</title> <style> * { margin: 0;
padding: 0; box-sizing: border-box; } body { font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
background: #f5f7fa; display: flex; min-height: 100vh; } #navbar { width: 300px; background:
linear-gradient(180deg, #1e3c72 0%, #2a5298 100%); color: white; position: fixed; height: 100vh;
overflow-y: auto; box-shadow: 3px 0 10px rgba(0,0,0,0.1); } #navbar header { font-size: 2em; padding: 30px
20px; border-bottom: 2px solid rgba(255,255,255,0.2); font-weight: bold; } .nav-link { display: block;
color: rgba(255,255,255,0.9); text-decoration: none; padding: 15px 20px; border-left: 4px solid
transparent; transition: all 0.3s ease; } .nav-link:hover { background: rgba(255,255,255,0.1);
border-left-color: #4fc3f7; padding-left: 25px;
```

```
} #main-doc { margin-left: 300px; padding: 50px; flex: 1; } .main-section { background: white;
border-radius: 15px; padding: 40px; margin-bottom: 30px; box-shadow: 0 5px 20px rgba(0,0,0,0.08); }
.main-section header { font-size: 2.5em; color: #1e3c72; margin-bottom: 20px; border-bottom: 3px solid
#4fc3f7; padding-bottom: 10px; } .main-section p { line-height: 1.8; color: #34495e; margin-bottom: 15px;
font-size: 1.05em; } code { display: block; background: #2c3e50; color: #4fc3f7; padding: 20px;
border-radius: 8px; margin: 20px 0; font-family: 'Courier New', monospace; overflow-x: auto; font-size:
0.95em; line-height: 1.6; } ul, ol { margin: 15px 0 15px 30px; line-height: 2; color: #34495e; } ul li, ol
li { margin: 8px 0;
```

```
} @media (max-width: 768px) { #navbar { width: 100%; position: relative; height: auto; } #main-doc {
margin-left: 0; padding: 20px; } } </style> </head> <body> <!-- Navigation Bar --> <nav id="navbar">
<header>■ C++ Docs</header> <a href="#Introduction" class="nav-link">Introduction</a> <a
href="#Getting_Started" class="nav-link">Getting Started</a> <a href="#Variables_and_Data_Types"
class="nav-link">Variables and Data Types</a> <a href="#Control_Flow" class="nav-link">Control Flow</a> <a
href="#Functions" class="nav-link">Functions</a> <a href="#Classes_and_Objects" class="nav-link">Classes
and Objects</a> </nav> <!-- Main Documentation --> <main id="main-doc"> <!-- Section 1: Introduction -->
<section class="main-section" id="Introduction"> <header>Introduction</header> <p>C++ is a powerful,
high-performance programming language developed by Bjarne Stroustrup at Bell Labs in 1979 as an extension
of the C programming language. It combines the efficiency and control of low-level programming with
high-level features like object-oriented programming.</p> <p>C++ is one of the most widely used
programming languages in the world, particularly in systems programming, game development, embedded
systems, and performance-critical applications where speed and resource efficiency are crucial.</p> <p>The
language supports multiple programming paradigms including procedural, object-oriented, and generic
programming. C++ gives programmers fine-grained control over system resources and memory, making it ideal
for applications where performance is critical.</p> <code>#include &lt;iostream&gt; int main() { std::cout
&lt;&lt; "Hello, World!" &lt;&lt; std::endl; return 0; }</code> <p>This classic example demonstrates a
basic C++ program. The language is used in operating systems, web browsers, databases, game engines, and
many other applications that require high performance and efficient resource management.</p> </section>
<!-- Section 2: Getting Started --> <section class="main-section" id="Getting_Started">
```

```
<header>Getting Started</header> <p>To start programming in C++, you need a C++ compiler. Popular choices
include GCC (GNU Compiler Collection), Clang, and Microsoft Visual C++. Many integrated development
environments (IDEs) come with compilers built-in.</p> <p>To compile a C++ program from the command line
using GCC, save your code in a file with a .cpp extension and use:</p> <code>g++ program.cpp -o program
./program</code> <p>There are several ways to write and compile C++ code:</p> <ul> <li>Command-line
compilers like GCC or Clang</li> <li>IDEs such as Visual Studio, CLion, Code::Blocks, or Eclipse</li>
<li>Online compilers for quick testing and learning</li> <li>Text editors with build system integration
like VS Code or Sublime Text</li> </ul> </section> <!-- Section 3: Variables and Data Types --> <section
class="main-section" id="Variables_and_Data_Types"> <header>Variables and Data Types</header> <p>In C++,
every variable must be declared with a specific data type. The type determines what kind of values the
variable can hold and how much memory it will use.</p> <p>Common fundamental data types in C++
include:</p> <ul> <li><strong>int:</strong> Integer numbers (e.g., 42, -17, 0)</li>
<li><strong>double:</strong> Floating-point numbers (e.g., 3.14, -0.5)</li> <li><strong>char:</strong>
Single characters (e.g., 'A', '7', '$')</li> <li><strong>bool:</strong> Boolean values (true or
false)</li> <li><strong>string:</strong> Sequence of characters (requires #include &lt;string&gt;)</li>
</ul> <code>int age = 25; double pi = 3.14159; char grade = 'A'; bool isPassed = true; std::string name =
"John Doe";</code> </section> <!-- Section 4: Control Flow --> <section class="main-section"
id="Control_Flow"> <header>Control Flow</header> <p>Control flow statements allow you to control the
execution path of your program based on conditions or loops.</p> <p><strong>If-Else
Statements:</strong></p> <code>if (score >= 90) { std::cout &lt;&lt; "Grade: A" &lt;&lt; std::endl; } else
if (score >= 80) { std::cout &lt;&lt; "Grade: B" &lt;&lt; std::endl; } else { std::cout &lt;&lt; "Grade:
C" &lt;&lt; std::endl; }</code>
```

```
<p><strong>For Loops:</strong></p> <code>for (int i = 0; i &lt; 10; i++) { std::cout &lt;&lt; i &lt;&lt; "
"; }</code> <p><strong>While Loops:</strong></p> <code>int count = 0; while (count &lt; 5) { std::cout
&lt;&lt; count &lt;&lt; std::endl; count++; }</code> </section> <!-- Section 5: Functions --> <section
class="main-section" id="Functions"> <header>Functions</header> <p>Functions are reusable blocks of code
that perform specific tasks. They help organize code, reduce repetition, and improve maintainability.</p>
<p>A function declaration includes a return type, name, parameters, and body:</p> <code>int add(int a, int
b) { return a + b; } int main() { int result = add(5, 3); std::cout &lt;&lt; "Result: " &lt;&lt; result
&lt;&lt; std::endl; return 0; }</code> <p>Functions can have different return types:</p> <ul>
```

```
<li><strong>void:</strong> Returns nothing</li> <li><strong>int, double, etc.:</strong> Returns a value of
that type</li> <li>Functions can also accept parameters by value or by reference</li> </ul> </section>
<!-- Section 6: Classes and Objects --> <section class="main-section" id="Classes_and_Objects">
<header>Classes and Objects</header> <p>C++ is an object-oriented language. Classes are blueprints for
creating objects. They encapsulate data and functions that operate on that data.</p> <code>class Rectangle
{ private: int width; int height; public: Rectangle(int w, int h) {
```

```
width = w; height = h; } int area() { return width * height; } }; int main() { Rectangle rect(10, 5);
std::cout &lt;&lt; "Area: " &lt;&lt; rect.area() &lt;&lt; std::endl; return 0; }</code> <p>Key OOP
concepts in C++:</p> <ul> <li><strong>Encapsulation:</strong> Bundling data and methods together</li>
<li><strong>Inheritance:</strong> Creating new classes from existing ones</li>
<li><strong>Polymorphism:</strong> Objects of different types responding to the same interface</li>
<li><strong>Abstraction:</strong> Hiding complex implementation details</li> </ul> </section> </main>
</body> </html>
```

Output Screenshot

C++ Docs

- Introduction
- Getting Started
- Variables and Data Types
- Control Flow
- Functions
- Classes and Objects

Introduction

C++ is a powerful, high-performance programming language developed by Bjarne Stroustrup at Bell Labs in 1979 as an extension of the C programming language. It combines the efficiency and control of low-level programming with high-level features like object-oriented programming.

C++ is one of the most widely used programming languages in the world, particularly in systems programming, game development, embedded systems, and performance-critical applications where speed and resource efficiency are crucial.

The language supports multiple programming paradigms including procedural, object-oriented, and generic programming. C++ gives programmers fine-grained control over system resources and memory, making it ideal for applications where performance is critical.

```
#include <iostream> int main() { std::cout << "Hello, World!" << std::endl; return 0; }
```

This classic example demonstrates a basic C++ program. The language is used in operating systems, web browsers, databases, game engines, and many other applications that require high performance and efficient resource management.

Getting Started

To start programming in C++, you need a C++ compiler. Popular choices include GCC (GNU Compiler Collection), Clang, and Microsoft Visual C++. Many integrated development environments (IDEs) come with compilers built-in.

To compile a C++ program from the command line using GCC, save your code in a file with a .cpp extension and use:

```
g++ program.cpp -o program ./program
```

There are several ways to write and compile C++ code:

- Command-line compilers like GCC or Clang
- IDEs such as Visual Studio, CLion, Code::Blocks, or Eclipse
- Online compilers for quick testing and learning
- Text editors with build system integration like VS Code or Sublime Text

Variables and Data Types

In C++, every variable must be declared with a specific data type. The type determines what kind of values the variable can hold and how much memory it will use.

Common fundamental data types in C++ include:

- **int:** Integer numbers (e.g., 42, -17, 0)
- **double:** Floating-point numbers (e.g., 3.14, -0.5)
- **char:** Single characters (e.g., 'A', '7', '$')
- **bool:** Boolean values (true or false)
- **string:** Sequence of characters (requires #include <string>)

```
int age = 25; double pi = 3.14159; char grade = 'A'; bool isStudent = true; std::string name = "John Doe";
```

Control Flow

Control flow statements allow you to control the execution path of your program based on conditions or loops.

If-Else Statements:

```
if (score >= 90) { std::cout << "Grade: A" << std::endl; } else if (score >= 80) { std::cout << "Grade: B" << std::endl; } else { std::cout << "Grade: C" << std::endl; }
```

For Loops:

```
for (int i = 0; i < 10; i++) { std::cout << i << " "; }
```

While Loops:

```
int count = 0; while (count < 5) { std::cout << count << std::endl; count++; }
```

Functions

Functions are reusable blocks of code that perform specific tasks. They help organize code, reduce repetition, and improve maintainability.

A function declaration includes a return type, name, parameters, and body:

```
int add(int a, int b) { return a + b; } int main() { int result = add(5, 3); std::cout << "Result: " << result << std::endl; return 0; }
```

Functions can have different return types:

- **void:** Returns nothing
- **int, double, etc.:** Returns a value of that type
- Functions can also accept parameters by value or by reference

Classes and Objects

C++ is an object-oriented language. Classes are blueprints for creating objects. They encapsulate data and functions that operate on that data.

```
class Rectangle { private: int width; int height; public: Rectangle(int w, int h) { width = w; height = h; } int area() { return width * height; } }; int main() { Rectangle rect(5, 3); std::cout << "Area: " << rect.area() << std::endl; return 0; }
```

Key OOP concepts in C++:

- **Encapsulation:** Bundling data and methods together
- **Inheritance:** Creating new classes from existing ones
- **Polymorphism:** Objects of different types responding to the same interface
- **Abstraction:** Hiding complex implementation details

Question 4

■ Source Code

```
<!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8"> <meta name="viewport"
content="width=device-width, initial-scale=1.0"> <title>The Daily Tech Tribune</title> <style> * { margin:
0; padding: 0; box-sizing: border-box; } body { font-family: 'Georgia', serif; background: #f5f5f5;
padding: 30px; } .newspaper-layout { max-width: 1200px; margin: 0 auto; background: white; padding: 40px;
box-shadow: 0 10px 40px rgba(0,0,0,0.1); } .title { text-align: center; border-bottom: 4px double #2c3e50;
padding-bottom: 20px; margin-bottom: 30px; } .title h1 { font-size: 4em; font-family: 'Times New Roman',
serif; color: #2c3e50; letter-spacing: 2px; margin-bottom: 10px; } .subtitle { color: #7f8c8d; font-size:
1.1em; font-style: italic; } article h2 { font-size: 2em; color: #2c3e50;
```

```
margin-bottom: 15px; line-height: 1.3; } article p { line-height: 1.8; color: #34495e; margin-bottom:
15px; text-align: justify; font-size: 1.05em; } .feature-article { column-count: 2; column-gap: 40px;
margin-bottom: 30px; padding-bottom: 30px; border-bottom: 2px solid #ecf0f1; } .feature-article h2 {
column-span: all; font-size: 2.5em; color: #e74c3c; } .cover-image { width: 100%; margin: 30px 0; }
.cover-image img { width: 100%; height: 400px; object-fit: cover; border-radius: 8px; } .cover-image
figcaption { text-align: center; font-style: italic; color: #7f8c8d; margin-top: 10px; font-size: 0.95em;
} .secondary-article { margin: 30px 0; padding: 30px 0; border-bottom: 1px solid #ecf0f1; }
.secondary-article h2 {
```

```
color: #3498db; } .articles-grid { display: grid; grid-template-columns: repeat(2, 1fr); gap: 30px;
margin-top: 30px; } .small-article { padding: 20px; background: #f8f9fa; border-left: 4px solid #27ae60;
border-radius: 5px; } .small-article h3 { font-size: 1.5em; color: #2c3e50; margin-bottom: 10px; }
.small-article p { font-size: 1em; } .quote-box { background: #ecf0f1; border-left: 5px solid #e74c3c;
padding: 20px; margin: 20px 0; font-style: italic; font-size: 1.2em; color: #2c3e50; } @media (max-width:
768px) { .feature-article { column-count: 1; } .articles-grid { grid-template-columns: 1fr; } .title h1 {
font-size: 2.5em; } } </style> </head> <body>
```

```
<main class="newspaper-layout"> <!-- Header/Title --> <header class="title"> <h1>■ The Daily Tech
Tribune</h1> <p class="subtitle">Breaking News in Technology | Thursday, March 5, 2026</p> </header> <!--
Feature Article --> <article class="feature-article"> <h2>AI Revolution Transforms Global Industries</h2>
<p>Artificial Intelligence continues to reshape the landscape of modern business and technology. Companies
worldwide are reporting unprecedented efficiency gains through the implementation of advanced machine
learning systems. Industry experts predict that AI-driven automation will create millions of new jobs
while transforming traditional roles across all sectors.</p> <p>The impact extends beyond business, with
healthcare, education, and scientific research seeing remarkable breakthroughs. Machine learning
algorithms are now capable of diagnosing diseases with accuracy rivaling human specialists, while
educational AI tutors provide personalized learning experiences to students globally.</p> <p>"We're
witnessing a fundamental shift in how humans interact with technology," says Dr. Sarah Chen, leading AI
researcher at Stanford University. "The integration of AI into everyday life is no longer science
fiction—it's our present reality."</p> <p>Major corporations have invested over $500 billion in AI
research and development over the past year alone. This massive investment has yielded remarkable results,
from natural language processing systems that understand context and nuance to computer vision algorithms
that surpass human accuracy in medical imaging analysis.</p> </article> <!-- Cover Image --> <figure
class="cover-image"> <img src="https://images.unsplash.com/photo-1677442136019-21780ecad995?w=1200&q=80"
alt="AI Technology"> <figcaption>AI-powered systems are revolutionizing industries worldwide</figcaption>
</figure> <!-- Quote Box --> <div class="quote-box"> "We're witnessing a fundamental shift in how humans
interact with technology. The integration of AI into everyday life is no longer science fiction—it's our
present reality." <br><strong>— Dr. Sarah Chen, Stanford University</strong> </div> <!-- Secondary Article
--> <article class="secondary-article"> <h2>Quantum Computing Reaches New Milestone</h2> <p>Scientists at
MIT have announced a breakthrough in quantum computing stability, maintaining quantum coherence for a
record-breaking 10 minutes. This achievement brings practical quantum computers significantly closer to
reality, with potential applications in cryptography, drug discovery, and climate modeling.</p> <p>The
research team utilized a novel approach to error correction, effectively neutralizing one of quantum
computing's biggest challenges. "This is a game-changer," explains lead researcher Dr. James Morrison.
"We're moving from theoretical possibility to practical implementation much faster than anticipated."</p>
<p>Major tech companies including Google, IBM, and Microsoft have already expressed interest in
collaborating on the next phase of development. Industry analysts predict commercial quantum computers
could be available within the next five years, potentially revolutionizing fields from pharmaceutical
research to financial modeling.</p> </article> <!-- Small Articles Grid --> <div class="articles-grid">
<article class="small-article"> <h3>■ SpaceX Launches Record Mission</h3> <p>SpaceX successfully launched
its 50th mission of the year, setting a new industry record. The mission deployed 60 satellites for the
expanding Starlink network, bringing high-speed internet to remote regions worldwide.</p> <p>CEO Elon Musk
announced plans for weekly launches throughout 2026, with ambitious goals for Mars exploration beginning
in 2028.</p> </article> <article class="small-article">
```

```
<h3>■ Breakthrough in Cancer Treatment</h3> <p>Researchers have developed a new immunotherapy treatment
showing 85% success rate in clinical trials for previously untreatable cancers. The treatment harnesses
the body's immune system to target cancer cells with unprecedented precision.</p> <p>FDA approval is
expected by the end of the year, offering new hope to millions of patients worldwide.</p> </article>
<article class="small-article"> <h3>■ Climate Tech Investments Soar</h3> <p>Global investments in climate
technology reached $150 billion in Q1 2026, marking a 300% increase from last year. Renewable energy,
carbon capture, and sustainable agriculture lead the funding surge.</p> <p>Analysts predict climate tech
will become the fastest-growing sector by 2030.</p> </article> <article class="small-article"> <h3>■ 5G
```

```
Coverage Reaches 80% Globally</h3> <p>Telecommunications companies report that 5G network coverage now
reaches 80% of the global population. The milestone marks a new era in connectivity, enabling IoT,
autonomous vehicles, and smart cities at scale.</p> <p>6G research has already begun, promising speeds
100x faster than current 5G networks.</p> </article> </div> </main> </body> </html>
```

Output Screenshot



The Daily Tech Tribune

Breaking News in Technology | Thursday, March 5, 2026

AI Revolution Transforms Global Industries

Artificial Intelligence continues to reshape the landscape of modern business and technology. Companies worldwide are reporting unprecedented efficiency gains through the implementation of advanced machine learning systems. Industry experts predict that AI-driven automation will create millions of new jobs while transforming traditional roles across all sectors.

The impact extends beyond business, with healthcare, education, and scientific research seeing remarkable breakthroughs. Machine learning algorithms are now capable of diagnosing diseases with accuracy rivaling human specialists, while educational AI tutors provide personalized learning experiences to students globally.

"We're witnessing a fundamental shift in how humans interact with technology," says Dr. Sarah Chen, leading AI researcher at Stanford University. "The integration of AI into everyday life is no longer science fiction—it's our present reality."

Major corporations have invested over $500 billion in AI research and development over the past year alone. This massive investment has yielded remarkable results, from natural language processing systems that understand context and nuance to computer vision algorithms that surpass human accuracy in medical imaging analysis.

AI-powered systems are revolutionizing industries worldwide

> *"We're witnessing a fundamental shift in how humans interact with technology. The integration of AI into everyday life is no longer science fiction—it's our present reality."*
> *– Dr. Sarah Chen, Stanford University*

Quantum Computing Reaches New Milestone

Scientists at MIT have announced a breakthrough in quantum computing stability, maintaining quantum coherence for a record-breaking 30 minutes. This achievement brings practical quantum computers significantly closer to reality, with potential applications in cryptography, drug discovery, and climate modeling.

The research team utilized a novel approach to error correction, effectively neutralizing one of quantum computing's biggest challenges. "This is a game-changer," explains lead researcher Dr. James Morrison. "We're moving from theoretical possibility to practical implementation much faster than anticipated."

Major tech companies including Google, IBM, and Microsoft have already expressed interest in collaborating on the next phase of development. Industry analysts predict commercial quantum computers could be available within the next five years, potentially revolutionizing fields from pharmaceutical research to financial modeling.

🚀 SpaceX Launches Record Mission

SpaceX successfully launched its 50th mission of the year, setting a new industry record. The mission deployed 60 satellites for the expanding Starlink network, bringing high-speed internet to remote regions worldwide.

CEO Elon Musk announced plans for weekly launches throughout 2026, with ambitious goals for Mars exploration beginning in 2028.

🎗️ Breakthrough in Cancer Treatment

Researchers have developed a new immunotherapy treatment showing 85% success rate in clinical trials for previously untreatable cancers. The treatment harnesses the body's immune system to target cancer cells with unprecedented precision.

FDA approval is expected by the end of the year, offering new hope to millions of patients worldwide.

🌍 Climate Tech Investments Soar

Global investments in climate technology reached $150 billion in Q1 2026, marking a 300% increase from last year. Renewable energy, carbon capture, and sustainable agriculture lead the funding surge.

Analysts predict climate tech will become the fastest-growing sector by 2030.

📱 5G Coverage Reaches 80% Globally

Telecommunications companies report that 5G network coverage now reaches 80% of the global population. The milestone marks a new era in connectivity, enabling IoT, autonomous vehicles, and smart cities at scale.

6G research has already begun, promising speeds 100x faster than current 5G networks.

Question 5

Source Code

```
<!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8"> <meta name="viewport"
content="width=device-width, initial-scale=1.0"> <title>TechWatch Pro - Your Smart Companion</title>
<style> * { margin: 0; padding: 0; box-sizing: border-box; } body { font-family: 'Segoe UI', Tahoma,
Geneva, Verdana, sans-serif; background: #fff; } #header { background: linear-gradient(135deg, #667eea 0%,
#764ba2 100%); color: white; padding: 20px 50px; position: sticky; top: 0; z-index: 1000; box-shadow: 0
2px 10px rgba(0,0,0,0.1); } .header-container { max-width: 1200px; margin: 0 auto; display: flex;
justify-content: space-between; align-items: center; } #header-img { height: 50px; } #nav-bar { display:
flex; gap: 30px; } .nav-link { color: white; text-decoration: none; font-size: 1.1em; transition: all 0.3s
ease; padding: 8px 16px;
```

```
border-radius: 5px; } .nav-link:hover { background: rgba(255,255,255,0.2); } #hero { background:
linear-gradient(135deg, #667eea 0%, #764ba2 100%); color: white; text-align: center; padding: 100px 20px;
} #hero h1 { font-size: 4em; margin-bottom: 20px; text-shadow: 2px 2px 4px rgba(0,0,0,0.2); } #hero p {
font-size: 1.5em; margin-bottom: 40px; opacity: 0.95; } #form { display: flex; gap: 15px; justify-content:
center; max-width: 600px; margin: 0 auto; } #email { flex: 1; padding: 15px 20px; border: none;
border-radius: 8px; font-size: 1.1em; } #submit { padding: 15px 40px; background: #27ae60; color: white;
border: none; border-radius: 8px; font-size: 1.1em; font-weight: bold; cursor: pointer; transition: all
0.3s ease;
```

```
} #submit:hover { background: #229954; transform: translateY(-2px); box-shadow: 0 5px 15px rgba(39, 174,
96, 0.4); } #features, #how-it-works, #pricing { max-width: 1200px; margin: 80px auto; padding: 0 20px; }
section h2 { text-align: center; font-size: 3em; color: #2c3e50; margin-bottom: 50px; } .features-grid {
display: grid; grid-template-columns: repeat(auto-fit, minmax(300px, 1fr)); gap: 40px; } .feature-item {
text-align: center; padding: 30px; border-radius: 15px; background: #f8f9fa; transition: transform 0.3s
ease, box-shadow 0.3s ease; } .feature-item:hover { transform: translateY(-10px); box-shadow: 0 10px 30px
rgba(0,0,0,0.1); } .feature-icon { font-size: 4em; margin-bottom: 20px; } .feature-item h3 { font-size:
1.8em; color: #2c3e50; margin-bottom: 15px; } .feature-item p { color: #7f8c8d; line-height: 1.6;
```

```
font-size: 1.1em; } #video { width: 100%; max-width: 800px; height: 450px; display: block; margin: 0 auto;
border-radius: 15px; box-shadow: 0 10px 40px rgba(0,0,0,0.2); } .pricing-grid { display: grid;
grid-template-columns: repeat(auto-fit, minmax(300px, 1fr)); gap: 30px; margin-top: 50px; } .pricing-card
{ background: white; border-radius: 20px; padding: 40px; text-align: center; box-shadow: 0 10px 40px
rgba(0,0,0,0.1); transition: transform 0.3s ease; border: 2px solid #ecf0f1; } .pricing-card:hover {
transform: translateY(-10px); border-color: #667eea; } .pricing-card.featured { border-color: #667eea;
background: linear-gradient(135deg, #667eea 0%, #764ba2 100%); color: white; transform: scale(1.05); }
.pricing-card h3 { font-size: 2em; margin-bottom: 20px; } .price { font-size: 3em; font-weight: bold;
margin: 20px 0; }
```

```
.pricing-card ul { list-style: none; margin: 30px 0; } .pricing-card li { padding: 10px 0; border-bottom:
1px solid rgba(0,0,0,0.1); } .pricing-card.featured li { border-bottom-color: rgba(255,255,255,0.2); }
.pricing-btn { padding: 15px 40px; background: #667eea; color: white; border: none; border-radius: 8px;
font-size: 1.1em; cursor: pointer; transition: all 0.3s ease; } .pricing-btn:hover { background: #764ba2;
transform: translateY(-2px); } .pricing-card.featured .pricing-btn { background: white; color: #667eea; }
@media (max-width: 768px) { #hero h1 { font-size: 2.5em; } #form { flex-direction: column; } } </style>
</head> <body> <!-- Header with Navigation --> <header id="header"> <div class="header-container"> <img
id="header-img" src="https://via.placeholder.com/50/ffffff/667eea?text=■" alt="TechWatch Pro Logo"> <nav
id="nav-bar">
```

```
<a href="#features" class="nav-link">Features</a> <a href="#how-it-works" class="nav-link">How It
Works</a> <a href="#pricing" class="nav-link">Pricing</a> </nav> </div> </header> <!-- Hero Section -->
<section id="hero"> <h1>■ Elevate Your Lifestyle</h1> <p>Experience the future of wearable technology with
TechWatch Pro</p> <form id="form" action="#" method="POST"> <input type="email" id="email" name="email"
placeholder="Enter your email address" required> <input type="submit" id="submit" value="Get Early
Access"> </form> </section> <!-- Features Section --> <section id="features"> <h2>Premium Features</h2>
<div class="features-grid"> <div class="feature-item"> <div class="feature-icon">❤■</div> <h3>Health
Monitoring</h3> <p>Track your heart rate, blood oxygen, sleep quality, and stress levels with
medical-grade sensors. Get personalized health insights powered by AI.</p> </div> <div
class="feature-item"> <div class="feature-icon">■</div> <h3>Fitness Tracking</h3> <p>Monitor 100+ workout
types with automatic detection. GPS tracking, pace analysis, and real-time coaching to help you reach your
fitness goals.</p> </div> <div class="feature-item"> <div class="feature-icon">■</div> <h3>Water
Resistant</h3> <p>50-meter water resistance means you can swim, surf, or shower with confidence. Built to
withstand any adventure.</p> </div> <div class="feature-item"> <div class="feature-icon">■</div> <h3>Long
Battery Life</h3> <p>Up to 7 days on a single charge with typical use. Fast charging gives you a full
day's power in just 30 minutes.</p> </div> <div class="feature-item"> <div class="feature-icon">■</div>
<h3>Smart Notifications</h3> <p>Stay connected with calls, texts, and app alerts on your wrist. Voice
assistant integration for hands-free control.</p>
```

```
</div> <div class="feature-item"> <div class="feature-icon">■</div> <h3>Customizable Design</h3> <p>Choose
from hundreds of watch faces and interchangeable bands. Express your style with premium materials and
finishes.</p> </div> </div> </section> <!-- How It Works Section --> <section id="how-it-works"> <h2>See
It In Action</h2> <iframe id="video" src="https://www.youtube.com/embed/dQw4w9WgXcQ" frameborder="0"
```

```
allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; picture-in-picture"
allowfullscreen> </iframe> </section> <!-- Pricing Section --> <section id="pricing"> <h2>Choose Your
Plan</h2> <div class="pricing-grid"> <div class="pricing-card"> <h3>Starter</h3> <div
class="price">$299</div> <ul> <li>✓ Basic Health Monitoring</li> <li>✓ 50+ Workout Modes</li> <li>✓ 5
Days Battery</li> <li>✓ Water Resistant</li> <li>✓ 1 Year Warranty</li> </ul> <button
class="pricing-btn">Buy Now</button> </div> <div class="pricing-card featured"> <h3>■ Pro</h3> <div
class="price">$449</div> <ul> <li>✓ Advanced Health Monitoring</li> <li>✓ 100+ Workout Modes</li> <li>✓ 7
Days Battery</li>
```

```
<li>✓ GPS + Cellular</li> <li>✓ Premium Bands Included</li> <li>✓ 2 Years Warranty</li> </ul> <button
class="pricing-btn">Buy Now</button> </div> <div class="pricing-card"> <h3>Ultra</h3> <div
class="price">$599</div> <ul> <li>✓ Medical-Grade Sensors</li> <li>✓ Unlimited Workouts</li> <li>✓ 10
Days Battery</li> <li>✓ Titanium Case</li> <li>✓ Sapphire Crystal</li> <li>✓ Lifetime Warranty</li> </ul>
<button class="pricing-btn">Buy Now</button> </div> </div> </section> </body> </html>
```

■■ Output Screenshot

TechWatch Pro Logo

Features How It Works Pricing

⌚ Elevate Your Lifestyle

Experience the future of wearable technology with TechWatch Pro

Enter your email address | Get Early Access

Premium Features

❤️

Health Monitoring

Track your heart rate, blood oxygen, sleep quality, and stress levels with medical-grade sensors. Get personalized health insights powered by AI.

🏃

Fitness Tracking

Monitor 100+ workout types with automatic detection. GPS tracking, pace analysis, and real-time coaching to help you reach your fitness goals.

💧

Water Resistant

50-meter water resistance means you can swim, surf, or shower with confidence. Built to withstand any adventure.

🔋

Long Battery Life

Up to 7 days on a single charge with typical use. Fast charging gives you a full day's power in just 30 minutes.

📱

Smart Notifications

Stay connected with calls, texts, and app alerts on your wrist. Voice assistant integration for hands-free control.

🎨

Customizable Design

Choose from hundreds of watch faces and interchangeable bands. Express your style with premium materials and finishes.

See It In Action

Choose Your Plan

Starter

$299

- ✓ Basic Health Monitoring
- ✓ 50+ Workout Modes
- ✓ 5 Days Battery
- ✓ Water Resistant
- ✓ 1 Year Warranty

Buy Now

⭐ Pro

$449

- ✓ Advanced Health Monitoring
- ✓ 100+ Workout Modes
- ✓ 7 Days Battery
- ✓ GPS + Cellular
- ✓ Premium Bands Included
- ✓ 2 Years Warranty

Buy Now

Ultra

$599

- ✓ Medical-Grade Sensors
- ✓ Unlimited Workouts
- ✓ 10 Days Battery
- ✓ Titanium Case
- ✓ Sapphire Crystal
- ✓ Lifetime Warranty

Buy Now