

CLAUDENET v3: An Image Atlas of the New Strong-Lens Candidates from DR10

Greg Benson*

Xiaosheng Huang†

June 2026

DESI-resolution cutout panels for the three panel-qualified NEW v3 grade-A candidates of Table 11

1 The candidates

This atlas shows the imaging for the three *new* strong-lens candidates that CLAUDENET v3 surfaced in the DR10 vetting and that survived the campaign qualification panel (advocate/skeptic/morphology/contaminant, skeptic veto, 2-of- N A-rule) — i.e. Table 11 of the CLAUDENET report ([papers/main.pdf](#)). The object ids and grades are read from `v3/cv3_new_gradeA.csv`; the sky positions are joined from `v3/manifests_d2_newA.csv` (whose ranking score equals the table’s C-vet p_{lens}). Each cutout is a grz `ls-dr10` image at the finder’s native geometry (101 px, $0.262''/\text{px}$), fetched and rendered with the group’s inspection-viewer renderer (Lupton $Q=8$, vertical flip, 400 px upsample), so these are exactly the pixels the v3 model and the panel saw. For each object we show three panels: the *full* 101-px cutout, a $2.5\times$ center *zoom*, and a lens-light-subtracted *residual* that exposes the low-surface-brightness arc/ring hiding under the lens-galaxy light.

Honest framing. Table 11 as first produced listed *four* candidates; we exclude `s_310364-6649`, which a crossmatch against the Huang+2020 DECaLS catalogue identified as the already-published grade-A lens DESI-038.2078-03.3906 ($0.2''$ match) — a recovery, not a new candidate. The remaining three positions have *no* Euclid coverage, so they are DESI-resolution-qualified candidates, *not confirmations*. At the DECaLS $\sim 1.3''$ seeing the ring-vs-partial-arc distinction is genuinely uncertain at $0.262''/\text{px}$; higher-resolution imaging (Euclid/HSC, HST, or Keck AO) is required to confirm them and measure an Einstein radius.

2 Cutout panels

*benson@cs.usfca.edu; Department of Computer Science, University of San Francisco, CA 94117, USA

†Department of Physics & Astronomy, University of San Francisco; and Physics Division, Lawrence Berkeley National Laboratory

Table 1: The three NEW v3 grade-A candidates of Table 11, with the sky positions used to render the cutouts below.

DESI id	RA (deg)	Dec (deg)	C-vet p_{lens}	ranking	panel grade
s_441355_1111	177.1381	+19.5009	0.74	head	A
s_124958_10481	58.1768	-38.4292	0.82	v3blend8	B
s_102952_9916	334.8017	-43.8098	0.76	v3blend8	B




Figure 1: s_441355_1111 — RA 177.1381°, Dec +19.5009°; C-vet $p_{\text{lens}} = 0.74$ (head list), panel grade A. Panels: full / zoom (2.5 $\times$) / lens-light residual.




Figure 2: s_124958_10481 — RA 58.1768°, Dec -38.4292°; C-vet $p_{\text{lens}} = 0.82$ (v3blend8 list), panel grade B. Panels: full / zoom (2.5 $\times$) / lens-light residual.




Figure 3: **s_102952_9916** — RA 334.8017° , Dec -43.8098° ; C-vet $p_{\text{lens}} = 0.76$ (v3blend8 list), panel grade B. The residual panel surfaces a near-complete blue/teal ring encircling the red elliptical core (annulus ~ 0.7 mag bluer in $g-r$ than the core), the morphology that drove the panel grade. Panels: full / zoom ($2.5\times$) / lens-light residual.