GeoNetwork configuration work

2024-04-04

remove unused schemas, leave csw record and ISO19115-3 in source code . comment out lines in "C:\Users\smrTu\OneDrive\Documents\GithubC\smrgeoinfo\DDEcore-geonetwork\web\pom.xml" and
"C:\Users\smrTu\OneDrive\Documents\GithubC\smrgeoinfo\DDEcore-geonetwork\schemas\pom.xml"
set es user and password in
"C:\Users\smrTu\OneDrive\Documents\GithubC\smrgeoinfo\DDEcore-geonetwork\pom.xml", line 1582-1583
make new build.

build failed. note that had globally replaced srv/2.1 with srv/2.0. Undo POM changes and try build again. close Visual studio; errro messages in build suggest problem with file access.., but files are there. build works when explorer and Visual code are not connected to the source repo.
Try removing schema plugins again, and build
doesn't work

http://localhost:8080/geonetwork/srv/eng/catalog.edit#/board

2024-04-01
try a clean build from es 8.11.3, from maven repo.
...DDEcore-geonetwork\es> mvn install -Pes-download build success
...DDEcore-geonetwork\es\elasticsearch-8.11.3\bin> .\elasticsearch
get:
warning: ignoring JAVA_HOME=C:\Program Files\Java\jdk-11.0.2; using ES_JAVA_HOME
Γ£à Elasticsearch security features have been automatically configured!
Γ£à Authentication is enabled and cluster connections are encrypted.
Γä╣ ∩╕Å Password for the elastic user (reset with `bin/elasticsearch-reset-password -u elastic`):
eGZRrxJMGgQsr9Ug4vAR

Γä╣∩╕Å HTTP CA certificate SHA-256 fingerprint:
  e9d5a745685b8fda8cae0c2123218f5a78861d3333d34f7bf579b114e49b0024
Γä╣∩╕Å Configure Kibana to use this cluster:
ΓÇó Run Kibana and click the configuration link in the terminal when Kibana starts.
ΓÇó Copy the following enrollment token and paste it into Kibana in your browser (valid for the next 30 minutes):

eyJ2ZXIiOiI4LjExLjMiLCJhZHIiOlsiMTcyLjIwLjE2LjE6OTIwMCJdLCJmZ3IiOiJlOWQ1YTc0NTY4NWI4ZmRhOGNhZTBjMjEyMzIxOGY1YTc4ODYxZDMzMzNkMzRmN2JmNTc5YjExNGU0OWIwMDI0Iiwia2V5IjoiSW9fbm00NEJuakxJbE9nYUNNREc6bVFzVEhFdVRRLXludjlxWWkzVE9EQSJ9
Γä╣∩╕Å Configure other nodes to join this cluster:
ΓÇó On this node:
  Γüâ Create an enrollment token with `bin/elasticsearch-create-enrollment-token -s node`.
  Γüâ Uncomment the transport.host setting at the end of config/elasticsearch.yml.
  Γüâ Restart Elasticsearch.
ΓÇó On other nodes:
  Γüâ Start Elasticsearch with `bin/elasticsearch --enrollment-token <token>`, using the enrollment token that you generated.

install kibana
build geonetowkr
core-geonetwork>mvn clean install -DskipTests

in elasticsearch.yml change

```
xpack.security.http.ssl:

  enabled: false

  keystore.path: certs/http.p12
```

enabled to false

set elastic password in geonetwork config
lines 18 and 19 in "...apache-tomcat-9.0.85\webapps\geonetwork\WEB-INF\config.properties"

```
es.username=elastic

es.password=eGZRrxJMGgQsr9Ug4vAR
```

restart tomcat
...apache-tomcat-9.0.85\bin>.\startup

can't connect to elastic search. try turning off xpack security in elasticsearch.yml

Enable security features

xpack.security.enabled: false

xpack.security.enrollment.enabled: false

(**********
2024-03-17
create DDEbuildTest branch. Sync with upstream/main.   try
core-geonetwork>mvn clean install -DskipTests
rename war geonetwork4.4.4 copy to tomcat/webapps

es passwords 8.11.3

see https://www.elastic.co/guide/en/elasticsearch/reference/8.11/security-minimal-setup.html

start over-- reinstall elastic seach
Γä╣ ∩╕ Å Password for the elastic user (reset with `bin/elasticsearch-reset-password -u elastic`):
  ApHUH7ZaQGB_J-cOeAVF

Γä╣ ∩╕ Å HTTP CA certificate SHA-256 fingerprint:
  62fe489812830713d49445d5fca607c997c7eaac2f5c6e6780b267560b97d82a

Γä╣ ∩╕ Å Configure Kibana to use this cluster:
ΓÇó Run Kibana and click the configuration link in the terminal when Kibana starts.
ΓÇó Copy the following enrollment token and paste it into Kibana in your browser (valid for the next 30 minutes):

eyJ2ZXIiOiI4LjExLjMiLCJhZHIiOlsiMTAuMC4wLjE2Nzo5MjAwIl0sImZnciI6IjYyZmU0ODk4MTI4MzA3MTNkNDk0NDVkNWZjYTYwN2M5OTdjN2VhYWMyZjVjNmU2NzgwYjI2NzU2MGI5N2Q4MmEiLCJrZXkiOiJGSzM5VW80QjJxMUdJYldqVF8tZzpjU2dvam9xVVFmU0tkLWxoNE5BX3BnIn0=
purge and reinstall kibana 8.11.3
start elastic search
put token in kibana at the URL it gives you
see github issue   https://github.com/geonetwork/core-geonetwork/issues/7873

note for tomcat
<user username="tomcatadmin" password="1/2pastFour" roles="manager-gui"/>
  <user username="tomcatAPI" password="1/2pastFour" roles="manager-script"/>

update ES-JAVA-HOME from
C:\Users\smrTu\OneDrive\Documents\GithubC\geonetwork\core-geonetwork\es\elasticsearch-7.17.15\jdk
to
C:\Users\smrTu\OneDrive\Documents\GithubC\geonetwork\core-geonetwork\es\elasticsearch-8.11.3\jdk

2024-03-07
work on running in visual studio
rebuild on ddeconfig-Export branch. Didn't work

2024-03-04
es won't start, problems with translog files, doesn't recognized the user/pass combination I've been uing. reinstall. Try updating 4.4.x core-gn/pom.xml to get es 7.17.15 by copying section from 4.2.x core-gn/pom.xml, but doesn't work .
Checkout 4.2.x, then
>es mvn install -Pes-download
>cd elasticsearch-7.17.15\bin
>.\elasticsearch   <!-- running from 4.2.x checkout... -->

in elasticsearch.yml
xpack.security.enabled: true
discovery.type: single-node
have to reset es passwords
run >
`./bin/elasticsearch-setup-passwords interactive`
and use passwords in this file

start kibana
C:\kibana-7.17.15-windows-x86_64\bin> .\kibana
checkout core-geonetwork/DDE_Configuration

2024-02-28
The config-editor.xml paths are actually against a processed xml doc that includes a bunch of geonet: namespec insertion. to see what this looks like, (just the metadata record part..., the full doc has a bunch of other stuff, like the strings, labels, and codelists.xml content.

before line
  at line 84 or close by in
C:\apache-tomcat-9.0.85\webapps\geonetwork\xslt\ui-metadata\edit\edit.xsl
insert
<xsl:message><xsl:copy-of select=".//mdb:MD_Metadata"/></xsl:message>
have to also declare mdb namespace in the edit.xsl doc, add
xmlns:mdb="http://standards.iso.org/iso/19115/-3/mdb/2.0"
in the stylesheet root element.

2024-02-20
Ran mvn jetty:run; geonetwork apparently started by no web page appeared. Now when I run via Tomcat startup, can't connect to elastic search.

restarting elasticsearch. in elasticsearch.yml:
cluster.name: DDE-geonetwork
xpack.security.enabled: true
discovery.type: single-node

redo
guide for es security setup
https://www.elastic.co/guide/en/elasticsearch/reference/7.17/security-minimal-setup.html
passwords seem the same.

still not connecting. start kibana. Remove indexes in ES
restart es

****
<!-- If elasticsearch security is on, 7.17.15
  add a read/write user for index features and records: -->
  <es.username>elastic</es.username>
  <es.password>AT1JUlKLpt1yMje4mnSJ</es.password>

2024-02-12
turns out 4.4.3 snapshot doesn't work with es 8.11.3

start over ; sync smr fork with 4.2.x branch on github, pull to local repo
rebuild es from pom
es>mvn install -Pes-download
installs es 7.17.15
get kibana 7.17.15

update ES_JAVA_HOME to 7.17.15
run elasticsearch to get user names, passwords
guide for es security setup
https://www.elastic.co/guide/en/elasticsearch/reference/7.17/security-minimal-setup.html
use auto to generate passwords

es passwords 7.17.15:

user apm_system
PASSWORD apm_system = W7a4MCNEyrh6AqjRhsBv
user kibana_system
PASSWORD kibana_system = ZUOhPLiI6KXOoNECpT0i
user kibana
PASSWORD kibana = ZUOhPLiI6KXOoNECpT0i
logstash_system
PASSWORD logstash_system = 1Qd3fsPjFUbx3E2OmQ8C
beats_system
PASSWORD beats_system = QK3J8xfbCnm6coLzBI2v
user remote_monitoring_user
PASSWORD remote_monitoring_user = 9SpMXDuMVy5tiptbjlDs
user elastic
PASSWORD elastic = AT1JUlKLpt1yMje4mnSJ
Set up Kibana login...
in kibana.yml

```
elasticsearch.username: "kibana_system"
```

the run this to create keystore

```
kibana.../bin> .\kibana-keystore create
kibana.../bin> .\kibana-keystore add elasticsearch.password
```

build geonetwork from pom (first try fails)
core-geonetwork>mvn clean install -DskipTests
build 4.4.2, build fails *[ERROR] Failed to execute goal org.apache.maven.plugins:maven-compiler-plugin:3.8.1:compile (default-compile) on project gn-common: Compilation failure: Compilation failure:*

[ERROR] /C:/Users/smrTu/OneDrive/Documents/GithubC/geonetwork/core-geonetwork/common/src/main/java/org/fao/geonet/utils/Xml.java:[65,22] package javax.xml.bind does not exist
download 4.4 release, build fails package com.amazonaws does not exist
buld 4.4.3 from core-geonetwork main branch. Build succeeds
copy geonetwork war to tomcat webapps
start tomcat
Geonetwork is UP!!!
harvest from /tmp/forHarvest (dde records) with DDE to 19115-3 transform
seems to work
create template from AZ lithostratigraphic dataset record
Stop tomcat, change label on mdb:metadataProfile
in "C:\Users\smrTu\OneDrive\Documents\GithubC\geonetwork\core-geonetwork\schemas\iso19115-3.2018\src\main\plugin\iso19115-3.2018\loc\eng\labels.xml"
run core-geonetwork>mvn clean install -DskipTests
get war into tomcat.../webapps,
restart tomcat

2024-02-11
try building Geonetwork from source 4.4.3 snapshot
get error:
[ERROR] Failed to execute goal on project gn-wfsfeature-harvester: Could not resolve dependencies for project org.geonetwork-opensource:gn-wfsfeature-harvester:jar:4.4.3-SNAPSHOT: Failed to collect dependencies at org.geotools:gt-wfs-ng:jar:30.0: Failed to read artifact descriptor for org.geotools:gt-wfs-ng:jar:30.0: The following artifacts could not be resolved: org.geotools:gt-wfs-ng:pom:30.0 (absent): Could not transfer artifact org.geotools:gt-wfs-ng:pom:30.0 from/to osgeo (https://repo.osgeo.org/repository/release/): peer not authenticated -> [Help 1]
tryu
https://stackoverflow.com/questions/16225573/why-cant-i-resolve-the-dependencies-for-geotools-maven-quickstart All you have to do is define the `snapshot repository` for the `GeoTools` as it is mentioned at the GeoTools:Maven Quick Start as the following:
[in core-geonetwork/pom.xml]
<repositories>....

```
<repository> <!--Add the snapshot repository here-->
<snapshots>
<enabled>true</enabled>
```

```
</snapshots>
<id>opengeo</id>
<name>OpenGeo Maven Repository</name>
<url>http://repo.opengeo.org</url>
</repository>
```

in my core-geonetwoprk chcekout see:

```
<repository>
    <snapshots>
      <enabled>false</enabled>
    </snapshots>
    <id>osgeo</id>
    <name>OSGeo Release repository</name>
    <url>https://repo.osgeo.org/repository/release/</url>
  </repository>
```

change enable on this one to 'true', line 1321. didn't work
try other repository, make true line 1330

```
<repository>
    <releases>
      <enabled>true</enabled>
    </releases>
    <snapshots>
      <enabled>true</enabled>
    </snapshots>
    <id>osgeo-snapshot</id>
    <name>OSGeo Snapshot repository</name>
    <url>https://repo.osgeo.org/repository/snapshot/</url>
  </repository>
```

have to manually load dependencies from maven repo for

HTML Content

Home» org.geotools.jdbc» gt-jdbc-postgis» 30.0

Home » org.geotools » gt-gml-geometry-streaming » 30.0
Build now is success!

copy war to tomcat/webapps, start tomcat
after a long time geonet comes up

login admin/smrAdm1n?
STILL have Query returned an error. Check the console for details

2024-02-11
elastic (for 8.11.3)
lQNM2tkgmzI=ofHkL0OW

in webapps/geonetwork4.4.x config.properties
es.protocol=https ### make this https
es.port=9200
es.host=localhost
es.url=${es.protocol}://${es.host}:${es.port}
es.username=elastic # add username and password
es.password=lQNM2tkgmzI=ofHkL0OW

make security settings in elasticsearch.yml 'true'
don't get same error,, but geonetwoirk still not connecting to index. It recognizes elasticsearch connection on https://localhost:9200.

2024-02-10
try again, figure out why elastic/kibana/geonetwork communication is getting interupted by security stuff
kIBANA bin>kibana-encryption-keys generate
xpack.encryptedSavedObjects.encryptionKey: 25ec7892a340e21861e194848dacfea6
xpack.reporting.encryptionKey: 047d9a989a274e01f6c9549dd536b43a
xpack.security.encryptionKey: d57b6a2f235e71693138ecd017e27dd4

put these in kibana.yml

Kibana warning in console:
[2024-02-09T17:20:19.183-07:00][WARN][plugins.security.config] Generating a random key for xpack.security.encryptionKey. To prevent sessions from being invalidated on restart, please set xpack.security.encryptionKey in the kibana.yml or use the bin/kibana-encryption-keys command.

so look at kibana.yml and try putting these keys in

2024-02-08, 09
update schema, transforms to verify can go to/from ISO19115-3
ready to try geonetwork harvest
es 7.9 . geonetwork 4.2.4 installed from web
can harvest records. can't make changes in view. Try adding view, loose access to Full.
12345geoN3T%
try a build from source, github main
es> es>mvn install -Pes-download installs es 7.15
change java_home to C:\Program Files\Java\jdk-11.0.2\bin
change es_java_home to C:\Users\smrTu\OneDrive\Documents\GithubC\geonetwork\core-geonetwork\es\elasticsearch-8.11.3\jdk
was   C:\Program Files\Java\jdk8u382-b05
es>mvn exec:exec -Des-start   doesn't work. not reponse on localhost 9200
cd \elasticsearch-8.11.3\bin>
then >.\elasticsearch
Password for the elastic user (reset with `bin/elasticsearch-reset-password -u elastic`):
get kibana 8.11.3, connect to elastic search
kibana 8.11.3
elastic
ajzqK-w7z3Di=XjqbRYb
java_home = C:\Program Files\Java\jdk-11.0.2
put geonetwork 4.4.2 war in Tomcat 9.0.85 webapps
start tomcat
many messages
Resetting read-only flag of JDBC Connection [170574985, URL=jdbc:h2:~/gn, UserName=WWW-DATA, H2 JDBC Driver]

2024-02-04
Geonetwork 4.2.4 running. try connecting to postgres
create in postgres geonetwork user pass Ge0n3tWork+
in **`/WEB-INF/config-node/srv.xml`** comment out h2 connection uncomment <import resource="../config-db/postgres-postgis.xml"/>
set connection info in **`WEB-INF/config-db/`** **jdbc.properties**
jdbc.username=#{systemEnvironment['GEONETWORK_DB_USERNAME']?:'geonetwork'}
jdbc.password=#{systemEnvironment['GEONETWORK_DB_PASSWORD']?:'Ge0n3tWork+'}
jdbc.database=#{systemEnvironment['GEONETWORK_DB_NAME']?:'geonetwork'}

jdbc.host=#{systemEnvironment['GEONETWORK_DB_HOST']?:'localhost'}
jdbc.port=#{systemEnvironment['GEONETWORK_DB_PORT']?:5432}
jdbc.connectionProperties=#
{systemEnvironment['GEONETWORK_DB_CONNECTION_PROPERTIES']}

change error to debug for some classes in geonetwork/WEB-INF/classes/log4j2.xml (mark with comments)

postgres connection working.
define guest user, DDE group, srichard user.

2024-02-03
start elastic search
>cd *C:\elasticsearch-7.9.2\bin*
> elasticsearch
check localhost:9200
v 7.9.2 is running.

download kibana
cd c:\kibana-8.12.0\bin
>.\kibana
FAILS: "FATAL ProductNotSupportedError: The client noticed that the server is not Elasticsearch and we do not support this unknown product."
get kibana-7.9.2, that one starts and responds on localhost 5601.

download geonetwork.war from
https://sourceforge.net/projects/geonetwork/files/GeoNetwork_opensource/v4.4.2/

download tomcat 9.0.85
set Catalina_home.
java_home is pointing to a JDKv8
copy geonetwork.war into webapps folder
fails to deploy "03-Feb-2024 12:24:03.405 SEVERE [Catalina-utility-1] org.apache.catalina.core.StandardContext.startInternal One or more listeners failed to start. Full details will be found in the appropriate container log file"
I don't see anything useful in any logs...

2023-11-17
run elastic search by
PS C:\Users\smrTu\OneDrive\Documents\GithubC\geonetwork\core-geonetwork\es\elasticsearch-7.15.1\BIN> elasticsearch
get a bunch of errors
[2023-11-17T14:19:16,915][WARN][o.e.i.c.IndicesClusterStateService] [EMERALD] [gn-records][0] marking and sending shard failed due to [failed recovery] org.elasticsearch.indices.recovery.RecoveryFailedException: [gn-records][0]: Recovery failed on {EMERALD}{ttElqN3hSWi9ylKCIetckw}{IneF-jrbSBWrKoVYgB3Mog}{127.0.0.1}{127.0.0.1:9300}{cdfhilmrstw}{ml.machine_memory=42311225344, xpack.installed=true, transform.node=true, ml.max_open_jobs=512, ml.max_jvm_size=21156069376}
finishing with
[2023-11-17T14:19:16,424][INFO][o.e.g.GatewayService] [EMERALD] recovered [4] indices into cluster_state
[2023-11-17T14:19:16,915][WARN][o.e.i.c.IndicesClusterStateService] [EMERALD] [gn-records][0] marking and sending shard failed due to [failed recovery] org.elasticsearch.indices.recovery.RecoveryFailedException: [gn-records][0]: Recovery failed on {EMERALD}{ttElqN3hSWi9ylKCIetckw}{IneF-jrbSBWrKoVYgB3Mog}{127.0.0.1}{127.0.0.1:9300}{cdfhilmrstw}{ml.machine_memory=42311225344, xpack.installed=true, transform.node=true, ml.max_open_jobs=512, ml.max_jvm_size=21156069376}
localhost:9200 responds like it should...
exit this elastic search
run
C:\elasticsearch-7.9.2\bin
starts, no errors thrown.
run geonetwork from githubc
C:\Users\smrTu\OneDrive\Documents\GithubC\geonetwork\core-geonetwork\web>mvn jetty:run -Penv-dev
gags, trying to run java 11, need java 8
change JAVA_HOME from C:\Program Files\Java\jdk-11.0.2 to C:\Program Files\Java\jdk8u382-b05
start with mvn agin
geonetwork comes up. admin/smrAdm1n? This works with 2024-02-11 Geonetwork 4.4.3 build

can't get rid of mrd:in ui, try removing in view.xsl, config-editor.xml, and labels.xml by commenting out.
stop and restart Geonetwork, doesn't change display
try rebuilding.

2023-11-06
elastic search user   smr35geo
encryptor.algorithm = PBEWithMD5AndDES
encryptor.password =ZgLpPBEzge

tomcat admin tc$admin
run tomcat, put in GN4.4 War, get message
SEVERE [main] org.apache.catalina.core.StandardContext.startInternal One or more listeners failed to start. Full details will be found in the appropriate container log file
06-Nov-2023 18:21:03.604 SEVERE [main] org.apache.catalina.core.StandardContext.startInternal Context [/geonetwork] startup failed due to previous errors

GN doesn't run.

When try w/4.2.4 build from local github repo, geonetwork apparenly can't connect with elastic search, GN starts but there is no search and no apparent way to configure connection.

try going back to maven build
xpack.security.enabled: true
xpack.security.transport.ssl.enabled: true
#discovery.type: single-node
in elasticsearch.yml. still says zpath security is disabled by config and won't run
`elasticsearch-setup-passwords auto`
to set passwords for elastic. runs but message:
Failed to authenticate user 'elastic' against http://127.0.0.1:9200/_security/_authenticate?pretty
Possible causes include:
** The password for the 'elastic' user has already been changed on this cluster*
** Your elasticsearch node is running against a different keystore*
This tool used the keystore at C:\Workspace\xGithubC\es\elasticsearch-7.15.1\config\elasticsearch.keystore

Can't tell why its looking for keystore there
remove es directory in xGithub, don't know how that's connect
reset passowrds now fails becasues *Unexpected response code [503] from calling PUT http://127.0.0.1:9200/_security/user/apm_system/_password?pretty*
Cause: Cluster state has not been recovered yet, cannot write to the [null] index

****
online zoommeeting to discuss metadata edits.
kathy-=- secretary of metadta WG
Tim Duffy; use -3 because have tool; Service and data metadata, has quality metadata.

Zhang Minghua
Marcos Ferreira. Brasilia Brasil geo survey.
Wang Shu-- asst prof inst geo sci GIS background. knowledge graph. Temporal knowledge graph.
Yan Wei. master student with Zhan Minghua
Juanle Wang-- professor make metadata usable. machine readable. ready for AI.
Qin Mengjiao postdoc . remote sensing. spatial temporal prediction. in platform group.
Linshu Hu-- platform group. post doc 2 years on DDE. how to serve data better.

Minghua- imagery metadata.
someone at suzhou had geonetwork instance Linshu . Harvest from OneGeology. LinShu, when publish

2023-09-07
on old i7 with v4.2.x branch.
4.2.x   use C:\Program Files\Java\jdk8u382-b05 <es.version>7.15.1</es.version>
have to do
es>mvn install -Pes-download
to get correct es installed; uses es.version from core-geonetwork/pom.xml for version
then update ES_JAVA_HOME to point to jdk in es installed inside core-geonetwork. then
es>mvn exec:exec -Des-start   works
>mvn clean install -DskipTests gets geonetwork built
cd web
mvn jetty:run -Penv-dev

wait awhile and geonetwork comes up. admin/smrAdm1n?

on new ASUS machine
java home
4.4 main use C:\Program Files\Java\jdk-11.0.2 PATH C:\Program Files\Java\jdk-11.0.2\bin
<es.version>7.15.1</es.version>
HAVE To run at command prompt, not power shell
es install with gn4.4--
"C:\Users\smrTu\.m2\repository\org\sonatype\oss\oss-parent\9\oss-parent-9.pom" is empty.
copy content from
then build works
https://repo1.maven.org/maven2/org/sonatype/oss/oss-parent/9/oss-parent-9.pom
then
es>mvn exec:exec -Des-start
does a bunch of downloading from sonatype-public-repository
Elastic search running

gn won't install
>mvn clean install -DskipTests Fail-- missing poms and jars
try
`mvn dependency:purge-local-repository`
a bunch of empty poms and jars in the maven .m2 repository are blocking build. finding those on the web and putting in repo doesn't cure.
Then I tried mvn clean install for core-geonetwork, and the bunch empty poms and jar files in the .m2 repo kill it. See https://github.com/geonetwork/core-geonetwork/issues/7323 and https://stackoverflow.com/questions/77061911/empty-pom-and-jar-files-in-maven-repository.
Current hypothesis is that there is some (likely windows-based) security issue that is keeping the file content from being downloaded (but why create an empty file in the repo?). All the empty files in the repo were findable on the web, e.g. https://mvnrepository.com/. The 4.2.x build works on my old laptop, so its probably not a network issue. I'm stumped

2023-09-04
change template name for ISO19115-3.DDE in C:\Workspace\GithubC\smrgeoinfo\core-geonetwork\schemas\iso19115-3.DDE\src\main\plugin\iso19115-3.DDE\templates\geodata.xml
run

core-geonetwork>mvn process-resources -PschemasCopy DOESN"T change
mvn clean install -DskipTests
cd web
mvn jetty:run -Penv-dev

elastic search, ubuntu 22
export JAVA_HOME=/mnt/c/geonetwork/jdk8u382-b05-linux
```
export PATH=$JAVA_HOME/bin:$PATH
export ES_JAVA_HOME=/mnt/c/Workspace/GithubC/geonetwork/core-
geonetwork/es/elasticsearch-7.15.1/jdk
export PATH=$ES_JAVA_HOME/bin:$PATH

cd es
mvn install -Pes-download
mvn exec:exec -Des-start
```
geonetwork
```
cd ../web
mvn jetty:run -Penv-dev
```
Don't end up using-- runs much fasters in windows

in Windows
c:\Workspace\GithubC\geonetwork\core-geonetwork>mvn clean install -DskipTests
success, 12.57 MINUTES!

Get elastic search going
cd c:\Workspace\GithubC\geonetwork\core-geonetwork\es
mvn clean install -Pes-download   DON't NEED TO DO-- run 7.17 (see below)
mvn exec:exec -Des-start FAILS
try c:\Workspace\GithubC\geonetwork\core-geonetwork\es\elasticsearch-
7.17.11\bin>elasticsearch.bat
ES is running
get XContent missing in Elasticsearch, apparently this problem is fixed in v8. v 7. are all now past end of life. try installing ES 8.9.1

start geonetwork:
cd web
mvn jetty:run -Penv-dev

[INFO] Started @156720ms

2023-08-31
Seems to be building OK
Jetty starts, but can't start geonetwork:

```
[INFO] Scanning elapsed time=60088ms
[WARNING] Failed startup of context
o.e.j.m.p.JettyWebAppContext@38b14624{/geonetwork,
[file:///mnt/c/Workspace/GithubC/geonetwork/core-
geonetwork/web/src/main/webapp/,
file:///mnt/c/Workspace/GithubC/geonetwork/core-geonetwork/web-
ui/src/main/resources/, file:///mnt/c/Workspace/GithubC/geonetwork/core-
geonetwork/web/target/webapp/],UNAVAILABLE}
{[file:///mnt/c/Workspace/GithubC/geonetwork/core-
geonetwork/web/src/main/webapp/,
file:///mnt/c/Workspace/GithubC/geonetwork/core-geonetwork/web-
ui/src/main/resources/, file:///mnt/c/Workspace/GithubC/geonetwork/core-
geonetwork/web/target/webapp/]}
java.lang.Exception: Timeout scanning annotations
```

2023-08-30
To run GeoNetwork with the embedded Jetty server you have to change directory to the root of the **web** module, and then execute the following Maven command:

```
mvn jetty:run -Penv-dev
```

rename .jar, -test.jar, and .zip to bku in core-geonetwork\schemas\iso19115-3.DDE\target.
got build to work. Took 13 hours!

```
mvn package install -DskipTests
```

2023-08-25
copy iso19115-3.2018 schema to new folder, name iso19115-3.DDE. Go through files in src and rename 19115-3.2018 to 19115-3.DDE as seemed appropriate.
I'm suspicious I might need to name the profile iso19115-3.2018.DDE for geonetwork to pick up .2018 version stuff I can use...,but maybe by copying the whole shebang I don't need to...

When try to deploy gn after these updates, get fail : "org.geonetwork-opensource.schemas:gn-schema-iso19115-3.DDE:jar:4.2.6-SNAPSHOT was not found in https://repo.osgeo.org/repository/snapshot/"

try copying gn-schema-iso19115-3.DDE-4.2.6-SNAPSHOT.jar to C:\Workspace\GithubC\geonetwork\core-geonetwork\web\target\geonetwork\WEB-INF\lib

2023-08-22
export JAVA_HOME=/mnt/c/geonetwork/jdk8u382-b05-linux
export PATH=$JAVA_HOME/bin:$PATH
in ubuntu 22
for elastic search
export ES_JAVA_HOME=/mnt/c/Workspace/GithubC/geonetwork/core-geonetwork/es/elasticsearch-7.15.1/jdk
export PATH=$ES_JAVA_HOME/bin:$PATH

build then progresses past compile 'GeoNetwork common utils'
mvn -v shows JDK 1.8
This only works in the ubuntu instance in that window.

build finally works (takes 3.5 hours!)
login with admin/admin at localhost:8080/geonetwork

admin/ smrAdm1n?

2023-08-21
install maven 2.9.4
check out Geonetwork github repos per instructions here:
https://github.com/geonetwork/core-geonetwork/blob/4.2.x/software_development/SOURCE.md

```
git clone --recursive https://github.com/geonetwork/core-geonetwork.git
```

cd C:\Workspace\GithubC\geonetwork\core-geonetwork
```
mvn clean install -DskipTests
```

Submodules are used to keep track of externals dependencies. It is necessary to init and update them after a branch change:

```
git submodule update --init
```

GeoNetwork requires an Elasticsearch instance as an index.

1. To run, download using maven:

cd es
mvn install -Pes-download

1. And run locally:

failed. copy ES 7.17 into geonetwork-core/es folder and start in /bin/elasticsearch.bat

responds on localhost:9200

cd C:\Workspace\GithubC\geonetwork\core-geonetwork\web

```
mvn jetty:run -Penv-dev
```

1. For changes related to the user interface in the web-uimodule or the metadata schemas in the schemasmodule, can be deployed in jetty executing the following maven command in the webmodule:

```
mvn process-resources -PschemasCopy
```

1. To reset all caches and database use:

```
cd web
mvn clean:clean@reset
```

more info: https://github.com/geonetwork/core-geonetwork/blob/4.2.x/web/README.md

****

elastic search
useradd smr -p smr35geo

start geonet with full path to v.8 java.exe
increase heap size with -xms and -xmx parameters in java command line inside geonetwork startup.bat

use es v. 7.17

c:\elasticsearch-7.17.11\bin\elasticsearch.bat

then
cd c:\geonetwork\bin
c:\geonetwork\bin\startup.bat

Geonetwork users: 4.4.2
admin smrAdm1n?

postgres
smrpgadmin
pgadm!n2023